

Kurunthachalam Kannan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3318225/publications.pdf>

Version: 2024-02-01

876
papers

70,601
citations

477

133
h-index

1875

215
g-index

889
all docs

889
docs citations

889
times ranked

34572
citing authors

#	ARTICLE	IF	CITATIONS
1	Legacy and Emerging Poly- and Perfluoroalkyl Substances in Finless Porpoises from East China Sea: Temporal Trends and Tissue-Specific Accumulation. <i>Environmental Science & Technology</i> , 2022, 56, 6113-6122.	4.6	37
2	Iodine and thyroid status during pregnancy and risk of stillbirth: A population-based nested case-control study. <i>Maternal and Child Nutrition</i> , 2022, 18, e13252.	1.4	3
3	Serum heavy metals of passive smoker females and its correlation to bone biomarkers and risk of osteoporosis. <i>Environmental Science and Pollution Research</i> , 2022, 29, 6943-6948.	2.7	8
4	Endocrine-Disrupting Chemicals and Child Health. <i>Annual Review of Pharmacology and Toxicology</i> , 2022, 62, 573-594.	4.2	34
5	Association between gestational PFAS exposure and Children's adiposity in a diverse population. <i>Environmental Research</i> , 2022, 203, 111820.	3.7	34
6	The impact of zinc and folic acid supplementation on sperm DNA methylation: results from the folic acid and zinc supplementation randomized clinical trial (FAZST). <i>Fertility and Sterility</i> , 2022, 117, 75-85.	0.5	10
7	Biomonitoring of per- and polyfluoroalkyl substances in minority angler communities in central New York State. <i>Environmental Research</i> , 2022, 204, 112309.	3.7	7
8	A Call for Quality: Substandard Research in Male Sexual and Reproductive Medicine During the COVID-19 Pandemic. <i>Journal of Sexual Medicine</i> , 2022, 19, 1-4.	0.3	0
9	Per- and polyfluoroalkyl substance (PFAS) exposure, maternal metabolomic perturbation, and fetal growth in African American women: A meet-in-the-middle approach. <i>Environment International</i> , 2022, 158, 106964.	4.8	67
10	Widespread occurrence of phthalate and non-phthalate plasticizers in single-use facemasks collected in the United States. <i>Environment International</i> , 2022, 158, 106967.	4.8	23
11	Profiles of primary aromatic amines, nicotine, and cotinine in indoor dust and associated human exposure in China. <i>Science of the Total Environment</i> , 2022, 806, 151395.	3.9	8
12	The Safety of Low-Dose Aspirin on the Mode of Delivery: Secondary Analysis of the Effect of Aspirin in Gestation and Reproduction Randomized Controlled Trial. <i>American Journal of Perinatology</i> , 2022, 39, 658-665.	0.6	0
13	Diurnal variability in urinary volatile organic compound metabolites and its association with oxidative stress biomarkers. <i>Science of the Total Environment</i> , 2022, 818, 151704.	3.9	21
14	Prenatal phthalate exposure in relation to placental corticotropin releasing hormone (pCRH) in the CANDLE cohort. <i>Environment International</i> , 2022, 160, 107078.	4.8	8
15	Biomonitoring of exposure to Great Lakes contaminants among licensed anglers and Burmese refugees in Western New York: Toxic metals and persistent organic pollutants, 2010-2015. <i>International Journal of Hygiene and Environmental Health</i> , 2022, 240, 113918.	2.1	3
16	Assessing exposures to per- and polyfluoroalkyl substances in two populations of Great Lakes Basin fish consumers in Western New York State. <i>International Journal of Hygiene and Environmental Health</i> , 2022, 240, 113902.	2.1	12
17	Analysis of 19 urinary biomarkers of oxidative stress, nitrate stress, metabolic disorders, and inflammation using liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 2103-2116.	1.9	14
18	The confounder matrix: A tool to assess confounding bias in systematic reviews of observational studies of etiology. <i>Research Synthesis Methods</i> , 2022, 13, 242-254.	4.2	5

#	ARTICLE	IF	CITATIONS
19	Screening the incidence of diabetogenesis with urinary phthalate in Saudi subjects. <i>Environmental Science and Pollution Research</i> , 2022, 29, 28743.	2.7	3
20	Prenatal urinary metabolites of polycyclic aromatic hydrocarbons and toddler cognition, language, and behavior. <i>Environment International</i> , 2022, 159, 107039.	4.8	11
21	Preconception hemoglobin A1c in healthy women is not associated with fecundability or pregnancy loss. <i>F&S Reports</i> , 2022, 3, 39-46.	0.4	0
22	Inflammation and Conception in a Prospective Time-to-Pregnancy Cohort. <i>Epidemiology</i> , 2022, 33, 269-277.	1.2	2
23	Environmental exposures to pesticides, phthalates, phenols and trace elements are associated with neurodevelopment in the CHARGE study. <i>Environment International</i> , 2022, 161, 107075.	4.8	23
24	Per- and polyfluoroalkyl substances (PFAS) in commercial composts, garden soils, and potting mixes of Australia. <i>Environmental Advances</i> , 2022, 7, 100174.	2.2	10
25	A survey of parabens in aquatic environments in Hanoi, Vietnam and its implications for human exposure and ecological risk. <i>Environmental Science and Pollution Research</i> , 2022, 29, 46767-46777.	2.7	12
26	Urinary Polycyclic Aromatic Hydrocarbons in a Longitudinal Cohort of Children with CKD: A Case of Reverse Causation?. <i>Kidney360</i> , 2022, 3, 1011-1020.	0.9	1
27	In utero exposure to bisphenols and asthma, wheeze, and lung function in school-age children: a prospective meta-analysis of 8 European birth cohorts. <i>Environment International</i> , 2022, 162, 107178.	4.8	15
28	Urinary and fecal excretion of aromatic amines in pet dogs and cats from the United States. <i>Environment International</i> , 2022, 163, 107208.	4.8	14
29	Effects of gestational exposure to bisphenol A on the hepatic transcriptome and lipidome of rat dams: Intergenerational comparison of effects in the offspring. <i>Science of the Total Environment</i> , 2022, 826, 153990.	3.9	8
30	Variability in urinary concentrations of primary aromatic amines. <i>Science of the Total Environment</i> , 2022, 831, 154768.	3.9	9
31	Determinants of phthalate exposures in pregnant women in New York City. <i>Environmental Research</i> , 2022, 212, 113203.	3.7	5
32	Vascular endothelium as a target for perfluoroalkyl substances (PFAs). <i>Environmental Research</i> , 2022, 212, 113339.	3.7	3
33	Associations of Dietary Intake with Urinary Melamine and Derivative Concentrations among Children in the GAPPS Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4964.	1.2	4
34	A Method for the Analysis of Glyphosate, Aminomethylphosphonic Acid, and Glufosinate in Human Urine Using Liquid Chromatography-Tandem Mass Spectrometry. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4966.	1.2	11
35	Prenatal exposure to polycyclic aromatic hydrocarbons and gestational age at birth. <i>Environment International</i> , 2022, 164, 107246.	4.8	10
36	Maternal Phthalate and Bisphenol Urine Concentrations during Pregnancy and Early Markers of Arterial Health in Children. <i>Environmental Health Perspectives</i> , 2022, 130, 47007.	2.8	12

#	ARTICLE	IF	CITATIONS
37	Exposure to Contemporary and Emerging Chemicals in Commerce among Pregnant Women in the United States: The Environmental influences on Child Health Outcome (ECHO) Program. <i>Environmental Science & Technology</i> , 2022, 56, 6560-6573.	4.6	41
38	Polybrominated diphenyl ethers in early pregnancy and preterm birth: Findings from the NICHD Fetal Growth Studies. <i>International Journal of Hygiene and Environmental Health</i> , 2022, 243, 113978.	2.1	4
39	The evaluation of Hudson River sediment as a growth substrate – Microbial activity, PCB-degradation potential and risk assessment. <i>Science of the Total Environment</i> , 2022, 836, 155561.	3.9	2
40	Variability and correlations of synthetic chemicals in urine from a New York City-based cohort of pregnant women. <i>Environmental Pollution</i> , 2022, 309, 119774.	3.7	7
41	Associations of maternal urinary bisphenol and phthalate concentrations with offspring reproductive development. <i>Environmental Pollution</i> , 2022, 309, 119745.	3.7	5
42	Exposure to perfluoroalkyl substances and neonatal immunoglobulin profiles in the upstate KIDS study (2008–2010). <i>Environmental Pollution</i> , 2022, 308, 119656.	3.7	3
43	Neonicotinoids, fipronil, chlorpyrifos, carbendazim, chlorotriazines, chlorophenoxy herbicides, bentazon, and selected pesticide transformation products in surface water and drinking water from northern Vietnam. <i>Science of the Total Environment</i> , 2021, 750, 141507.	3.9	91
44	Sporadic anovulation is not an important determinant of becoming pregnant and time to pregnancy among eumenorrheic women: A simulation study. <i>Paediatric and Perinatal Epidemiology</i> , 2021, 35, 143-152.	0.8	4
45	Association of urinary bisphenols during pregnancy with maternal, cord blood and childhood thyroid function. <i>Environment International</i> , 2021, 146, 106160.	4.8	34
46	Evaluation of Cytochrome genotoxicity of Perfluorooctane Sulfonate (PFOS) to <i>Allium cepa</i> . <i>Environmental Toxicology and Chemistry</i> , 2021, 40, 792-798.	2.2	14
47	Vegetarian diets during pregnancy, and maternal and neonatal outcomes. <i>International Journal of Epidemiology</i> , 2021, 50, 165-178.	0.9	15
48	Adiposity is associated with anovulation independent of serum free testosterone: A prospective cohort study. <i>Paediatric and Perinatal Epidemiology</i> , 2021, 35, 174-183.	0.8	3
49	Effects on the liver lipidome of rat offspring prenatally exposed to bisphenol A. <i>Science of the Total Environment</i> , 2021, 759, 143466.	3.9	15
50	Serum per- and polyfluoroalkyl substance (PFAS) concentrations and predictors of exposure among pregnant African American women in the Atlanta area, Georgia. <i>Environmental Research</i> , 2021, 198, 110445.	3.7	43
51	An exploratory analysis of poly- and per-fluoroalkyl substances in pet food packaging from the United States. <i>Environmental Technology and Innovation</i> , 2021, 21, 101247.	3.0	15
52	Impact of “healthier” materials interventions on dust concentrations of per- and polyfluoroalkyl substances, polybrominated diphenyl ethers, and organophosphate esters. <i>Environment International</i> , 2021, 150, 106151.	4.8	22
53	Perfluoroalkyl substances associations with morphometric health indices in three fish species from differentially contaminated water bodies in Southeastern Brazil. <i>Environmental Technology and Innovation</i> , 2021, 21, 101198.	3.0	4
54	The Joint Role of Iodine Status and Thyroid Function on Risk for Preeclampsia in Finnish Women: a Population-Based Nested Case-Control Study. <i>Biological Trace Element Research</i> , 2021, 199, 2131-2137.	1.9	6

#	ARTICLE	IF	CITATIONS
55	Remediation of poly- and perfluoroalkyl substances (PFAS) contaminated soils – To mobilize or to immobilize or to degrade?. <i>Journal of Hazardous Materials</i> , 2021, 401, 123892.	6.5	169
56	A review of environmental occurrence, toxicity, biotransformation and biomonitoring of volatile organic compounds. <i>Environmental Chemistry and Ecotoxicology</i> , 2021, 3, 91-116.	4.6	133
57	Measurement of urinary pesticide biomarkers among Latina farmworkers in southwestern Idaho. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021, 31, 538-548.	1.8	6
58	Phthalate and Bisphenol Urinary Concentrations, Body Fat Measures, and Cardiovascular Risk Factors in Dutch School-Age Children. <i>Obesity</i> , 2021, 29, 409-417.	1.5	20
59	Prenatal phthalate exposures and autism spectrum disorder symptoms in low-risk children. <i>Neurotoxicology and Teratology</i> , 2021, 83, 106947.	1.2	13
60	Evaluating inter-study variability in phthalate and trace element analyses within the Children's Health Exposure Analysis Resource (CHEAR) using multivariate control charts. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021, 31, 318-327.	1.8	5
61	Serum antioxidant vitamin concentrations and oxidative stress markers associated with symptoms and severity of premenstrual syndrome: a prospective cohort study. <i>BMC Women's Health</i> , 2021, 21, 49.	0.8	11
62	Maternal diet patterns during early pregnancy in relation to neonatal outcomes. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 358-367.	2.2	18
63	Low Intake of Vegetable Protein is Associated With Altered Ovulatory Function Among Healthy Women of Reproductive Age. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2600-e2612.	1.8	1
64	Association Between Maternal Caffeine Consumption and Metabolism and Neonatal Anthropometry. <i>JAMA Network Open</i> , 2021, 4, e213238.	2.8	21
65	Perfluorooctanoic acid (PFOA) or perfluorooctane sulfonate (PFOS) and DNA methylation in newborn dried blood spots in the Upstate KIDS cohort. <i>Environmental Research</i> , 2021, 194, 110668.	3.7	20
66	Assessing Indoor Dust Interference with Human Nuclear Hormone Receptors in Cell-Based Luciferase Reporter Assays. <i>Environmental Health Perspectives</i> , 2021, 129, 47010.	2.8	23
67	The use of dried blood spots for characterizing children's exposure to organic environmental chemicals. <i>Environmental Research</i> , 2021, 195, 110796.	3.7	14
68	Adipose to serum ratio and mixtures of persistent organic pollutants in relation to endometriosis: Findings from the ENDO Study. <i>Environmental Research</i> , 2021, 195, 110732.	3.7	12
69	Prenatal Exposure to Bisphenols and Phthalates and Postpartum Depression: The Role of Neurosteroid Hormone Disruption. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 1887-1899.	1.8	13
70	Associations between blood cadmium and endocrine features related to PCOS-phenotypes in healthy women of reproductive age: a prospective cohort study. <i>Environmental Health</i> , 2021, 20, 64.	1.7	19
71	Quality assurance and harmonization for targeted biomonitoring measurements of environmental organic chemicals across the Children's Health Exposure Analysis Resource laboratory network. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 234, 113741.	2.1	26
72	Exposure to prenatal phthalate mixtures and neurodevelopment in the Conditions Affecting Neurocognitive Development and Learning in Early childhood (CANDLE) study. <i>Environment International</i> , 2021, 150, 106409.	4.8	27

#	ARTICLE	IF	CITATIONS
73	The role of maternal preconception vitamin D status in human offspring sex ratio. <i>Nature Communications</i> , 2021, 12, 2789.	5.8	8
74	Maternal bisphenol urine concentrations, fetal growth and adverse birth outcomes: A population-based prospective cohort. <i>Environmental Health</i> , 2021, 20, 60.	1.7	23
75	Exposure to perfluorooctanesulfonate (PFOS) but not perfluorooctanoic acid (PFOA) at ppb concentration induces chronic toxicity in <i>Daphnia carinata</i> . <i>Science of the Total Environment</i> , 2021, 769, 144577.	3.9	28
76	A method for the analysis of 121 multi-class environmental chemicals in urine by high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2021, 1646, 462146.	1.8	19
77	Maternal phthalate urine concentrations, fetal growth and adverse birth outcomes. A population-based prospective cohort study. <i>Environment International</i> , 2021, 151, 106443.	4.8	41
78	Associations of single and multiple per- and polyfluoroalkyl substance (PFAS) exposure with vitamin D biomarkers in African American women during pregnancy. <i>Environmental Research</i> , 2021, 202, 111713.	3.7	14
79	Associations of pregnancy per- and polyfluoroalkyl substance concentrations and fibroid changes across pregnancy: NICHD Fetal Growth Studies - Singletons cohort. <i>ISEE Conference Abstracts</i> , 2021, .	0.0	0
80	Widespread Exposure to Emerging and Previously Unmeasured Chemicals in Commerce in Pregnant women Across the US. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
81	Prenatal per- and polyfluoroalkyl substance (PFAS) exposure, metabolomic perturbation, and lower birth weight in African American women: a meet-in-the-middle approach. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
82	Environmental Exposure to Melamine-Related Compounds and Kidney Outcomes in Children. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
83	Thyroid hormone receptor β 2 sumoylation is required for thyrotropin regulation and thyroid hormone production. <i>JCI Insight</i> , 2021, 6, .	2.3	7
84	A liquid chromatography-tandem mass spectrometry method for the analysis of primary aromatic amines in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1180, 122888.	1.2	12
85	Objective sleep duration and timing predicts completion of in vitro fertilization cycle. <i>Journal of Assisted Reproduction and Genetics</i> , 2021, 38, 2687-2696.	1.2	9
86	A Review of Human Exposure to Microplastics and Insights Into Microplastics as obesogens. <i>Frontiers in Endocrinology</i> , 2021, 12, 724989.	1.5	170
87	Organophosphate pesticide exposure: Demographic and dietary predictors in an urban pregnancy cohort. <i>Environmental Pollution</i> , 2021, 283, 116920.	3.7	14
88	Preconception leukocyte telomere length and pregnancy outcomes among women with demonstrated fecundity. <i>Human Reproduction</i> , 2021, 36, 3122-3130.	0.4	5
89	A Comprehensive Assessment of Associations between Prenatal Phthalate Exposure and the Placental Transcriptomic Landscape. <i>Environmental Health Perspectives</i> , 2021, 129, 97003.	2.8	20
90	Profiles of phthalic acid esters (PAEs) in bottled water, tap water, lake water, and wastewater samples collected from Hanoi, Vietnam. <i>Science of the Total Environment</i> , 2021, 788, 147831.	3.9	45

#	ARTICLE	IF	CITATIONS
91	Association of parental obesity with infant birthweight: weighing the evidence. <i>F&S Reports</i> , 2021, 2, 366-367.	0.4	0
92	Distribution of cyclic volatile methylsiloxanes in drinking water, tap water, surface water, and wastewater in Hanoi, Vietnam. <i>Environmental Pollution</i> , 2021, 285, 117260.	3.7	7
93	Occurrence of Polyethylene Terephthalate and Polycarbonate Microplastics in Infant and Adult Feces. <i>Environmental Science and Technology Letters</i> , 2021, 8, 989-994.	3.9	184
94	Quantitative analysis of polyethylene terephthalate and polycarbonate microplastics in sediment collected from South Korea, Japan and the USA. <i>Chemosphere</i> , 2021, 279, 130551.	4.2	22
95	Associations of maternal bisphenol urine concentrations during pregnancy with neonatal metabolomic profiles. <i>Metabolomics</i> , 2021, 17, 84.	1.4	7
96	Prenatal environmental tobacco smoke exposure alters children's cognitive control circuitry: A preliminary study. <i>Environment International</i> , 2021, 155, 106516.	4.8	12
97	Organophosphate pesticides and progression of chronic kidney disease among children: A prospective cohort study. <i>Environment International</i> , 2021, 155, 106597.	4.8	26
98	Variability in urinary biomarkers of human exposure to polycyclic aromatic hydrocarbons and its association with oxidative stress. <i>Environment International</i> , 2021, 156, 106720.	4.8	45
99	Primary aromatic amines in indoor dust from 10 countries and associated human exposure. <i>Environment International</i> , 2021, 157, 106840.	4.8	18
100	Response to Comments on "Urinary Metabolites of Neonicotinoid Insecticides: Levels and Recommendations for Future Biomonitoring Studies in China". <i>Environmental Science & Technology</i> , 2021, 55, 2166-2168.	4.6	1
101	Association of trace elements abnormalities with thyroid dysfunction. <i>African Health Sciences</i> , 2021, 21, 1451-1459.	0.3	3
102	Assessment of Caffeine Consumption and Maternal Cardiometabolic Pregnancy Complications. <i>JAMA Network Open</i> , 2021, 4, e2133401.	2.8	8
103	Association between early gestation passive smoke exposure and neonatal size among self-reported non-smoking women by race/ethnicity: A cohort study. <i>PLoS ONE</i> , 2021, 16, e0256676.	1.1	2
104	Prenatal Exposure to Nonpersistent Chemical Mixtures and Fetal Growth: A Population-Based Study. <i>Environmental Health Perspectives</i> , 2021, 129, 117008.	2.8	30
105	Association of blood heavy metal levels with osteocalcin abnormality and incidence of osteoporosis in Saudi subjects. <i>Brazilian Journal of Biology</i> , 2021, 83, e248828.	0.4	7
106	The Association Between Perfluoroalkyl Substances and Lipids in Cord Blood. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 43-54.	1.8	32
107	Biomonitoring of exposure to bisphenols, benzophenones, triclosan, and triclocarban in pet dogs and cats. <i>Environmental Research</i> , 2020, 180, 108821.	3.7	24
108	Glyphosate exposures and kidney injury biomarkers in infants and young children. <i>Environmental Pollution</i> , 2020, 256, 113334.	3.7	50

#	ARTICLE	IF	CITATIONS
109	Organophosphate di- and tri-esters in indoor and outdoor dust from China and its implications for human exposure. <i>Science of the Total Environment</i> , 2020, 700, 134502.	3.9	88
110	Response to the letter to the editor. <i>Chemosphere</i> , 2020, 238, 124498.	4.2	0
111	A Randomized Trial to Evaluate the Effects of Folic Acid and Zinc Supplementation on Male Fertility and Livebirth: Design and Baseline Characteristics. <i>American Journal of Epidemiology</i> , 2020, 189, 8-26.	1.6	6
112	Effects of soil amendment with PCB-contaminated sediment on the growth of two cucurbit species. <i>Environmental Science and Pollution Research</i> , 2020, 27, 8872-8884.	2.7	16
113	Effect of Folic Acid and Zinc Supplementation in Men on Semen Quality and Live Birth Among Couples Undergoing Infertility Treatment. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 35.	3.8	103
114	Gas/particle partitioning of semi-volatile organic compounds in the atmosphere: Transition from unsteady to steady state. <i>Science of the Total Environment</i> , 2020, 710, 136394.	3.9	15
115	Environmentally-relevant exposure to diethylhexyl phthalate (DEHP) alters regulation of double-strand break formation and crossover designation leading to germline dysfunction in <i>Caenorhabditis elegans</i> . <i>PLoS Genetics</i> , 2020, 16, e1008529.	1.5	30
116	Antioxidant CoQ10 Restores Fertility by Rescuing Bisphenol A-Induced Oxidative DNA Damage in the <i>Caenorhabditis elegans</i> Germline. <i>Genetics</i> , 2020, 214, 381-395.	1.2	27
117	Evaluation of ecotoxicological and chemical properties of soil amended with Hudson River (New) Tj ETQq1 1 0.784314 rgBT /Overlock	2.7	11
118	Maternal bisphenol and phthalate urine concentrations and weight gain during pregnancy. <i>Environment International</i> , 2020, 135, 105342.	4.8	31
119	Variability in urinary neonicotinoid concentrations in single-spot and first-morning void and its association with oxidative stress markers. <i>Environment International</i> , 2020, 135, 105415.	4.8	69
120	Occurrence and distribution of melamine and its derivatives in surface water, drinking water, precipitation, wastewater, and swimming pool water. <i>Environmental Pollution</i> , 2020, 258, 113743.	3.7	32
121	Perchlorate contamination assessment and hypothyroidism in rat studies using water samples collected around Kovil Patti, Tuticorin District of Tamil Nadu, India. <i>Microchemical Journal</i> , 2020, 154, 104570.	2.3	8
122	Maternal fatty acid concentrations and newborn DNA methylation. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 613-621.	2.2	10
123	Determination of melamine and its derivatives in textiles and infant clothing purchased in the United States. <i>Science of the Total Environment</i> , 2020, 710, 136396.	3.9	29
124	Association of Maternal Exposure to Persistent Organic Pollutants in Early Pregnancy With Fetal Growth. <i>JAMA Pediatrics</i> , 2020, 174, 149.	3.3	70
125	Elevated concentrations of bromate in Drinking water and groundwater from Kuwait and associated exposure and health risks. <i>Environmental Research</i> , 2020, 181, 108885.	3.7	18
126	Perfluoroalkyl Substances and Metabolic Syndrome in Firefighters. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 52-57.	0.9	29

#	ARTICLE	IF	CITATIONS
127	A longitudinal study of polychlorinated biphenyls and neuropsychological function among older adults from New York State. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 223, 1-9.	2.1	6
128	Assessment of Risks of Dioxins for Aryl Hydrocarbon Receptor-Mediated Effects in Polar Bear (<i>Ursus maritimus</i>) by in Vitro and in Silico Approaches. <i>Environmental Science & Technology</i> , 2020, 54, 1770-1781.	4.6	8
129	Rhythmic Fluctuations in Levels of Liver Enzymes During Menstrual Cycles of Healthy Women and Effects of Body Weight. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2055-2063.e2.	2.4	1
130	Preconception leptin levels and pregnancy outcomes: A prospective cohort study. <i>Obesity Science and Practice</i> , 2020, 6, 181-188.	1.0	10
131	Microplastics in house dust from 12 countries and associated human exposure. <i>Environment International</i> , 2020, 134, 105314.	4.8	174
132	Soil concentrations and soil-air exchange of polycyclic aromatic hydrocarbons in five Asian countries. <i>Science of the Total Environment</i> , 2020, 711, 135223.	3.9	21
133	The influences of sleep duration, chronotype, and nightwork on the ovarian cycle. <i>Chronobiology International</i> , 2020, 37, 260-271.	0.9	39
134	Occurrence and distribution of organophosphate esters in sediment from northern Chinese coastal waters. <i>Science of the Total Environment</i> , 2020, 704, 135328.	3.9	55
135	Vital Status Ascertainment for a Historic Diverse Cohort of U.S. Women. <i>Epidemiology</i> , 2020, 31, 310-316.	1.2	10
136	Feminine Hygiene Products—A Neglected Source of Phthalate Exposure in Women. <i>Environmental Science & Technology</i> , 2020, 54, 930-937.	4.6	31
137	Is Opioid Use Safe in Women Trying to Conceive?. <i>Epidemiology</i> , 2020, 31, 844-851.	1.2	6
138	Serially assessed bisphenol A and phthalate exposure and association with kidney function in children with chronic kidney disease in the US and Canada: A longitudinal cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003384.	3.9	39
139	Leaching of melamine and cyanuric acid from melamine-based tableware at different temperatures and water-based simulants. <i>Environmental Chemistry and Ecotoxicology</i> , 2020, 2, 91-96.	4.6	13
140	Urinary selective serotonin reuptake inhibitors across critical windows of pregnancy establishment: a prospective cohort study of fecundability and pregnancy loss. <i>Fertility and Sterility</i> , 2020, 114, 1278-1287.	0.5	6
141	Fetal phthalates and bisphenols and childhood lipid and glucose metabolism. A population-based prospective cohort study. <i>Environment International</i> , 2020, 144, 106063.	4.8	23
142	Low-dose aspirin in reproductive health: effects on menstrual cycle characteristics. <i>Fertility and Sterility</i> , 2020, 114, 1263-1270.	0.5	3
143	A critical review of the analysis of dried blood spots for characterizing human exposure to inorganic targets using methods based on analytical atomic spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2020, 35, 2092-2112.	1.6	14
144	Parabens in stretch mark creams: A source of exposure in pregnant and lactating women. <i>Science of the Total Environment</i> , 2020, 744, 141016.	3.9	13

#	ARTICLE	IF	CITATIONS
145	Concentrations of persistent organic pollutants in maternal plasma and epigenome-wide placental DNA methylation. <i>Clinical Epigenetics</i> , 2020, 12, 103.	1.8	49
146	Preconception exposures and postconception outcomes: selection bias in action. <i>Fertility and Sterility</i> , 2020, 114, 1172-1173.	0.5	3
147	A combined cohort analysis of prenatal exposure to phthalate mixtures and childhood asthma. <i>Environment International</i> , 2020, 143, 105970.	4.8	39
148	Family history of autoimmune disease in relation to time-to-pregnancy, pregnancy loss, and live birth rate. <i>Journal of Translational Autoimmunity</i> , 2020, 3, 100059.	2.0	3
149	Exposures to phthalates and bisphenols in pregnancy and postpartum weight gain in a population-based longitudinal birth cohort. <i>Environment International</i> , 2020, 144, 106002.	4.8	13
150	A pilot study of per- and polyfluoroalkyl substances in automotive lubricant oils from the United States. <i>Environmental Technology and Innovation</i> , 2020, 19, 100943.	3.0	20
151	Routine assessment of ovulation is unlikely to be medically necessary among eumenorrheic women. <i>Fertility and Sterility</i> , 2020, 114, 1187-1188.	0.5	1
152	GAPS-megacities: A new global platform for investigating persistent organic pollutants and chemicals of emerging concern in urban air. <i>Environmental Pollution</i> , 2020, 267, 115416.	3.7	39
153	Fetal exposure to phthalates and bisphenols and childhood general and organ fat. A population-based prospective cohort study. <i>International Journal of Obesity</i> , 2020, 44, 2225-2235.	1.6	11
154	Persistent organic pollutants exposure in newborn dried blood spots and infant weight status: A case-control study of low-income Hispanic mother-infant pairs. <i>Environmental Pollution</i> , 2020, 267, 115427.	3.7	14
155	Profiles of urinary neonicotinoids and dialkylphosphates in populations in nine countries. <i>Environment International</i> , 2020, 145, 106120.	4.8	57
156	Platelet activation and placenta-mediated adverse pregnancy outcomes: an ancillary study to the Effects of Aspirin in Gestation and Reproduction trial. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 741.e1-741.e12.	0.7	13
157	Fetal exposure to bisphenols and phthalates and childhood bone mass: a population-based prospective cohort study.. <i>Environmental Research</i> , 2020, 186, 109602.	3.7	28
158	Modeling gas/particle partitioning of polybrominated diphenyl ethers (PBDEs) in the atmosphere: A review. <i>Science of the Total Environment</i> , 2020, 729, 138962.	3.9	16
159	Cord blood DNA methylation reflects cord blood C-reactive protein levels but not maternal levels: a longitudinal study and meta-analysis. <i>Clinical Epigenetics</i> , 2020, 12, 60.	1.8	9
160	Urinary Metabolites of Neonicotinoid Insecticides: Levels and Recommendations for Future Biomonitoring Studies in China. <i>Environmental Science & Technology</i> , 2020, 54, 8210-8220.	4.6	68
161	Associations of maternal phthalate and bisphenol urine concentrations during pregnancy with childhood blood pressure in a population-based prospective cohort study. <i>Environment International</i> , 2020, 138, 105677.	4.8	33
162	Serum concentrations of perfluoroalkyl substances and their association with osteoporosis in a population in Jeddah, Saudi Arabia. <i>Environmental Research</i> , 2020, 187, 109676.	3.7	30

#	ARTICLE	IF	CITATIONS
163	Effects of amendments of PCB-containing Hudson River sediment on soil quality and biochemical and growth response of cucumber (<i>Cucumis sativus</i> L. cv "Wisconsin SMR 58"). International Journal of Phytoremediation, 2020, 22, 1224-1232.	1.7	8
164	Persistent organic pollutant exposure and celiac disease: A pilot study. Environmental Research, 2020, 186, 109439.	3.7	11
165	Exposure to per- and polyfluorinated alkyl substances in pregnant Brazilian women and its association with fetal growth. Environmental Research, 2020, 187, 109585.	3.7	31
166	Utilization of PCB-contaminated Hudson River sediment by thermal processing and phytoremediation. Science of the Total Environment, 2020, 738, 139841.	3.9	10
167	Total oxidizable precursor assay in the determination of perfluoroalkyl acids in textiles collected from the United States. Environmental Pollution, 2020, 265, 114940.	3.7	27
168	Serum concentrations of pesticides including organophosphates, pyrethroids and neonicotinoids in a population with osteoarthritis in Saudi Arabia. Science of the Total Environment, 2020, 737, 139706.	3.9	38
169	Effects of prenatal bisphenol A exposure on the hepatic transcriptome and proteome in rat offspring. Science of the Total Environment, 2020, 720, 137568.	3.9	20
170	Physical activity and incidence of subclinical and clinical pregnancy loss: a secondary analysis in the effects of aspirin in gestation and reproduction randomized trial. Fertility and Sterility, 2020, 113, 601-608.e1.	0.5	3
171	The association between prenatal exposure to perfluoroalkyl substances and childhood neurodevelopment. Environmental Pollution, 2020, 263, 114444.	3.7	45
172	Artificial Sweeteners in Pig Feed: A Worldwide Survey and Case Study in Pig Farms in Tianjin, China. Environmental Science & Technology, 2020, 54, 4059-4067.	4.6	17
173	Newborn Iodine Status Is Not Related to Congenital Hypothyroidism. Journal of Nutrition, 2020, 150, 2429-2434.	1.3	3
174	Fecal Excretion of Perfluoroalkyl and Polyfluoroalkyl Substances in Pets from New York State, United States. Environmental Science and Technology Letters, 2020, 7, 135-142.	3.9	27
175	Prediction of pregnancy loss by early first trimester ultrasound characteristics. American Journal of Obstetrics and Gynecology, 2020, 223, 242.e1-242.e22.	0.7	13
176	Opportunities for evaluating chemical exposures and child health in the United States: the Environmental influences on Child Health Outcomes (ECHO) Program. Journal of Exposure Science and Environmental Epidemiology, 2020, 30, 397-419.	1.8	44
177	Urinary Phytoestrogens and Relationship to Menstrual Cycle Length and Variability Among Healthy, Eumenorrheic Women. Journal of the Endocrine Society, 2020, 4, bvz003.	0.1	7
178	Association of urinary metabolites of organophosphate and pyrethroid insecticides, and phenoxy herbicides with endometriosis. Environment International, 2020, 136, 105456.	4.8	26
179	Phthalates, bisphenols, parabens, and triclocarban in feminine hygiene products from the United States and their implications for human exposure. Environment International, 2020, 136, 105465.	4.8	84
180	Profiles of parabens and their metabolites in paired maternal-fetal serum, urine and amniotic fluid and their implications for placental transfer. Ecotoxicology and Environmental Safety, 2020, 191, 110235.	2.9	48

#	ARTICLE	IF	CITATIONS
181	Concentrations of bisphenol A and its alternatives in paired maternal–fetal urine, serum and amniotic fluid from an e-waste dismantling area in China. <i>Environment International</i> , 2020, 136, 105407.	4.8	106
182	Occurrence and transfer of benzophenone-type ultraviolet filters from the pregnant women to fetuses. <i>Science of the Total Environment</i> , 2020, 726, 138503.	3.9	38
183	Urinary levels of environmental phenols and parabens and antioxidant enzyme activity in the blood of women. <i>Environmental Research</i> , 2020, 186, 109507.	3.7	16
184	Occurrence and Profiles of Organophosphate Esters in Infant Clothing and Raw Textiles Collected from the United States. <i>Environmental Science and Technology Letters</i> , 2020, 7, 415-420.	3.9	27
185	Vaginal bleeding and nausea in early pregnancy as predictors of clinical pregnancy loss. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 570.e1-570.e14.	0.7	7
186	Maternal preconception lipid profile and gestational lipid changes in relation to birthweight outcomes. <i>Scientific Reports</i> , 2020, 10, 1374.	1.6	17
187	<i>In situ&/i> measurement-based partitioning behavior of perfluoroalkyl acids in the atmosphere. <i>Environmental Engineering Research</i> , 2020, 25, 281-289.	1.5	9
188	Recalled maternal lifestyle behaviors associated with anti-m&sup4;llerian hormone of adult female offspring. <i>Reproductive Toxicology</i> , 2020, 98, 75-81.	1.3	3
189	Genetic influence of vitamin D receptor gene polymorphisms on osteoporosis risk. <i>International Journal of Health Sciences</i> , 2020, 14, 22-28.	0.4	3
190	Title is missing!. , 2020, 17, e1003384.		0
191	Title is missing!. , 2020, 17, e1003384.		0
192	Title is missing!. , 2020, 17, e1003384.		0
193	Title is missing!. , 2020, 17, e1003384.		0
194	Title is missing!. , 2020, 17, e1003384.		0
195	Distribution and partitioning of perfluoroalkyl carboxylic acids in surface soil, plants, and earthworms at a contaminated site. <i>Science of the Total Environment</i> , 2019, 647, 954-961.	3.9	64
196	Mass flows and removal of eight bisphenol analogs, bisphenol A diglycidyl ether and its derivatives in two wastewater treatment plants in New York State, USA. <i>Science of the Total Environment</i> , 2019, 648, 442-449.	3.9	84
197	Organophosphorus Flame Retardants and Plasticizers in Breast Milk from the United States. <i>Environmental Science and Technology Letters</i> , 2019, 6, 525-531.	3.9	76
198	Investigating the effect of lifestyle risk factors upon number of aspirated and mature oocytes in in vitro fertilization cycles: Interaction with antral follicle count. <i>PLoS ONE</i> , 2019, 14, e0221015.	1.1	11

#	ARTICLE	IF	CITATIONS
199	Occurrence, distribution and human exposure to 20 organophosphate esters in air, soil, pine needles, river water, and dust samples collected around an airport in New York state, United States. <i>Environment International</i> , 2019, 131, 105054.	4.8	85
200	Melamine and cyanuric acid in foodstuffs from the United States and their implications for human exposure. <i>Environment International</i> , 2019, 130, 104950.	4.8	37
201	Occurrence and distribution of parabens and bisphenols in sediment from northern Chinese coastal areas. <i>Environmental Pollution</i> , 2019, 253, 759-767.	3.7	39
202	Concentrations of organohalogens (PCBs, DDTs, PBDEs) in hunted and stranded Northern sea otters (<i>Enhydra lutris kenyoni</i>) in Alaska from 1992 to 2010: Links to pathology and feeding ecology. <i>Science of the Total Environment</i> , 2019, 691, 789-798.	3.9	2
203	A review of contamination status, emission sources, and human exposure to volatile methyl siloxanes (VMSs) in indoor environments. <i>Science of the Total Environment</i> , 2019, 691, 584-594.	3.9	40
204	Developmental programming: Sex-specific programming of growth upon prenatal bisphenol A exposure. <i>Journal of Applied Toxicology</i> , 2019, 39, 1516-1531.	1.4	14
205	Urinary concentrations and distribution profiles of 21 phthalate metabolites in pet cats and dogs. <i>Science of the Total Environment</i> , 2019, 690, 70-75.	3.9	9
206	Polyethylene Terephthalate and Polycarbonate Microplastics in Sewage Sludge Collected from the United States. <i>Environmental Science and Technology Letters</i> , 2019, 6, 650-655.	3.9	76
207	Preconception Leptin and Fecundability, Pregnancy, and Live Birth Among Women With a History of Pregnancy Loss. <i>Journal of the Endocrine Society</i> , 2019, 3, 1958-1968.	0.1	2
208	The Preconception Period analysis of Risks and Exposures Influencing health and Development (PrePARED) consortium. <i>Paediatric and Perinatal Epidemiology</i> , 2019, 33, 490-502.	0.8	18
209	Organophosphate esters in indoor dust from 12 countries: Concentrations, composition profiles, and human exposure. <i>Environment International</i> , 2019, 133, 105178.	4.8	92
210	Phthalate Metabolites, Hydroxy-Polycyclic Aromatic Hydrocarbons, and Bisphenol Analogues in Bovine Urine Collected from China, India, and the United States. <i>Environmental Science & Technology</i> , 2019, 53, 11524-11531.	4.6	22
211	Pilot randomized trial of short-term changes in inflammation and lipid levels during and after aspirin and pravastatin therapy. <i>Reproductive Health</i> , 2019, 16, 132.	1.2	6
212	Association Between Perfluoroalkyl Substance Exposure and Renal Function in Children With CKD Enrolled in H3Africa Kidney Disease Research Network. <i>Kidney International Reports</i> , 2019, 4, 1641-1645.	0.4	1
213	A nationwide survey of urinary concentrations of neonicotinoid insecticides in China. <i>Environment International</i> , 2019, 132, 105114.	4.8	89
214	Polyethylene Terephthalate and Polycarbonate Microplastics in Pet Food and Feces from the United States. <i>Environmental Science & Technology</i> , 2019, 53, 12035-12042.	4.6	84
215	Biomonitoring of populations in Western New York at risk for exposure to Great Lakes contaminants. <i>Environmental Research</i> , 2019, 179, 108690.	3.7	9
216	Perfluoroalkyl substances (PFASs) in edible fish species from Charleston Harbor and tributaries, South Carolina, United States: Exposure and risk assessment. <i>Environmental Research</i> , 2019, 171, 266-277.	3.7	111

#	ARTICLE	IF	CITATIONS
217	Persistent organic pollutants and gestational diabetes: A multi-center prospective cohort study of healthy US women. <i>Environment International</i> , 2019, 124, 249-258.	4.8	74
218	Volatile methylsiloxanes in sewage treatment plants in Saitama, Japan: Mass distribution and emissions. <i>Chemosphere</i> , 2019, 233, 677-686.	4.2	20
219	Temporal variability in urinary pesticide concentrations in repeated-spot and first-morning-void samples and its association with oxidative stress in healthy individuals. <i>Environment International</i> , 2019, 130, 104904.	4.8	41
220	New methods for generalizability and transportability: the new norm. <i>European Journal of Epidemiology</i> , 2019, 34, 723-724.	2.5	4
221	Occurrence of Melamine and Its Derivatives in Breast Milk from the United States and Its Implications for Exposure in Infants. <i>Environmental Science & Technology</i> , 2019, 53, 7859-7865.	4.6	37
222	Occurrence and Profiles of Melamine and Cyanuric Acid in Bovine Feed and Urine from China, India, and the United States. <i>Environmental Science & Technology</i> , 2019, 53, 7029-7035.	4.6	15
223	Should all men being evaluated for couple infertility have an endocrine and reproductive urology evaluation?. <i>Fertility and Sterility</i> , 2019, 111, 1107-1108.	0.5	2
224	Effect of preconception low dose aspirin on pregnancy and live birth according to socioeconomic status: A secondary analysis of a randomized clinical trial. <i>PLoS ONE</i> , 2019, 14, e0200533.	1.1	2
225	Occurrence and human exposure to bromate via drinking water, fruits and vegetables in Chile. <i>Chemosphere</i> , 2019, 228, 444-450.	4.2	12
226	A simple method for the analysis of neonicotinoids and their metabolites in human urine. <i>Environmental Chemistry</i> , 2019, 16, 171.	0.7	19
227	Quantitative identification of and exposure to synthetic phenolic antioxidants, including butylated hydroxytoluene, in urine. <i>Environment International</i> , 2019, 128, 24-29.	4.8	92
228	Cardiovascular disease family history and risk of pregnancy loss. <i>Annals of Epidemiology</i> , 2019, 34, 40-44.	0.9	2
229	Preconception folate status and reproductive outcomes among a prospective cohort of folate-replete women. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 51.e1-51.e10.	0.7	2
230	Pregnancy Loss and Iodine Status: The LIFE Prospective Cohort Study. <i>Nutrients</i> , 2019, 11, 534.	1.7	11
231	Allantoin as a Marker of Oxidative Stress: Inter- and Intraindividual Variability in Urinary Concentrations in Healthy Individuals. <i>Environmental Science and Technology Letters</i> , 2019, 6, 283-288.	3.9	15
232	A Review of Biomonitoring of Phthalate Exposures. <i>Toxics</i> , 2019, 7, 21.	1.6	411
233	Main Uses and Environmental Emissions of Volatile Methylsiloxanes. <i>Handbook of Environmental Chemistry</i> , 2019, , 33-70.	0.2	8
234	A nationwide survey of 19 organophosphate esters in soils from China: Spatial distribution and hazard assessment. <i>Science of the Total Environment</i> , 2019, 671, 528-535.	3.9	75

#	ARTICLE	IF	CITATIONS
235	Distribution of Organohalogen and Synthetic Musk Compounds in Breast Adipose Tissue of Breast Cancer Patients in Ulster County, New York, USA. <i>Archives of Environmental Contamination and Toxicology</i> , 2019, 77, 68-78.	2.1	12
236	Spatial and temporal trends of melamine and its derivatives in sediment from Lake Shihwa, South Korea. <i>Journal of Hazardous Materials</i> , 2019, 373, 671-677.	6.5	28
237	Serum perfluoroalkyl substances and lung function in adolescents exposed to the World Trade Center disaster. <i>Environmental Research</i> , 2019, 172, 266-272.	3.7	16
238	Assessing effects of germline exposure to environmental toxicants by high-throughput screening in <i>C. elegans</i> . <i>PLoS Genetics</i> , 2019, 15, e1007975.	1.5	37
239	Health Status of Elderly People Living Near E-Waste Recycling Sites: Association of E-Waste Dismantling Activities with Legacy Perfluoroalkyl Substances (PFASs). <i>Environmental Science and Technology Letters</i> , 2019, 6, 133-140.	3.9	35
240	Occurrence of and human exposure to organophosphate flame retardants/plasticizers in indoor air and dust from various microenvironments in the United States. <i>Environment International</i> , 2019, 125, 342-349.	4.8	142
241	Tampon use, environmental chemicals and oxidative stress in the BioCycle study. <i>Environmental Health</i> , 2019, 18, 11.	1.7	7
242	Mediation analysis for the relationship between urinary phthalate metabolites and type 2 diabetes via oxidative stress in a population in Jeddah, Saudi Arabia. <i>Environment International</i> , 2019, 126, 153-161.	4.8	51
243	The Joint Role of Thyroid Function and Iodine Status on Risk of Preterm Birth and Small for Gestational Age: A Population-Based Nested Case-Control Study of Finnish Women. <i>Nutrients</i> , 2019, 11, 2573.	1.7	8
244	Patterns and Variability of Endocrine-disrupting Chemicals During Pregnancy. <i>Epidemiology</i> , 2019, 30, S65-S75.	1.2	22
245	Exposure to Persistent Organic Pollutants and Birth Characteristics. <i>Epidemiology</i> , 2019, 30, S94-S100.	1.2	15
246	Advancing the Health of Populations Across the Life Course. <i>Epidemiology</i> , 2019, 30, S47-S54.	1.2	1
247	Length of Fellowship Training in Population Health Research and Long-term Bibliometric Outcomes. <i>Epidemiology</i> , 2019, 30, S85-S93.	1.2	5
248	Identifying and Prioritizing Chemicals with Uncertain Burden of Exposure: Opportunities for Biomonitoring and Health-Related Research. <i>Environmental Health Perspectives</i> , 2019, 127, 126001.	2.8	56
249	Combining Biomarker Calibration Data to Reduce Measurement Error. <i>Epidemiology</i> , 2019, 30, S3-S9.	1.2	3
250	Preconception Perceived Stress Is Associated with Reproductive Hormone Levels and Longer Time to Pregnancy. <i>Epidemiology</i> , 2019, 30, S76-S84.	1.2	15
251	Associations Between Preconception Plasma Fatty Acids and Pregnancy Outcomes. <i>Epidemiology</i> , 2019, 30, S37-S46.	1.2	12
252	Temporal Trends in Per- and Polyfluoroalkyl Substances in Bottlenose Dolphins (<i>Tursiops</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td Science & Technology, 2019, 53, 14194-14203.	4.6	17

#	ARTICLE	IF	CITATIONS
253	Metabolic Syndrome and the Effectiveness of Low-dose Aspirin on Reproductive Outcomes. <i>Epidemiology</i> , 2019, 30, 573-581.	1.2	4
254	The joint role of thyroid function and iodine concentration on gestational diabetes risk in a population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 500-506.	1.3	11
255	Exposome-wide association study of semen quality: Systematic discovery of endocrine disrupting chemical biomarkers in fertility require large sample sizes. <i>Environment International</i> , 2019, 125, 505-514.	4.8	48
256	The role of aspirin and inflammation on reproduction: the EAGeR trial. <i>Canadian Journal of Physiology and Pharmacology</i> , 2019, 97, 187-192.	0.7	12
257	Inter-day and inter-individual variability in urinary concentrations of melamine and cyanuric acid. <i>Environment International</i> , 2019, 123, 375-381.	4.8	42
258	Cord blood perfluoroalkyl substances in mothers exposed to the World Trade Center disaster during pregnancy. <i>Environmental Pollution</i> , 2019, 246, 482-490.	3.7	24
259	Examining Endocrine Disruptors Measured in Newborn Dried Blood Spots and Early Childhood Growth in a Prospective Cohort. <i>Obesity</i> , 2019, 27, 145-151.	1.5	24
260	Toxicokinetics of bisphenol A, bisphenol S, and bisphenol F in a pregnancy sheep model. <i>Chemosphere</i> , 2019, 220, 185-194.	4.2	68
261	How stable is oxidative stress level? An observational study of intra- and inter-individual variability in urinary oxidative stress biomarkers of DNA, proteins, and lipids in healthy individuals. <i>Environment International</i> , 2019, 123, 382-389.	4.8	69
262	Species-specific accumulation and temporal trends of bisphenols and benzophenones in mollusks from the Chinese Bohai Sea during 2006-2015. <i>Science of the Total Environment</i> , 2019, 653, 168-175.	3.9	25
263	Metabolites of organophosphate esters in urine from the United States: Concentrations, temporal variability, and exposure assessment. <i>Environment International</i> , 2019, 122, 213-221.	4.8	95
264	Widespread occurrence of glyphosate in urine from pet dogs and cats in New York State, USA. <i>Science of the Total Environment</i> , 2019, 659, 790-795.	3.9	20
265	Fertilizers as a Source of Melamine and Cyanuric Acid in Soils: A Nationwide Survey in China. <i>Environmental Science and Technology Letters</i> , 2019, 6, 55-61.	3.9	21
266	A nationwide survey of the occurrence of melamine and its derivatives in archived sewage sludge from the United States. <i>Environmental Pollution</i> , 2019, 245, 994-999.	3.7	27
267	Melamine and cyanuric acid exposure and kidney injury in US children. <i>Environmental Research</i> , 2019, 171, 18-23.	3.7	65
268	Good practices for the design, analysis, and interpretation of observational studies on birth spacing and perinatal health outcomes. <i>Paediatric and Perinatal Epidemiology</i> , 2019, 33, O15-O24.	0.8	49
269	Tissue-Specific Accumulation and Body Burden of Parabens and Their Metabolites in Small Cetaceans. <i>Environmental Science & Technology</i> , 2019, 53, 475-481.	4.6	31
270	A nationwide survey of 31 organophosphate esters in sewage sludge from the United States. <i>Science of the Total Environment</i> , 2019, 655, 446-453.	3.9	67

#	ARTICLE	IF	CITATIONS
271	Report of the Office of Population Affairs™ expert work group meeting on short birth spacing and adverse pregnancy outcomes: Methodological quality of existing studies and future directions for research. Paediatric and Perinatal Epidemiology, 2019, 33, O5-O14.	0.8	21
272	Endocrine disrupting chemicals in seminal plasma and couple fecundity. Environmental Research, 2018, 163, 64-70.	3.7	51
273	Ambient air pollution and semen quality. Environmental Research, 2018, 163, 228-236.	3.7	43
274	Parabens and Their Metabolites in Pet Food and Urine from New York State, United States. Environmental Science & Technology, 2018, 52, 3727-3737.	4.6	42
275	Parabens in human urine from several Asian countries, Greece, and the United States. Chemosphere, 2018, 201, 13-19.	4.2	98
276	Male urinary biomarkers of antimicrobial exposure and bi-directional associations with semen quality parameters. Reproductive Toxicology, 2018, 77, 103-108.	1.3	29
277	Occurrence and Distribution of Organophosphate Flame Retardants/Plasticizers in Surface Waters, Tap Water, and Rainwater: Implications for Human Exposure. Environmental Science & Technology, 2018, 52, 5625-5633.	4.6	177
278	Subtle changes in menstrual cycle function—Pieces of the puzzle. Paediatric and Perinatal Epidemiology, 2018, 32, 235-236.	0.8	2
279	A prospective study of physical activity and fecundability in women with a history of pregnancy loss. Human Reproduction, 2018, 33, 1291-1298.	0.4	17
280	Vitamin D is associated with bioavailability of androgens in eumenorrhic women with prior pregnancy loss. American Journal of Obstetrics and Gynecology, 2018, 218, 608.e1-608.e6.	0.7	3
281	Spatial distribution of bisphenol S in surface water and human serum from Yangtze River watershed, China: Implications for exposure through drinking water. Chemosphere, 2018, 199, 595-602.	4.2	73
282	Per- and Polyfluoroalkyl Substances (PFASs) in Indoor Air and Dust from Homes and Various Microenvironments in China: Implications for Human Exposure. Environmental Science & Technology, 2018, 52, 3156-3166.	4.6	100
283	Occurrence and distribution of organophosphate flame retardants (OPFRs) in soil and outdoor settled dust from a multi-waste recycling area in China. Science of the Total Environment, 2018, 625, 1056-1064.	3.9	162
284	Method for the Determination of Iodide in Dried Blood Spots from Newborns by High Performance Liquid Chromatography Tandem Mass Spectrometry. Analytical Chemistry, 2018, 90, 3291-3298.	3.2	20
285	Resin-based dental sealants as a source of human exposure to bisphenol analogues, bisphenol A diglycidyl ether, and its derivatives. Environmental Research, 2018, 162, 35-40.	3.7	23
286	C-Reactive protein in relation to fecundability and anovulation among eumenorrhic women. Fertility and Sterility, 2018, 109, 232-239.e1.	0.5	15
287	Bisphenol and phthalate concentrations and its determinants among pregnant women in a population-based cohort in the Netherlands, 2004—5. Environmental Research, 2018, 161, 562-572.	3.7	121
288	Advanced data mining approaches in the assessment of urinary concentrations of bisphenols, chlorophenols, parabens and benzophenones in Brazilian children and their association to DNA damage. Environment International, 2018, 116, 269-277.	4.8	96

#	ARTICLE	IF	CITATIONS
289	An optimized method for the analysis of cyclic and linear siloxanes and their distribution in surface and core sediments from industrialized bays in Korea. <i>Environmental Pollution</i> , 2018, 236, 111-118.	3.7	43
290	Simultaneous Analysis of Seven Biomarkers of Oxidative Damage to Lipids, Proteins, and DNA in Urine. <i>Environmental Science & Technology</i> , 2018, 52, 6647-6655.	4.6	34
291	Metabolites of organophosphate ester flame retardants in urine from Shanghai, China. <i>Environmental Research</i> , 2018, 164, 507-515.	3.7	54
292	Preconception Blood Pressure Levels and Reproductive Outcomes in a Prospective Cohort of Women Attempting Pregnancy. <i>Hypertension</i> , 2018, 71, 904-910.	1.3	32
293	A Review of Environmental Occurrence, Fate, Exposure, and Toxicity of Benzothiazoles. <i>Environmental Science & Technology</i> , 2018, 52, 5007-5026.	4.6	151
294	Is thromboprophylaxis cost effective in ovarian hyperstimulation syndrome: A systematic review and cost analysis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 224, 117-124.	0.5	13
295	Gestational bisphenol S impairs placental endocrine function and the fusogenic trophoblast signaling pathway. <i>Archives of Toxicology</i> , 2018, 92, 1861-1876.	1.9	51
296	Melamine and its derivatives in dog and cat urine: An exposure assessment study. <i>Environmental Pollution</i> , 2018, 238, 248-254.	3.7	32
297	Multi-year inter-laboratory exercises for the analysis of illicit drugs and metabolites in wastewater: Development of a quality control system. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 103, 34-43.	5.8	85
298	Efficient decomposition of perchlorate to chloride ions in subcritical water by use of steel slag. <i>Environmental Science and Pollution Research</i> , 2018, 25, 7262-7270.	2.7	6
299	Biomonitoring of chlorophenols in human urine from several Asian countries, Greece and the United States. <i>Environmental Pollution</i> , 2018, 232, 487-493.	3.7	42
300	Urinary levels of triclosan and triclocarban in several Asian countries, Greece and the USA: Association with oxidative stress. <i>Environmental Research</i> , 2018, 160, 91-96.	3.7	73
301	Occupational exposure to perfluoroalkyl substances and serum levels of perfluorooctanesulfonic acid (PFOS) and perfluorooctanoic acid (PFOA) in an aging population from upstate New York: a retrospective cohort study. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 145-154.	1.1	21
302	Prevalence and Contributors to Low-Grade Inflammation in Three U.S. Populations of Reproductive Age Women. <i>Paediatric and Perinatal Epidemiology</i> , 2018, 32, 55-67.	0.8	10
303	Adolescents exposed to the World Trade Center collapse have elevated serum dioxin and furan concentrations more than 12 years later. <i>Environment International</i> , 2018, 111, 268-278.	4.8	18
304	Inventory, loading and discharge of synthetic phenolic antioxidants and their metabolites in wastewater treatment plants. <i>Water Research</i> , 2018, 129, 413-418.	5.3	55
305	Perfluoroalkyl substances, bone density, and cardio-metabolic risk factors in obese 8-12 year old children: A pilot study. <i>Environmental Research</i> , 2018, 160, 314-321.	3.7	77
306	Preconception plasma phospholipid fatty acids and fecundability. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 4501-4510.	1.8	9

#	ARTICLE	IF	CITATIONS
307	Urinary metabolites of organophosphate flame retardants in China: Health risk from tris(2-chloroethyl) phosphate (TCEP) exposure. <i>Environment International</i> , 2018, 121, 1363-1371.	4.8	59
308	Concentrations and Dietary Exposure to Organophosphate Esters in Foodstuffs from Albany, New York, United States. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 13525-13532.	2.4	88
309	Concentrations of perfluoroalkyl substances and bisphenol A in newborn dried blood spots and the association with child behavior. <i>Environmental Pollution</i> , 2018, 243, 1629-1636.	3.7	48
310	Distribution Profiles of Melamine and Its Derivatives in Indoor Dust from 12 Countries and the Implications for Human Exposure. <i>Environmental Science & Technology</i> , 2018, 52, 12801-12808.	4.6	49
311	Continuing Occurrence of Melamine and Its Derivatives in Infant Formula and Dairy Products from the United States: Implications for Environmental Sources. <i>Environmental Science and Technology Letters</i> , 2018, 5, 641-648.	3.9	32
312	Phthalate and Organophosphate Plasticizers in Nail Polish: Evaluation of Labels and Ingredients. <i>Environmental Science & Technology</i> , 2018, 52, 12841-12850.	4.6	66
313	Commentary on "Childhood cardiovascular health and subfertility: The Bogalusa Heart Study". <i>Pediatric Research</i> , 2018, 84, 595-596.	1.1	0
314	How much does the uterus matter? Perinatal outcomes are improved when donor oocyte embryos are transferred to gestational carriers compared to intended parent recipients. <i>Fertility and Sterility</i> , 2018, 110, 888-895.	0.5	10
315	Conflicting messages on diet and fertility: food for thought. <i>Fertility and Sterility</i> , 2018, 110, 1037-1038.	0.5	0
316	Urinary concentrations and profiles of organophosphate and pyrethroid pesticide metabolites and phenoxyacid herbicides in populations in eight countries. <i>Environment International</i> , 2018, 121, 1148-1154.	4.8	76
317	First Trimester Urinary Bisphenol and Phthalate Concentrations and Time to Pregnancy: A Population-Based Cohort Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3540-3547.	1.8	19
318	Concentrations of endocrine disrupting chemicals in newborn blood spots and infant outcomes in the upstate KIDS study. <i>Environment International</i> , 2018, 121, 232-239.	4.8	31
319	Bisphenol-A in breast adipose tissue of breast cancer cases and controls. <i>Environmental Research</i> , 2018, 167, 735-738.	3.7	19
320	Legacy and alternative brominated flame retardants in outdoor dust and pine needles in mainland China: Spatial trends, dust-plant partitioning and human exposure. <i>Environmental Pollution</i> , 2018, 243, 758-765.	3.7	32
321	Maternal polycystic ovarian syndrome and offspring growth: the Upstate KIDS Study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 852-855.	2.0	12
322	Association of preconception serum 25-hydroxyvitamin D concentrations with livebirth and pregnancy loss: a prospective cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 725-732.	5.5	65
323	Urinary concentrations of environmental phenols and their association with type 2 diabetes in a population in Jeddah, Saudi Arabia. <i>Environmental Research</i> , 2018, 166, 544-552.	3.7	64
324	Multimedia Distribution and Transfer of Per- and Polyfluoroalkyl Substances (PFASs) Surrounding Two Fluorochemical Manufacturing Facilities in Fuxin, China. <i>Environmental Science & Technology</i> , 2018, 52, 8263-8271.	4.6	135

#	ARTICLE	IF	CITATIONS
325	Toward Capturing the Exposome: Exposure Biomarker Variability and Coexposure Patterns in the Shared Environment. <i>Environmental Science & Technology</i> , 2018, 52, 8801-8810.	4.6	40
326	Analysis of terephthalate metabolites in human urine by high-performance liquid chromatography-tandem mass spectrometry (HPLC-MS/MS). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1092, 473-479.	1.2	11
327	Temporal Trends of Parabens and Their Metabolites in Mollusks from the Chinese Bohai Sea during 2006-2015: Species-Specific Accumulation and Implications for Human Exposure. <i>Environmental Science & Technology</i> , 2018, 52, 9045-9055.	4.6	28
328	Persistent organic pollutants in fish from Charleston Harbor and tributaries, South Carolina, United States: A risk assessment. <i>Environmental Research</i> , 2018, 167, 598-613.	3.7	47
329	Endocrine disruptors and neonatal anthropometry, NICHD Fetal Growth Studies - Singletons. <i>Environment International</i> , 2018, 119, 515-526.	4.8	39
330	Preconception seminal plasma concentrations of endocrine disrupting chemicals in relation to semen quality parameters among male partners planning for pregnancy. <i>Environmental Research</i> , 2018, 167, 78-86.	3.7	51
331	A rapid method for the analysis of perfluorinated alkyl substances in serum by hybrid solid-phase extraction. <i>Environmental Chemistry</i> , 2018, 15, 92.	0.7	43
332	Renal Function and exposure to Bisphenol A and phthalates in children with Chronic Kidney Disease. <i>Environmental Research</i> , 2018, 167, 575-582.	3.7	53
333	Elevated Concentrations of Bisphenols, Benzophenones, and Antimicrobials in Pantyhose Collected from Six Countries. <i>Environmental Science & Technology</i> , 2018, 52, 10812-10819.	4.6	41
334	Exposure to bisphenol A, chlorophenols, benzophenones, and parabens in relation to reproductive hormones in healthy women: A chemical mixture approach. <i>Environment International</i> , 2018, 120, 137-144.	4.8	65
335	Intergenerational effects—causation or confounding?. <i>Fertility and Sterility</i> , 2018, 110, 52-53.	0.5	3
336	Human Biomonitoring of Select Ingredients in Cosmetics. , 2018, , 387-434.		8
337	Identification of Novel Phosphorus-Based Flame Retardants in Curtains Purchased in Japan Using Orbitrap Mass Spectrometry. <i>Environmental Science and Technology Letters</i> , 2018, 5, 448-455.	3.9	17
338	Diet-dependence of metabolic perturbations mediated by the endocrine disruptor tolylfluanid. <i>Endocrine Connections</i> , 2018, 7, 159-168.	0.8	11
339	A nationwide survey of perfluorinated alkyl substances in waters, sediment and biota collected from aquatic environment in Vietnam: Distributions and bioconcentration profiles. <i>Journal of Hazardous Materials</i> , 2017, 323, 116-127.	6.5	113
340	Occurrence of benzotriazoles (BTRs) in indoor air from Albany, New York, USA, and its implications for inhalation exposure. <i>Toxicological and Environmental Chemistry</i> , 2017, 99, 402-414.	0.6	23
341	Mass loading and emission of benzophenone-3 (BP-3) and its derivatives in wastewater treatment plants in New York State, USA. <i>Science of the Total Environment</i> , 2017, 579, 1316-1322.	3.9	45
342	Exposure to bisphenols and phthalates and association with oxidant stress, insulin resistance, and endothelial dysfunction in children. <i>Pediatric Research</i> , 2017, 81, 857-864.	1.1	102

#	ARTICLE	IF	CITATIONS
343	Serum perfluoroalkyl substances in children exposed to the world trade center disaster. <i>Environmental Research</i> , 2017, 154, 212-221.	3.7	21
344	Distribution characteristics of volatile methylsiloxanes in Tokyo Bay watershed in Japan: Analysis of surface waters by purge and trap method. <i>Science of the Total Environment</i> , 2017, 586, 56-65.	3.9	43
345	Urinary concentrations of 25 phthalate metabolites in Brazilian children and their association with oxidative DNA damage. <i>Science of the Total Environment</i> , 2017, 586, 152-162.	3.9	136
346	Hysteroscopic polypectomy prior to infertility treatment: A cost analysis and systematic review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 213, 107-115.	0.5	19
347	Mass loading and removal of benzotriazoles, benzothiazoles, benzophenones, and bisphenols in Indian sewage treatment plants. <i>Chemosphere</i> , 2017, 181, 216-223.	4.2	110
348	Occurrence, Removal, and Environmental Emission of Organophosphate Flame Retardants/Plasticizers in a Wastewater Treatment Plant in New York State. <i>Environmental Science & Technology</i> , 2017, 51, 7872-7880.	4.6	189
349	Occurrence of and exposure to benzothiazoles and benzotriazoles from textiles and infant clothing. <i>Science of the Total Environment</i> , 2017, 592, 91-96.	3.9	62
350	Bisphenols, Benzophenones, and Bisphenol A Diglycidyl Ethers in Textiles and Infant Clothing. <i>Environmental Science & Technology</i> , 2017, 51, 5279-5286.	4.6	147
351	Preconception maternal lipoprotein levels in relation to fecundability. <i>Human Reproduction</i> , 2017, 32, 1055-1063.	0.4	30
352	Occurrence and fate of parabens and their metabolites in five sewage treatment plants in India. <i>Science of the Total Environment</i> , 2017, 593-594, 592-598.	3.9	80
353	Trophic Magnification of Parabens and Their Metabolites in a Subtropical Marine Food Web. <i>Environmental Science & Technology</i> , 2017, 51, 780-789.	4.6	90
354	Urinary Phytoestrogen Concentrations Are Not Associated with Incident Endometriosis in Premenopausal Women. <i>Journal of Nutrition</i> , 2017, 147, 227-234.	1.3	7
355	Bisphenol A (BPA) in the serum of pet dogs following short-term consumption of canned dog food and potential health consequences of exposure to BPA. <i>Science of the Total Environment</i> , 2017, 579, 1804-1814.	3.9	43
356	Perfluoroalkyl substances, thyroid hormones, and neuropsychological status in older adults. <i>International Journal of Hygiene and Environmental Health</i> , 2017, 220, 679-685.	2.1	21
357	Thyroid-stimulating hormone, anti-thyroid antibodies, and pregnancy outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 697.e1-697.e7.	0.7	30
358	Male urinary paracetamol and semen quality. <i>Andrology</i> , 2017, 5, 1082-1088.	1.9	21
359	Serum perfluoroalkyl substances and cardiometabolic consequences in adolescents exposed to the World Trade Center disaster and a matched comparison group. <i>Environment International</i> , 2017, 109, 128-135.	4.8	40
360	Determination of 89 drugs and other micropollutants in unfiltered wastewater and freshwater by LC-MS/MS: an alternative sample preparation approach. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 6205-6225.	1.9	35

#	ARTICLE	IF	CITATIONS
361	Occurrence and Source Effect of Novel Brominated Flame Retardants (NBFRs) in Soils from Five Asian Countries and Their Relationship with PBDEs. <i>Environmental Science & Technology</i> , 2017, 51, 11126-11135.	4.6	45
362	Exposure and risk characterization for dietary methylmercury from seafood consumption in Kuwait. <i>Science of the Total Environment</i> , 2017, 607-608, 375-380.	3.9	15
363	Is human fecundity changing? A discussion of research and data gaps precluding us from having an answer. <i>Human Reproduction</i> , 2017, 32, 499-504.	0.4	33
364	Mechanism of Formation of Chlorinated Pyrene during Combustion of Polyvinyl Chloride. <i>Environmental Science & Technology</i> , 2017, 51, 14100-14106.	4.6	31
365	Simultaneous determination of brominated and phosphate flame retardants in flame-retarded polyester curtains by a novel extraction method. <i>Science of the Total Environment</i> , 2017, 601-602, 1333-1339.	3.9	42
366	Folate, homocysteine and the ovarian cycle among healthy regularly menstruating women. <i>Human Reproduction</i> , 2017, 32, 1743-1750.	0.4	28
367	Occurrence of phthalate diesters in indoor air from several Northern cities in Vietnam, and its implication for human exposure. <i>Science of the Total Environment</i> , 2017, 601-602, 1695-1701.	3.9	45
368	Cyclic and linear siloxanes in indoor air from several northern cities in Vietnam: Levels, spatial distribution and human exposure. <i>Chemosphere</i> , 2017, 184, 1117-1124.	4.2	38
369	Couples'™ body composition and time-to-pregnancy. <i>Human Reproduction</i> , 2017, 32, 662-668.	0.4	66
370	Low-Dose Aspirin and Sporadic Anovulation in the EAGeR Randomized Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 86-92.	1.8	11
371	Mass loading and removal of pharmaceuticals and personal care products including psychoactives, antihypertensives, and antibiotics in two sewage treatment plants in southern India. <i>Chemosphere</i> , 2017, 167, 429-437.	4.2	174
372	A Comparative Assessment of Arsenic Risks and the Nutritional Benefits of Fish Consumption in Kuwait: Arsenic Versus Omega 3-Fatty Acids. <i>Archives of Environmental Contamination and Toxicology</i> , 2017, 72, 108-118.	2.1	13
373	Preconception Low-Dose Aspirin Restores Diminished Pregnancy and Live Birth Rates in Women With Low-Grade Inflammation: A Secondary Analysis of a Randomized Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1495-1504.	1.8	40
374	Blood lead, cadmium and mercury in relation to homocysteine and C-reactive protein in women of reproductive age: a panel study. <i>Environmental Health</i> , 2017, 16, 84.	1.7	19
375	Chlorinated polycyclic aromatic hydrocarbons in surface sediment from Maowei Sea, Guangxi, China: occurrence, distribution, and source apportionment. <i>Environmental Science and Pollution Research</i> , 2017, 24, 16241-16252.	2.7	20
376	Urinary Concentrations of Parabens and Other Antimicrobial Chemicals and Their Association with Couples'™ Fecundity. <i>Environmental Health Perspectives</i> , 2017, 125, 730-736.	2.8	95
377	Association of Perfluoroalkyl Substances, Bone Mineral Density, and Osteoporosis in the U.S. Population in NHANES 2009-2010. <i>Environmental Health Perspectives</i> , 2016, 124, 81-87.	2.8	103
378	Enzyme induction and histopathology elucidate aryl hydrocarbon receptor-mediated versus non-aryl hydrocarbon receptor-mediated effects of Aroclor 1268 in American mink (<i>Neovison</i>) Tj ETQq0 0 0.2gBT /Overlock 10 T		

#	ARTICLE	IF	CITATIONS
379	Growth and reproductive effects from dietary exposure to Aroclor 1268 in mink (<i>Neovison) Tj ETQq1 1 0.784314 rgBT /Overlock 101 604-618.	2.2	19
380	Migration of Parabens, Bisphenols, Benzophenone-Type UV Filters, Triclosan, and Triclocarban from Teethers and Its Implications for Infant Exposure. <i>Environmental Science & Technology</i> , 2016, 50, 13539-13547.	4.6	58
381	Serum caffeine and paraxanthine concentrations and menstrual cycle function: correlations with beverage intakes and associations with race, reproductive hormones, and anovulation in the BioCycle Study. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 155-163.	2.2	14
382	Phthalates in dormitory and house dust of northern Chinese cities: Occurrence, human exposure, and risk assessment. <i>Science of the Total Environment</i> , 2016, 565, 496-502.	3.9	50
383	Neuropsychiatric pharmaceuticals and illicit drugs in wastewater treatment plants: a review. <i>Environmental Chemistry</i> , 2016, 13, 541.	0.7	37
384	Subclinical Hypothyroidism and Thyroid Autoimmunity Are Not Associated With Fecundity, Pregnancy Loss, or Live Birth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2358-2365.	1.8	102
385	AntimÃ¼llerian hormone and pregnancy loss from the Effects of Aspirin in Gestation and Reproduction trial. <i>Fertility and Sterility</i> , 2016, 105, 946-952.e2.	0.5	31
386	Bisphenol Analogues Other Than BPA: Environmental Occurrence, Human Exposure, and Toxicityâ€”A Review. <i>Environmental Science & Technology</i> , 2016, 50, 5438-5453.	4.6	1,069
387	Association of Nausea and Vomiting During Pregnancy With Pregnancy Loss. <i>JAMA Internal Medicine</i> , 2016, 176, 1621.	2.6	49
388	Accumulation profiles of parabens and their metabolites in fish, black bear, and birds, including bald eagles and albatrosses. <i>Environment International</i> , 2016, 94, 546-553.	4.8	76
389	Occurrence and exposure assessment of organophosphate flame retardants (OPFRs) through the consumption of drinking water in Korea. <i>Water Research</i> , 2016, 103, 182-188.	5.3	156
390	Variability and exposure classification of urinary phenol and paraben metabolite concentrations in reproductive-aged women. <i>Environmental Research</i> , 2016, 151, 513-520.	3.7	44
391	Depositional time trends of polychlorinated dibenzo- p -dioxins and polychlorinated dibenzofurans in a dated sediment core from the Northern Arabian Gulf. <i>Marine Pollution Bulletin</i> , 2016, 112, 195-200.	2.3	6
392	Synthetic phenolic antioxidants, including butylated hydroxytoluene (BHT), in resin-based dental sealants. <i>Environmental Research</i> , 2016, 151, 339-343.	3.7	37
393	Urinary paracetamol and time-to-pregnancy. <i>Human Reproduction</i> , 2016, 31, 2119-2127.	0.4	28
394	Endocrine disrupting chemicals and endometriosis. <i>Fertility and Sterility</i> , 2016, 106, 959-966.	0.5	104
395	Polybrominated Diphenyl Ethers (PBDEs) in Surface Soils across Five Asian Countries: Levels, Spatial Distribution, and Source Contribution. <i>Environmental Science & Technology</i> , 2016, 50, 12779-12788.	4.6	91
396	Species-specific accumulation of polybrominated diphenyl ethers (PBDEs) and other emerging flame retardants in several species of birds from Korea. <i>Environmental Pollution</i> , 2016, 219, 191-200.	3.7	42

#	ARTICLE	IF	CITATIONS
397	Paternal exposures to environmental chemicals and time to pregnancy: overview of results from the <scp>LIFE</scp> study. <i>Andrology</i> , 2016, 4, 639-647.	1.9	41
398	Distribution, Fate, Inhalation Exposure and Lung Cancer Risk of Atmospheric Polycyclic Aromatic Hydrocarbons in Some Asian Countries. <i>Environmental Science & Technology</i> , 2016, 50, 7163-7174.	4.6	122
399	Widespread occurrence of perchlorate in water, foodstuffs and human urine collected from Kuwait and its contribution to human exposure. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016, 33, 1016-1025.	1.1	26
400	Phthalate Esters in Indoor Window Films in a Northeastern Chinese Urban Center: Film Growth and Implications for Human Exposure. <i>Environmental Science & Technology</i> , 2016, 50, 7743-7751.	4.6	51
401	Baseline AMH Level Associated With Ovulation Following Ovulation Induction in Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 3288-3296.	1.8	30
402	Associations between polycyclic aromatic hydrocarbon (PAH) exposure and oxidative stress in people living near e-waste recycling facilities in China. <i>Environment International</i> , 2016, 94, 161-169.	4.8	116
403	Eliciting parental support for the use of newborn blood spots for pediatric research. <i>BMC Medical Research Methodology</i> , 2016, 16, 14.	1.4	24
404	Removal rates of antibiotics in four sewage treatment plants in South India. <i>Environmental Science and Pollution Research</i> , 2016, 23, 8679-8685.	2.7	57
405	Fate of Parabens and Their Metabolites in Two Wastewater Treatment Plants in New York State, United States. <i>Environmental Science & Technology</i> , 2016, 50, 1174-1181.	4.6	112
406	Novel Finding of Widespread Occurrence and Accumulation of Bisphenol A Diglycidyl Ethers (BADGEs) and Novolac Glycidyl Ethers (NOGEs) in Marine Mammals from the United States Coastal Waters. <i>Environmental Science & Technology</i> , 2016, 50, 1703-1710.	4.6	19
407	Serum Antioxidants Are Associated with Serum Reproductive Hormones and Ovulation among Healthy Women. <i>Journal of Nutrition</i> , 2016, 146, 98-106.	1.3	45
408	Urinary biomarkers of exposure to 57 xenobiotics and its association with oxidative stress in a population in Jeddah, Saudi Arabia. <i>Environmental Research</i> , 2016, 150, 573-581.	3.7	205
409	Synthetic Phenolic Antioxidants and Their Metabolites in Indoor Dust from Homes and Microenvironments. <i>Environmental Science & Technology</i> , 2016, 50, 428-434.	4.6	91
410	Occurrence of bisphenols, bisphenol A diglycidyl ethers (BADGEs), and novolac glycidyl ethers (NOGEs) in indoor air from Albany, New York, USA, and its implications for inhalation exposure. <i>Chemosphere</i> , 2016, 151, 1-8.	4.2	65
411	Expanded findings from a randomized controlled trial of preconception low-dose aspirin and pregnancy loss. <i>Human Reproduction</i> , 2016, 31, 657-665.	0.4	49
412	Urinary Concentrations of Bisphenols and Their Association with Biomarkers of Oxidative Stress in People Living Near E-Waste Recycling Facilities in China. <i>Environmental Science & Technology</i> , 2016, 50, 4045-4053.	4.6	157
413	PCDD/Fs in soil and air and their possible sources in the vicinity of municipal solid waste incinerators in northeastern China. <i>Atmospheric Pollution Research</i> , 2016, 7, 355-362.	1.8	22
414	Benzothiazoles in indoor air from Albany, New York, USA, and its implications for inhalation exposure. <i>Journal of Hazardous Materials</i> , 2016, 311, 37-42.	6.5	47

#	ARTICLE	IF	CITATIONS
415	Bisphenol A in Urine of Chinese Young Adults: Concentrations and Sources of Exposure. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2016, 96, 162-167.	1.3	26
416	Phthalate metabolites in urine of Chinese young adults: Concentration, profile, exposure and cumulative risk assessment. <i>Science of the Total Environment</i> , 2016, 543, 19-27.	3.9	91
417	Occurrence of phthalate diesters (phthalates), p-hydroxybenzoic acid esters (parabens), bisphenol A diglycidyl ether (BADGE) and their derivatives in indoor dust from Vietnam: Implications for exposure. <i>Chemosphere</i> , 2016, 144, 1553-1559.	4.2	78
418	Couples' urinary concentrations of benzophenone-type ultraviolet filters and the secondary sex ratio. <i>Science of the Total Environment</i> , 2016, 543, 28-36.	3.9	41
419	Placental transfer of and infantile exposure to perchlorate. <i>Chemosphere</i> , 2016, 144, 948-954.	4.2	32
420	Changes in macronutrient, micronutrient, and food group intakes throughout the menstrual cycle in healthy, premenopausal women. <i>European Journal of Nutrition</i> , 2016, 55, 1181-1188.	1.8	67
421	The relationship between sugar-sweetened beverages and liver enzymes among healthy premenopausal women: a prospective cohort study. <i>European Journal of Nutrition</i> , 2016, 55, 569-576.	1.8	13
422	Microvesicle removal of anticancer drugs contributes to drug resistance in human pancreatic cancer cells. <i>Oncotarget</i> , 2016, 7, 50365-50379.	0.8	71
423	Is Anti-Müllerian Hormone Associated With Fecundability? Findings From the EAGeR Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 4215-4221.	1.8	75
424	Parental urinary biomarkers of preconception exposure to bisphenol A and phthalates in relation to birth outcomes. <i>Environmental Health</i> , 2015, 14, 73.	1.7	74
425	Analytical Methods for the Measurement of Legacy and Emerging Persistent Organic Pollutants in Complex Sample Matrices. <i>Comprehensive Analytical Chemistry</i> , 2015, 67, 1-56.	0.7	17
426	Persistent Organic Pollutants and Early Menopause in U.S. Women. <i>PLoS ONE</i> , 2015, 10, e0116057.	1.1	122
427	Source-Related Effects of Wastewater on Transcription Factor (AhR, CAR and PXR)-Mediated Induction of Gene Expression in Cultured Rat Hepatocytes and Their Association with the Prevalence of Antimicrobial-Resistant <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2015, 10, e0138391.	1.1	5
428	Gender-Specific Effects on Gestational Length and Birth Weight by Early Pregnancy BPA Exposure. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E1394-E1403.	1.8	100
429	Effects of High-Butterfat Diet on Embryo Implantation in Female Rats Exposed to Bisphenol A1. <i>Biology of Reproduction</i> , 2015, 93, 147.	1.2	11
430	Baby budgeting: oocyte cryopreservation in women delaying reproduction can reduce cost per live birth. <i>Fertility and Sterility</i> , 2015, 103, 1446-1453.e2.	0.5	81
431	In utero bisphenol A concentration, metabolism, and global DNA methylation across matched placenta, kidney, and liver in the human fetus. <i>Chemosphere</i> , 2015, 124, 54-60.	4.2	114
432	Occurrence of cyclic and linear siloxanes in indoor air from Albany, New York, USA, and its implications for inhalation exposure. <i>Science of the Total Environment</i> , 2015, 511, 138-144.	3.9	74

#	ARTICLE	IF	CITATIONS
433	Concentration and correlations of perfluoroalkyl substances in whole blood among subjects from three different geographical areas in Korea. <i>Science of the Total Environment</i> , 2015, 512-513, 397-405.	3.9	49
434	Occurrence and fate of select psychoactive pharmaceuticals and antihypertensives in two wastewater treatment plants in New York State, USA. <i>Science of the Total Environment</i> , 2015, 514, 273-280.	3.9	177
435	Persistent organic pollutants and semen quality: The LIFE Study. <i>Chemosphere</i> , 2015, 135, 427-435.	4.2	53
436	Perchlorate in Indoor Dust and Human Urine in China: Contribution of Indoor Dust to Total Daily Intake. <i>Environmental Science & Technology</i> , 2015, 49, 2443-2450.	4.6	35
437	Widespread Occurrence and Accumulation of Bisphenol A Diglycidyl Ether (BADGE), Bisphenol F Diglycidyl Ether (BFDGE) and Their Derivatives in Human Blood and Adipose Fat. <i>Environmental Science & Technology</i> , 2015, 49, 3150-3157.	4.6	55
438	Perfluoroalkyl substances and thyroid function in older adults. <i>Environment International</i> , 2015, 75, 206-214.	4.8	63
439	Identification of Secretoglobin <i>Scgb2a1</i> as a target for developmental reprogramming by BPA in the rat prostate. <i>Epigenetics</i> , 2015, 10, 127-134.	1.3	53
440	Impact of Gestational Bisphenol A on Oxidative Stress and Free Fatty Acids: Human Association and Interspecies Animal Testing Studies. <i>Endocrinology</i> , 2015, 156, 911-922.	1.4	58
441	Occurrence of Phthalate Diesters in Particulate and Vapor Phases in Indoor Air and Implications for Human Exposure in Albany, New York, USA. <i>Archives of Environmental Contamination and Toxicology</i> , 2015, 68, 489-499.	2.1	117
442	Couples' urinary bisphenol A and phthalate metabolite concentrations and the secondary sex ratio. <i>Environmental Research</i> , 2015, 137, 450-457.	3.7	13
443	Benzenophenone-type UV filters in urine of Chinese young adults: Concentration, source and exposure. <i>Environmental Pollution</i> , 2015, 203, 1-6.	3.7	64
444	Cost and efficacy comparison of in vitro fertilization and tubal anastomosis for women after tubal ligation. <i>Fertility and Sterility</i> , 2015, 104, 32-38.e4.	0.5	45
445	A comparative assessment of human exposure to tetrabromobisphenol A and eight bisphenols including bisphenol A via indoor dust ingestion in twelve countries. <i>Environment International</i> , 2015, 83, 183-191.	4.8	218
446	Dietary factors and luteal phase deficiency in healthy eumenorrheic women. <i>Human Reproduction</i> , 2015, 30, 1942-1951.	0.4	23
447	Diminished ovarian reserve in the United States assisted reproductive technology population: diagnostic trends among 181,536 cycles from the Society for Assisted Reproductive Technology Clinic Outcomes Reporting System. <i>Fertility and Sterility</i> , 2015, 104, 612-619.e3.	0.5	125
448	Longitudinal measures of perfluoroalkyl substances (PFAS) in serum of Gullah African Americans in South Carolina: 2003-2013. <i>Environmental Research</i> , 2015, 143, 82-88.	3.7	37
449	The effect of a very short interpregnancy interval and pregnancy outcomes following a previous pregnancy loss. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 375.e1-375.e11.	0.7	80
450	Elevated levels of perfluoroalkyl substances in estuarine sediments of Charleston, SC. <i>Science of the Total Environment</i> , 2015, 521-522, 79-89.	3.9	56

#	ARTICLE	IF	CITATIONS
451	PFOS and PFOA in paired urine and blood from general adults and pregnant women: assessment of urinary elimination. <i>Environmental Science and Pollution Research</i> , 2015, 22, 5572-5579.	2.7	65
452	Accumulation of 19 environmental phenolic and xenobiotic heterocyclic aromatic compounds in human adipose tissue. <i>Environment International</i> , 2015, 78, 45-50.	4.8	163
453	Impact of wastewater from different sources on the prevalence of antimicrobial-resistant <i>Escherichia coli</i> in sewage treatment plants in South India. <i>Ecotoxicology and Environmental Safety</i> , 2015, 115, 203-208.	2.9	65
454	Organobromine compound profiling in human adipose: Assessment of sources of bromophenol. <i>Environmental Pollution</i> , 2015, 204, 81-89.	3.7	20
455	Occurrence of Bisphenol A Diglycidyl Ethers (BADGEs) and Novolac Glycidyl Ethers (NOGEs) in Archived Biosolids from the U.S. EPA's Targeted National Sewage Sludge Survey. <i>Environmental Science & Technology</i> , 2015, 49, 6538-6544.	4.6	24
456	Time at Risk and Intention-to-treat Analyses. <i>Epidemiology</i> , 2015, 26, 112-118.	1.2	5
457	A survey of cyclic and linear siloxanes in indoor dust and their implications for human exposures in twelve countries. <i>Environment International</i> , 2015, 78, 39-44.	4.8	75
458	Elevated Accumulation of Parabens and their Metabolites in Marine Mammals from the United States Coastal Waters. <i>Environmental Science & Technology</i> , 2015, 49, 12071-12079.	4.6	70
459	Analytical method for the determination and a survey of parabens and their derivatives in pharmaceuticals. <i>Environmental Research</i> , 2015, 142, 452-460.	3.7	72
460	Imputation approaches for potential outcomes in causal inference. <i>International Journal of Epidemiology</i> , 2015, 44, 1731-1737.	0.9	37
461	Urinary concentrations of benzophenone-type ultraviolet light filters and semen quality. <i>Fertility and Sterility</i> , 2015, 104, 989-996.	0.5	41
462	Urinary Phytoestrogens Are Associated with Subtle Indicators of Semen Quality among Male Partners of Couples Desiring Pregnancy. <i>Journal of Nutrition</i> , 2015, 145, 2535-2541.	1.3	27
463	Bisphenol A and other bisphenol analogues including BPS and BPF in surface water samples from Japan, China, Korea and India. <i>Ecotoxicology and Environmental Safety</i> , 2015, 122, 565-572.	2.9	446
464	Mass loading and removal of pharmaceuticals and personal care products, including psychoactive and illicit drugs and artificial sweeteners, in five sewage treatment plants in India. <i>Journal of Environmental Chemical Engineering</i> , 2015, 3, 2882-2891.	3.3	144
465	Emission, Dynamics and Transport of Perfluoroalkyl Substances from Land to Ocean by the Great East Japan Earthquake in 2011. <i>Environmental Science & Technology</i> , 2015, 49, 11421-11428.	4.6	11
466	Occurrence and estrogenic potency of eight bisphenol analogs in sewage sludge from the U.S. EPA targeted national sewage sludge survey. <i>Journal of Hazardous Materials</i> , 2015, 299, 733-739.	6.5	171
467	Dietary Carbohydrate Intake Does Not Impact Insulin Resistance or Androgens in Healthy, Eumenorrheic Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2979-2986.	1.8	19
468	Associations between urinary phthalate concentrations and semen quality parameters in a general population. <i>Human Reproduction</i> , 2015, 30, 2645-2657.	0.4	122

#	ARTICLE	IF	CITATIONS
469	Occurrence of benzophenone-3 in indoor air from Albany, New York, USA, and its implications for inhalation exposure. <i>Science of the Total Environment</i> , 2015, 537, 304-308.	3.9	39
470	Bisphenol A, benzophenone-type ultraviolet filters, and phthalates in relation to uterine leiomyoma. <i>Environmental Research</i> , 2015, 137, 101-107.	3.7	65
471	Urinary levels of endocrine-disrupting chemicals, including bisphenols, bisphenol A diglycidyl ethers, benzophenones, parabens, and triclosan in obese and non-obese Indian children. <i>Environmental Research</i> , 2015, 137, 120-128.	3.7	210
472	Occurrence of perchlorate in indoor dust from the United States and eleven other countries: Implications for human exposure. <i>Environment International</i> , 2015, 75, 166-171.	4.8	51
473	Editorial. <i>Chemosphere</i> , 2015, 119, S1.	4.2	0
474	Urinary bisphenol A and semen quality, the LIFE Study. <i>Reproductive Toxicology</i> , 2015, 51, 7-13.	1.3	81
475	A pilot study on the assessment of trace organic contaminants including pharmaceuticals and personal care products from on-site wastewater treatment systems along Skaneateles Lake in New York State, USA. <i>Water Research</i> , 2015, 72, 28-39.	5.3	89
476	Persistent organic pollutants (POPs) and fibroids: results from the ENDO study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2015, 25, 278-285.	1.8	39
477	Urine, peritoneal fluid and omental fat proteomes of reproductive age women: Endometriosis-related changes and associations with endocrine disrupting chemicals. <i>Journal of Proteomics</i> , 2015, 113, 194-205.	1.2	24
478	Emission of bisphenol analogues including bisphenol A and bisphenol F from wastewater treatment plants in Korea. <i>Chemosphere</i> , 2015, 119, 1000-1006.	4.2	172
479	A survey of bisphenol A and other bisphenol analogues in foodstuffs from nine cities in China. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2014, 31, 319-329.	1.1	269
480	Preconception care: it's never too early. <i>Reproductive Health</i> , 2014, 11, 73.	1.2	17
481	Estimated Economic Impact of the Levonorgestrel Intrauterine System on Unintended Pregnancy in Active Duty Women. <i>Military Medicine</i> , 2014, 179, 1127-1132.	0.4	10
482	Urinary Concentrations of Benzophenone-Type Ultraviolet Radiation Filters and Couples' Fecundity. <i>American Journal of Epidemiology</i> , 2014, 180, 1168-1175.	1.6	81
483	A round robin approach to the analysis of bisphenol a (BPA) in human blood samples. <i>Environmental Health</i> , 2014, 13, 25.	1.7	84
484	Brominated Flame Retardants and Their Replacements in Food Packaging and Household Products: Uses, Human Exposure, and Health Effects. <i>Molecular and Integrative Toxicology</i> , 2014, , 61-93.	0.5	15
485	A review of potable water accessibility and sustainability issues in developing countries – case study of Uganda. <i>Reviews on Environmental Health</i> , 2014, 29, 363-78.	1.1	11
486	Polybrominated diphenyl ether (PBDE) exposure in children: Possible associations with cardiovascular and psychological functions. <i>Environmental Research</i> , 2014, 132, 244-250.	3.7	30

#	ARTICLE	IF	CITATIONS
487	Phthalates and Parabens in Personal Care Products From China: Concentrations and Human Exposure. Archives of Environmental Contamination and Toxicology, 2014, 66, 113-119.	2.1	276
488	Exposure and Effects of Perfluoroalkyl Substances in Tree Swallows Nesting in Minnesota and Wisconsin, USA. Archives of Environmental Contamination and Toxicology, 2014, 66, 120-138.	2.1	63
489	Preconception low-dose aspirin and pregnancy outcomes: results from the EAGeR randomised trial. Lancet, The, 2014, 384, 29-36.	6.3	172
490	Serum leptin levels and reproductive function during the menstrual cycle. American Journal of Obstetrics and Gynecology, 2014, 210, 248.e1-248.e9.	0.7	33
491	Emission of artificial sweeteners, select pharmaceuticals, and personal care products through sewage sludge from wastewater treatment plants in Korea. Environment International, 2014, 68, 33-40.	4.8	104
492	Occurrence of Endocrine-Disrupting Phenols and Estrogens in Water and Sediment of the Songhua River, Northeastern China. Archives of Environmental Contamination and Toxicology, 2014, 66, 361-369.	2.1	72
493	Bisphenol A and cardiometabolic risk factors in obese children. Science of the Total Environment, 2014, 470-471, 726-732.	3.9	88
494	Concentrations and composition profiles of parabens in currency bills and paper products including sanitary wipes. Science of the Total Environment, 2014, 475, 8-15.	3.9	67
495	Urinary cytokine and chemokine profiles across the menstrual cycle in healthy reproductive-aged women. Fertility and Sterility, 2014, 101, 1383-1391.e2.	0.5	35
496	Widespread occurrence of bisphenol A diglycidyl ethers, p-hydroxybenzoic acid esters (parabens), benzophenone type-UV filters, triclosan, and triclocarban in human urine from Athens, Greece. Science of the Total Environment, 2014, 470-471, 1243-1249.	3.9	178
497	Fate of Artificial Sweeteners in Wastewater Treatment Plants in New York State, U.S.A.. Environmental Science & Technology, 2014, 48, 13668-13674.	4.6	137
498	Inferring sources for mercury to inland lakes using sediment chronologies of polycyclic aromatic hydrocarbons. Environmental Sciences: Processes and Impacts, 2014, 16, 2108-2116.	1.7	4
499	Urinary Concentrations of Phthalates in Couples Planning Pregnancy and Its Association with 8-Hydroxy-2'-deoxyguanosine, a Biomarker of Oxidative Stress: Longitudinal Investigation of Fertility and the Environment Study. Environmental Science & Technology, 2014, 48, 9804-9811.	4.6	88
500	Analysis of polychlorinated biphenyls and organochlorine pesticides in archived dried blood spots and its application to track temporal trends of environmental chemicals in newborns. Environmental Research, 2014, 133, 204-210.	3.7	31
501	A nationwide survey and emission estimates of cyclic and linear siloxanes through sludge from wastewater treatment plants in Korea. Science of the Total Environment, 2014, 497-498, 106-112.	3.9	62
502	Occurrence of Perchlorate and Thiocyanate in Human Serum From E-Waste Recycling and Reference Sites in Vietnam: Association With Thyroid Hormone and Iodide Levels. Archives of Environmental Contamination and Toxicology, 2014, 67, 29-41.	2.1	25
503	Retrospective monitoring of persistent organic pollutants, including PCBs, PBDEs, and polycyclic musks in blue mussels (Mytilus edulis) and sediments from New Bedford Harbor, Massachusetts, USA: 1991-2005. Environmental Monitoring and Assessment, 2014, 186, 5273-5284.	1.3	25
504	Mass Loading and Removal of Select Illicit Drugs in Two Wastewater Treatment Plants in New York State and Estimation of Illicit Drug Usage in Communities through Wastewater Analysis. Environmental Science & Technology, 2014, 48, 6661-6670.	4.6	142

#	ARTICLE	IF	CITATIONS
505	Ganges River Dolphin: An Overview of Biology, Ecology, and Conservation Status in India. <i>Ambio</i> , 2014, 43, 1029-1046.	2.8	46
506	Cadmium and Reproductive Health in Women: A Systematic Review of the Epidemiologic Evidence. <i>Current Environmental Health Reports</i> , 2014, 1, 172-184.	3.2	45
507	Thyroid hormones are associated with exposure to persistent organic pollutants in aging residents of upper Hudson River communities. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 473-482.	2.1	33
508	Phthalate diesters in Airborne PM 2.5 and PM 10 in a suburban area of Shanghai: Seasonal distribution and risk assessment. <i>Science of the Total Environment</i> , 2014, 497-498, 467-474.	3.9	72
509	Occurrence of PBDEs and other alternative brominated flame retardants in sludge from wastewater treatment plants in Korea. <i>Science of the Total Environment</i> , 2014, 470-471, 1422-1429.	3.9	64
510	Perfluorinated alkyl substances in water, sediment, plankton and fish from Korean rivers and lakes: A nationwide survey. <i>Science of the Total Environment</i> , 2014, 491-492, 154-162.	3.9	108
511	Widespread Occurrence of Benzophenone-Type UV Light Filters in Personal Care Products from China and the United States: An Assessment of Human Exposure. <i>Environmental Science & Technology</i> , 2014, 48, 4103-4109.	4.6	167
512	A Survey of Alkylphenols, Bisphenols, and Triclosan in Personal Care Products from China and the United States. <i>Archives of Environmental Contamination and Toxicology</i> , 2014, 67, 50-59.	2.1	263
513	Identification of perfluorooctane sulfonate binding protein in the plasma of tiger pufferfish <i>Takifugu rubripes</i> . <i>Ecotoxicology and Environmental Safety</i> , 2014, 104, 409-413.	2.9	18
514	Urinary bisphenol A, phthalates, and couple fecundity: the Longitudinal Investigation of Fertility and the Environment (LIFE) Study. <i>Fertility and Sterility</i> , 2014, 101, 1359-1366.	0.5	148
515	Oral Bisphenol A (BPA) given to rats at moderate doses is associated with erectile dysfunction, cavernosal lipofibrosis and alterations of global gene transcription. <i>International Journal of Impotence Research</i> , 2014, 26, 67-75.	1.0	34
516	Assessment of anovulation in eumenorrhic women: comparison of ovulation detection algorithms. <i>Fertility and Sterility</i> , 2014, 102, 511-518.e2.	0.5	64
517	A multi-class bioanalytical methodology for the determination of bisphenol A diglycidyl ethers, p-hydroxybenzoic acid esters, benzophenone-type ultraviolet filters, triclosan, and triclocarban in human urine by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1324, 141-148.	1.8	99
518	Human Exposure to Chemicals in Personal Care Products and Health Implications. <i>Handbook of Environmental Chemistry</i> , 2014, , 165-187.	0.2	6
519	The Occurrence of Bisphenol A, Phthalates, Parabens and Other Environmental Phenolic Compounds in House Dust: A Review. <i>Current Organic Chemistry</i> , 2014, 18, 2182-2199.	0.9	46
520	Blood and Urinary Bisphenol A Concentrations in Children, Adults, and Pregnant Women from China: Partitioning between Blood and Urine and Maternal and Fetal Cord Blood. <i>Environmental Science & Technology</i> , 2013, 47, 4686-4694.	4.6	163
521	Analysis of polyfluoroalkyl substances and bisphenol A in dried blood spots by liquid chromatography tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 4127-4138.	1.9	34
522	Urinary Concentrations of Parabens in Chinese Young Adults: Implications for Human Exposure. <i>Archives of Environmental Contamination and Toxicology</i> , 2013, 65, 611-618.	2.1	104

#	ARTICLE	IF	CITATIONS
523	Benzotriazoles and benzothiazoles in human urine from several countries: A perspective on occurrence, biotransformation, and human exposure. <i>Environment International</i> , 2013, 59, 274-281.	4.8	143
524	Perfluoroalkyl Substances in the Blood of Wild Rats and Mice from 47 Prefectures in Japan: Use of Samples from Nationwide Specimen Bank. <i>Archives of Environmental Contamination and Toxicology</i> , 2013, 65, 149-170.	2.1	14
525	Sex and dose-dependent effects of developmental exposure to bisphenol A on anxiety and spatial learning in deer mice (<i>Peromyscus maniculatus bairdii</i>) offspring. <i>Hormones and Behavior</i> , 2013, 63, 180-189.	1.0	109
526	Thyroid hormone actions are temperature-specific and regulate thermal acclimation in zebrafish (<i>Danio rerio</i>). <i>BMC Biology</i> , 2013, 11, 26.	1.7	94
527	Persistent organic pollutants including polychlorinated and polybrominated dibenzo-p-dioxins and dibenzofurans in firefighters from Northern California. <i>Chemosphere</i> , 2013, 91, 1386-1394.	4.2	103
528	Inter-laboratory trials for analysis of perfluorooctanesulfonate and perfluorooctanoate in water samples: Performance and recommendations. <i>Analytica Chimica Acta</i> , 2013, 770, 111-120.	2.6	21
529	Transport of Perfluoroalkyl substances (PFAS) from an arctic glacier to downstream locations: Implications for sources. <i>Science of the Total Environment</i> , 2013, 447, 46-55.	3.9	123
530	Occurrence of and Dietary Exposure to Parabens in Foodstuffs from the United States. <i>Environmental Science & Technology</i> , 2013, 47, 3918-3925.	4.6	198
531	Occurrence and removal efficiencies of benzotriazoles and benzothiazoles in a wastewater treatment plant in Greece. <i>Science of the Total Environment</i> , 2013, 452-453, 163-171.	3.9	110
532	Parabens in Sediment and Sewage Sludge from the United States, Japan, and Korea: Spatial Distribution and Temporal Trends. <i>Environmental Science & Technology</i> , 2013, 47, 10895-10902.	4.6	110
533	Determination of Benzotriazoles and Benzothiazoles in Human Urine by Liquid Chromatography-Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2013, 85, 441-448.	3.2	75
534	Dioxin-related compounds in house dust from New York State: Occurrence, in vitro toxic evaluation and implications for indoor exposure. <i>Environmental Pollution</i> , 2013, 181, 75-80.	3.7	40
535	A review of human exposure to polybrominated diphenyl ethers (PBDEs) in China. <i>International Journal of Hygiene and Environmental Health</i> , 2013, 216, 607-623.	2.1	130
536	The environmental photolysis of perfluorooctanesulfonate, perfluorooctanoate, and related fluorochemicals. <i>Chemosphere</i> , 2013, 90, 1686-1692.	4.2	78
537	Polybrominated diphenyl ethers (PBDEs) in China: Policies and recommendations for sound management of plastics from electronic wastes. <i>Journal of Environmental Management</i> , 2013, 115, 114-123.	3.8	89
538	Bisphenol A and phthalates and endometriosis: the Endometriosis: Natural History, Diagnosis and Outcomes Study. <i>Fertility and Sterility</i> , 2013, 100, 162-169.e2.	0.5	117
539	Alkyl protocatechuates as novel urinary biomarkers of exposure to p-hydroxybenzoic acid esters (parabens). <i>Environment International</i> , 2013, 59, 27-32.	4.8	63
540	Assessment of exposure to polybrominated diphenyl ethers (PBDEs) via seafood consumption and dust ingestion in Korea. <i>Science of the Total Environment</i> , 2013, 443, 24-30.	3.9	63

#	ARTICLE	IF	CITATIONS
541	Fetal Liver Bisphenol A Concentrations and Biotransformation Gene Expression Reveal Variable Exposure and Altered Capacity for Metabolism in Humans. <i>Journal of Biochemical and Molecular Toxicology</i> , 2013, 27, 116-123.	1.4	75
542	Airborne PM _{2.5} /PM ₁₀ -Associated Chlorinated Polycyclic Aromatic Hydrocarbons and their Parent Compounds in a Suburban Area in Shanghai, China. <i>Environmental Science & Technology</i> , 2013, 47, 7615-7623.	4.6	82
543	Benzophenone-type UV filters in urine and blood from children, adults, and pregnant women in China: Partitioning between blood and urine as well as maternal and fetal cord blood. <i>Science of the Total Environment</i> , 2013, 461-462, 49-55.	3.9	124
544	Does wet precipitation represent local and regional atmospheric transportation by perfluorinated alkyl substances?. <i>Environment International</i> , 2013, 55, 25-32.	4.8	99
545	Characteristic Profiles of Urinary <i>p</i> -Hydroxybenzoic Acid and its Esters (Parabens) in Children and Adults from the United States and China. <i>Environmental Science & Technology</i> , 2013, 47, 2069-2076.	4.6	119
546	Temporal Trends of Polybrominated Diphenyl Ethers (PBDEs) in the Blood of Newborns from New York State during 1997 through 2011: Analysis of Dried Blood Spots from the Newborn Screening Program. <i>Environmental Science & Technology</i> , 2013, 47, 8015-8021.	4.6	51
547	Benzotriazole, Benzothiazole, and Benzophenone Compounds in Indoor Dust from the United States and East Asian Countries. <i>Environmental Science & Technology</i> , 2013, 47, 4752-4759.	4.6	171
548	Concentrations and Profiles of Bisphenol A and Other Bisphenol Analogues in Foodstuffs from the United States and Their Implications for Human Exposure. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 4655-4662.	2.4	568
549	Concentrations and Profiles of Urinary Polycyclic Aromatic Hydrocarbon Metabolites (OH-PAHs) in Several Asian Countries. <i>Environmental Science & Technology</i> , 2013, 47, 2932-2938.	4.6	154
550	Distribution of Poly- and Perfluoroalkyl Substances in Matched Samples from Pregnant Women and Carbon Chain Length Related Maternal Transfer. <i>Environmental Science & Technology</i> , 2013, 47, 7974-7981.	4.6	110
551	Characteristic Profiles of Benzophenone-3 and its Derivatives in Urine of Children and Adults from the United States and China. <i>Environmental Science & Technology</i> , 2013, 47, 12532-12538.	4.6	119
552	Psychoactive Pharmaceuticals in Sludge and Their Emission from Wastewater Treatment Facilities in Korea. <i>Environmental Science & Technology</i> , 2013, 47, 13321-13329.	4.6	47
553	A Survey of Phthalates and Parabens in Personal Care Products from the United States and Its Implications for Human Exposure. <i>Environmental Science & Technology</i> , 2013, 47, 14442-14449.	4.6	473
554	Occurrence of parabens in foodstuffs from China and its implications for human dietary exposure. <i>Environment International</i> , 2013, 57-58, 68-74.	4.8	150
555	Serum uric acid in relation to endogenous reproductive hormones during the menstrual cycle: findings from the BioCycle study. <i>Human Reproduction</i> , 2013, 28, 1853-1862.	0.4	92
556	Mass Loading and Fate of Linear and Cyclic Siloxanes in a Wastewater Treatment Plant in Greece. <i>Environmental Science & Technology</i> , 2013, 47, 1824-1832.	4.6	124
557	Phthalate Concentrations and Dietary Exposure from Food Purchased in New York State. <i>Environmental Health Perspectives</i> , 2013, 121, 473-479.	2.8	269
558	PERFLUORINATED COMPOUND CONCENTRATIONS IN GREAT BLUE HERON EGGS NEAR ST. PAUL, MINNESOTA, USA, IN 1993 AND 2010-2011. <i>Environmental Toxicology and Chemistry</i> , 2013, 32, 1077-1083.	2.2	15

#	ARTICLE	IF	CITATIONS
559	Chronic High Dose Intraperitoneal Bisphenol A (BPA) Induces Substantial Histological and Gene Expression Alterations in Rat Penile Tissue Without Impairing Erectile Function. <i>Journal of Sexual Medicine</i> , 2013, 10, 2952-2966.	0.3	12
560	An Animal Model of Marginal Iodine Deficiency During Development: The Thyroid Axis and Neurodevelopmental Outcome*. <i>Toxicological Sciences</i> , 2013, 132, 177-195.	1.4	45
561	Effect of storage time and temperature on levels of phthalate metabolites and bisphenol A in urine. <i>Advances in Environmental Research</i> , 2013, 2, 9-17.	0.3	7
562	Chlorinated Polycyclic Aromatic Hydrocarbons in Urban Surface Dust and Soil of Shanghai, China. <i>Advanced Materials Research</i> , 2012, 610-613, 2989-2994.	0.3	4
563	Persistent Lipophilic Environmental Chemicals and Endometriosis: The ENDO Study. <i>Environmental Health Perspectives</i> , 2012, 120, 811-816.	2.8	54
564	Perfluorochemicals and Endometriosis. <i>Epidemiology</i> , 2012, 23, 799-805.	1.2	49
565	The Utility of Menstrual Cycle Length as an Indicator of Cumulative Hormonal Exposure. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1871-E1879.	1.8	73
566	Environmental Estrogens Differentially Engage the Histone Methyltransferase EZH2 to Increase Risk of Uterine Tumorigenesis. <i>Molecular Cancer Research</i> , 2012, 10, 546-557.	1.5	151
567	Perchlorate, chlorate and bromate in water samples from the South-West coast of India. <i>Water Science and Technology: Water Supply</i> , 2012, 12, 595-603.	1.0	21
568	Challenges encountered in the analysis of phthalate esters in foodstuffs and other biological matrices. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 2539-2554.	1.9	156
569	Severe pollution of PCDD/Fs and dioxin-like PCBs in sediments from Lake Shihwa, Korea: Tracking the source. <i>Marine Pollution Bulletin</i> , 2012, 64, 2357-2363.	2.3	46
570	Widespread Occurrence and Distribution of Bisphenol A Diglycidyl Ether (BADGE) and its Derivatives in Human Urine from the United States and China. <i>Environmental Science & Technology</i> , 2012, 46, 12968-12976.	4.6	44
571	Occurrence of Eight Bisphenol Analogues in Indoor Dust from the United States and Several Asian Countries: Implications for Human Exposure. <i>Environmental Science & Technology</i> , 2012, 46, 9138-9145.	4.6	484
572	Levels of bisphenol-A in thermal paper receipts from Belgium and estimation of human exposure. <i>Science of the Total Environment</i> , 2012, 435-436, 30-33.	3.9	119
573	Polychlorinated biphenyls (PCBs), polychlorinated diphenyl ethers (PCDEs), and neuropsychological status among older adults in New York. <i>NeuroToxicology</i> , 2012, 33, 8-15.	1.4	44
574	Metal-induced decomposition of perchlorate in pressurized hot water. <i>Chemosphere</i> , 2012, 89, 737-742.	4.2	8
575	Perfluorinated compounds in surface waters from Northern China: Comparison to level of industrialization. <i>Environment International</i> , 2012, 42, 37-46.	4.8	120
576	Bisphenol Analogues in Sediments from Industrialized Areas in the United States, Japan, and Korea: Spatial and Temporal Distributions. <i>Environmental Science & Technology</i> , 2012, 46, 11558-11565.	4.6	294

#	ARTICLE	IF	CITATIONS
577	Asia-Pacific mussel watch for emerging pollutants: Distribution of synthetic musks and benzotriazole UV stabilizers in Asian and US coastal waters. <i>Marine Pollution Bulletin</i> , 2012, 64, 2211-2218.	2.3	146
578	Determination of Free and Conjugated Forms of Bisphenol A in Human Urine and Serum by Liquid Chromatography-Tandem Mass Spectrometry. <i>Environmental Science & Technology</i> , 2012, 46, 5003-5009.	4.6	199
579	Occurrence and Profiles of Phthalates in Foodstuffs from China and Their Implications for Human Exposure. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 6913-6919.	2.4	239
580	Occurrence and Human Exposure of <i>p</i> -Hydroxybenzoic Acid Esters (Parabens), Bisphenol A Diglycidyl Ether (BADGE), and Their Hydrolysis Products in Indoor Dust from the United States and Three East Asian Countries. <i>Environmental Science & Technology</i> , 2012, 46, 11584-11593.	4.6	161
581	Urinary Concentrations of Benzophenone-type UV Filters in U.S. Women and Their Association with Endometriosis. <i>Environmental Science & Technology</i> , 2012, 46, 4624-4632.	4.6	263
582	Bisphenol S in Urine from the United States and Seven Asian Countries: Occurrence and Human Exposures. <i>Environmental Science & Technology</i> , 2012, 46, 6860-6866.	4.6	546
583	Bisphenol S, a New Bisphenol Analogue, in Paper Products and Currency Bills and Its Association with Bisphenol A Residues. <i>Environmental Science & Technology</i> , 2012, 46, 6515-6522.	4.6	473
584	Immune function in female B ₆ C ₃ F ₁ mice is modulated by DE-71, a commercial polybrominated diphenyl ether mixture. <i>Journal of Immunotoxicology</i> , 2012, 9, 96-107.	0.9	32
585	Epigenetic responses following maternal dietary exposure to physiologically relevant levels of bisphenol A. <i>Environmental and Molecular Mutagenesis</i> , 2012, 53, 334-342.	0.9	131
586	Examination of Eurasian Griffon Vultures (<i>Gyps fulvus fulvus</i>) in Israel for Exposure to Environmental Toxicants Using Dried Blood Spots. <i>Archives of Environmental Contamination and Toxicology</i> , 2012, 62, 502-511.	2.1	31
587	Occurrence and accumulation patterns of polycyclic aromatic hydrocarbons and synthetic musk compounds in adipose tissues of Korean females. <i>Chemosphere</i> , 2012, 86, 485-490.	4.2	77
588	Polybrominated Diphenyl Ethers, Polychlorinated Biphenyls, and Organochlorine Pesticides in Adipose Tissues of Korean Women. <i>Archives of Environmental Contamination and Toxicology</i> , 2012, 62, 176-184.	2.1	51
589	A database of avian blood spot examinations for exposure of wild birds to environmental toxicants: the DABSE biomonitoring project. <i>Journal of Environmental Monitoring</i> , 2011, 13, 1547.	2.1	26
590	Effects of salinity and organic matter on the partitioning of perfluoroalkyl acid (PFAs) to clay particles. <i>Journal of Environmental Monitoring</i> , 2011, 13, 1803.	2.1	149
591	Occurrence and exposure assessment of perchlorate, iodide and nitrate ions from dairy milk and water in Japan and Sri Lanka. <i>Journal of Environmental Monitoring</i> , 2011, 13, 2312.	2.1	26
592	Concentrations and accumulation profiles of PCDDs, PCDFs and dioxin-like PCBs in adipose fat tissues of Korean women. <i>Journal of Environmental Monitoring</i> , 2011, 13, 1096.	2.1	12
593	Comparative Assessment of Human Exposure to Phthalate Esters from House Dust in China and the United States. <i>Environmental Science & Technology</i> , 2011, 45, 3788-3794.	4.6	358
594	Occurrence of Phthalate Metabolites in Human Urine from Several Asian Countries. <i>Environmental Science & Technology</i> , 2011, 45, 3138-3144.	4.6	242

#	ARTICLE	IF	CITATIONS
595	High Levels of Bisphenol A in Paper Currencies from Several Countries, and Implications for Dermal Exposure. <i>Environmental Science & Technology</i> , 2011, 45, 6761-6768.	4.6	100
596	Reply to Comment on "High Levels of Bisphenol A in Paper Currencies from Several Countries, and Implications for Dermal Exposure". <i>Environmental Science & Technology</i> , 2011, 45, 9465-9466.	4.6	5
597	Determination of Six Thyroid Hormones in the Brain and Thyroid Gland Using Isotope-Dilution Liquid Chromatography/Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 417-424.	3.2	46
598	Perfluorochemical (PFC) Exposure in Children: Associations with Impaired Response Inhibition. <i>Environmental Science & Technology</i> , 2011, 45, 8151-8159.	4.6	118
599	Distribution, Characteristics, and Worldwide Inventory of Dioxins in Kaolin Ball Clays. <i>Environmental Science & Technology</i> , 2011, 45, 7517-7524.	4.6	23
600	Urinary Bisphenol A Concentrations and Their Implications for Human Exposure in Several Asian Countries. <i>Environmental Science & Technology</i> , 2011, 45, 7044-7050.	4.6	230
601	Determination of Benzotriazole and Benzophenone UV Filters in Sediment and Sewage Sludge. <i>Environmental Science & Technology</i> , 2011, 45, 3909-3916.	4.6	259
602	Perfluorinated Compounds in Human Blood, Water, Edible Freshwater Fish, and Seafood in China: Daily Intake and Regional Differences in Human Exposures. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 11168-11176.	2.4	123
603	Trophic Magnification of Poly- and Perfluorinated Compounds in a Subtropical Food Web. <i>Environmental Science & Technology</i> , 2011, 45, 5506-5513.	4.6	254
604	Fate of Perfluorooctanesulfonate and perfluorooctanoate in drinking water treatment processes. <i>Water Research</i> , 2011, 45, 3925-3932.	5.3	152
605	Widespread Occurrence of Bisphenol A in Paper and Paper Products: Implications for Human Exposure. <i>Environmental Science & Technology</i> , 2011, 45, 9372-9379.	4.6	318
606	Concentrations and dietary exposure to polycyclic aromatic hydrocarbons (PAHs) from grilled and smoked foods. <i>Food Control</i> , 2011, 22, 2028-2035.	2.8	270
607	Phthalate metabolites in urine from China, and implications for human exposures. <i>Environment International</i> , 2011, 37, 893-898.	4.8	261
608	Perfluoroalkyl and polyfluoroalkyl substances: current and future perspectives. <i>Environmental Chemistry</i> , 2011, 8, 333.	0.7	204
609	Realignment and multiple imputation of longitudinal data: an application to menstrual cycle data. <i>Paediatric and Perinatal Epidemiology</i> , 2011, 25, 448-459.	0.8	28
610	Serum bisphenol A pharmacokinetics and prostate neoplastic responses following oral and subcutaneous exposures in neonatal Sprague-Dawley rats. <i>Reproductive Toxicology</i> , 2011, 31, 1-9.	1.3	130
611	Temporal trends of Hg in Arctic biota, an update. <i>Science of the Total Environment</i> , 2011, 409, 3520-3526.	3.9	108
612	Distribution of perfluorochemicals between sera and milk from the same mothers and implications for prenatal and postnatal exposures. <i>Environmental Pollution</i> , 2011, 159, 169-174.	3.7	142

#	ARTICLE	IF	CITATIONS
613	Assessing seasonal and spatial trends of persistent organic pollutants (POPs) in Indian agricultural regions using PUF disk passive air samplers. <i>Environmental Pollution</i> , 2011, 159, 646-653.	3.7	128
614	Concentrations and assessment of exposure to siloxanes and synthetic musks in personal care products from China. <i>Environmental Pollution</i> , 2011, 159, 3522-3528.	3.7	165
615	Analysis of Thyroid Hormones in Serum of Baikal Seals and Humans by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS) and Immunoassay Methods: Application of the LC-MS/MS Method to Wildlife Tissues. <i>Environmental Science & Technology</i> , 2011, 45, 10140-10147.	4.6	39
616	Polycyclic Musks in Water, Sediment, and Fishes from the Upper Hudson River, New York, USA. <i>Water, Air, and Soil Pollution</i> , 2011, 214, 335-342.	1.1	66
617	Occurrence of Synthetic Musks in Indoor Dust from China and Implications for Human Exposure. <i>Archives of Environmental Contamination and Toxicology</i> , 2011, 60, 182-189.	2.1	45
618	Survey of Cyclic and Linear Siloxanes in Sediment from the Songhua River and in Sewage Sludge from Wastewater Treatment Plants, Northeastern China. <i>Archives of Environmental Contamination and Toxicology</i> , 2011, 60, 204-211.	2.1	86
619	Occurrence of Bisphenol A in Indoor Dust from Two Locations in the Eastern United States and Implications for Human Exposures. <i>Archives of Environmental Contamination and Toxicology</i> , 2011, 61, 68-73.	2.1	135
620	Modulation of Thyroid Hormone Concentrations in Serum of Rats Coadministered with Perchlorate and Iodide-Deficient Diet. <i>Archives of Environmental Contamination and Toxicology</i> , 2011, 61, 151-158.	2.1	24
621	Distribution of mono- through hexa-chlorobenzenes in floodplain soils and sediments of the Tittabawassee and Saginaw Rivers, Michigan. <i>Environmental Science and Pollution Research</i> , 2011, 18, 897-907.	2.7	8
622	Fate of perchlorate in a man-made reflecting pond following a fireworks display in Albany, New York, USA. <i>Environmental Toxicology and Chemistry</i> , 2011, 30, 2449-2455.	2.2	30
623	Perfluoroalkyl and polyfluoroalkyl substances in the environment: Terminology, classification, and origins. <i>Integrated Environmental Assessment and Management</i> , 2011, 7, 513-541.	1.6	2,567
624	Elevated concentrations of polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans and polybrominated diphenyl ethers in hair from workers at an electronic waste recycling facility in Eastern China. <i>Journal of Hazardous Materials</i> , 2011, 186, 1966-1971.	6.5	69
625	Variations in lipid levels according to menstrual cycle phase: clinical implications. <i>Clinical Lipidology</i> , 2011, 6, 225-234.	0.4	50
626	Effects of environmentally-relevant levels of perfluorooctane sulfonate on clinical parameters and immunological functions in B ₆ C ₃ F ₁ mice. <i>Journal of Immunotoxicology</i> , 2011, 8, 17-29.	0.9	49
627	Effect of Dietary Fiber Intake on Lipoprotein Cholesterol Levels Independent of Estradiol in Healthy Premenopausal Women. <i>American Journal of Epidemiology</i> , 2011, 173, 145-156.	1.6	30
628	Comparison of Serum Bisphenol A Concentrations in Mice Exposed to Bisphenol A through the Diet versus Oral Bolus Exposure. <i>Environmental Health Perspectives</i> , 2011, 119, 1260-1265.	2.8	83
629	Cholesterol, endocrine and metabolic disturbances in sporadic anovulatory women with regular menstruation. <i>Human Reproduction</i> , 2011, 26, 423-430.	0.4	17
630	Spatial and Temporal Trends of Polybrominated Diphenyl Ethers. , 2011, , 33-71.		2

#	ARTICLE	IF	CITATIONS
631	Residual characteristics of perfluorinated compounds in Nakdong River watershed. <i>Toxicology and Environmental Health Sciences</i> , 2010, 2, 60-72.	1.1	8
632	Perchlorate in Tap Water, Groundwater, Surface Waters, and Bottled Water From China and its Association with Other Inorganic Anions and with Disinfection Byproducts. <i>Archives of Environmental Contamination and Toxicology</i> , 2010, 58, 543-550.	2.1	112
633	Organotin Compounds, Including Butyltins and Octyltins, in House Dust from Albany, New York, USA. <i>Archives of Environmental Contamination and Toxicology</i> , 2010, 58, 901-907.	2.1	89
634	A method for the analysis of six thyroid hormones in thyroid gland by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 1725-1730.	1.2	28
635	Perfluorinated compounds in minke whales (<i>Balaenoptera acutorostrata</i>) and long-beaked common dolphins (<i>Delphinus capensis</i>) from Korean coastal waters. <i>Marine Pollution Bulletin</i> , 2010, 60, 1130-1135.	2.3	38
636	Response to Letter to the Editor re "Bioaccumulation of polybrominated diphenyl ethers and hexabromocyclododecane in the northwest Atlantic marine food web". <i>Science of the Total Environment</i> , 2010, 408, 3717-3718.	3.9	1
637	Polybrominated diphenyl ether levels in foodstuffs collected from three locations from the United States. <i>Toxicology and Applied Pharmacology</i> , 2010, 243, 217-224.	1.3	58
638	Mechanisms of olfactory toxicity of the herbicide 2,6-dichlorobenzonitrile: Essential roles of CYP2A5 and target-tissue metabolic activation. <i>Toxicology and Applied Pharmacology</i> , 2010, 249, 101-106.	1.3	21
639	Polybrominated diphenyl ethers, polychlorinated naphthalenes and polycyclic musks in human fat from Italy: Comparison to polychlorinated biphenyls and organochlorine pesticides. <i>Environmental Pollution</i> , 2010, 158, 599-606.	3.7	93
640	Polybrominated diphenyl ethers and synthetic musks in umbilical cord Serum, maternal serum, and breast milk from Seoul, South Korea. <i>Chemosphere</i> , 2010, 80, 116-122.	4.2	82
641	Effect of perfluorooctanesulfonate on osmoregulation in marine fish, <i>Sebastes schlegeli</i> , under different salinities. <i>Chemosphere</i> , 2010, 81, 228-234.	4.2	29
642	Dioxin-like and perfluorinated compounds in pigs in an Indian open waste dumping site: Toxicokinetics and effects on hepatic cytochrome P450 and blood plasma hormones. <i>Environmental Toxicology and Chemistry</i> , 2010, 29, 1551-1560.	2.2	28
643	Bioconcentration of perfluorinated compounds in blackrock fish, <i>Sebastes schlegeli</i> , at different salinity levels. <i>Environmental Toxicology and Chemistry</i> , 2010, 29, 2529-2535.	2.2	42
644	Chlorinated and brominated contaminants including PCBs and PBDEs in minke whales and common dolphins from Korean coastal waters. <i>Journal of Hazardous Materials</i> , 2010, 179, 735-741.	6.5	76
645	Contamination status and accumulation features of PCDDs, PCDFs and dioxin-like PCBs in finless porpoises (<i>Neophocaena phocaenoides</i>) from Korean coastal waters. <i>Journal of Hazardous Materials</i> , 2010, 183, 799-805.	6.5	18
646	Comparison of two extraction methods for the analysis of per- and polyfluorinated chemicals in digested sewage sludge. <i>Journal of Chromatography A</i> , 2010, 1217, 5026-5034.	1.8	50
647	Developmental Exposure to a Commercial PBDE Mixture, DE-71: Neurobehavioral, Hormonal, and Reproductive Effects. <i>Toxicological Sciences</i> , 2010, 116, 297-312.	1.4	171
648	Halogenated Flame Retardants: Do the Fire Safety Benefits Justify the Risks?. <i>Reviews on Environmental Health</i> , 2010, 25, 261-305.	1.1	409

#	ARTICLE	IF	CITATIONS
649	Fish Consumption and Concentrations of Polybrominated Diphenyl Ethers (PBDEs) in the Serum of Older Residents of Upper Hudson River Communities. <i>Archives of Environmental and Occupational Health</i> , 2010, 65, 183-190.	0.7	14
650	A Longitudinal Study of Serum Lipoproteins in Relation to Endogenous Reproductive Hormones during the Menstrual Cycle: Findings from the BioCycle Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E80-E85.	1.8	56
651	Flux of Perfluorinated Chemicals through Wet Deposition in Japan, the United States, And Several Other Countries. <i>Environmental Science & Technology</i> , 2010, 44, 7043-7049.	4.6	117
652	Monitoring and Modeling Endosulfan in Chinese Surface Soil. <i>Environmental Science & Technology</i> , 2010, 44, 9279-9284.	4.6	72
653	Perchlorate and Iodide in Whole Blood Samples from Infants, Children, and Adults in Nanchang, China. <i>Environmental Science & Technology</i> , 2010, 44, 6947-6953.	4.6	64
654	Occurrence of Cyclic and Linear Siloxanes in Indoor Dust from China, and Implications for Human Exposures. <i>Environmental Science & Technology</i> , 2010, 44, 6081-6087.	4.6	91
655	Polychlorinated Dibenzo- <i>p</i> -dioxins, Dibenzofurans, Biphenyls, and Naphthalenes in Plasma of Workers Deployed at the World Trade Center after the Collapse. <i>Environmental Science & Technology</i> , 2010, 44, 5188-5194.	4.6	38
656	Contribution of Synthetic and Naturally Occurring Organobromine Compounds to Bromine Mass in Marine Organisms. <i>Environmental Science & Technology</i> , 2010, 44, 6068-6073.	4.6	43
657	Bioaccumulation of Perfluorochemicals in Pacific Oyster under Different Salinity Gradients. <i>Environmental Science & Technology</i> , 2010, 44, 2695-2701.	4.6	98
658	Exploratory assessment of perfluorinated compounds and human thyroid function. <i>Physiology and Behavior</i> , 2010, 99, 240-245.	1.0	75
659	Analysis of five benzophenone-type UV filters in human urine by liquid chromatography-tandem mass spectrometry. <i>Analytical Methods</i> , 2010, 2, 707.	1.3	69
660	Concentrations and accumulation features of PCDDs, PCDFs and dioxin-like PCBs in cetaceans from Korean coastal waters. <i>Chemosphere</i> , 2010, 79, 733-739.	4.2	25
661	High concentrations of persistent organic pollutants including PCBs, DDT, PBDEs and PFOS in little brown bats with white-nose syndrome in New York, USA. <i>Chemosphere</i> , 2010, 80, 613-618.	4.2	59
662	Perfluorinated Compounds and Polybrominated Diphenyl Ethers in Great Blue Heron Eggs from Three Colonies on the Mississippi River, Minnesota. <i>Waterbirds</i> , 2010, 33, 86-95.	0.2	22
663	Perfluorinated Compounds in Whole Blood Samples from Infants, Children, and Adults in China. <i>Environmental Science & Technology</i> , 2010, 44, 4341-4347.	4.6	133
664	Benzo[<i>a</i>]pyrene and total polycyclic aromatic hydrocarbons (PAHs) levels in vegetable oils and fats do not reflect the occurrence of the eight genotoxic PAHs. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2010, 27, 869-878.	1.1	74
665	Perfluorochemicals in Meat, Eggs and Indoor Dust in China: Assessment of Sources and Pathways of Human Exposure to Perfluorochemicals. <i>Environmental Science & Technology</i> , 2010, 44, 3572-3579.	4.6	159
666	Profiles of Phytoestrogens in Human Urine from Several Asian Countries. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 9838-9846.	2.4	36

#	ARTICLE	IF	CITATIONS
667	Global Contamination by Organotin Compounds. , 2009, , 39-60.		7
668	Polybrominated Diphenyl Ethers in Marine Ecosystems of the American Continents: Foresight from Current Knowledge. Reviews on Environmental Health, 2009, 24, 157-229.	1.1	170
669	Perfluorinated contaminants in fur seal pups and penguin eggs from South Shetland, Antarctica. Science of the Total Environment, 2009, 407, 3899-3904.	3.9	58
670	Bioaccumulation of polybrominated diphenyl ethers and hexabromocyclododecane in the northwest Atlantic marine food web. Science of the Total Environment, 2009, 407, 3323-3329.	3.9	101
671	Occurrence of brominated flame retardants, polycyclic musks, and chlorinated naphthalenes in seal blubber from Antarctica: Comparison to organochlorines. Marine Pollution Bulletin, 2009, 58, 1415-1419.	2.3	28
672	Subacute exposure to N-ethyl perfluorooctanesulfonamidoethanol results in the formation of perfluorooctanesulfonate and alters superoxide dismutase activity in female rats. Archives of Toxicology, 2009, 83, 909-924.	1.9	41
673	Temporal Trends (1992-2007) of Perfluorinated Chemicals in Northern Sea Otters (<i>Enhydra lutris</i>) Tj ETQq1 1 0.784314 rgBT /Overbor 56, 607-614.	2.1	68
674	Chlorinated Polycyclic Aromatic Hydrocarbons in Sediments from Industrial Areas in Japan and the United States. Archives of Environmental Contamination and Toxicology, 2009, 57, 651-660.	2.1	74
675	An analytical method for the determination of perfluorinated compounds in whole blood using acetonitrile and solid phase extraction methods. Journal of Chromatography A, 2009, 1216, 4950-4956.	1.8	64
676	Comparison of total fluorine, extractable organic fluorine and perfluorinated compounds in the blood of wild and perfluorooctanoate (PFOA)-exposed rats: Evidence for the presence of other organofluorine compounds. Analytica Chimica Acta, 2009, 635, 108-114.	2.6	44
677	Polybrominated Dibenzo- <i>p</i> -dioxins/Dibenzofurans and Polybrominated Diphenyl Ethers in Soil, Vegetation, Workshop-Floor Dust, and Electronic Shredder Residue from an Electronic Waste Recycling Facility and in Soils from a Chemical Industrial Complex in Eastern China. Environmental Science & Technology, 2009, 43, 7350-7356.	4.6	176
678	Relative Potencies of Individual Chlorinated and Brominated Polycyclic Aromatic Hydrocarbons for Induction of Aryl Hydrocarbon Receptor-Mediated Responses. Environmental Science & Technology, 2009, 43, 2159-2165.	4.6	101
679	Origin of Hydroxylated Brominated Diphenyl Ethers: Natural Compounds or Man-Made Flame Retardants?. Environmental Science & Technology, 2009, 43, 7536-7542.	4.6	209
680	Oral microemulsions of paclitaxel: In situ and pharmacokinetic studies. European Journal of Pharmaceutics and Biopharmaceutics, 2009, 71, 310-317.	2.0	84
681	Polychlorinated naphthalenes in human adipose tissue from New York, USA. Environmental Pollution, 2009, 157, 910-915.	3.7	35
682	Specific accumulation of perfluorochemicals in harbor seals (<i>Phoca vitulina concolor</i>) from the northwest Atlantic. Chemosphere, 2009, 74, 1037-1043.	4.2	54
683	Historical trends of PCDDs, PCDFs, dioxin-like PCBs and nonylphenols in dated sediment cores from a semi-enclosed bay in Korea: Tracking the sources. Chemosphere, 2009, 75, 565-571.	4.2	43
684	Occurrence of perchlorate in drinking water, groundwater, surface water and human saliva from India. Chemosphere, 2009, 76, 22-26.	4.2	128

#	ARTICLE	IF	CITATIONS
685	A survey of perfluorinated compounds in surface water and biota including dolphins from the Ganges River and in other waterbodies in India. <i>Chemosphere</i> , 2009, 76, 55-62.	4.2	133
686	An assessment of sources and pathways of human exposure to polybrominated diphenyl ethers in the United States. <i>Chemosphere</i> , 2009, 76, 542-548.	4.2	384
687	Perchlorate in human blood serum and plasma: Relationship to concentrations in saliva. <i>Chemosphere</i> , 2009, 77, 43-47.	4.2	39
688	Specific profiles of perfluorinated compounds in surface and drinking waters and accumulation in mussels, fish, and dolphins from southeastern Brazil. <i>Chemosphere</i> , 2009, 77, 863-869.	4.2	155
689	Perfluorinated compounds and polybrominated diphenyl ethers in great blue heron eggs from Indiana Dunes National Lakeshore, Indiana. <i>Journal of Great Lakes Research</i> , 2009, 35, 401-405.	0.8	12
690	Perfluorinated Compounds in Tap Water from China and Several Other Countries. <i>Environmental Science & Technology</i> , 2009, 43, 4824-4829.	4.6	280
691	Analysis of Perchlorate in Human Saliva by Liquid Chromatography-Tandem Mass Spectrometry. <i>Environmental Science & Technology</i> , 2009, 43, 142-147.	4.6	45
692	Chlorinated and Parent Polycyclic Aromatic Hydrocarbons in Environmental Samples from an Electronic Waste Recycling Facility and a Chemical Industrial Complex in China. <i>Environmental Science & Technology</i> , 2009, 43, 643-649.	4.6	106
693	A preliminary study of temporal differences in serum concentrations of perfluoroalkyl acids, among New York anglers, in the absence of known changes in manufacturing practices. <i>Toxicological and Environmental Chemistry</i> , 2009, 91, 1387-1397.	0.6	3
694	Analysis of trifluoroacetic acid and other short-chain perfluorinated acids (C2-C4) in precipitation by liquid chromatography-tandem mass spectrometry: Comparison to patterns of long-chain perfluorinated acids (C5-C18). <i>Analytica Chimica Acta</i> , 2008, 619, 221-230.	2.6	192
695	Comparison of extraction and quantification methods of perfluorinated compounds in human plasma, serum, and whole blood. <i>Analytica Chimica Acta</i> , 2008, 628, 214-221.	2.6	52
696	Dioxin-Like Toxicity in the Saginaw River Watershed: Polychlorinated Dibenzo-p-Dioxins, Dibenzofurans, and Biphenyls in Sediments and Floodplain Soils from the Saginaw and Shiawassee Rivers and Saginaw Bay, Michigan, USA. <i>Archives of Environmental Contamination and Toxicology</i> , 2008, 54, 9-19.	2.1	46
697	Polybrominated Diphenyl Ethers and Polybrominated Biphenyls in Sediment and Floodplain Soils of the Saginaw River Watershed, Michigan, USA. <i>Archives of Environmental Contamination and Toxicology</i> , 2008, 55, 1-10.	2.1	88
698	Survey of Organosilicone Compounds, Including Cyclic and Linear Siloxanes, in Personal-Care and Household Products. <i>Archives of Environmental Contamination and Toxicology</i> , 2008, 55, 701-710.	2.1	297
699	Potential effects of perfluorinated compounds in common cormorants from Lake Biwa, Japan: An implication from the hepatic gene expression profiles by microarray. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 2378-2386.	2.2	33
700	Skipjack tuna as a bioindicator of contamination by perfluorinated compounds in the oceans. <i>Science of the Total Environment</i> , 2008, 403, 215-221.	3.9	64
701	Contamination profiles of heavy metals, organochlorine pesticides, polycyclic aromatic hydrocarbons and alkylphenols in sediment and oyster collected from marsh/estuarine Savannah GA, USA. <i>Marine Pollution Bulletin</i> , 2008, 56, 136-149.	2.3	93
702	A baseline study of perfluorochemicals in Franciscana dolphin and Subantarctic fur seal from coastal waters of Southern Brazil. <i>Marine Pollution Bulletin</i> , 2008, 56, 778-781.	2.3	22

#	ARTICLE	IF	CITATIONS
703	Contamination status and accumulation profiles of organotins in sea otters (<i>Enhydra lutris</i>) found dead along the coasts of California, Washington, Alaska (USA), and Kamchatka (Russia). <i>Marine Pollution Bulletin</i> , 2008, 56, 641-649.	2.3	28
704	Perfluorinated Compounds in Human Milk from Massachusetts, U.S.A.. <i>Environmental Science & Technology</i> , 2008, 42, 3096-3101.	4.6	181
705	Polycyclic aromatic hydrocarbons and their hydroxylated metabolites in fish bile and sediments from coastal waters of Colombia. <i>Environmental Pollution</i> , 2008, 151, 452-459.	3.7	100
706	Novel evidence for natural formation of dioxins in ball clay. <i>Chemosphere</i> , 2008, 70, 1280-1289.	4.2	47
707	Perfluorinated acids as novel chemical tracers of global circulation of ocean waters. <i>Chemosphere</i> , 2008, 70, 1247-1255.	4.2	297
708	Tetrabromobisphenol A (TBBPA) and hexabromocyclododecanes (HBCDs) in tissues of humans, dolphins, and sharks from the United States. <i>Chemosphere</i> , 2008, 70, 1935-1944.	4.2	204
709	Polycyclic aromatic hydrocarbons (PAHs) in livers of California sea otters. <i>Chemosphere</i> , 2008, 71, 649-655.	4.2	53
710	Polybrominated diphenyl ethers (PBDEs) in farmed and wild salmon marketed in the Northeastern United States. <i>Chemosphere</i> , 2008, 71, 1422-1431.	4.2	63
711	Perfluorooctanesulfonate and perfluorooctanoate in raw and treated tap water from Osaka, Japan. <i>Chemosphere</i> , 2008, 72, 1409-1412.	4.2	152
712	Perfluorinated Compounds in Human Breast Milk from Several Asian Countries, and in Infant Formula and Dairy Milk from the United States. <i>Environmental Science & Technology</i> , 2008, 42, 8597-8602.	4.6	157
713	Simplification and validation of a large volume polyurethane foam sampler for the analysis of persistent hydrophobic compounds in drinking water. <i>Journal of Environmental Monitoring</i> , 2008, 10, 961.	2.1	7
714	Chlorinated, brominated, and perfluorinated compounds, polycyclic aromatic hydrocarbons and trace elements in livers of sea otters from California, Washington, and Alaska (USA), and Kamchatka (Russia). <i>Journal of Environmental Monitoring</i> , 2008, 10, 552.	2.1	36
715	Emerging Contaminants in Car Interiors: Evaluating the Impact of Airborne PBDEs and PBDD/Fs. <i>Environmental Science & Technology</i> , 2008, 42, 6431-6436.	4.6	107
716	Biomonitoring of Perfluorochemicals in Plasma of New York State Personnel Responding to the World Trade Center Disaster. <i>Environmental Science & Technology</i> , 2008, 42, 3472-3478.	4.6	57
717	Occurrence and Profiles of Chlorinated and Brominated Polycyclic Aromatic Hydrocarbons in Waste Incinerators. <i>Environmental Science & Technology</i> , 2008, 42, 1904-1909.	4.6	116
718	Concentrations, Profiles, And Estimated Human Exposures for Polychlorinated Dibenzodioxins and Dibenzofurans from Electronic Waste Recycling Facilities and a Chemical Industrial Complex in Eastern China. <i>Environmental Science & Technology</i> , 2008, 42, 8252-8259.	4.6	97
719	Use of Newborn Screening Program Blood Spots for Exposure Assessment: Declining Levels of Perfluorinated Compounds in New York State Infants. <i>Environmental Science & Technology</i> , 2008, 42, 5361-5367.	4.6	135
720	Perfluoroalkyl Acids in the Egg Yolk of Birds from Lake Shihwa, Korea. <i>Environmental Science & Technology</i> , 2008, 42, 5821-5827.	4.6	70

#	ARTICLE	IF	CITATIONS
721	Time Trends and Transplacental Transfer of Perfluorinated Compounds in Melon-Headed Whales Stranded Along the Japanese Coast in 1982, 2001/2002, and 2006. <i>Environmental Science & Technology</i> , 2008, 42, 7132-7137.	4.6	88
722	Contamination and Effects of Perfluorochemicals in Baikal Seal (<i>Pusa sibirica</i>). 2. Molecular Characterization, Expression Level, and Transcriptional Activation of Peroxisome Proliferator-Activated Receptor α . <i>Environmental Science & Technology</i> , 2008, 42, 2302-2308.	4.6	41
723	Contamination and Effects of Perfluorochemicals in Baikal Seal (<i>Pusa sibirica</i>). 1. Residue Level, Tissue Distribution, and Temporal Trend. <i>Environmental Science & Technology</i> , 2008, 42, 2295-2301.	4.6	71
724	Maternal bisphenol-A levels at delivery: a looming problem?. <i>Journal of Perinatology</i> , 2008, 28, 258-263.	0.9	239
725	Polybrominated diphenyl ethers and organochlorine pesticides in human breast milk from Massachusetts, USA. <i>Journal of Environmental Monitoring</i> , 2007, 9, 1205.	2.1	115
726	A Mouse Model with Liver-Specific Deletion and Global Suppression of the NADPH-Cytochrome P450 Reductase Gene: Characterization and Utility for in Vivo Studies of Cyclophosphamide Disposition. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 321, 9-17.	1.3	25
727	Perfluoroalkyl sulfonates and perfluorocarboxylates in two wastewater treatment facilities in Kentucky and Georgia. <i>Water Research</i> , 2007, 41, 4611-4620.	5.3	302
728	Polybrominated diphenyl ethers (PBDEs) in sediment and bivalves from Korean coastal waters. <i>Chemosphere</i> , 2007, 66, 243-251.	4.2	188
729	Atmospheric deposition of polybrominated diphenyl ethers (PBDEs) in coastal areas in Korea. <i>Chemosphere</i> , 2007, 66, 585-593.	4.2	70
730	Occurrence and fate of polycyclic musks in wastewater treatment plants in Kentucky and Georgia, USA. <i>Chemosphere</i> , 2007, 68, 2011-2020.	4.2	109
731	Quantitation of Gas-Phase Perfluoroalkyl Surfactants and Fluorotelomer Alcohols Released from Nonstick Cookware and Microwave Popcorn Bags. <i>Environmental Science & Technology</i> , 2007, 41, 1180-1185.	4.6	141
732	Chapter 2 Emission, Contamination and Exposure, Fate and Transport, and National Management Strategy of Persistent Organic Pollutants in South Korea. <i>Developments in Environmental Science</i> , 2007, 7, 31-157.	0.5	23
733	Bioaccumulation, Temporal Trend, and Geographical Distribution of Synthetic Musks in the Marine Environment. <i>Environmental Science & Technology</i> , 2007, 41, 2216-2222.	4.6	117
734	Synthetic Musk Fragrances in Human Milk from the United States. <i>Environmental Science & Technology</i> , 2007, 41, 3815-3820.	4.6	118
735	Perfluorinated Acids in Air, Rain, Snow, Surface Runoff, and Lakes: Relative Importance of Pathways to Contamination of Urban Lakes. <i>Environmental Science & Technology</i> , 2007, 41, 8328-8334.	4.6	351
736	Determination of trace levels of total fluorine in water using combustion ion chromatography for fluorine: A mass balance approach to determine individual perfluorinated chemicals in water. <i>Journal of Chromatography A</i> , 2007, 1143, 98-104.	1.8	178
737	Trace analysis of total fluorine in human blood using combustion ion chromatography for fluorine: A mass balance approach for the determination of known and unknown organofluorine compounds. <i>Journal of Chromatography A</i> , 2007, 1154, 214-221.	1.8	109
738	Polybrominated diphenyl ethers (PBDEs) in marine sediments from industrialized bays of Korea. <i>Marine Pollution Bulletin</i> , 2007, 54, 1402-1412.	2.3	118

#	ARTICLE	IF	CITATIONS
739	A Comparative Analysis of Polybrominated Diphenyl Ethers and Polychlorinated Biphenyls in Southern Sea Otters that Died of Infectious Diseases and Noninfectious Causes. Archives of Environmental Contamination and Toxicology, 2007, 53, 293-302.	2.1	46
740	Trace Element Concentrations in Livers of Polar Bears from Two Populations in Northern and Western Alaska. Archives of Environmental Contamination and Toxicology, 2007, 53, 473-482.	2.1	25
741	Perfluorinated Compounds in River Water, River Sediment, Market Fish, and Wildlife Samples from Japan. Bulletin of Environmental Contamination and Toxicology, 2007, 79, 427-431.	1.3	175
742	Association between Perfluorinated Compounds and Pathological Conditions in Southern Sea Otters. Environmental Science & Technology, 2006, 40, 4943-4948.	4.6	120
743	Occurrence of Polybrominated Biphenyls, Polybrominated Dibenzo-p-dioxins, and Polybrominated Dibenzofurans as Impurities in Commercial Polybrominated Diphenyl Ether Mixtures. Environmental Science & Technology, 2006, 40, 4400-4405.	4.6	163
744	Perfluorinated Contaminants in Sediments and Aquatic Organisms Collected from Shallow Water and Tidal Flat Areas of the Ariake Sea, Japan: An Environmental Fate of Perfluorooctane Sulfonate in Aquatic Ecosystems. Environmental Science & Technology, 2006, 40, 4916-4921.	4.6	238
745	PCBs, PCDD/Fs, and Organochlorine Pesticides in Farmed Atlantic Salmon from Maine, Eastern Canada, and Norway, and Wild Salmon from Alaska. Environmental Science & Technology, 2006, 40, 5347-5354.	4.6	66
746	Mass Loading and Fate of Perfluoroalkyl Surfactants in Wastewater Treatment Plants. Environmental Science & Technology, 2006, 40, 1408-1414.	4.6	471
747	Perfluorooctanesulfonate and Related Fluorochemicals in Albatrosses, Elephant Seals, Penguins, and Polar Skuas from the Southern Ocean. Environmental Science & Technology, 2006, 40, 7642-7648.	4.6	143
748	Occurrence of Estrogenic Compounds in and Removal by a Swine Farm Waste Treatment Plant. Environmental Science & Technology, 2006, 40, 7896-7902.	4.6	83
749	Changes in thyroid and vitamin A status in mink fed polyhalogenated-aromatic-hydrocarbon-contaminated carp from the Saginaw River, Michigan, USA. Environmental Research, 2006, 101, 53-67.	3.7	20
750	A survey of polycyclic musks in selected household commodities from the United States. Chemosphere, 2006, 62, 867-873.	4.2	124
751	Comparison of trace element concentrations in livers of diseased, emaciated and non-diseased southern sea otters from the California coast. Chemosphere, 2006, 65, 2160-2167.	4.2	42
752	Characterization of trace organic contaminants in marine sediment from Yeongil Bay, Korea: 1. Instrumental analyses. Environmental Pollution, 2006, 142, 39-47.	3.7	74
753	Perfluorooctanesulfonate and related fluorochemicals in biological samples from the north coast of Colombia. Environmental Pollution, 2006, 142, 367-372.	3.7	79
754	EFFECTS OF AIR CELL INJECTION OF PERFLUOROOCTANE SULFONATE BEFORE INCUBATION ON DEVELOPMENT OF THE WHITE LEGHORN CHICKEN (GALLUS DOMESTICUS) EMBRYO. Environmental Toxicology and Chemistry, 2006, 25, 227.	2.2	88
755	PERFLUORINATED COMPOUNDS IN STREAMS OF THE SHIHWA INDUSTRIAL ZONE AND LAKE SHIHWA, SOUTH KOREA. Environmental Toxicology and Chemistry, 2006, 25, 2374.	2.2	135
756	Occurrence of Perfluoroalkyl Surfactants in Water, Fish, and Birds from New York State. Archives of Environmental Contamination and Toxicology, 2006, 50, 398-410.	2.1	260

#	ARTICLE	IF	CITATIONS
757	Developmental Programming: Differential Effects of Prenatal Exposure to Bisphenol-A or Methoxychlor on Reproductive Function. <i>Endocrinology</i> , 2006, 147, 5956-5966.	1.4	131
758	Pooling biospecimens and limits of detection: effects on ROC curve analysis. <i>Biostatistics</i> , 2006, 7, 585-598.	0.9	44
759	Analysis of fluorotelomer alcohols, fluorotelomer acids, and short- and long-chain perfluorinated acids in water and biota. <i>Journal of Chromatography A</i> , 2005, 1093, 89-97.	1.8	519
760	A global survey of perfluorinated acids in oceans. <i>Marine Pollution Bulletin</i> , 2005, 51, 658-668.	2.3	540
761	Perfluorinated Compounds in Aquatic Organisms at Various Trophic Levels in a Great Lakes Food Chain. <i>Archives of Environmental Contamination and Toxicology</i> , 2005, 48, 559-566.	2.1	432
762	Polychlorinated Biphenyls and Polycyclic Aromatic Hydrocarbons in Human Adipose Tissue from New York. <i>Environmental Science & Technology</i> , 2005, 39, 5177-5182.	4.6	269
763	Perfluorinated organic compounds in human blood serum and seminal plasma: a study of urban and rural tea worker populations in Sri Lanka. <i>Journal of Environmental Monitoring</i> , 2005, 7, 371.	2.1	152
764	Perfluorinated Compounds in the Plasma of Loggerhead and Kemp's Ridley Sea Turtles from the Southeastern Coast of the United States. <i>Environmental Science & Technology</i> , 2005, 39, 9101-9108.	4.6	83
765	Spatial and Temporal Distribution of Polycyclic Aromatic Hydrocarbons in Sediments from Michigan Inland Lakes. <i>Environmental Science & Technology</i> , 2005, 39, 4700-4706.	4.6	221
766	Polychlorinated Biphenyls and Polycyclic Aromatic Hydrocarbons in a Marine Foodweb of Coastal Florida. <i>Environmental Science & Technology</i> , 2005, 39, 8243-8250.	4.6	208
767	Chlorinated, Brominated, and Perfluorinated Contaminants in Livers of Polar Bears from Alaska. <i>Environmental Science & Technology</i> , 2005, 39, 9057-9063.	4.6	118
768	Polycyclic musk compounds in higher trophic level aquatic organisms and humans from the United States. <i>Chemosphere</i> , 2005, 61, 693-700.	4.2	205
769	Instrumental and bioanalytical measures of dioxin-like and estrogenic compounds and activities associated with sediment from the Korean coast. <i>Ecotoxicology and Environmental Safety</i> , 2005, 61, 366-379.	2.9	53
770	Congener-Specific Carbon Isotopic Analysis of Technical PCB and PCN Mixtures Using Two-Dimensional Gas Chromatography-Isotope Ratio Mass Spectrometry. <i>Environmental Science & Technology</i> , 2005, 39, 4206-4212.	4.6	62
771	Analysis of Nonylphenol Isomers in a Technical Mixture and in Water by Comprehensive Two-Dimensional Gas Chromatography-Mass Spectrometry. <i>Environmental Science & Technology</i> , 2005, 39, 7202-7207.	4.6	76
772	PROFILES OF POLYCHLORINATED BIPHENYL CONGENERS, ORGANOCHLORINE PESTICIDES, AND BUTYLTINS IN SOUTHERN SEA OTTERS AND THEIR PREY. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 49.	2.2	33
773	Discriminant analysis for activation of the aryl hydrocarbon receptor by polychlorinated naphthalenes. <i>Computational and Theoretical Chemistry</i> , 2004, 678, 157-161.	1.5	18
774	Indoor and Outdoor Air Concentrations and Phase Partitioning of Perfluoroalkyl Sulfonamides and Polychlorinated Biphenyls. <i>Environmental Science & Technology</i> , 2004, 38, 1313-1320.	4.6	302

#	ARTICLE	IF	CITATIONS
775	Peer Reviewed: Analytical Challenges Hamper Perfluoroalkyl Research. Environmental Science & Technology, 2004, 38, 248A-255A.	4.6	201
776	Perfluorooctanesulfonate and Related Fluorochemicals in Human Blood from Several Countries. Environmental Science & Technology, 2004, 38, 4489-4495.	4.6	927
777	Contribution of known endocrine disrupting substances to the estrogenic activity in Tama River water samples from Japan using instrumental analysis and in vitro reporter gene assay. Water Research, 2004, 38, 4491-4501.	5.3	119
778	Analysis of Perfluorinated Acids at Parts-Per-Quadrillion Levels in Seawater Using Liquid Chromatography-Tandem Mass Spectrometry. Environmental Science & Technology, 2004, 38, 5522-5528.	4.6	316
779	Concentrations and profiles of polychlorinated biphenyls, -dibenzo-p-dioxins and -dibenzofurans in livers of mink from South Carolina and Louisiana, U.S.A. Environmental Monitoring and Assessment, 2003, 83, 17-33.	1.3	10
780	An automated enantioselective isolation system for the study of estrogenic potencies: Study of the estrogenic activity of \pm -hexachlorocyclohexane. Journal of Separation Science, 2003, 26, 903-907.	1.3	3
781	Polychlorinated Biphenyls, Dibenzo-p-dioxins, Dibenzofurans, and p,p'-DDE in Livers of White-Tailed Sea Eagles from Eastern Germany, 1979~1998. Environmental Science & Technology, 2003, 37, 1249-1255.	4.6	24
782	A Survey of Perfluorooctane Sulfonate and Related Perfluorinated Organic Compounds in Water, Fish, Birds, and Humans from Japan. Environmental Science & Technology, 2003, 37, 2634-2639.	4.6	454
783	Polychlorinated Dibenzo-p-dioxin and Dibenzofuran Concentration Profiles in Sediments and Flood-Plain Soils of the Tittabawassee River, Michigan. Environmental Science & Technology, 2003, 37, 468-474.	4.6	107
784	Neuroendocrine effects of perfluorooctane sulfonate in rats.. Environmental Health Perspectives, 2003, 111, 1485-1489.	2.8	275
785	Review of the effects of endocrine-disrupting chemicals in birds. Pure and Applied Chemistry, 2003, 75, 2287-2303.	0.9	78
786	Distribution and Elimination of Polychlorinated Dibenzo-p-dioxins, Dibenzofurans, Biphenyls, and p,p'-DDE in Tissues of Bald Eagles from the Upper Peninsula of Michigan. Environmental Science & Technology, 2002, 36, 2789-2796.	4.6	45
787	Perfluorooctanesulfonate and Related Fluorinated Hydrocarbons in Mink and River Otters from the United States. Environmental Science & Technology, 2002, 36, 2566-2571.	4.6	193
788	Concentrations and Profiles of Polychlorinated Dibenzo-p-Dioxins and Dibenzofurans in Soils from Korea. Environmental Science & Technology, 2002, 36, 3700-3705.	4.6	38
789	Peer Reviewed: Perfluorochemical Surfactants in the Environment. Environmental Science & Technology, 2002, 36, 146A-152A.	4.6	913
790	Perfluorooctanesulfonate and Related Fluorinated Hydrocarbons in Marine Mammals, Fishes, and Birds from Coasts of the Baltic and the Mediterranean Seas. Environmental Science & Technology, 2002, 36, 3210-3216.	4.6	380
791	Polychloronaphthalenes and Other Dioxin-like Compounds in Arctic and Antarctic Marine Food Webs. Environmental Science & Technology, 2002, 36, 3490-3496.	4.6	145
792	Polychlorinated -Naphthalenes, -Biphenyls, -Dibenzo-p-dioxins, -Dibenzofurans and p,p'-DDE in Bluefin Tuna, Swordfish, Cormorants and Barn Swallows from Italy. Ambio, 2002, 31, 207-211.	2.8	52

#	ARTICLE	IF	CITATIONS
793	Mercury in wild mushrooms and underlying soil substrate from the great lakes land in Poland. <i>Journal of Environmental Monitoring</i> , 2002, 4, 473-476.	2.1	50
794	Concentrations of perfluorinated acids in livers of birds from Japan and Korea. <i>Chemosphere</i> , 2002, 49, 225-231.	4.2	190
795	Accumulation factors of mercury in mushrooms from Zaborski Landscape Park, Poland. <i>Environment International</i> , 2002, 28, 421-427.	4.8	61
796	Effects of chronic dietary exposure to environmentally relevant concentrations to 2,3,7,8-tetrachlorodibenzo-p-dioxin on survival, growth, reproduction and biochemical responses of female rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Aquatic Toxicology</i> , 2002, 59, 35-53.	1.9	57
797	Polychlorinated dibenzo-p-dioxins, dibenzofurans and polychlorinated biphenyls in polar bear, penguin and south polar skua. <i>Environmental Pollution</i> , 2002, 119, 151-161.	3.7	66
798	Sources and distribution of polychlorinated dibenzo-p-dioxins and dibenzofurans in sediments from Masan Bay, Korea. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 245-252.	2.2	17
799	Toxaphene and other persistent organochlorine pesticides in three species of albatrosses from the north and south Pacific Ocean. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 413-423.	2.2	28
800	Analysis of trace organic contaminants in sediment, pore water, and water samples from Onsan Bay, Korea: Instrumental analysis and in vitro gene expression assay. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 1796-1803.	2.2	54
801	In vitro assessment of potential mechanism-specific effects of polybrominated diphenyl ethers. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 2431-2433.	2.2	19
802	Organochlorine pollutants [corrected] in California sea lions revisited. <i>BMC Ecology</i> , 2002, 2, 11.	3.0	42
803	Assessing environmental change through chemical-sediment chronologies from inland lakes. <i>Lakes and Reservoirs: Research and Management</i> , 2002, 7, 217-230.	0.6	14
804	SOURCES AND DISTRIBUTION OF POLYCHLORINATED DIBENZO-p-DIOXINS AND DIBENZOFURANS IN SEDIMENTS FROM MASAN BAY, KOREA. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 245.	2.2	25
805	In vitro assessment of potential mechanism-specific effects of polybrominated diphenyl ethers. , 2002, 21, 2431.		1
806	Polychlorinated-naphthalenes, -biphenyls, -dibenzo-p-dioxins, -dibenzofurans and p,p'-DDE in bluefin tuna, swordfish, cormorants and barn swallows from Italy. <i>Ambio</i> , 2002, 31, 207-11.	2.8	4
807	Analysis of trace organic contaminants in sediment, pore water, and water samples from Onsan Bay, Korea: instrumental analysis and in vitro gene expression assay. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 1796-803.	2.2	5
808	Identification and Quantitation of Nonylphenol Ethoxylates and Nonylphenol in Fish Tissues from Michigan. <i>Environmental Science & Technology</i> , 2001, 35, 10-13.	4.6	74
809	Global Distribution of Perfluorooctane Sulfonate in Wildlife. <i>Environmental Science & Technology</i> , 2001, 35, 1339-1342.	4.6	2,216
810	Polychlorinated Dibenzo-p-Dioxins, Dibenzofurans, and Polychlorinated Biphenyls in Human Tissues, Meat, Fish, and Wildlife Samples from India. <i>Environmental Science & Technology</i> , 2001, 35, 3448-3455.	4.6	77

#	ARTICLE	IF	CITATIONS
811	Polychlorinated Naphthalenes, -Biphenyls, -Dibenzo-p-dioxins, and -Dibenzofurans in Double-Crested Cormorants and Herring Gulls from Michigan Waters of the Great Lakes. <i>Environmental Science & Technology</i> , 2001, 35, 441-447.	4.6	91
812	Accumulation of Perfluorooctane Sulfonate in Marine Mammals. <i>Environmental Science & Technology</i> , 2001, 35, 1593-1598.	4.6	454
813	Multielemental Analysis of Purpleback Flying Squid Using High Resolution Inductively Coupled Plasma-Mass Spectrometry (HR ICP-MS). <i>Environmental Science & Technology</i> , 2001, 35, 3103-3108.	4.6	51
814	Perfluorooctane Sulfonate in Fish-Eating Water Birds Including Bald Eagles and Albatrosses. <i>Environmental Science & Technology</i> , 2001, 35, 3065-3070.	4.6	275
815	Global Biomonitoring of Perfluorinated Organics. <i>Scientific World Journal, The</i> , 2001, 1, 627-629.	0.8	49
816	Accumulation of organochlorine pesticides and polychlorinated biphenyls in sediments, aquatic organisms, birds, bird eggs and bat collected from South India. <i>Environmental Science and Pollution Research</i> , 2001, 8, 35-47.	2.7	120
817	Accumulation of 2,3,7,8-tetrachlorodibenzo-p-dioxin by rainbow trout (<i>Onchorhynchus</i>) Tj ETQq1 1 0.784314 rgBT /Ove Chemistry, 2001, 20, 344-350.	2.2	28
818	Persistent organochlorine pollutants in eggs of colonial waterbirds from Galveston Bay and East Texas, USA. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 608-617.	2.2	26
819	Polychlorinated naphthalenes, biphenyls, dibenzo-p-dioxins, and dibenzofurans as well as polycyclic aromatic hydrocarbons and alkylphenols in sediment from the Detroit and Rouge Rivers, Michigan, USA. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 1878-1889.	2.2	109
820	Characterization of dioxin-like activity of sediments from a Czech River Basin. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 2768-2777.	2.2	61
821	POLYCHLORINATED NAPHTHALENES, BIPHENYLS, DIBENZO-p-DIOXINS, AND DIBENZOFURANS AS WELL AS POLYCYCLIC AROMATIC HYDROCARBONS AND ALKYLPHENOLS IN SEDIMENT FROM THE DETROIT AND ROUGE RIVERS, MICHIGAN, USA. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 1878.	2.2	90
822	Butyltin Compounds in Freshwater Ecosystems. <i>ACS Symposium Series</i> , 2000, , 134-149.	0.5	16
823	Toxic responses of medaka, D ₁₀ R strain, to polychlorinatednaphthalene mixtures after embryonic exposure by in ovo nanoinjection: A partial life-cycle assessment. <i>Environmental Toxicology and Chemistry</i> , 2000, 19, 432-440.	2.2	34
824	Polychlorinated biphenyls, organochlorine pesticides, tris(4-chlorophenyl)methane, and tris(4-chlorophenyl)methanol in livers of small cetaceans stranded along Florida coastal waters, USA. <i>Environmental Toxicology and Chemistry</i> , 2000, 19, 1566-1574.	2.2	38
825	Cell bioassays for detection of aryl hydrocarbon (AhR) and estrogen receptor (ER) mediated activity in environmental samples. <i>Environmental Science and Pollution Research</i> , 2000, 7, 159-171.	2.7	137
826	Concentrations and Profiles of Polychlorinated Naphthalene Congeners in Eighteen Technical Polychlorinated Biphenyl Preparations. <i>Environmental Science & Technology</i> , 2000, 34, 4236-4241.	4.6	131
827	Vertical Profiles of Dioxin-like and Estrogenic Activities Associated with a Sediment Core from Tokyo Bay, Japan. <i>Environmental Science & Technology</i> , 2000, 34, 3568-3573.	4.6	36
828	Relative Potencies of Individual Polychlorinated Naphthalenes and Halowax Mixtures To Induce Ah Receptor-Mediated Responses. <i>Environmental Science & Technology</i> , 2000, 34, 3153-3158.	4.6	233

#	ARTICLE	IF	CITATIONS
829	Polychlorinated Naphthalenes and Polychlorinated Biphenyls in Fishes from Michigan Waters Including the Great Lakes. <i>Environmental Science & Technology</i> , 2000, 34, 566-572.	4.6	129
830	Vertical Profile of Polychlorinated Dibenzo-p-dioxins, Dibenzofurans, Naphthalenes, Biphenyls, Polycyclic Aromatic Hydrocarbons, and Alkylphenols in a Sediment Core from Tokyo Bay, Japan. <i>Environmental Science & Technology</i> , 2000, 34, 3560-3567.	4.6	173
831	TOXIC RESPONSES OF MEDAKA, d-rR STRAIN, TO POLYCHLORINATED NAPHTHALENE MIXTURES AFTER EMBRYONIC EXPOSURE BY IN OVO NANOINJECTION: A PARTIAL LIFE-CYCLE ASSESSMENT. <i>Environmental Toxicology and Chemistry</i> , 2000, 19, 432.	2.2	29
832	Butyltin residues in migratory and resident birds collected from South India. <i>Toxicological and Environmental Chemistry</i> , 1999, 68, 91-104.	0.6	9
833	Clam sediment accumulation factors for polychlorinated biphenyl congeners at a contaminated estuarine marsh. <i>Toxicological and Environmental Chemistry</i> , 1999, 68, 159-167.	0.6	13
834	Isomer-specific patterns and toxic assessment of polychlorinated biphenyls in resident, wintering migrant birds and bat collected from South India. <i>Toxicological and Environmental Chemistry</i> , 1999, 71, 221-239.	0.6	21
835	Quantitative structure-retention relationships of polychlorinated naphthalenes in gas chromatography. <i>Journal of Chromatography A</i> , 1999, 849, 621-627.	1.8	37
836	Characterization and Distribution of Trace Organic Contaminants in Sediment from Masan Bay, Korea. 1. Instrumental Analysis. <i>Environmental Science & Technology</i> , 1999, 33, 4199-4205.	4.6	225
837	Butyltin compounds in sediment and fish from the Polish Coast of the Baltic Sea. <i>Environmental Science and Pollution Research</i> , 1999, 6, 200-206.	2.7	48
838	Response to the comment on: Butyltin residues in sediment, fish, fish-eating birds, harbour porpoise and human tissues from the polish coast of the Baltic Sea. <i>Marine Pollution Bulletin</i> , 1999, 38, 61-63.	2.3	9
839	Bioaccumulation profiles of polychlorinated biphenyl congeners and organochlorine pesticides in Ganges river dolphins. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 1511-1520.	2.2	83
840	Alkylphenols, polycyclic aromatic hydrocarbons, and organochlorines in sediment from Lake Shihwa, Korea: Instrumental and bioanalytical characterization. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 2424-2432.	2.2	87
841	Analytical Methods for Detection of Selected Estrogenic Compounds in Aqueous Mixtures. <i>Environmental Science & Technology</i> , 1999, 33, 2814-2820.	4.6	367
842	Occurrence of Butyltin Compounds in Human Blood. <i>Environmental Science & Technology</i> , 1999, 33, 1776-1779.	4.6	241
843	Extractable Organohalogen (EOX) in Sediment and Biota Collected at an Estuarine Marsh near a Former Chloralkali Facility. <i>Environmental Science & Technology</i> , 1999, 33, 1004-1008.	4.6	31
844	Characterization and Distribution of Trace Organic Contaminants in Sediment from Masan Bay, Korea. 2. In Vitro Gene Expression Assays. <i>Environmental Science & Technology</i> , 1999, 33, 4206-4211.	4.6	79
845	Immunotoxicity of Environmentally Relevant Concentrations of Butyltins on Human Natural Killer Cells in Vitro. <i>Environmental Research</i> , 1999, 81, 108-116.	3.7	272
846	Bioaccumulation profiles of polychlorinated biphenyl congeners and organochlorine pesticides in Ganges river dolphins. , 1999, 18, 1511.		9

#	ARTICLE	IF	CITATIONS
847	ALKYLPHENOLS, POLYCYCLIC AROMATIC HYDROCARBONS, AND ORGANOCHLORINES IN SEDIMENT FROM LAKE SHIHWA, KOREA:INSTRUMENTAL AND BIOANALYTICAL CHARACTERIZATION. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 2424.	2.2	83
848	Hydroxylated and methylsulfonyl polychlorinated biphenyl metabolites in albatrosses from Midway Atoll, North Pacific Ocean. <i>Environmental Toxicology and Chemistry</i> , 1998, 17, 1620-1625.	2.2	71
849	Isomer-Specific Analysis and Toxic Evaluation of Polychlorinated Naphthalenes in Soil, Sediment, and Biota Collected near the Site of a Former Chlor-Alkali Plant. <i>Environmental Science & Technology</i> , 1998, 32, 2507-2514.	4.6	161
850	Butyltin Residues in Southern Sea Otters (<i>Enhydra lutris nereis</i>) Found Dead along California Coastal Waters. <i>Environmental Science & Technology</i> , 1998, 32, 1169-1175.	4.6	88
851	Dioxin-Like and Non-Dioxin-Like Toxic Effects of Polychlorinated Biphenyls (PCBs): Implications For Risk Assessment. <i>Critical Reviews in Toxicology</i> , 1998, 28, 511-569.	1.9	401
852	Bioaccumulation and Toxic Potential of Extremely Hydrophobic Polychlorinated Biphenyl Congeners in Biota Collected at a Superfund Site Contaminated with Aroclor 1268. <i>Environmental Science & Technology</i> , 1998, 32, 1214-1221.	4.6	89
853	Congener profile of polychlorinated/brominated dibenzo-p-dioxins and dibenzofurans in soil and sediments collected at a former chlor-alkali plant. <i>Toxicological and Environmental Chemistry</i> , 1998, 67, 135-146.	0.6	42
854	HYDROXYLATED AND METHYLSULFONYL POLYCHLORINATED BIPHENYL METABOLITES IN ALBATROSSES FROM MIDWAY ATOLL, NORTH PACIFIC OCEAN. <i>Environmental Toxicology and Chemistry</i> , 1998, 17, 1620.	2.2	2
855	Response to Comment on "Elevated Accumulation of Tributyltin and its Breakdown Products in Bottlenose Dolphins (<i>Tursiops truncatus</i>) Found Stranded along the U.S. Atlantic and Gulf Coasts" <i>Environmental Science & Technology</i> , 1997, 31, 3035-3036.	4.6	18
856	Distribution and Characterization of Polychlorinated Biphenyl Congeners in Soil and Sediments from a Superfund Site Contaminated with Aroclor 1268. <i>Environmental Science & Technology</i> , 1997, 31, 1483-1488.	4.6	113
857	Butyltin residues in sediment, fish, fish-eating birds, harbour porpoise and human tissues from the Polish coast of the Baltic Sea. <i>Marine Pollution Bulletin</i> , 1997, 34, 203-207.	2.3	205
858	Sources and Accumulation of Butyltin Compounds in Ganges River Dolphin, <i>Platanista gangetica</i> . <i>Applied Organometallic Chemistry</i> , 1997, 11, 223-230.	1.7	50
859	Organochlorine Pesticides and Polychlorinated Biphenyls in Foodstuffs from Asian and Oceanic Countries. <i>Reviews of Environmental Contamination and Toxicology</i> , 1997, 152, 1-55.	0.7	116
860	Triphenyltin and its degradation products in foliage and soils from sprayed pecan orchards and in fish from adjacent ponds. <i>Environmental Toxicology and Chemistry</i> , 1996, 15, 1492-1499.	2.2	63
861	Triphenyltin and its degradation products in foliage and soils from sprayed pecan orchards and in fish from adjacent ponds. , 1996, 15, 1492.		7
862	Geographical Distribution and Accumulation Features of Organochlorine Residues in Fish in Tropical Asia and Oceania. <i>Environmental Science & Technology</i> , 1995, 29, 2673-2683.	4.6	239
863	Congener profile and toxicity assessment of polychlorinated biphenyls in dolphins, sharks and tuna collected from Italian coastal waters. <i>Marine Environmental Research</i> , 1995, 40, 33-53.	1.1	175
864	Phenyltin residues in horseshoe crabs, <i>Tachypleus tridentatus</i> from Japanese coastal waters. <i>Chemosphere</i> , 1995, 30, 925-932.	4.2	41

#	ARTICLE	IF	CITATIONS
865	Butyltins in muscle and liver of fish collected from certain Asian and Oceanian countries. <i>Environmental Pollution</i> , 1995, 90, 279-290.	3.7	197
866	Isomer-Specific Determination and Toxic Evaluation of Polychlorinated Biphenyls, Polychlorinated/brominated Dibenzo-p-Dioxins and Dibenzofurans, Polybrominated Biphenyl Ethers, and Extractable Organic Halogen in Carp from the Buffalo River, New York. <i>Environmental Science & Technology</i> , 1995, 29, 1832-1838.	4.6	133
867	Mercury, lead, cadmium, manganese, copper, iron and zinc concentrations in poultry, rabbit and sheep from the northern part of Poland. <i>Science of the Total Environment</i> , 1994, 141, 51-57.	3.9	25
868	Concentrations, clearance rates and toxic potential of non-ortho coplanar PCBs in cod liver oil from the southern Baltic Sea from 1971 to 1989. <i>Marine Pollution Bulletin</i> , 1994, 28, 259-262.	2.3	32
869	Persistent organochlorine residues in foodstuffs from Australia, Papua New Guinea and the Solomon Islands: contamination levels and human dietary exposure. <i>Science of the Total Environment</i> , 1994, 153, 29-49.	3.9	87
870	Isomer-specific analysis and toxic evaluation of polychlorinated biphenyls in striped dolphins affected by an epizootic in the western Mediterranean sea. <i>Archives of Environmental Contamination and Toxicology</i> , 1993, 25, 227-33.	2.1	158
871	Persistent organochlorine residues in canned cod-livers of the Southern Baltic Origin. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1993, 50, 929-34.	1.3	14
872	Temporal trends of organochlorine concentrations in cod-liver oil from the southern Baltic proper, 1971-1989. <i>Marine Pollution Bulletin</i> , 1992, 24, 358-363.	2.3	74
873	Residue pattern and dietary intake of persistent organochlorine compounds in foodstuffs from Vietnam. <i>Archives of Environmental Contamination and Toxicology</i> , 1992, 22, 367-374.	2.1	64
874	Persistent organochlorine residues in foodstuffs from India and their implications on human dietary exposure. <i>Journal of Agricultural and Food Chemistry</i> , 1992, 40, 518-524.	2.4	172
875	Ajwa date flavonoids mitigate neutrophil migration and interferon- γ -induced renal injury by ultraviolet C radiation in rats. <i>Environmental Science and Pollution Research</i> , 0, .	2.7	0
876	Prenatal Perfluorooctanoic Acid (PFOA) Exposure Is Associated With Lower Infant Birthweight Within the MADRES Pregnancy Cohort. , 0, 2, .		7