

Michal Bassani-Sternberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3322163/publications.pdf>

Version: 2024-02-01

63
papers

5,589
citations

101543

36
h-index

144013

57
g-index

78
all docs

78
docs citations

78
times ranked

5222
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Direct identification of clinically relevant neoepitopes presented on native human melanoma tissue by mass spectrometry. <i>Nature Communications</i> , 2016, 7, 13404. | 12.8 | 613 |
| 2 | Mass Spectrometry of Human Leukocyte Antigen Class I Peptidomes Reveals Strong Effects of Protein Abundance and Turnover on Antigen Presentation. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 658-673. | 3.8 | 445 |
| 3 | Large-scale identification of leaf senescence-associated genes. <i>Plant Journal</i> , 2003, 36, 629-642. | 5.7 | 340 |
| 4 | Key Parameters of Tumor Epitope Immunogenicity Revealed Through a Consortium Approach Improve Neoantigen Prediction. <i>Cell</i> , 2020, 183, 818-834.e13. | 28.9 | 287 |
| 5 | Deciphering HLA-I motifs across HLA peptidomes improves neo-antigen predictions and identifies allosteric regulating HLA specificity. <i>PLoS Computational Biology</i> , 2017, 13, e1005725. | 3.2 | 250 |
| 6 | High-throughput and Sensitive Immunopeptidomics Platform Reveals Profound Interferon γ -Mediated Remodeling of the Human Leukocyte Antigen (HLA) Ligandome. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 533-548. | 3.8 | 224 |
| 7 | Robust prediction of HLA class II epitopes by deep motif deconvolution of immunopeptidomes. <i>Nature Biotechnology</i> , 2019, 37, 1283-1286. | 17.5 | 208 |
| 8 | Integrated proteogenomic deep sequencing and analytics accurately identify non-canonical peptides in tumor immunopeptidomes. <i>Nature Communications</i> , 2020, 11, 1293. | 12.8 | 196 |
| 9 | Mass spectrometry-based antigen discovery for cancer immunotherapy. <i>Current Opinion in Immunology</i> , 2016, 41, 9-17. | 5.5 | 165 |
| 10 | Predicting Antigen Presentation—What Could We Learn From a Million Peptides?. <i>Frontiers in Immunology</i> , 2018, 9, 1716. | 4.8 | 159 |
| 11 | Unsupervised HLA Peptidome Deconvolution Improves Ligand Prediction Accuracy and Predicts Cooperative Effects in Peptide–HLA Interactions. <i>Journal of Immunology</i> , 2016, 197, 2492-2499. | 0.8 | 150 |
| 12 | Antitumour dendritic cell vaccination in a priming and boosting approach. <i>Nature Reviews Drug Discovery</i> , 2020, 19, 635-652. | 46.4 | 148 |
| 13 | The Length Distribution and Multiple Specificity of Naturally Presented HLA-I Ligands. <i>Journal of Immunology</i> , 2018, 201, 3705-3716. | 0.8 | 145 |
| 14 | “Hotspots” of Antigen Presentation Revealed by Human Leukocyte Antigen Ligandomics for Neoantigen Prioritization. <i>Frontiers in Immunology</i> , 2017, 8, 1367. | 4.8 | 133 |
| 15 | Soluble plasma HLA peptidome as a potential source for cancer biomarkers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 18769-18776. | 7.1 | 127 |
| 16 | Multi-level Proteomics Identifies CT45 as a Chemosensitivity Mediator and Immunotherapy Target in Ovarian Cancer. <i>Cell</i> , 2018, 175, 159-170.e16. | 28.9 | 127 |
| 17 | The SystemMHC Atlas project. <i>Nucleic Acids Research</i> , 2018, 46, D1237-D1247. | 14.5 | 119 |
| 18 | Immunopeptidomics of colorectal cancer organoids reveals a sparse HLA class I neoantigen landscape and no increase in neoantigens with interferon or MEK-inhibitor treatment. , 2019, 7, 309. | | 112 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Estimating the Contribution of Proteasomal Spliced Peptides to the HLA-I Ligandome*. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 2347-2357. | 3.8 | 105 |
| 20 | The Effect of Proteasome Inhibition on the Generation of the Human Leukocyte Antigen (HLA) Peptidome. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 1853-1864. | 3.8 | 99 |
| 21 | T Cells Engineered to Express a T-Cell Receptor Specific for Glypican-3 to Recognize and Kill Hepatoma Cells InÂVitro and inÂMice. <i>Gastroenterology</i> , 2015, 149, 1042-1052. | 1.3 | 96 |
| 22 | Identification of tumor antigens with immunopeptidomics. <i>Nature Biotechnology</i> , 2022, 40, 175-188. | 17.5 | 93 |
| 23 | A Case for a Human Immuno-Peptidome Project Consortium. <i>Immunity</i> , 2017, 47, 203-208. | 14.3 | 84 |
| 24 | Prediction of neo-epitope immunogenicity reveals TCR recognition determinants and provides insight into immunoediting. <i>Cell Reports Medicine</i> , 2021, 2, 100194. | 6.5 | 77 |
| 25 | A Phase Ib Study of the Combination of Personalized Autologous Dendritic Cell Vaccine, Aspirin, and Standard of Care Adjuvant Chemotherapy Followed by Nivolumab for Resected Pancreatic Adenocarcinomaâ€”A Proof of Antigen Discovery Feasibility in Three Patients. <i>Frontiers in Immunology</i> , 2019, 10, 1832. | 4.8 | 73 |
| 26 | Differential expression profiles of growth-related genes in the elongation zone of maize primary roots. <i>Plant Molecular Biology</i> , 2004, 56, 367-380. | 3.9 | 66 |
| 27 | Cell-autonomous inflammation of BRCA1-deficient ovarian cancers drives both tumor-intrinsic immunoreactivity and immune resistance via STING. <i>Cell Reports</i> , 2021, 36, 109412. | 6.4 | 60 |
| 28 | Cathepsin S Regulates Antigen Processing and T Cell Activity in Non-Hodgkin Lymphoma. <i>Cancer Cell</i> , 2020, 37, 674-689.e12. | 16.8 | 55 |
| 29 | The Human Immuno-peptidome Project, a Suggestion for yet another Postgenome Next Big Thing. <i>Molecular and Cellular Proteomics</i> , 2011, 10, O111.011833. | 3.8 | 53 |
| 30 | Sensitive Immunopeptidomics by Leveraging Available Large-Scale Multi-HLA Spectral Libraries, Data-Independent Acquisition, and MS/MS Prediction. <i>Molecular and Cellular Proteomics</i> , 2021, 20, 100080. | 3.8 | 49 |
| 31 | The C-terminal extension landscape of naturally presented HLA-I ligands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 5083-5088. | 7.1 | 48 |
| 32 | High-Throughput, Fast, and Sensitive Immunopeptidomics Sample Processing for Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2019, 1913, 67-79. | 0.9 | 48 |
| 33 | Mass Spectrometry Based Immunopeptidomics Leads to Robust Predictions of Phosphorylated HLA Class I Ligands. <i>Molecular and Cellular Proteomics</i> , 2020, 19, 390-404. | 3.8 | 47 |
| 34 | Tryptophan depletion results in tryptophan-to-phenylalanine substitutants. <i>Nature</i> , 2022, 603, 721-727. | 27.8 | 47 |
| 35 | Mass Spectrometry Based Immunopeptidomics for the Discovery of Cancer Neoantigens. <i>Methods in Molecular Biology</i> , 2018, 1719, 209-221. | 0.9 | 46 |
| 36 | Current tools for predicting cancer-specific T cell immunity. <i>Oncolmmunology</i> , 2016, 5, e1177691. | 4.6 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Tumour-reactive T cell subsets in the microenvironment of ovarian cancer. <i>British Journal of Cancer</i> , 2019, 120, 424-434. | 6.4 | 44 |
| 38 | A Phase I/II trial comparing autologous dendritic cell vaccine pulsed either with personalized peptides (PEP-DC) or with tumor lysate (OC-DC) in patients with advanced high-grade ovarian serous carcinoma. <i>Journal of Translational Medicine</i> , 2019, 17, 391. | 4.4 | 42 |
| 39 | Mass spectrometry-driven exploration reveals nuances of neoepitope-driven tumor rejection. <i>JCI Insight</i> , 2019, 4, . | 5.0 | 42 |
| 40 | Sensitive identification of neoantigens and cognate TCRs in human solid tumors. <i>Nature Biotechnology</i> , 2022, 40, 656-660. | 17.5 | 41 |
| 41 | Comment on "A subset of HLA-I peptides are not genomically templated: Evidence for cis- and trans-spliced peptide ligands" <i>Science Immunology</i> , 2019, 4, . | 11.9 | 39 |
| 42 | Personalized cancer vaccine strategy elicits polyfunctional T cells and demonstrates clinical benefits in ovarian cancer. <i>Npj Vaccines</i> , 2021, 6, 36. | 6.0 | 27 |
| 43 | Minimal Information About an ImmunoPeptidomics Experiment (MIAIPE). <i>Proteomics</i> , 2018, 18, e1800110. | 2.2 | 23 |
| 44 | CIITA-Transduced Glioblastoma Cells Uncover a Rich Repertoire of Clinically Relevant Tumor-Associated HLA-II Antigens. <i>Molecular and Cellular Proteomics</i> , 2021, 20, 100032. | 3.8 | 22 |
| 45 | Reversion analysis reveals the in vivo immunogenicity of a poorly MHC I-binding cancer neoepitope. <i>Nature Communications</i> , 2021, 12, 6423. | 12.8 | 18 |
| 46 | Rapid tumor vaccine using Toll-like receptor-activated ovarian cancer ascites monocytes. , 2020, 8, e000875. | | 16 |
| 47 | Bedside formulation of a personalized multi-neoantigen vaccine against mammary carcinoma. , 2022, 10, e002927. | | 14 |
| 48 | Navigating Critical Challenges Associated with Immunopeptidomics-Based Detection of Proteasomal Spliced Peptide Candidates. <i>Cancer Immunology Research</i> , 2022, 10, 275-284. | 3.4 | 14 |
| 49 | Deciphering the Mechanisms of Improved Immunogenicity of Hypochlorous Acid-Treated Antigens in Anti-Cancer Dendritic Cell-Based Vaccines. <i>Vaccines</i> , 2020, 8, 271. | 4.4 | 13 |
| 50 | Biogenesis of HLA Ligand Presentation in Immune Cells Upon Activation Reveals Changes in Peptide Length Preference. <i>Frontiers in Immunology</i> , 2020, 11, 1981. | 4.8 | 9 |
| 51 | Analysis of Secondary Structure Biases in Naturally Presented HLA-I Ligands. <i>Frontiers in Immunology</i> , 2019, 10, 2731. | 4.8 | 8 |
| 52 | Editorial: Novel Strategies for Anti-Tumor Vaccines. <i>Frontiers in Immunology</i> , 2019, 10, 3117. | 4.8 | 7 |
| 53 | A roadmap for driving CAR T cells toward the oncogenic immunopeptidome. <i>Cancer Cell</i> , 2022, 40, 20-22. | 16.8 | 7 |
| 54 | Subtractive Hybridization Techniques to Study Cellular Senescence. <i>Methods in Molecular Biology</i> , 2007, 371, 289-305. | 0.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Deciphering the landscape of phosphorylated HLA-II ligands. <i>IScience</i> , 2022, 25, 104215. | 4.1 | 3 |
| 56 | A Personalized Neoantigen Vaccine in Combination with Platinum-Based Chemotherapy Induces a T-Cell Response Coinciding with a Complete Response in Endometrial Carcinoma. <i>Cancers</i> , 2021, 13, 5801. | 3.7 | 2 |
| 57 | Immune pressure sculps tumor cells and trims high-quality mutations. <i>Cancer Cell</i> , 2022, 40, 717-719. | 16.8 | 1 |
| 58 | 1088 In-depth Analysis of Cancer HLA-I Peptidomes. <i>European Journal of Cancer</i> , 2012, 48, S262. | 2.8 | 0 |
| 59 | P32. High resolution mass spectrometry reveals the depth and diversity of HLA-I peptidomes. , 2014, 2, . | | 0 |
| 60 | P64. T cell re-direction against Glypican-3 for immunotherapy of hepatocellular carcinoma. , 2014, 2, . | | 0 |
| 61 | O98 T-CELL RE-DIRECTION AGAINST GLYPICAN-3 FOR IMMUNOTHERAPY OF HEPATOCELLULAR CARCINOMA (HCC). <i>Journal of Hepatology</i> , 2014, 60, S40. | 3.7 | 0 |
| 62 | ITOC2 â€œ 021. The melanoma immune-peptidome for T-cell-based anti-tumour immunotherapies. <i>European Journal of Cancer</i> , 2015, 51, S8. | 2.8 | 0 |
| 63 | In-depth immune and molecular profiling of melanoma patients receiving adoptive T-cell therapy reveals biomarkers of efficacy in ATATIL study.. <i>Journal of Clinical Oncology</i> , 2021, 39, 2533-2533. | 1.6 | 0 |