Katsuhiro Konno

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3328895/publications.pdf

Version: 2024-02-01

151 papers 4,542 citations

94433 37 h-index 58 g-index

161 all docs

161 docs citations

161 times ranked 3801 citing authors

#	Article	IF	CITATIONS
1	Jelleines: a family of antimicrobial peptides from the Royal Jelly of honeybees (Apis mellifera). Peptides, 2004, 25, 919-928.	2.4	253
2	Anoplin, a novel antimicrobial peptide from the venom of the solitary wasp Anoplius samariensis. BBA - Proteins and Proteomics, 2001, 1550, 70-80.	2.1	139
3	Structural and functional characterization of two novel peptide toxins isolated from the venom of the social wasp Polybia paulista. Peptides, 2005, 26, 2157-2164.	2.4	136
4	Acromelic acids A and B. Potent neuroexcitatory amino acids isolated from Clitocybe acromelalga. Journal of the American Chemical Society, 1988, 110, 4807-4815.	13.7	131
5	Identification of five new bradykinin potentiating peptides (BPPs) from Bothrops jararaca crude venom by using electrospray ionization tandem mass spectrometry after a two-step liquid chromatography. Peptides, 2004, 25, 1085-1092.	2.4	117
6	Isolation and structure of aromelic acid A and B. New kainoids of. Tetrahedron Letters, 1983, 24, 939-942.	1.4	114
7	Binding Specificity of Sea Anemone Toxins to Nav 1.1-1.6 Sodium Channels. Journal of Biological Chemistry, 2004, 279, 33323-33335.	3.4	100
8	FTIR difference studies on apoproteins. Protonation states of aspartic and glutamic acid residues during the photocycle of bacteriorhodopsin. Journal of the American Chemical Society, 1987, 109, 6860-6862.	13.7	96
9	Efficient and Versatile Synthesis of Novel 2α-Substituted 1α,25-Dihydroxyvitamin D3Analogues and Their Docking to Vitamin D Receptors. Journal of Organic Chemistry, 2001, 66, 8760-8771.	3.2	94
10	How C-Terminal Carboxyamidation Alters the Biological Activity of Peptides from the Venom of the Eumenine Solitary Wasp. Biochemistry, 2004, 43, 5608-5617.	2.5	90
11	Synthesis, Biological Evaluation, and Conformational Analysis of A-Ring Diastereomers of 2-Methyl-1,25-dihydroxyvitamin D3 and Their 20-Epimers:  Unique Activity Profiles Depending on the Stereochemistry of the A-Ring and at C-20. Journal of Medicinal Chemistry, 2000, 43, 4247-4265.	6.4	78
12	Mass spectrometric analysis of the individual variability of Bothrops jararacavenom peptide fraction. Evidence for sex-based variation among the bradykinin-potentiating peptides. Rapid Communications in Mass Spectrometry, 2007, 21, 1034-1042.	1.5	78
13	Decoralin, a novel linear cationic α-helical peptide from the venom of the solitary eumenine wasp Oreumenes decoratus. Peptides, 2007, 28, 2320-2327.	2.4	77
14	Isolation and Structure of Pompilidotoxins, Novel Peptide Neurotoxins in Solitary Wasp Venoms. Biochemical and Biophysical Research Communications, 1998, 250, 612-616.	2.1	72
15	A novel and practical route to A-ring enyne synthon for $1\hat{l}_{\pm}$,25-dihydroxyvitamin D3 analogs: Synthesis of A-ring diastereomers of $1\hat{l}_{\pm}$,25-dihydroxyvitamin D3 and 2-methyl-1,25-dihydroxyvitamin D3. Bioorganic and Medicinal Chemistry Letters, 1998, 8, 151-156.	2.2	70
16	Efficient synthesis and biological evaluation of all a-ring diastereomers of $1\hat{l}\pm,25$ -dihydroxyvitamin D 3 and its 20-epimer. Bioorganic and Medicinal Chemistry, 2000, 8, 123-134.	3.0	70
17	Inhibition of NUDEL (nuclear distribution element-like)-oligopeptidase activity by disrupted-in-schizophrenia 1. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 3828-3833.	7.1	68
18	Crotalphine, a novel potent analgesic peptide from the venom of the South American rattlesnake Crotalus durissus terrificus. Peptides, 2008, 29, 1293-1304.	2.4	68

#	Article	IF	CITATIONS
19	Deficiency of Nicotinamide Mononucleotide Adenylyltransferase 3 (Nmnat3) Causes Hemolytic Anemia by Altering the Glycolytic Flow in Mature Erythrocytes. Journal of Biological Chemistry, 2014, 289, 14796-14811.	3.4	68
20	Eumenitin, a novel antimicrobial peptide from the venom of the solitary eumenine wasp Eumenes rubronotatus. Peptides, 2006, 27, 2624-2631.	2.4	67
21	Structure and biological activities of eumenine mastoparan-AF (EMP-AF), a new mast cell degranulating peptide in the venom of the solitary wasp (Anterhynchium flavomarginatum micado). Toxicon, 2000, 38, 1505-1515.	1.6	65
22	Study of the mechanism of action of anoplin, a helical antimicrobial decapeptide with ion channelâ€like activity, and the role of the amidated <i>C</i> â€terminus. Journal of Peptide Science, 2008, 14, 661-669.	1.4	63
23	Syntheses and biological evaluation of novel $2\hat{l}_{\pm}$ -substituted $1\hat{l}_{\pm}$,25-dihydroxyvitamin D 3 analogues. Bioorganic and Medicinal Chemistry Letters, 2000, 10, 1129-1132.	2.2	59
24	Leptoglycin: A new Glycine/Leucine-rich antimicrobial peptide isolated from the skin secretion of the South American frog Leptodactylus pentadactylus (Leptodactylidae). Toxicon, 2009, 54, 23-32.	1.6	54
25	Isolation and biochemical characterization of peptides presenting antimicrobial activity from the skin of Phyllomedusa hypochondrialis. Peptides, 2006, 27, 3092-3099.	2.4	50
26	Crotalphine induces potent antinociception in neuropathic pain by acting at peripheral opioid receptors. European Journal of Pharmacology, 2008, 594, 84-92.	3.5	50
27	A new class of neurotoxin from wasp venom slows inactivation of sodium current. European Journal of Neuroscience, 2000, 12, 1961-1970.	2.6	49
28	Novel Wasp Toxin Discriminates between Neuronal and Cardiac Sodium Channels. Molecular Pharmacology, 2001, 59, 1457-1463.	2.3	45
29	Identification of bradykinins in solitary wasp venoms. Toxicon, 2002, 40, 309-312.	1.6	45
30	Peptide Toxins in Solitary Wasp Venoms. Toxins, 2016, 8, 114.	3.4	44
31	Orpotrin: A novel vasoconstrictor peptide from the venom of the Brazilian Stingray Potamotrygon gr. orbignyi. Peptides, 2006, 27, 3039-3046.	2.4	43
32	Cytoskeleton alterations induced by Geodia corticostylifera depsipeptides in breast cancer cells. Peptides, 2006, 27, 2047-2057.	2.4	42
33	Proteomics of the neurotoxic fraction from the sea anemone Bunodosoma cangicum venom: Novel peptides belonging to new classes of toxins. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2008, 3, 219-225.	1.0	41
34	Chemical and biological characterization of four new linear cationic \hat{l} ±-helical peptides from the venoms of two solitary eumenine wasps. Toxicon, 2011, 57, 1081-1092.	1.6	41
35	Peptide fingerprinting of the neurotoxic fractions isolated from the secretions of sea anemones Stichodactyla helianthus and Bunodosoma granulifera. New members of the APETx-like family identified by a 454 pyrosequencing approach. Peptides, 2012, 34, 26-38.	2.4	41
36	Improved Procedures for Preparation of 2-Pyridones and 2-Hydroxymethylpyridines from Pyridine N-Oxides. Heterocycles, 1986, 24, 2169.	0.7	40

3

#	Article	IF	CITATIONS
37	Synthesis of acromelic acid A, a toxic principle of Tetrahedron Letters, 1986, 27, 607-610.	1.4	40
38	\hat{l}_{\pm} -Pompilidotoxin (\hat{l}_{\pm} -PMTX), a novel neurotoxin from the venom of a solitary wasp, facilitates transmission in the crustacean neuromuscular synapse. Neuroscience Letters, 1997, 238, 99-102.	2.1	40
39	Isolation and characterization of a novel bradykinin potentiating peptide (BPP) from the skin secretion of Phyllomedusa hypochondrialis. Peptides, 2007, 28, 515-523.	2.4	36
40	BcIV, a new paralyzing peptide obtained from the venom of the sea anemone Bunodosoma caissarum. A comparison with the Na+ channel toxin BcIII. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2006, 1764, 1592-1600.	2.3	35
41	Synthesis and biological activity of 2-methyl-20-epi analogues of 1α,25-dihydroxyvitamin D3. Bioorganic and Medicinal Chemistry Letters, 1998, 8, 2145-2148.	2.2	34
42	Mass spectrometric and high performance liquid chromatography profiling of the venom of the Brazilian vermivorous mollusk Conus regius: feeding behavior and identification of one novel conotoxin. Toxicon, 2005, 45, 113-122.	1.6	34
43	Isolation and sequence determination of peptides in the venom of the spider wasp (Cyphononyx) Tj ETQq1 1 (spectrometry. Toxicon, 2001, 39, 1257-1260.).784314 rg 1.6	BT /Overlock 32
44	Highly potent cell differentiation-inducing analogues of $1\hat{l}\pm,25$ -dihydroxyvitamin D 3: synthesis and biological activity of 2-methyl-1,25-dihydroxyvitamin D 3 with side-chain modifications. Bioorganic and Medicinal Chemistry, 2001, 9, 525-535.	3.0	32
45	Identification of novel bradykinin-potentiating peptides (BPPs) in the venom gland of a rattlesnake allowed the evaluation of the structure–function relationship of BPPs. Biochemical Pharmacology, 2007, 74, 1350-1360.	4.4	32
46	Bradykinin-related peptides in the venom of the solitary wasp Cyphononyx fulvognathus. Biochemical Pharmacology, 2010, 79, 478-486.	4.4	32
47	An Alternative and Efficient Synthesis of 24,24-Difluoro-1.ALPHA.,25-dihydroxyvitamin D3 Chemical and Pharmaceutical Bulletin, 1992, 40, 1120-1124.	1.3	31
48	Novel ring A stereoisomers of 2-Methyl-1î±,25-dihydroxyvitamin D3 and 2-Methyl-20-epi-1î±,25-dihydroxyvitamin D3: transactivation of target genes and modulation of differentiation in human promyelocytic leukemia (HL-60) cells. Biochemical Pharmacology, 2000, 59, 691-702.	4.4	31
49	2-Nitro- and 2,4-Dinitrobenzenesulfonamides as Protecting Groups for Primary Amines. Synlett, 2001, 2001, 1167-1169.	1.8	30
50	Structural and biological characterization of one antibacterial acylpolyamine isolated from the hemocytes of the spider Acanthocurria gomesiana. Biochemical and Biophysical Research Communications, 2007, 352, 953-959.	2.1	30
51	The peripheral L-arginine–nitric oxide–cyclic GMP pathway and ATP-sensitive K+ channels are involved in the antinociceptive effect of crotalphine on neuropathic pain in rats. Behavioural Pharmacology, 2012, 23, 14-24.	1.7	30
52	Highly Toxic Microcystis aeruginosa Strain, Isolated from São Pauloâ€"Brazil, Produce Hepatotoxins and Paralytic Shellfish Poison Neurotoxins. Neurotoxicity Research, 2011, 19, 389-402.	2.7	29
53	Effects of bacillomycin D homologues produced by Bacillus amyloliquefaciens 83 on growth and viability of Colletotrichum gloeosporioides at different physiological stages. Biological Control, 2018, 127, 145-154.	3.0	29
54	Determination of absolute configuration of 1,3-diols by the modified Mosher's method using their di-MTPA esters. Chirality, 2002, 14, 72-80.	2.6	28

#	Article	IF	CITATIONS
55	Active Constituents from <i>Drynaria fortunei</i> Rhizomes on the Attenuation of Aβ _{25–35} -Induced Axonal Atrophy. Journal of Natural Products, 2015, 78, 2297-2300.	3.0	28
56	Combined Venom Gland Transcriptomic and Venom Peptidomic Analysis of the Predatory Ant Odontomachus monticola. Toxins, 2017, 9, 323.	3.4	28
57	Hemorphin and hemorphin-like peptides isolated from dog pancreas and sheep brain are able to potentiate bradykinin activity in vivo. Peptides, 2006, 27, 2957-2966.	2.4	27
58	A novel bradykinin potentiating peptide isolated from <i>Bothropsâ€fjararacussu</i> venom using catallytically inactive oligopeptidase EP24.15. FEBS Journal, 2008, 275, 2442-2454.	4.7	27
59	Voltageâ€gated sodium channel isoformâ€specific effects of pompilidotoxins. FEBS Journal, 2010, 277, 918-930.	4.7	27
60	Clithioneine, an amino acid betaine from clitocybe acromelalga. Phytochemistry, 1984, 23, 1003-1006.	2.9	26
61	Advantages of using nested collision induced dissociation/post-source decay with matrix-assisted laser desorption/ionization time-of-flight mass spectrometry: sequencing of novel peptides from wasp venom. Rapid Communications in Mass Spectrometry, 2000, 14, 1828-1834.	1.5	26
62	Termination of the structural confusion between plipastatin A1 and fengycin IX. Bioorganic and Medicinal Chemistry, 2012, 20, 3793-3798.	3.0	26
63	Effects of $\hat{l}\pm$ -pompilidotoxin on synchronized firing in networks of rat cortical neurons. Neuroscience Letters, 1998, 252, 49-52.	2.1	25
64	A toxic cyanobacterial bloom in an urban coastal lake, Rio Grande do Sul state, Southern Brazil. Brazilian Journal of Microbiology, 2008, 39, 761-769.	2.0	25
65	Molecular determinants of binding of a wasp toxin (PMTXs) and its analogs in the Na+ channels proteins. Neuroscience Letters, 2000, 285, 29-32.	2.1	24
66	Structure-specific control of differentiation and apoptosis of human promyelocytic leukemia (HL-60) cells by A-ring diastereomers of 2-methyl- $1\hat{l}_{\pm}$,25-dihydroxyvitamin D3 and its 20-epimer. Biochemical Pharmacology, 2000, 60, 1937-1947.	4.4	23
67	Biological Activities of 2.ALPHASubstituted Analogues of 1.ALPHA.,25-Dihydroxyvitamin D3 in Transcriptional Regulation and Human Promyelocytic Leukemia (HL-60) Cell Proliferation and Differentiation. Biological and Pharmaceutical Bulletin, 2006, 29, 2246-2250.	1.4	23
68	Tissue distribution in mice of BPP 10c, a potent proline-rich anti-hypertensive peptide of Bothrops jararaca. Toxicon, 2008, 51, 515-523.	1.6	23
69	Bunodosine 391: An Analgesic Acylamino Acid from the Venom of the Sea Anemone <i>Bunodosoma cangicum</i>). Journal of Natural Products, 2011, 74, 378-382.	3.0	23
70	Synthesis of Acromelic Acid B, a Toxic Principle of Clitocybe acromelalga. Chemistry Letters, 1986, 15, 1399-1400.	1.3	21
71	Selective oxidation of terminal isopropyl groups to tertiary alcohols by electrochemical methodology. Tetrahedron Letters, 1997, 38, 7067-7070.	1.4	21
72	Deprotonation of tyrosines in bacteriorhodopsin as studied by Fourier transform infrared spectroscopy with deuterium and nitrate labeling. Biochemistry, 1987, 26, 8327-8331.	2.5	20

5

#	Article	IF	Citations
73	Revisiting cangitoxin, a sea anemone peptide: Purification and characterization of cangitoxins II and III from the venom of Bunodosoma cangicum. Toxicon, 2008, 51, 1303-1307.	1.6	20
74	Losac, the First Hemolin that Exhibits Procogulant Activity through Selective Factor X Proteolytic Activation. Journal of Biological Chemistry, 2011, 286, 6918-6928.	3.4	20
75	Chemical and Biological Characteristics of Antimicrobial \hat{l}_{\pm} -Helical Peptides Found in Solitary Wasp Venoms and Their Interactions with Model Membranes. Toxins, 2019, 11, 559.	3.4	20
76	Simple Methods for Determining Relative Stereochemistry of Kainoid Amino Acids by 1H NMR Chemical Shifts. Journal of Organic Chemistry, 1996, 61, 4685-4692.	3.2	19
77	Caissarolysin I (Bcs I), a new hemolytic toxin from the Brazilian sea anemone Bunodosoma caissarum: Purification and biological characterization. Biochimica Et Biophysica Acta - General Subjects, 2006, 1760, 453-461.	2.4	19
78	Effects of the cationic antimicrobial peptide eumenitin from the venom of solitary wasp Eumenes rubronotatus in planar lipid bilayers: Surface charge and pore formation activity. Toxicon, 2008, 51, 736-745.	1.6	19
79	Biologically active components of poisonous mushrooms. Food Reviews International, 1995, 11, 83-107.	8.4	18
80	Synthesis and biological evaluation of all A-ring stereoisomers of 5,6-trans-2-methyl-1,25-dihydroxyvitamin D3 and their 20-epimers: possible binding modes of potent A-ring analogues to vitamin D receptor. Chemistry and Biology, 2001, 8, 1011-1024.	6.0	18
81	Synthesis of Amphikuemin and Analogs: A Synomone That Mediates Partner-Recognition between Anemonefish and Sea Anemone. Heterocycles, 1990, 30, 247.	0.7	17
82	Peripheral kappa and delta opioid receptors are involved in the antinociceptive effect of crotalphine in a rat model of cancer pain. Pharmacology Biochemistry and Behavior, 2013, 109, 1-7.	2.9	17
83	The Extract of Roots of Sophora flavescens Enhances the Recovery of Motor Function by Axonal Growth in Mice with a Spinal Cord Injury. Frontiers in Pharmacology, 2016, 6, 326.	3.5	17
84	New Mastoparan Peptides in the Venom of the Solitary Eumenine Wasp Eumenes micado. Toxins, 2019, 11 , 155 .	3.4	17
85	Isolation and structure of clithioneine, a new amino acid betaine from Tetrahedron Letters, 1981, 22, 1617-1618.	1.4	16
86	A novel approach to functionalised polycyclic systems; intramolecular Diels–Alder reactions of 2-acylated derivatives of 4H,6H-thieno[3,4-c]furan 5,5-dioxide. Journal of the Chemical Society Perkin Transactions 1, 1993, , 2387-2388.	0.9	16
87	Structure and synthesis of clitidine, a new pyridine nucleoside from. Tetrahedron Letters, 1977, 18, 481-482.	1.4	15
88	Differential effects of novel wasp toxin on rat hippocampal interneurons. Neuroscience Letters, 2002, 328, 25-28.	2.1	15
89	Stereoselective chlorination of steroidal 5,6-Olefin by an electrochemical method; A convenient synthesis of blattelastanoside B. Tetrahedron Letters, 1998, 39, 3541-3542.	1.4	14
90	Modulation of synaptic transmission in hippocampal CA1 neurons by a novel neurotoxin (\hat{l}^2 -pompilidotoxin) derived from wasp venom. Neuroscience Research, 2001, 41, 365-371.	1.9	14

#	Article	IF	CITATIONS
91	Systematic studies on synthesis, structural elucidation, and biological evaluation of A-ring diastereomers of 2-methyl-1 \hat{l} ±,25-dihydroxyvitamin D3 and 20-epi-2-methyl-1 \hat{l} ±,25-dihydroxyvitamin D3. Steroids, 2001, 66, 277-285.	1.8	14
92	An efficient and versatile synthesis of acylpolyamine spider toxins. Bioorganic and Medicinal Chemistry Letters, 2002, 12, 299-302.	2.2	14
93	A novel physiological property of snake bradykinin-potentiating peptidesâ€"Reversion of MK-801 inhibition of nicotinic acetylcholine receptors. Peptides, 2008, 29, 1708-1715.	2.4	14
94	Mass Spectrometry Analysis and Biological Characterization of the Predatory Ant Odontomachus monticola Venom and Venom Sac Components. Toxins, 2019, 11, 50.	3.4	14
95	Arthropod Venom Components and Their Potential Usage. Toxins, 2020, 12, 82.	3.4	14
96	Synthesis and Neuroexcitatory Activity of Some Acromelic Acid Analogs. Heterocycles, 1992, 33, 303.	0.7	13
97	Molybdophyllysin, a toxic metalloendopeptidase from the tropical toadstool, Chlorophyllum molybdites. Bioorganic and Medicinal Chemistry, 2012, 20, 6583-6588.	3.0	13
98	A Novel Approach to Functionalized Polycyclic Systems; Synthesis of Tetracyclic Compounds by Sequential Rearrangement-Cycloaddition Reactions of 7-Oxa-2,3-dimethylenenorbornene Derivative. Heterocycles, 1998, 47, 167.	0.7	13
99	A new pyridine synthesis starting from \hat{l}_{\pm} , \hat{l}^2 -unsaturated carbonyl compounds. Tetrahedron Letters, 1986, 27, 3865-3868.	1.4	12
100	Bolevenine, a toxic protein from the Japanese toadstool Boletus venenatus. Phytochemistry, 2007, 68, 893-898.	2.9	12
101	Sequencing wasp venom peptides by endopeptidase digestion and nested collision-induced dissociation/post-source decay methods. Rapid Communications in Mass Spectrometry, 2002, 16, 1040-1048.	1.5	11
102	The antiepileptic activity of JSTX-3 is mediated by N-methyl-D-aspartate receptors in human hippocampal neurons. NeuroReport, 2005, 16, 1869-1873.	1.2	11
103	Antiepileptic effect of acylpolyaminetoxin JSTX-3 on rat hippocampal CA1 neurons in vitro. Brain Research, 2005, 1048, 170-176.	2.2	11
104	Characterization of urinary metabolites from four synthetic bradykinin potentiating peptides (BPPs) in mice. Toxicon, 2008, 52, 501-507.	1.6	11
105	Sa12b Peptide from Solitary Wasp Inhibits ASIC Currents in Rat Dorsal Root Ganglion Neurons. Toxins, 2019, 11, 585.	3.4	11
106	Quantification of clitidine in caps and stems of poisonous mushroom Paralepistopsis acromelalga by hydrophilic interaction liquid chromatography–tandem mass spectrometry. Forensic Toxicology, 2019, 37, 378-386.	2.4	11
107	4-Aminopyridine-2,3-dicarboxylic acid from Clitocybe acromelalga. Phytochemistry, 1989, 28, 1133-1135.	2.9	10
108	Molecular determinants of two neurotoxins that regulate sodium current inactivation in rat hippocampal neurons. Neuroscience Letters, 2004, 361, 44-46.	2.1	10

7

#	Article	IF	CITATIONS
109	Structure-activity relationships of trichothecenes against COLO201 cells and Cochliobolus miyabeanus: The role of 12-epoxide and macrocyclic moieties. Bioorganic and Medicinal Chemistry Letters, 2019, 29, 982-985.	2.2	10
110	Tautomerism of Clitidine, a Pyridine Nucleoside from the Poisonous Mushroom Clitocybe acromelalga. Heterocycles, 1998, 47, 661.	0.7	10
111	A New Amino Acid, L-3-(2-Carboxy-4-pyirolyl)-alanine from the Poisonous MushroomClytocybe acromelalga. Chemistry Letters, 1991, 20, 1541-1542.	1.3	9
112	Novel approach to functionalized polycyclic systems; Lewis acid induced rearrangements of 7-oxa-2,3-dimethylenenorbornene derivatives. Tetrahedron Letters, 1995, 36, 1865-1866.	1.4	9
113	Stereoselective synthesis and structural establishment of (25S)-24,24-difluoro- $1\hat{l}\pm$,25,26-trihydroxyvitamin D3, a major metabolite of 24,24-difluoro- $1\hat{l}\pm$,25-dihydroxyvitamin D3. Tetrahedron, 1998, 54, 14705-14724.	1.9	9
114	Peptidomic analysis of the venom of the solitary bee Xylocopa appendiculata circumvolans. Journal of Venomous Animals and Toxins Including Tropical Diseases, 2017, 23, 40.	1.4	9
115	Peripheral 5-HT3 Receptors Are Involved in the Antinociceptive Effect of Bunodosine 391. Toxins, 2018, 10, 12.	3.4	9
116	Neurotoxic activity induced by a haemolytic substance in the extract of the marine sponge Geodia corticostylifera. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2005, 141, 207-215.	2.6	8
117	α-Rg B: A Novel Antagonist Peptide of Neuronal Acetylcholine Receptor Isolated from Conus regius Venom. International Journal of Peptides, 2013, 2013, 1-9.	0.7	8
118	Comprehensive analysis of peptides and low molecular weight components of the giant ant <i>Dinoponera quadriceps</i> venom. Biological Chemistry, 2020, 401, 945-954.	2.5	8
119	A Novel Approach to Functionalized Policyclic Systems; Synthesis of Tetracycli Compounds by Sequential Diels-Alder Reactions of 2-Aclylated 4H,6H-Thieno[3,4-c]furan 5,5-Dioxide. Heterocycles, 1994, 39, 51.	0.7	8
120	Philanthotoxins. A mass spectrometric investigation. Rapid Communications in Mass Spectrometry, 1989, 3, 295-297.	1.5	7
121	A New Synthesis of 24-Fluoro-1.ALPHA.,25-dihydroxyvitamin D2 and Its 24-Epimer, and Determination of the C-24 Configuration Chemical and Pharmaceutical Bulletin, 1992, 40, 2932-2936.	1.3	7
122	Regioselective alkylation of 1(3)-acetyl-4H,6H-thieno $[3,4-c]$ furan 5,5-dioxide. Journal of the Chemical Society Perkin Transactions 1, 1994, , 1371.	0.9	7
123	The First Synthesis of 24,24-Difluoro-1.ALPHAhydroxyvitamin D3 by Means of Radical Deoxygenation of Alcohols Chemical and Pharmaceutical Bulletin, 1996, 44, 62-66.	1.3	7
124	Synthesis and Biological Activity of a 1.ALPHA.,25-Dihydroxyvitamin D2 Analog Bearing an Amide Group in the Side-Chain Chemical and Pharmaceutical Bulletin, 1997, 45, 185-188.	1.3	7
125	Novel neuroprotective peptides in the venom of the solitary scoliid wasp Scolia decorata ventralis. Journal of Venomous Animals and Toxins Including Tropical Diseases, 2021, 27, e20200171.	1.4	7
126	Metabolism of 2-Methyl Analogs of 1α,25-Dihydroxyvitamin D ₃ in Rat Osteosarcoma Cells (UMR 106). Biological and Pharmaceutical Bulletin, 2002, 25, 845-852.	1.4	6

#	Article	IF	CITATIONS
127	Cloning and Functional Analysis of Three Chalcone Synthases from the Flowers of Safflowers <i>Carthamus tinctorius</i> Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	6
128	Molecular Orbital Calculation for the Model Compounds of Kainoid Amino Acids, Agonists of Excitatory Amino Acid Receptors. Does the Kainoid C4-Substituent Directly Interact with the Receptors?. Bioorganic and Medicinal Chemistry, 2002, 10, 1373-1379.	3.0	5
129	An efficient and versatile synthesis of all structural types of acylpolyamine spider toxins. Tetrahedron, 2006, 62, 8335-8350.	1.9	5
130	Oxidation of Allylic Alcohols by Means of Electrochemical Methodology. Novel Rearrangement of Prenol under Direct Anodic Oxidation Conditions. Chemistry Letters, 1995, 24, 559-560.	1.3	4
131	A novel approach to functionalized polycyclic systems; new aspects of the Diels–Alder reactions of 2-acyl derivative of 4H,6H-thieno[3,4-c]furan 5,5-dioxide. Journal of the Chemical Society Chemical Communications, 1995, .	2.0	4
132	Synthesis and Biological Evaluation of (23R)- and (23S)-24,24-Difluoro-1.ALPHA.,23,25-trihydroxyvitamin D3 Chemical and Pharmaceutical Bulletin, 1998, 46, 1932-1935.	1.3	4
133	Novel Oxidation of Vitamin D2 by an Electrochemical Method Chemical and Pharmaceutical Bulletin, 1999, 47, 711-712.	1.3	4
134	The antagonism between 2-methyl-1,25-dihydroxyvitamin D3 and 2-methyl-20-epi-1,25-dihydroxyvitamin D3 in non-genomic pathway-mediated biological responses induced by $1\hat{l}\pm$,25-dihydroxyvitamin D3 assessed by NB4 cell differentiation. Journal of Steroid Biochemistry and Molecular Biology, 2005, 94, 469-479.	2.5	4
135	Protein Mapping of the Salivary Complex from a Hematophagous Leech. OMICS A Journal of Integrative Biology, 2005, 9, 194-208.	2.0	4
136	Cyclohumulanoid Sesquiterpenes from the Culture Broth of the Basidiomycetous Fungus Daedaleopsis tricolor. Molecules, 2021, 26, 4364.	3.8	4
137	A Novel Neuroexcitatory Amino Acid from Clitocybe acromelalga. A Possible Interamediate in the Biogenesis of Acromelic Acid A. Heterocycles, 1993, 35, 125.	0.7	4
138	Localization Analysis of Natural Toxin of Solanum tuberosum L. via Mass Spectrometric Imaging. International Journal of Biotechnology for Wellness Industries, 2016, 5, 1-5.	0.3	4
139	Isolation, Identification, and DFT-Based Conformational Analysis of Sesquikarahanadienone and Its Congeners from Freshwater Dothideomycetes <i>Neohelicascus Aquaticus</i> KT4120. Bulletin of the Chemical Society of Japan, 2022, 95, 833-845.	3.2	4
140	Comprehensive Analysis and Biological Characterization of Venom Components from Solitary Scoliid Wasp Campsomeriella annulata annulata. Toxins, 2021, 13, 885.	3.4	4
141	Facile retro-cycloaddition of adducts derived from steroidal 5,7-diene and 4-phenyl-1,2,4-triazoline-3,5-dione by diisobutylaluminium hydride. Journal of the Chemical Society Perkin Transactions 1, 1995, , 2679.	0.9	3
142	96. Chemical and Biological Characterization of a Novel Neuropeptide in the Venom of Solitary Digger Wasp. Toxicon, 2012, 60, 144.	1.6	3
143	Isolation and characterization of FMRFamide-like peptides in the venoms of solitary sphecid wasps. Peptides, 2021, 142, 170575.	2.4	3
144	A natural carrier effect and the generation of specific antibodies to biologically active peptides. Analytical Biochemistry, 2006, 353, $174-180$.	2.4	2

Katsuhiro Konno

#	Article	IF	CITATIONS
145	Synthesis of 2-Aminothiazolyl Analogs of Ergothioneine. Heterocycles, 1981, 15, 1033.	0.7	2
146	Improved and efficient synthesis of $1\hat{l}_{\pm}$ -hydroxy-[6-2H] and $1\hat{l}_{\pm}$ -hydroxy-[6,19,19-2H]vitamin D3 derivatives. Steroids, 1999, 64, 396-403.	1.8	1
147	Crataegusins A and B, New Flavanocoumarins from the Dried Fruits of <i>Crataegus pinnatifida</i> var. <i>major</i> (Rosaceae). Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	1
148	Toxinologic and Pharmacological Investigation of Venomous Arthropods. Toxins, 2022, 14, 283.	3.4	1
149	Expression of the selectable marker gene <i>bsrm</i> in BALB/MK cells induces apoptosis by overproduction of hydrogen peroxide. Biochemistry and Cell Biology, 2007, 85, 573-581.	2.0	O
150	A Comprehensive LC-MS and Isolation Study of Cicada Slough as a Crude Drug. Natural Product Communications, 2017, 12, 1934578X1701201.	0.5	0
151	Comprehensive analysis of peptides and low molecular weight components of the giant ant Dinoponera quadriceps venom. Biological Chemistry, 2019, .	2.5	0