

Jing He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3331370/publications.pdf>

Version: 2024-02-01

328
papers

9,461
citations

71102

41
h-index

69250

77
g-index

341
all docs

341
docs citations

341
times ranked

12806
citing authors

#	ARTICLE	IF	CITATIONS
1	Correspondence on "Critical role of neutrophil extracellular traps (NETs) in patients with Behçet's disease". <i>Annals of the Rheumatic Diseases</i> , 2023, 82, e48-e48.	0.9	7
2	METTL14 gene polymorphisms influence hepatoblastoma predisposition in Chinese children: Evidences from a seven-center case-control study. <i>Gene</i> , 2022, 809, 146050.	2.2	5
3	Targeting RAS in neuroblastoma: Is it possible?. , 2022, 236, 108054.		9
4	HeteFL: Network-Aware Federated Learning Optimization in Heterogeneous MEC-Enabled Internet of Things. <i>IEEE Internet of Things Journal</i> , 2022, 9, 14073-14086.	8.7	3
5	Comparison of the deep immune profiling of B cell subsets between healthy adults and Sjögren's syndrome. <i>Annals of Medicine</i> , 2022, 54, 472-483.	3.8	10
6	The role of m6A modification in pediatric cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2022, 1877, 188691.	7.4	16
7	Functions, mechanisms, and therapeutic implications of METTL14 in human cancer. <i>Journal of Hematology and Oncology</i> , 2022, 15, 13.	17.0	34
8	Intestinal butyrate-metabolizing species contribute to autoantibody production and bone erosion in rheumatoid arthritis. <i>Science Advances</i> , 2022, 8, eabm1511.	10.3	62
9	Modification of Intestinal Microbiota Dysbiosis by Low-Dose Interleukin-2 in Dermatomyositis: A Post Hoc Analysis From a Clinical Trial Study. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 757099.	3.9	9
10	Efficacy and safety of low-dose interleukin-2 in combination with methotrexate in patients with active rheumatoid arthritis: a randomized, double-blind, placebo-controlled phase 2 trial. <i>Signal Transduction and Targeted Therapy</i> , 2022, 7, 67.	17.1	30
11	Camel milk modulates the gut microbiota and has anti-inflammatory effects in a mouse model of colitis. <i>Journal of Dairy Science</i> , 2022, 105, 3782-3793.	3.4	19
12	<i>FTO</i> gene polymorphisms and hepatoblastoma susceptibility among Chinese children. <i>Cell Cycle</i> , 2022, 21, 1512-1518.	2.6	1
13	Labial Gland Mesenchymal Stem Cell Derived Exosomes-Mediated miRNA-125b Attenuates Experimental Sjögren's Syndrome by Targeting PRDM1 and Suppressing Plasma Cells. <i>Frontiers in Immunology</i> , 2022, 13, 871096.	4.8	12
14	Association between genetic polymorphisms of base excision repair pathway and glioma susceptibility in Chinese children. <i>World Journal of Pediatrics</i> , 2022, 18, 632-635.	1.8	7
15	LncRNAs and CircRNAs in cancer. <i>MedComm</i> , 2022, 3, e141.	7.2	18
16	Low Dose Interleukin-2 Ameliorates Sjögren's Syndrome in a Murine Model. <i>Frontiers in Medicine</i> , 2022, 9, .	2.6	3
17	Acteoside promotes B cell-derived IL-10 production and ameliorates autoimmunity. <i>Journal of Leukocyte Biology</i> , 2022, 112, 875-885.	3.3	8
18	TTF1 suppresses neuroblastoma growth and induces neuroblastoma differentiation by targeting TrkA and the miR-204/TrkB axis. <i>IScience</i> , 2022, , 104655.	4.1	2

#	ARTICLE	IF	CITATIONS
19	Elevated circulating pro-inflammatory low-density granulocytes in adult-onset Still's disease. <i>Rheumatology</i> , 2021, 60, 297-303.	1.9	22
20	Immune responses after influenza vaccination in patients of primary Sjögren's syndrome. <i>Rheumatology</i> , 2021, 60, 224-230.	1.9	5
21	Robust control for a class of cyber-physical systems with multi-uncertainties. <i>International Journal of Systems Science</i> , 2021, 52, 505-524.	5.5	7
22	Association between lncRNA H19 polymorphisms and hepatoblastoma risk in an ethnic Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 742-750.	3.6	12
23	Dative versus electron-sharing bonding in the isoelectronic argon compounds $\text{ArR}^{\supset+} \text{R}^{\supset-}$ (R = CH_3 , NH_2 , OH, and F). <i>New Journal of Chemistry</i> , 2021, 45, 1363-1372.	2.8	1
24	Human umbilical cord mesenchymal stem cells confer potent immunosuppressive effects in Sjögren's syndrome by inducing regulatory T cells. <i>Modern Rheumatology</i> , 2021, 31, 186-196.	1.8	23
25	H19 gene polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Molecular Genetics & Genomic Medicine</i> , 2021, 9, e1584.	1.2	5
26	Association Between Arg72Pro Polymorphism in TP53 and Malignant Abdominal Solid Tumor Risk in Hunan Children. <i>Cancer Control</i> , 2021, 28, 107327482110048.	1.8	0
27	LIN28A polymorphisms and hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2021, 12, 1373-1378.	2.5	3
28	YTHDF1 gene polymorphisms and neuroblastoma susceptibility in Chinese children: an eight-center case-control study. <i>Journal of Cancer</i> , 2021, 12, 2465-2471.	2.5	10
29	The contribution of YTHDF2 gene rs3738067 A>G to the Wilms tumor susceptibility. <i>Journal of Cancer</i> , 2021, 12, 6165-6169.	2.5	4
30	Sustained low-dose interleukin-2 therapy alleviates pathogenic humoral immunity via elevating the Tfr/Tfh ratio in lupus. <i>Clinical and Translational Immunology</i> , 2021, 10, e1293.	3.8	16
31	Identification of 38 novel loci for systemic lupus erythematosus and genetic heterogeneity between ancestral groups. <i>Nature Communications</i> , 2021, 12, 772.	12.8	128
32	ALKBH5 Gene Polymorphisms and Hepatoblastoma Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2021, 2021, 1-6.	1.3	11
33	Red meat intake is associated with early onset of rheumatoid arthritis: a cross-sectional study. <i>Scientific Reports</i> , 2021, 11, 5681.	3.3	10
34	A Hybrid EEG-fNIRS Brain-Computer Interface Based on Dynamic Functional Connectivity and Long Short-Term Memory. , 2021, , .		2
35	Gene Expression Profile and Prognostic Value of m6A RNA Methylation Regulators in Hepatocellular Carcinoma. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 85-101.	3.7	6
36	Association between NER pathway gene polymorphisms and neuroblastoma risk in an eastern Chinese population. <i>Molecular Therapy - Oncolytics</i> , 2021, 20, 3-11.	4.4	5

#	ARTICLE	IF	CITATIONS
37	Genetic variants in m6A modification core genes are associated with glioma risk in Chinese children. <i>Molecular Therapy - Oncolytics</i> , 2021, 20, 199-208.	4.4	30
38	Mitochondrial DNA variation and phylogeography of Old World camels. <i>Animal Bioscience</i> , 2021, 34, 525-532.	2.0	3
39	FABP4 deactivates NF- κ B pathway by ubiquitinating ATPB in tumor-associated macrophages and promotes neuroblastoma progression. <i>Clinical and Translational Medicine</i> , 2021, 11, e395.	4.0	22
40	Treatment of Active Idiopathic Inflammatory Myopathies by Low-Dose Interleukin-2: A Prospective Cohort Pilot Study. <i>Rheumatology and Therapy</i> , 2021, 8, 835-847.	2.3	12
41	The metabolic hormone leptin promotes the function of TFH cells and supports vaccine responses. <i>Nature Communications</i> , 2021, 12, 3073.	12.8	27
42	<i>Lycium barbarum</i> Polysaccharide Ameliorates Sjögren's Syndrome in a Murine Model. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2001118.	3.3	11
43	IL-14 as a Putative Biomarker for Stratification of Dry Eye in Primary Sjögren's Syndrome. <i>Frontiers in Immunology</i> , 2021, 12, 673658.	4.8	1
44	YTHDC1 gene polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Gene</i> , 2021, 783, 145571.	2.2	3
45	Corneal nerve structure in patients with primary Sjögren's syndrome in China. <i>BMC Ophthalmology</i> , 2021, 21, 211.	1.4	13
46	Role of <i>FTO</i> gene polymorphisms in Wilms tumor predisposition: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2021, 23, e3348.	2.8	6
47	Load frequency control for cyber-physical microgrid via a relaxed quadratic convex framework. , 2021, , .		0
48	Therapeutic potential of targeting Tfr/Tfh cell balance by low-dose-IL-2 in active SLE: a post hoc analysis from a double-blind RCT study. <i>Arthritis Research and Therapy</i> , 2021, 23, 167.	3.5	22
49	Elevated Serum Human Epididymis Protein 4 Is Associated With Disease Activity and Systemic Involvements in Primary Sjögren's Syndrome. <i>Frontiers in Immunology</i> , 2021, 12, 670642.	4.8	5
50	Competition between (18, 18) and (18, 16) configurations in Ni2(CO)5: An isomerization energy decomposition analysis. <i>Chinese Journal of Chemical Physics</i> , 2021, 34, 287-296.	1.3	0
51	Genetic variations in nucleotide excision repair pathway genes and hepatoblastoma susceptibility. <i>International Journal of Cancer</i> , 2021, 149, 1649-1658.	5.1	12
52	Labial gland-derived mesenchymal stem cells and their exosomes ameliorate murine Sjögren's syndrome by modulating the balance of Treg and Th17 cells. <i>Stem Cell Research and Therapy</i> , 2021, 12, 478.	5.5	36
53	Reversible insulin resistance helps Bactrian camels survive fasting. <i>Scientific Reports</i> , 2021, 11, 18815.	3.3	0
54	Polymorphisms in METTL3 gene and hepatoblastoma risk in Chinese children: A seven-center case-control study. <i>Gene</i> , 2021, 800, 145834.	2.2	8

#	ARTICLE	IF	CITATIONS
55	Proteomics and microstructure profiling of Bactrian camel milk protein after homogenization. <i>LWT - Food Science and Technology</i> , 2021, 152, 112287.	5.2	2
56	Associations between WTAP gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Translational Pediatrics</i> , 2021, 10, 146-152.	1.2	7
57	CCNB2/SASP/Cathepsin B & PGE2 Axis Induce Cell Senescence Mediated Malignant Transformation. <i>International Journal of Biological Sciences</i> , 2021, 17, 3538-3553.	6.4	7
58	The Association of Polymorphisms in Base Excision Repair Genes with Ovarian Cancer Susceptibility in Chinese Women: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2021, 12, 264-269.	2.5	6
59	Editorial: Molecular Diagnostics of Pediatric Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 777662.	2.8	0
60	Low-Dose Interleukin-2 as an Alternative Therapy for Refractory Lupus Nephritis. <i>Rheumatology and Therapy</i> , 2021, 8, 1905-1914.	2.3	6
61	Low-dose IL-2 therapy invigorates CD8+ T cells for viral control in systemic lupus erythematosus. <i>PLoS Pathogens</i> , 2021, 17, e1009858.	4.7	23
62	Risk factors for cancer-associated myositis: A large-scale multicenter cohort study. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 268-273.	1.9	11
63	Effect of Channel and Reference Selection on a Non-occipital Steady-State Visual Evoked Potential-Based Brain-Computer Interface. , 2021, , .		0
64	Genetic variations in base excision repair pathway genes and risk of hepatoblastoma: a seven-center case-control study. <i>American Journal of Cancer Research</i> , 2021, 11, 849-857.	1.4	3
65	Precise Control of Shape-Variable Nanomicelles in Nanofibers Reveals the Enhancement Mechanism of Passive Delivery. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 54715-54726.	8.0	3
66	METTL14 gene polymorphisms decrease Wilms tumor susceptibility in Chinese children. <i>BMC Cancer</i> , 2021, 21, 1294.	2.6	7
67	Prognostic Value of Oral Epstein-Barr Virus DNA Load in Locoregionally Advanced Nasopharyngeal Carcinoma. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 757644.	3.5	2
68	YTHDC1 gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Aging</i> , 2021, 13, 25426-25439.	3.1	10
69	YTHDF2 Gene rs3738067 A>G Polymorphism Decreases Neuroblastoma Risk in Chinese Children: Evidence From an Eight-Center Case-Control Study. <i>Frontiers in Medicine</i> , 2021, 8, 797195.	2.6	7
70	Interleukin 17E associates with haematologic involvement and autoantibody production in primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 378-384.	0.8	3
71	Therapeutic responses and predictors of low-dose interleukin-2 in systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.8	0
72	Sonoelastography of salivary glands for diagnosis and clinical evaluation in primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.8	0

#	ARTICLE	IF	CITATIONS
73	Sonoelastography of salivary glands for diagnosis and clinical evaluation in primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 184-189.	0.8	5
74	Salivary gland ultrasonography in primary Sjögren's syndrome from diagnosis to clinical stratification: a multicentre study. <i>Arthritis Research and Therapy</i> , 2021, 23, 305.	3.5	11
75	Interleukin 17E associates with haematologic involvement and autoantibody production in primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 378-384.	0.8	5
76	Efficacy and safety of low-dose IL-2 in the treatment of systemic lupus erythematosus: a randomised, double-blind, placebo-controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 141-149.	0.9	223
77	Association of polymorphisms in <i>MALAT1</i> with the risk of endometrial cancer in Southern Chinese women. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23146.	2.1	12
78	Association of polymorphisms in <i>MALAT1</i> with the risk of endometriosis in Southern Chinese women. <i>Biology of Reproduction</i> , 2020, 102, 943-949.	2.7	3
79	<i>LIN28A</i> gene polymorphisms modify neuroblastoma susceptibility: A four-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 1059-1066.	3.6	15
80	<i>HMGA2</i> gene polymorphisms and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Biotechnology and Applied Biochemistry</i> , 2020, 67, 939-945.	3.1	4
81	<i>NRAS</i> rs2273267 A>T polymorphism reduces neuroblastoma risk in Chinese children. <i>Gene</i> , 2020, 727, 144262.	2.2	4
82	Construction of saturated odd- and even-numbered hyaluronan oligosaccharide building block library. <i>Carbohydrate Polymers</i> , 2020, 231, 115700.	10.2	16
83	Incredulity on assumptions for the simplified Bohart-Adams model: 17 α -ethinylestradiol separation in lab-scale anthracite columns. <i>Journal of Hazardous Materials</i> , 2020, 384, 121501.	12.4	9
84	New $\int_{-\infty}^{\infty} \exp(-\lambda t) \delta(t) dt = 2$ state estimation criteria of delayed static neural networks via the Lyapunov-Krasovskii functional with negative definite terms. <i>Neural Networks</i> , 2020, 123, 236-247.	8.9	14
85	<i>METTL14</i> Gene Polymorphisms Confer Neuroblastoma Susceptibility: An Eight-Center Case-Control Study. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 22, 17-26.	5.1	41
86	Multicenter electron-sharing π -bonding in the $\text{AgFe}(\text{CO})_4^+$ complex. <i>Dalton Transactions</i> , 2020, 49, 15256-15266.	3.3	5
87	Unsaturated binuclear homoleptic nickel carbonyl anions $\text{Ni}_2(\text{CO})_n^+$ ($n = 4-6$) featuring double three-center two-electron Ni-Ni bonds. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 23773-23784.	2.8	4
88	Triply Carbonyl-Bridged $\text{Ni}_2(\text{CO})_5$ Featuring Triple Three-Center Two-Electron Ni-Ni Bonds Instead of Ni-Ni Triple Bond. <i>Inorganic Chemistry</i> , 2020, 59, 15365-15374.	4.0	3
89	Chromosome-level assembly of wild Bactrian camel genome reveals organization of immune gene loci. <i>Molecular Ecology Resources</i> , 2020, 20, 770-780.	4.8	25
90	Predictive model for risk of gastric cancer using genetic variants from genome-wide association studies and high-evidence meta-analysis. <i>Cancer Medicine</i> , 2020, 9, 7310-7316.	2.8	9

#	ARTICLE	IF	CITATIONS
91	<i>YTHDC1</i> gene polymorphisms and hepatoblastoma susceptibility in Chinese children: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3249.	2.8	17
92	WTAP Gene Variants Confer Hepatoblastoma Susceptibility: A Seven-Center Case-Control Study. <i>Molecular Therapy - Oncolytics</i> , 2020, 18, 118-125.	4.4	24
93	Predictors and Mortality of Rapidly Progressive Interstitial Lung Disease in Patients With Idiopathic Inflammatory Myopathy: A Series of 474 Patients. <i>Frontiers in Medicine</i> , 2020, 7, 363.	2.6	47
94	<i>YTHDF1</i> rs6090311 A>G polymorphism reduces Hepatoblastoma risk: Evidence from a seven-center case-control study. <i>Journal of Cancer</i> , 2020, 11, 5129-5134.	2.5	17
95	<i>METTL3</i> polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3255.	2.8	14
96	Correlation between the genetic variants of base excision repair (BER) pathway genes and neuroblastoma susceptibility in eastern Chinese children. <i>Cancer Communications</i> , 2020, 40, 641-646.	9.2	39
97	Association between genetic variations in LIN28/let-7 pathway and Wilms tumor susceptibility. <i>Journal of Pediatric Urology</i> , 2020, 16, S15-S16.	1.1	1
98	Structural Changes and Evolution of Peptides During Chill Storage of Pork. <i>Frontiers in Nutrition</i> , 2020, 7, 151.	3.7	10
99	<i>lncRNA-uc003opf.1</i> rs11752942 A>G polymorphism decreases neuroblastoma risk in Chinese children. <i>Cell Cycle</i> , 2020, 19, 2367-2372.	2.6	4
100	Predictors of Poor Outcome of Anti-MDA5-Associated Rapidly Progressive Interstitial Lung Disease in a Chinese Cohort with Dermatomyositis. <i>Journal of Immunology Research</i> , 2020, 2020, 1-8.	2.2	29
101	The gut microbiota and its metabolites in mice are affected by high heat treatment of Bactrian camel milk. <i>Journal of Dairy Science</i> , 2020, 103, 11178-11189.	3.4	5
102	The contribution of WTAP gene variants to Wilms tumor susceptibility. <i>Gene</i> , 2020, 754, 144839.	2.2	9
103	Association of CMYC polymorphisms with hepatoblastoma risk. <i>Translational Cancer Research</i> , 2020, 9, 849-855.	1.0	5
104	Tea Consumption Is Associated with Decreased Disease Activity of Rheumatoid Arthritis in a Real-World, Large-Scale Study. <i>Annals of Nutrition and Metabolism</i> , 2020, 76, 54-61.	1.9	8
105	Association of <i>TP53</i> rs1042522 C>G and <i>miR-34b/c</i> rs4938723 T>C polymorphisms with hepatoblastoma susceptibility: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3182.	2.8	15
106	Common genetic variants in pre-microRNAs are associated with cervical cancer susceptibility in southern Chinese women. <i>Journal of Cancer</i> , 2020, 11, 2133-2138.	2.5	8
107	Effect of sustained intensive therapy with disease modifying anti-rheumatic drugs in rheumatoid arthritis: a 5-year real-world consecutive study. <i>Chinese Medical Journal</i> , 2020, 133, 1397-1403.	2.3	2
108	Association between <i>METTL3</i> gene polymorphisms and neuroblastoma susceptibility: A nine-center case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 9280-9286.	3.6	20

#	ARTICLE	IF	CITATIONS
109	Hypomyopathic Dermatomyositis with Refractory Dermatitis Treated by Low-dose IL-2. <i>Dermatology and Therapy</i> , 2020, 10, 1181-1184.	3.0	4
110	HMGA2 Polymorphisms and Hepatoblastoma Susceptibility: A Five-Center Case-Control Study. <i>Pharmacogenomics and Personalized Medicine</i> , 2020, Volume 13, 51-57.	0.7	8
111	Antibacterial Activity of Trypsin-Hydrolyzed Camel and Cow Whey and Their Fractions. <i>Animals</i> , 2020, 10, 337.	2.3	29
112	ALKBH5 gene polymorphisms and Wilms tumor risk in Chinese children: A five-center case-control study. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23251.	2.1	19
113	Whole-genome sequencing of 128 camels across Asia reveals origin and migration of domestic Bactrian camels. <i>Communications Biology</i> , 2020, 3, 1.	4.4	809
114	The association of RAN and RANBP2 gene polymorphisms with Wilms tumor risk in Chinese children. <i>Journal of Cancer</i> , 2020, 11, 804-809.	2.5	3
115	HMGA2 Gene rs756 A>C Polymorphism Reduces Neuroblastoma Risk in Chinese Children: A Four-Center Case-Control Study. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 465-472.	2.0	3
116	A Genome-Wide Association Study Identifies Quantitative Trait Loci Affecting Hematological Traits in <i>Camelus bactrianus</i> . <i>Animals</i> , 2020, 10, 96.	2.3	7
117	Association of MYC gene polymorphisms with neuroblastoma risk in Chinese children: A four-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3190.	2.8	6
118	Double Negative B Cell Is Associated With Renal Impairment in Systemic Lupus Erythematosus and Acts as a Marker for Nephritis Remission. <i>Frontiers in Medicine</i> , 2020, 7, 85.	2.6	31
119	LIN28B gene polymorphisms modify hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2020, 11, 3512-3518.	2.5	11
120	Camel milk modulates ethanol-induced changes in the gut microbiome and transcriptome in a mouse model of acute alcoholic liver disease. <i>Journal of Dairy Science</i> , 2020, 103, 3937-3949.	3.4	19
121	The association of miR34b/c and TP53 gene polymorphisms with Wilms tumor risk in Chinese children. <i>Bioscience Reports</i> , 2020, 40, .	2.4	1
122	TP53 Arg72Pro polymorphism and neuroblastoma susceptibility in eastern Chinese children: a three-center case-control study. <i>Bioscience Reports</i> , 2020, 40, .	2.4	1
123	Identification of an immune-related gene-based signature to predict prognosis of patients with gastric cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2020, 12, 857-876.	2.0	35
124	Evaluation of soluble CD25 as a clinical and autoimmune biomarker in primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 126, 142-149.	0.8	4
125	A thermoresponsive microfluidic system integrating a shape memory polymer-modified textile and a paper-based colorimetric sensor for the detection of glucose in human sweat. <i>RSC Advances</i> , 2019, 9, 23957-23963.	3.6	52
126	PARP1 gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2019, 10, 4159-4164.	2.5	7

#	ARTICLE	IF	CITATIONS
127	<i>APEX1</i> Polymorphisms and Neuroblastoma Risk in Chinese Children: A Three-Center Case-Control Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-8.	4.0	7
128	Association of the <i>TP53</i> rs1042522 C>G polymorphism and hepatoblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2019, 10, 3444-3449.	2.5	15
129	Association of <i>miR-34b/c</i> rs4938723 and <i>TP53</i> Arg72Pro Polymorphisms with Neuroblastoma Susceptibility: Evidence from Seven Centers. <i>Translational Oncology</i> , 2019, 12, 1282-1288.	3.7	8
130	<i>LIN28A</i> gene polymorphisms confer Wilms tumour susceptibility: A four-center case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 7105-7110.	3.6	12
131	<i>MYCN</i> gene polymorphisms and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e22988.	2.1	6
132	Clinical deep remission and related factors in a large cohort of patients with rheumatoid arthritis. <i>Chinese Medical Journal</i> , 2019, 132, 1009-1014.	2.3	10
133	Investigation of association between <i>LINC00673</i> rs11655237 C>T and Wilms tumor susceptibility. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e22930.	2.1	5
134	<i>miR-34b/c</i> rs4938723 T>C Decreases Neuroblastoma Risk: A Replication Study in the Hunan Children. <i>Disease Markers</i> , 2019, 2019, 1-6.	1.3	8
135	Effects of Geographic Region on the Composition of Bactrian Camel Milk in Mongolia. <i>Animals</i> , 2019, 9, 890.	2.3	21
136	<i>AURKA</i> rs8173 G>C Polymorphism Decreases Wilms Tumor Risk in Chinese Children. <i>Journal of Oncology</i> , 2019, 2019, 1-7.	1.3	7
137	<i>LINC00673</i> rs11655237 C>T and susceptibility to Wilms tumor: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2019, 21, e3133.	2.8	11
138	<i>KRAS</i> rs7973450 A>G increases neuroblastoma risk in Chinese children: a four-center case-control study. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 7289-7295.	2.0	4
139	<i>TP53</i> rs1042522 C>G polymorphism and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Bioscience Reports</i> , 2019, 39, .	2.4	10
140	LncRNA <i>XIST</i> facilitates cell growth, migration and invasion via modulating H3 histone methylation of <i>DKK1</i> in neuroblastoma. <i>Cell Cycle</i> , 2019, 18, 1882-1892.	2.6	37
141	<i>LMO1</i> Super-Enhancer rs2168101 G>T Polymorphism Reduces Wilms Tumor Risk. <i>Journal of Cancer</i> , 2019, 10, 1808-1813.	2.5	4
142	<i>Sjögren's</i> Syndrome: Animal Models, Etiology, Pathogenesis, Clinical Subtypes, and Diagnosis. <i>Journal of Immunology Research</i> , 2019, 2019, 1-3.	2.2	12
143	Association of <i>miR-146a</i> , <i>miR-149</i> and <i>miR-196a2</i> polymorphisms with neuroblastoma risk in Eastern Chinese population: a three-center case-control study. <i>Bioscience Reports</i> , 2019, 39, .	2.4	6
144	<i>LINC00673</i> rs11655237 C>T Polymorphism Impacts Hepatoblastoma Susceptibility in Chinese Children. <i>Frontiers in Genetics</i> , 2019, 10, 506.	2.3	29

#	ARTICLE	IF	CITATIONS
145	Tissue-Specific Autoantibodies Improve Diagnosis of Primary Sjögren's Syndrome in the Early Stage and Indicate Localized Salivary Injury. <i>Journal of Immunology Research</i> , 2019, 2019, 1-8.	2.2	10
146	Association of <i>NEFL</i> Gene Polymorphisms with Wilms' Tumor Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2019, 2019, 1-7.	1.3	0
147	NRAS and KRAS polymorphisms are not associated with hepatoblastoma susceptibility in Chinese children. <i>Experimental Hematology and Oncology</i> , 2019, 8, 11.	5.0	16
148	Sjögren's syndrome: An update on disease pathogenesis, clinical manifestations and treatment. <i>Clinical Immunology</i> , 2019, 203, 81-121.	3.2	119
149	LIG3 gene polymorphisms and risk of gastric cancer in a Southern Chinese population. <i>Gene</i> , 2019, 705, 90-94.	2.2	6
150	High-Throughput Sequencing Reveals the Gut Microbiome of the Bactrian Camel in Different Ages. <i>Current Microbiology</i> , 2019, 76, 810-817.	2.2	14
151	Associations between <i>H19</i> polymorphisms and neuroblastoma risk in Chinese children. <i>Bioscience Reports</i> , 2019, 39, .	2.4	16
152	Interleukin-2 Deficiency Associated with Renal Impairment in Systemic Lupus Erythematosus. <i>Journal of Interferon and Cytokine Research</i> , 2019, 39, 117-124.	1.2	26
153	<i>TP53</i> gene rs1042522 allele G decreases neuroblastoma risk: a two-centre case-control study. <i>Journal of Cancer</i> , 2019, 10, 467-471.	2.5	9
154	Low-dose IL-2 for patients with systemic lupus erythematosus. <i>Lancet Rheumatology</i> , The, 2019, 1, e203.	3.9	1
155	<i>H19</i> gene polymorphisms and neuroblastoma susceptibility in Chinese children: a six-center case-control study. <i>Journal of Cancer</i> , 2019, 10, 6358-6363.	2.5	14
156	Intrinsically Stretchable and Shape Memory Conducting Nanofiber for Programmable Flexible Electronic Films. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 48202-48211.	8.0	13
157	Effect of Mussel-Inspired Poly(Dopamine)-Functionalized Carbon Nanotubes/Graphene Nanohybrids on Interfacial Adhesion of Soy Protein-Based Nanocomposites. <i>Polymer Composites</i> , 2019, 40, E1649-E1661.	4.6	4
158	Adsorption characteristics of nitrite on natural filter medium: Kinetic, equilibrium, and site energy distribution studies. <i>Ecotoxicology and Environmental Safety</i> , 2019, 169, 435-441.	6.0	29
159	Analysis of 17 β -ethinylestradiol and bisphenol A adsorption on anthracite surfaces by site energy distribution. <i>Chemosphere</i> , 2019, 216, 59-68.	8.2	46
160	Genome-Wide Association Study of Susceptibility Loci for Radiation-Induced Brain Injury. <i>Journal of the National Cancer Institute</i> , 2019, 111, 620-628.	6.3	45
161	Association between <i>PHOX2B</i> gene rs28647582 T>C polymorphism and Wilms tumor susceptibility. <i>Bioscience Reports</i> , 2019, 39, .	2.4	4
162	Pleiotropic effect of common PHOX2B variants in Hirschsprung disease and neuroblastoma. <i>Aging</i> , 2019, 11, 1252-1261.	3.1	12

#	ARTICLE	IF	CITATIONS
163	Association of KRAS and NRAS gene polymorphisms with Wilms tumor risk: a four-center case-control study. <i>Aging</i> , 2019, 11, 1551-1563.	3.1	28
164	Additional data support the role of <i>LINC00673</i> rs11655237 C>T in the development of neuroblastoma. <i>Aging</i> , 2019, 11, 2369-2377.	3.1	19
165	MYC gene associated polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Annals of Translational Medicine</i> , 2019, 7, 475-475.	1.7	7
166	Metabolic Engineering of <i>Saccharomyces cerevisiae</i> to Improve Glucan Biosynthesis. <i>Journal of Microbiology and Biotechnology</i> , 2019, 29, 758-764.	2.1	7
167	Stabilizing Control for Cyber-Physical Systems against Energy-Constrained Deception Attacks. , 2019, , .		0
168	The clinical significance of ubiquitin carboxyl hydrolase L1 and its autoantibody in neuropsychiatric systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 474-480.	0.8	9
169	<i>LINC00673</i> rs11655237 C>T confers neuroblastoma susceptibility in Chinese population. <i>Bioscience Reports</i> , 2018, 38, .	2.4	27
170	RSRC1 and CPZ gene polymorphisms with neuroblastoma susceptibility in Chinese children. <i>Gene</i> , 2018, 662, 83-87.	2.2	6
171	<i>HOTAIR</i> gene polymorphisms contribute to increased neuroblastoma susceptibility in Chinese children. <i>Cancer</i> , 2018, 124, 2599-2606.	4.1	30
172	Characterizing the bacterial microbiota in different gastrointestinal tract segments of the Bactrian camel. <i>Scientific Reports</i> , 2018, 8, 654.	3.3	69
173	Identification of a novel autoantibody against self-vimentin specific in secondary Sjögren's syndrome. <i>Arthritis Research and Therapy</i> , 2018, 20, 30.	3.5	7
174	Lack of associations between AURKA gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Bioscience Reports</i> , 2018, 38, .	2.4	7
175	Functional Polymorphisms at ERCC1/XPF Genes Confer Neuroblastoma Risk in Chinese Children. <i>EBioMedicine</i> , 2018, 30, 113-119.	6.1	85
176	The correlation between <i>LINC00288</i> gene potentially functional variants and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, .	2.1	20
177	An era of biological treatment in systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2018, 37, 1-3.	2.2	13
178	A discrete Fourier transform-based method for Nyquist signal shaping in VLC-SCFDE system. , 2018, , .		1
179	Clinical Relevance of Autoantibodies against Interleukin-2 in Patients with Systemic Lupus Erythematosus. <i>Chinese Medical Journal</i> , 2018, 131, 1520-1526.	2.3	5
180	Proportion of neuropathic pain in the back region in chronic low back pain patients -a multicenter investigation. <i>Scientific Reports</i> , 2018, 8, 16537.	3.3	5

#	ARTICLE	IF	CITATIONS
181	LMO1 Gene Polymorphisms Reduce Neuroblastoma Risk in Eastern Chinese Children: A Three-Center Case-Control Study. <i>Frontiers in Oncology</i> , 2018, 8, 468.	2.8	10
182	Functional Polymorphisms in <i>hOGG1</i> Gene and Neuroblastoma Risk in Chinese Children. <i>Journal of Cancer</i> , 2018, 9, 4521-4526.	2.5	6
183	Investigating Switchable Nanostructures in Shape Memory Process for Amphipathic Janus Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 36249-36258.	8.0	22
184	METTL3 promotes ovarian carcinoma growth and invasion through the regulation of AXL translation and epithelial to mesenchymal transition. <i>Gynecologic Oncology</i> , 2018, 151, 356-365.	1.4	139
185	An autoimmune disease variant of IgG1 modulates B cell activation and differentiation. <i>Science</i> , 2018, 362, 700-705.	12.6	28
186	The rs2147578 A > G polymorphism in the Inc-LAMC2 1:1 gene is associated with increased neuroblastoma risk in the Henan children. <i>BMC Cancer</i> , 2018, 18, 948.	2.6	10
187	Association between NEFL Gene Polymorphisms and Neuroblastoma Risk in Chinese Children: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2018, 9, 535-539.	2.5	6
188	Association between NER Pathway Gene Polymorphisms and Wilms Tumor Risk. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 854-860.	5.1	39
189	Characterization of potassium hydroxide modified anthracite particles and enhanced removal of 17 β -ethinylestradiol and bisphenol A. <i>Environmental Science and Pollution Research</i> , 2018, 25, 22224-22235.	5.3	12
190	MiR-181a/b induce the growth, invasion, and metastasis of neuroblastoma cells through targeting ABI1. <i>Molecular Carcinogenesis</i> , 2018, 57, 1237-1250.	2.7	24
191	Base Excision Repair Gene Polymorphisms and Wilms Tumor Susceptibility. <i>EBioMedicine</i> , 2018, 33, 88-93.	6.1	31
192	Interstitial lung disease in non-sicca onset primary Sjögren's syndrome: a large-scale case-control study. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1423-1429.	1.9	26
193	<i>miR-423</i> rs6505162 C>A polymorphism contributes to decreased Wilms tumor risk. <i>Journal of Cancer</i> , 2018, 9, 2460-2465.	2.5	11
194	Genetic variants in the nucleotide excision repair pathway genes and gastric cancer susceptibility in a southern Chinese population. <i>Cancer Management and Research</i> , 2018, Volume 10, 765-774.	1.9	27
195	<i>LMO1</i> super-enhancer polymorphism rs2168101 G>T correlates with decreased neuroblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2018, 9, 1592-1597.	2.5	17
196	Polymorphisms in <i>MYCN</i> gene and neuroblastoma risk in Chinese children: a 3-center case‐control study. <i>Cancer Management and Research</i> , 2018, Volume 10, 1807-1816.	1.9	16
197	Treatment of immunoglobulin G4-related sialadenitis: outcomes of glucocorticoid therapy combined with steroid-sparing agents. <i>Arthritis Research and Therapy</i> , 2018, 20, 12.	3.5	20
198	XPA gene polymorphisms and risk of neuroblastoma in Chinese children: a two-center case-control study. <i>Journal of Cancer</i> , 2018, 9, 2751-2756.	2.5	5

#	ARTICLE	IF	CITATIONS
199	Association of Common Genetic Variants in Pre-microRNAs and Neuroblastoma Susceptibility: A Two-Center Study in Chinese Children. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 11, 1-8.	5.1	98
200	Associations between lncRNA MEG3 polymorphisms and neuroblastoma risk in Chinese children. <i>Aging</i> , 2018, 10, 481-491.	3.1	40
201	RAN/RANBP2 polymorphisms and neuroblastoma risk in Chinese children: a three-center case-control study. <i>Aging</i> , 2018, 10, 808-818.	3.1	22
202	<i>XPG</i> rs17655 G>C polymorphism associated with cancer risk: evidence from 60 studies. <i>Aging</i> , 2018, 10, 1073-1088.	3.1	10
203	Relevance of XPD polymorphisms to neuroblastoma risk in Chinese children: a four-center case-control study. <i>Aging</i> , 2018, 10, 1989-2000.	3.1	20
204	XRCC1 gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , 2018, 10, 2944-2953.	3.1	17
205	Lipopolysaccharide-binding protein is a sensitive disease activity biomarker for rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 233-240.	0.8	16
206	miR-134: A Human Cancer Suppressor?. <i>Molecular Therapy - Nucleic Acids</i> , 2017, 6, 140-149.	5.1	96
207	BARD1 Gene Polymorphisms Confer Nephroblastoma Susceptibility. <i>EBioMedicine</i> , 2017, 16, 101-105.	6.1	40
208	The rise of IL-2 therapy – a picture beyond Treg cells. <i>Nature Reviews Rheumatology</i> , 2017, 13, 386-386.	8.0	3
209	Characteristics of germinal center-like structures in patients with Sjögren's syndrome. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 245-251.	1.9	9
210	Molecular diversity and phylogenetic analysis of domestic and wild Bactrian camel populations based on the mitochondrial ATP8 and ATP6 genes. <i>Livestock Science</i> , 2017, 199, 95-100.	1.6	11
211	Genetic Variations of GWAS-Identified Genes and Neuroblastoma Susceptibility: a Replication Study in Southern Chinese Children. <i>Translational Oncology</i> , 2017, 10, 936-941.	3.7	49
212	Association Between <i>HACE1</i> Gene Polymorphisms and Wilms' Tumor Risk in a Chinese Population. <i>Cancer Investigation</i> , 2017, 35, 633-638.	1.3	13
213	Preparation and Characterization of Chitosan/Soy Protein Isolate Nanocomposite Film Reinforced by Cu Nanoclusters. <i>Polymers</i> , 2017, 9, 247.	4.5	47
214	Increased Interleukin-17F is Associated with Elevated Autoantibody Levels and More Clinically Relevant Than Interleukin-17A in Primary Sjögren's Syndrome. <i>Journal of Immunology Research</i> , 2017, 2017, 1-9.	2.2	19
215	<i>MDM2</i> promoter del1518 polymorphism and cancer risk: evidence from 22,931 subjects. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 3773-3780.	2.0	6
216	Comparative analysis of fecal microbial communities in cattle and Bactrian camels. <i>PLoS ONE</i> , 2017, 12, e0173062.	2.5	16

#	ARTICLE	IF	CITATIONS
217	miR-200c suppresses endometriosis by targeting MALAT1 in vitro and in vivo. <i>Stem Cell Research and Therapy</i> , 2017, 8, 251.	5.5	91
218	Association of <i>MTRR</i> A66G polymorphism with cancer susceptibility: Evidence from 85 studies. <i>Journal of Cancer</i> , 2017, 8, 266-277.	2.5	13
219	<i>HSD17B12</i> gene rs11037575 C>T polymorphism confers neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 1969-1975.	2.0	6
220	Protein Regulator of Cytokinesis PRC1 Confers Chemoresistance and Predicts an Unfavorable Postoperative Survival of Hepatocellular Carcinoma Patients. <i>Journal of Cancer</i> , 2017, 8, 801-808.	2.5	34
221	Common variations within <i>HACE1</i> gene and neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 703-709.	2.0	9
222	Association between <i>TP53</i> gene Arg72Pro polymorphism and Wilms' tumor risk in a Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 1149-1154.	2.0	25
223	The <i>TP53</i> gene rs1042522 C>G polymorphism and neuroblastoma risk in Chinese children. <i>Aging</i> , 2017, 9, 852-859.	3.1	58
224	Polymorphisms in nucleotide excision repair genes and risk of primary prostate cancer in Chinese Han populations. <i>Oncotarget</i> , 2017, 8, 24362-24371.	1.8	21
225	<i>NFKB1</i> -94insertion/deletion ATTG polymorphism and cancer risk: Evidence from 50 case-control studies. <i>Oncotarget</i> , 2017, 8, 9806-9822.	1.8	49
226	<i>MDM4</i> genetic variants and risk of gastric cancer in an eastern chinese population. <i>Oncotarget</i> , 2017, 8, 19547-19555.	1.8	12
227	Associations between <i>LMO1</i> gene polymorphisms and Wilms' tumor susceptibility. <i>Oncotarget</i> , 2017, 8, 50665-50672.	1.8	13
228	XPG gene rs751402 C>T polymorphism and cancer risk: Evidence from 22 publications. <i>Oncotarget</i> , 2017, 8, 53613-53622.	1.8	5
229	LMO1 polymorphisms reduce neuroblastoma risk in Chinese children: a two-center case-control study. <i>Oncotarget</i> , 2017, 8, 65620-65626.	1.8	24
230	<i>CASC15</i> gene polymorphisms reduce neuroblastoma risk in Chinese children. <i>Oncotarget</i> , 2017, 8, 91343-91349.	1.8	17
231	No association between TP53 Arg72Pro polymorphism and ovarian cancer risk: evidence from 10113 subjects. <i>Oncotarget</i> , 2017, 8, 112761-112769.	1.8	2
232	A case of refractory intestinal Behçet's disease treated with tocilizumab, a humanised anti-interleukin-6 receptor antibody. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 108, 116-118.	0.8	5
233	Association of XPC Gene Polymorphisms with Colorectal Cancer Risk in a Southern Chinese Population: A Case-Control Study and Meta-Analysis. <i>Genes</i> , 2016, 7, 73.	2.4	24
234	The association between <i>RFC1</i> G80A polymorphism and cancer susceptibility: Evidence from 33 studies. <i>Journal of Cancer</i> , 2016, 7, 144-152.	2.5	9

#	ARTICLE	IF	CITATIONS
235	<i>GSTT1</i> Null Genotype Significantly Increases the Susceptibility to Urinary System Cancer: Evidences from 63,876 Subjects. <i>Journal of Cancer</i> , 2016, 7, 1680-1693.	2.5	7
236	<i>PSCA</i> polymorphisms and gastric cancer susceptibility in an eastern Chinese population. <i>Oncotarget</i> , 2016, 7, 9420-9428.	1.8	15
237	The Association between GWAS-identified <i>BARD1</i> Gene SNPs and Neuroblastoma Susceptibility in a Southern Chinese Population. <i>International Journal of Medical Sciences</i> , 2016, 13, 133-138.	2.5	26
238	Polymorphisms in the <i>XPC</i> gene and gastric cancer susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5513-5519.	2.0	18
239	Genetic variant rs4072037 of MUC1 and gastric cancer risk in an Eastern Chinese population. <i>Oncotarget</i> , 2016, 7, 15930-15936.	1.8	6
240	Lack of Associations between <i>XPC</i> Gene Polymorphisms and Neuroblastoma Susceptibility in a Chinese Population. <i>BioMed Research International</i> , 2016, 2016, 1-6.	1.9	9
241	Association of the MDM2 SNP285 Polymorphism with Cancer Susceptibility: A Meta-Analysis. <i>Disease Markers</i> , 2016, 2016, 1-8.	1.3	2
242	<i>XPG</i> Gene Polymorphisms Contribute to Colorectal Cancer Susceptibility: A Two-Stage Case-Control Study. <i>Journal of Cancer</i> , 2016, 7, 1731-1739.	2.5	27
243	A Functional Polymorphism (rs2494752) in the <i>AKT1</i> Promoter Region and Gastric Adenocarcinoma Risk in an Eastern Chinese Population. <i>Scientific Reports</i> , 2016, 6, 20008.	3.3	20
244	Dietary intake and risk of rheumatoid arthritis—a cross section multicenter study. <i>Clinical Rheumatology</i> , 2016, 35, 2901-2908.	2.2	46
245	Low-dose interleukin-2 treatment selectively modulates CD4+ T cell subsets in patients with systemic lupus erythematosus. <i>Nature Medicine</i> , 2016, 22, 991-993.	30.7	457
246	Association of potentially functional variants in the <i>XPG</i> gene with neuroblastoma risk in a Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1481-1490.	3.6	105
247	Potentially functional polymorphisms in the <i>LIN28B</i> gene contribute to neuroblastoma susceptibility in Chinese children. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1534-1541.	3.6	40
248	Association between <i>XRCC3</i> Thr241Met polymorphism and nasopharyngeal carcinoma risk: evidence from a large-scale case-control study and a meta-analysis. <i>Tumor Biology</i> , 2016, 37, 14825-14830.	1.8	8
249	High remission and low relapse with prolonged intensive DMARD therapy in rheumatoid arthritis (PRINT). <i>Medicine (United States)</i> , 2016, 95, e3968.	1.0	22
250	Inability to activate Rac1-dependent forgetting contributes to behavioral inflexibility in mutants of multiple autism-risk genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 7644-7649.	7.1	45
251	Mitochondrial common deletion is elevated in blood of breast cancer patients mediated by oxidative stress. <i>Mitochondrion</i> , 2016, 26, 104-112.	3.4	24
252	Polymorphisms in the <i>AKT1</i> and <i>AKT2</i> genes and oesophageal squamous cell carcinoma risk in an Eastern Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 666-677.	3.6	31

#	ARTICLE	IF	CITATIONS
253	CYP1A1 MspI polymorphism and the risk of oral squamous cell carcinoma: Evidence from a meta-analysis. <i>Molecular and Clinical Oncology</i> , 2016, 4, 660-666.	1.0	7
254	Assessment of the Stiffness of Major Salivary Glands in Primary Sjögren's Syndrome through Quantitative Acoustic Radiation Force Impulse Imaging. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 645-653.	1.5	25
255	Evaluation of GWAS-identified SNPs at 6p22 with neuroblastoma susceptibility in a Chinese population. <i>Tumor Biology</i> , 2016, 37, 1635-1639.	1.8	37
256	Association between genetic variants in the XPG gene and gastric cancer risk in a Southern Chinese population. <i>Aging</i> , 2016, 8, 3311-3320.	3.1	30
257	Associations between CYP1A1 rs1048943 A > G and rs4646903 T > C genetic variations and colorectal cancer risk: Proof from 26 case-control studies. <i>Oncotarget</i> , 2016, 7, 51365-51374.	1.8	15
258	MDM4 rs4245739 A > C polymorphism correlates with reduced overall cancer risk in a meta-analysis of 69477 subjects. <i>Oncotarget</i> , 2016, 7, 71718-71726.	1.8	15
259	XPG rs2296147 T > C polymorphism predicted clinical outcome in colorectal cancer. <i>Oncotarget</i> , 2016, 7, 11724-11732.	1.8	17
260	LMO1 gene polymorphisms contribute to decreased neuroblastoma susceptibility in a Southern Chinese population. <i>Oncotarget</i> , 2016, 7, 22770-22778.	1.8	31
261	A novel TP53 variant (rs78378222 A > C) in the polyadenylation signal is associated with increased cancer susceptibility: evidence from a meta-analysis. <i>Oncotarget</i> , 2016, 7, 32854-32865.	1.8	24
262	Contribution of dendritic cell immunoreceptor (DCIR) polymorphisms in susceptibility of systemic lupus erythematosus and primary Sjögren's syndrome. <i>Human Immunology</i> , 2015, 76, 808-811.	2.4	11
263	Whole Exome Sequencing Identifies Frequent Somatic Mutations in Cell-Cell Adhesion Genes in Chinese Patients with Lung Squamous Cell Carcinoma. <i>Scientific Reports</i> , 2015, 5, 14237.	3.3	51
264	Associations of PI3KR1 and mTOR Polymorphisms with Esophageal Squamous Cell Carcinoma Risk and Gene-Environment Interactions in Eastern Chinese Populations. <i>Scientific Reports</i> , 2015, 5, 8250.	3.3	48
265	Association between PLCE1 rs2274223 A > G polymorphism and cancer risk: proof from a meta-analysis. <i>Scientific Reports</i> , 2015, 5, 7986.	3.3	31
266	Two novel PRKCI polymorphisms and prostate cancer risk in an Eastern Chinese Han population. <i>Molecular Carcinogenesis</i> , 2015, 54, 632-641.	2.7	4
267	Clinicopathological characteristics of immunoglobulin G4-related sialadenitis. <i>Arthritis Research and Therapy</i> , 2015, 17, 186.	3.5	59
268	Comorbid diseases of IgG4-related sialadenitis in the head and neck region. <i>Laryngoscope</i> , 2015, 125, 2113-2118.	2.0	19
269	Association of IL10 -819C > T and -592C > A Polymorphisms with Non-Hodgkin Lymphoma Susceptibility: Evidence from Published Studies. <i>Journal of Cancer</i> , 2015, 6, 709-716.	2.5	5
270	Genetic variant of PRKAA1 and gastric cancer risk in an eastern Chinese population. <i>Oncotarget</i> , 2015, 6, 42661-42666.	1.8	18

#	ARTICLE	IF	CITATIONS
271	Genetic variations in the mTOR gene contribute toward gastric adenocarcinoma susceptibility in an Eastern Chinese population. <i>Pharmacogenetics and Genomics</i> , 2015, 25, 521-530.	1.5	11
272	The Clinical Relevance of IL-17-Producing CD4+CD161+ Cell and Its Subpopulations in Primary Sjögren's Syndrome. <i>Journal of Immunology Research</i> , 2015, 2015, 1-15.	2.2	17
273	Association of Interleukin-10 -3575T>A and -1082A>G polymorphisms with non-Hodgkin lymphoma susceptibility: a comprehensive review and meta-analysis. <i>Molecular Genetics and Genomics</i> , 2015, 290, 2063-2073.	2.1	10
274	Impact of the leucocyte immunoglobulin-like receptor A3 (LILRA3) on susceptibility and subphenotypes of systemic lupus erythematosus and Sjögren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 2070-2075.	0.9	30
275	The Association Between NQO1 Pro187Ser Polymorphism and Urinary System Cancer Susceptibility: A Meta-Analysis of 22 Studies. <i>Cancer Investigation</i> , 2015, 33, 39-40.	1.3	11
276	Ultrasonographic evaluation of major salivary glands in primary Sjögren's syndrome: comparison of two scoring systems. <i>Rheumatology</i> , 2015, 54, 1680-1687.	1.9	45
277	Association of the Asp312Asn and Lys751Gln polymorphisms in the XPD gene with the risk of non-Hodgkin's lymphoma: evidence from a meta-analysis. <i>Chinese Journal of Cancer</i> , 2015, 34, 108-114.	4.9	326
278	CASP7 variants modify susceptibility to cervical cancer in Chinese women. <i>Scientific Reports</i> , 2015, 5, 9225.	3.3	13
279	No association between MTRR rs1805087 A > G polymorphism and non-Hodgkin lymphoma susceptibility: evidence from 11 486 subjects. <i>Leukemia and Lymphoma</i> , 2015, 56, 763-767.	1.3	13
280	Association of MTHFR C677T and A1298C polymorphisms with non-Hodgkin lymphoma susceptibility: Evidence from a meta-analysis. <i>Scientific Reports</i> , 2015, 4, 6159.	3.3	83
281	The Association between NQO1 Pro187Ser Polymorphism and Bladder Cancer Susceptibility: A Meta-Analysis of 15 Studies. <i>PLoS ONE</i> , 2015, 10, e0116500.	2.5	9
282	The association between the polymorphisms of TNF- α and non-Hodgkin lymphoma: a meta-analysis. <i>Tumor Biology</i> , 2014, 35, 12509-12517.	1.8	15
283	Antilymphocyte Antibodies in Systemic Lupus Erythematosus: Association with Disease Activity and Lymphopenia. <i>Journal of Immunology Research</i> , 2014, 2014, 1-6.	2.2	21
284	Genome-wide association study identifies a new SMAD7 risk variant associated with colorectal cancer risk in East Asians. <i>International Journal of Cancer</i> , 2014, 135, 948-955.	5.1	52
285	Large-scale genetic study in East Asians identifies six new loci associated with colorectal cancer risk. <i>Nature Genetics</i> , 2014, 46, 533-542.	21.4	212
286	Glatiramer acetate reverses cognitive deficits from cranial-irradiated rat by inducing hippocampal neurogenesis. <i>Journal of Neuroimmunology</i> , 2014, 271, 1-7.	2.3	19
287	Potentially functional polymorphisms in the ERCC2 gene and risk of Esophageal Squamous Cell Carcinoma in Chinese populations. <i>Scientific Reports</i> , 2014, 4, 6281.	3.3	23
288	Relevance of LIG4 gene polymorphisms with cancer susceptibility: Evidence from a meta-analysis. <i>Scientific Reports</i> , 2014, 4, 6630.	3.3	35

#	ARTICLE	IF	CITATIONS
289	Association of BRCA2 N372H polymorphism with cancer susceptibility: A comprehensive review and meta-analysis. <i>Scientific Reports</i> , 2014, 4, 6791.	3.3	33
290	Steroid 5-alpha-reductase type 2 (SRD5A2) V89L and A49T polymorphisms and sporadic prostate cancer risk: a meta-analysis. <i>Molecular Biology Reports</i> , 2013, 40, 3597-3608.	2.3	20
291	A pri-miR-218 variant and risk of cervical carcinoma in Chinese women. <i>BMC Cancer</i> , 2013, 13, 19.	2.6	43
292	Polymorphisms of the Interleukin 6 gene contribute to cervical cancer susceptibility in Eastern Chinese women. <i>Human Genetics</i> , 2013, 132, 301-312.	3.8	40
293	Characteristics of Sjogren's syndrome in rheumatoid arthritis. <i>Rheumatology</i> , 2013, 52, 1084-1089.	1.9	59
294	Genome-wide association analyses in east Asians identify new susceptibility loci for colorectal cancer. <i>Nature Genetics</i> , 2013, 45, 191-196.	21.4	173
295	Circulating Precursor CCR7loPD-1hi CXCR5+ CD4+ T Cells Indicate Tfh Cell Activity and Promote Antibody Responses upon Antigen Reexposure. <i>Immunity</i> , 2013, 39, 770-781.	14.3	571
296	AOSOP6 POTENTIALLY FUNCTIONAL POLYMORPHISMS IN THE CASP7 GENE CONTRIBUTE TO GASTRIC ADENOCARCINOMA SUSCEPTIBILITY IN AN EASTERN CHINESE POPULATION. <i>European Journal of Cancer</i> , 2013, 49, S3.	2.8	0
297	Associations of Lys939Gln and Ala499Val polymorphisms of the <i>XPC</i> gene with cancer susceptibility: A meta-analysis. <i>International Journal of Cancer</i> , 2013, 133, 1765-1775.	5.1	80
298	Preparation of Nitrogen-doped Mullite Fiber by Nitridation of Silica-Alumina Gel Fiber in Ammonia. <i>Journal of the American Ceramic Society</i> , 2013, 96, 2069-2072.	3.8	0
299	Functional variants in TNFAIP8 associated with cervical cancer susceptibility and clinical outcomes. <i>Carcinogenesis</i> , 2013, 34, 770-778.	2.8	64
300	Genetic variations of mTORC1 genes and risk of gastric cancer in an eastern chinese population. <i>Molecular Carcinogenesis</i> , 2013, 52, 70-79.	2.7	118
301	Genome-wide association study of B cell non-Hodgkin lymphoma identifies 3q27 as a susceptibility locus in the Chinese population. <i>Nature Genetics</i> , 2013, 45, 804-807.	21.4	43
302	Polymorphisms in mTORC1 Genes Modulate Risk of Esophageal Squamous Cell Carcinoma in Eastern Chinese Populations. <i>Journal of Thoracic Oncology</i> , 2013, 8, 788-795.	1.1	31
303	Potentially Functional Polymorphisms in the CASP7 Gene Contribute to Gastric Adenocarcinoma Susceptibility in an Eastern Chinese Population. <i>PLoS ONE</i> , 2013, 8, e74041.	2.5	10
304	Association of LEP G2548A and LEPR Q223R Polymorphisms with Cancer Susceptibility: Evidence from a Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e75135.	2.5	25
305	Developing Genetic Epidemiological Models to Predict Risk for Nasopharyngeal Carcinoma in High-Risk Population of China. <i>PLoS ONE</i> , 2013, 8, e56128.	2.5	21
306	Polymorphisms in the mTOR Gene and Risk of Sporadic Prostate Cancer in an Eastern Chinese Population. <i>PLoS ONE</i> , 2013, 8, e71968.	2.5	31

#	ARTICLE	IF	CITATIONS
307	Potentially Functional Variants of PLCE1 Identified by GWASs Contribute to Gastric Adenocarcinoma Susceptibility in an Eastern Chinese Population. PLoS ONE, 2012, 7, e31932.	2.5	49
308	Tumor Necrosis Factor- β Induced Protein 8 Polymorphism and Risk of Non-Hodgkin's Lymphoma in a Chinese Population: A Case-Control Study. PLoS ONE, 2012, 7, e37846.	2.5	53
309	Association between XPF Polymorphisms and Cancer Risk: A Meta-Analysis. PLoS ONE, 2012, 7, e38606.	2.5	31
310	Polymorphisms in the XPG gene and risk of gastric cancer in Chinese populations. Human Genetics, 2012, 131, 1235-1244.	3.8	168
311	Association between the ERCC5 Asp1104His Polymorphism and Cancer Risk: A Meta-Analysis. PLoS ONE, 2012, 7, e36293.	2.5	38
312	Polymorphisms in the ERCC5 Gene and Risk of Esophageal Squamous Cell Carcinoma (ESCC) in Eastern Chinese Populations. PLoS ONE, 2012, 7, e41500.	2.5	30
313	Polymorphisms in ERCC1 and XPF Genes and Risk of Gastric Cancer in an Eastern Chinese Population. PLoS ONE, 2012, 7, e49308.	2.5	41
314	The generation of mitochondrial DNA large-scale deletions in human cells. Journal of Human Genetics, 2011, 56, 689-694.	2.3	41
315	The association between common genetic variant of microRNA-146a and cancer susceptibility. Cytokine, 2011, 56, 695-698.	3.2	33
316	Evaluating mitochondrial DNA in patients with breast cancer and benign breast disease. Journal of Cancer Research and Clinical Oncology, 2011, 137, 669-675.	2.5	36
317	The mitochondrial DNA 4,977-bp deletion and its implication in copy number alteration in colorectal cancer. BMC Medical Genetics, 2011, 12, 8.	2.1	103
318	Diagnostic significance of measuring antibodies to cyclic type 3 muscarinic acetylcholine receptor peptides in primary Sjogren's syndrome. Rheumatology, 2011, 50, 879-884.	1.9	41
319	Cancer type-specific modulation of mitochondrial haplogroups in breast, colorectal and thyroid cancer. BMC Cancer, 2010, 10, 421.	2.6	88
320	Evaluating mitochondrial DNA in cancer occurrence and development. Annals of the New York Academy of Sciences, 2010, 1201, 26-33.	3.8	37
321	The occurrence of Bacillus cereus, B. thuringiensis and B. mycoides in Chinese pasteurized full fat milk. International Journal of Food Microbiology, 2008, 121, 195-200.	4.7	74
322	Mucosal administration of β -fodrin inhibits experimental Sjogren's syndrome autoimmunity. Arthritis Research and Therapy, 2008, 10, R44.	3.5	10
323	Bromide removal and recovery with layered double hydroxides as an adsorbent. Diqiu Huaxue, 2006, 25, 107-107.	0.5	0
324	Treatment of high fluoride concentration wastewater by layered double hydroxides: Mechanism studies. Diqiu Huaxue, 2006, 25, 160-161.	0.5	0

#	ARTICLE	IF	CITATIONS
325	Removal of perchlorate (ClO ₄) contaminants by calcined Zn-Al layered double hydroxides. <i>Diqui Huaxue</i> , 2006, 25, 255-255.	0.5	2
326	Title is missing!. <i>Topics in Catalysis</i> , 2003, 22, 41-51.	2.8	9
327	Therapeutic responses and predictors of low-dose interleukin-2 in systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 0, , .	0.8	2
328	Photoelectron velocity-map imaging spectroscopy of nickel carbide: Examination of the low-lying electronic states. <i>New Journal of Chemistry</i> , 0, , .	2.8	1