

Jaime Correa-Bordes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3334844/publications.pdf>

Version: 2024-02-01

16
papers

761
citations

687363

13
h-index

996975

15
g-index

16
all docs

16
docs citations

16
times ranked

758
citing authors

#	ARTICLE	IF	CITATIONS
1	p25rum1 orders S phase and mitosis by acting as an inhibitor of the p34cdc2 mitotic kinase. <i>Cell</i> , 1995, 83, 1001-1009.	28.9	195
2	The Mitotic Cyclins Clb2p and Clb4p Affect Morphogenesis in <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2005, 16, 3387-3400.	2.1	90
3	Nucleotide sequence of the <i>exo-1,3-β-D-glucanase</i> -encoding gene, EXG1, of the yeast <i>Saccharomyces cerevisiae</i> . <i>Gene</i> , 1991, 97, 173-182.	2.2	87
4	Sep7 Is Essential to Modify Septin Ring Dynamics and Inhibit Cell Separation during <i>Candida albicans</i> Hyphal Growth. <i>Molecular Biology of the Cell</i> , 2008, 19, 1509-1518.	2.1	74
5	The Cdc14p phosphatase affects late cell-cycle events and morphogenesis in <i>Candida albicans</i> . <i>Journal of Cell Science</i> , 2006, 119, 1130-1143.	2.0	57
6	CDK-dependent phosphorylation of Mob2 is essential for hyphal development in <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2011, 22, 2458-2469.	2.1	43
7	p25rum1 promotes proteolysis of the mitotic B-cyclin p56cdc13 during G1 of the fission yeast cell cycle. <i>EMBO Journal</i> , 1997, 16, 4657-4664.	7.8	38
8	The NDR/LATS Kinase Cbk1 Controls the Activity of the Transcriptional Regulator Bcr1 during Biofilm Formation in <i>Candida albicans</i> . <i>PLoS Pathogens</i> , 2012, 8, e1002683.	4.7	36
9	Potassium-Induced Apoptosis in Rat Cerebellar Granule Cells Involves Cell-Cycle Blockade at the G1/S Transition. <i>Journal of Molecular Neuroscience</i> , 2001, 15, 155-166.	2.3	35
10	Nucleotide sequence of a 1,3-β-D-glucanase-encoding gene in <i>Bacillus circulans</i> WL-12. <i>Nucleic Acids Research</i> , 1990, 18, 4248-4248.	14.5	34
11	Genetic mapping of 1,3-β-D-glucanase-encoding genes in <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 1992, 22, 283-288.	1.7	21
12	Dbf2 is essential for cytokinesis and correct mitotic spindle formation in <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2009, 72, 1364-1378.	2.5	21
13	A Single Nucleotide Polymorphism Uncovers a Novel Function for the Transcription Factor Ace2 during <i>Candida albicans</i> Hyphal Development. <i>PLoS Genetics</i> , 2015, 11, e1005152.	3.5	16
14	A new toolkit for gene tagging in <i>Candida albicans</i> containing recyclable markers. <i>PLoS ONE</i> , 2019, 14, e0219715.	2.5	9
15	The anillin-related Int1 protein and the Sep7 septin collaborate to maintain cellular ploidy in <i>Candida albicans</i> . <i>Scientific Reports</i> , 2018, 8, 2257.	3.3	5
16	Integrating Cdk Signaling in <i>Candida albicans</i> Environmental Sensing Networks. <i>Topics in Current Genetics</i> , 2012, , 81-96.	0.7	0