Kunwei Shen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3335053/publications.pdf

Version: 2024-02-01

| 103 papers | 2,489 citations | 18 h-index | 223800 46 g-index |
|---------------|--------------------|---------------|-------------------------|
| 113 | 113 | 113 | 3921 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Everolimus for women with trastuzumab-resistant, HER2-positive, advanced breast cancer (BOLERO-3): a randomised, double-blind, placebo-controlled phase 3 trial. Lancet Oncology, The, 2014, 15, 580-591. | 10.7 | 434 |
| 2 | The Prognostic Value of Tumor-Infiltrating Lymphocytes in Breast Cancer: A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0152500. | 2.5 | 219 |
| 3 | Breast Cancer: Diffusion Kurtosis MR Imaging—Diagnostic Accuracy and Correlation with Clinical-Pathologic Factors. Radiology, 2015, 277, 46-55. | 7.3 | 196 |
| 4 | Modulation of M2 macrophage polarization by the crosstalk between Stat6 and Trim24. Nature Communications, 2019, 10, 4353. | 12.8 | 193 |
| 5 | The Value of Tumor Infiltrating Lymphocytes (TILs) for Predicting Response to Neoadjuvant Chemotherapy in Breast Cancer: A Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e115103. | 2.5 | 182 |
| 6 | Singleâ€ell RNA sequencing in breast cancer: Understanding tumor heterogeneity and paving roads to individualized therapy. Cancer Communications, 2020, 40, 329-344. | 9.2 | 110 |
| 7 | A novel long non-coding RNA-ARA: Adriamycin Resistance Associated. Biochemical Pharmacology, 2014, 87, 254-283. | 4.4 | 100 |
| 8 | Efficacy, Safety, and Tolerability of Pertuzumab, Trastuzumab, and Docetaxel for Patients With Early or Locally Advanced ERBB2-Positive Breast Cancer in Asia. JAMA Oncology, 2020, 6, e193692. | 7.1 | 94 |
| 9 | Combined niclosamide with cisplatin inhibits epithelial-mesenchymal transition and tumor growth in cisplatin-resistant triple-negative breast cancer. Tumor Biology, 2016, 37, 9825-9835. | 1.8 | 52 |
| 10 | Metabolic Syndrome and Breast Cancer: Prevalence, Treatment Response, and Prognosis. Frontiers in Oncology, 2021, 11, 629666. | 2.8 | 43 |
| 11 | Breast Subtypes and Prognosis of Breast Cancer Patients With Initial Bone Metastasis: A Population-Based Study. Frontiers in Oncology, 2020, 10, 580112. | 2.8 | 37 |
| 12 | Adipocytes promote breast tumorigenesis through TAZ-dependent secretion of Resistin. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 33295-33304. | 7.1 | 37 |
| 13 | Surgery time interval and molecular subtype may influence Ki67 change after core needle biopsy in breast cancer patients. BMC Cancer, 2015, 15, 822. | 2.6 | 34 |
| 14 | Elevated preoperative neutrophil-to-lymphocyte ratio predicts poor disease-free survival in Chinese women with breast cancer. Tumor Biology, 2016, 37, 4135-4142. | 1.8 | 34 |
| 15 | Biologic behavior and long-term outcomes of breast ductal carcinoma <i>in situ</i> with microinvasion. Oncotarget, 2016, 7, 64182-64190. | 1.8 | 34 |
| 16 | Prognostic and predictive value of Ki-67 in triple-negative breast cancer. Oncotarget, 2016, 7, 31079-31087. | 1.8 | 34 |
| 17 | Distribution patterns of 21-gene recurrence score in 980 Chinese estrogen receptor-positive, HER2-negative early breast cancer patients. Oncotarget, 2017, 8, 38706-38716. | 1.8 | 31 |
| 18 | Niclosamide inhibits epithelial-mesenchymal transition and tumor growth in lapatinib-resistant human epidermal growth factor receptor 2-positive breast cancer. International Journal of Biochemistry and Cell Biology, 2016, 71, 12-23. | 2.8 | 22 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Invasive ductal carcinoma with coexisting ductal carcinoma in situ (IDC/DCIS) versus pure invasive ductal carcinoma (IDC): a comparison of clinicopathological characteristics, molecular subtypes, and clinical outcomes. Journal of Cancer Research and Clinical Oncology, 2019, 145, 1877-1886. | 2.5 | 21 |
| 20 | Can breast cancer patients with HER2 dual-equivocal tumours be managed as HER2-negative disease?. European Journal of Cancer, 2018, 89, 9-18. | 2.8 | 20 |
| 21 | Higher axillary lymph node metastasis burden in breast cancer patients with positive preoperative node biopsy: may not be appropriate to receive sentinel lymph node biopsy in the post-ACOSOG Z0011 trial era. World Journal of Surgical Oncology, 2019, 17, 37. | 1.9 | 18 |
| 22 | A large-cohort retrospective study of metastatic patterns and prognostic outcomes between inflammatory and non-inflammatory breast cancer. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592093267. | 3.2 | 18 |
| 23 | The impact of surgical excision of the primary tumor in stage IV breast cancer on survival: a meta-analysis. Oncotarget, 2018, 9, 11816-11823. | 1.8 | 17 |
| 24 | A Long Noncoding RNA Signature That Predicts Pathological Complete Remission Rate Sensitively in Neoadjuvant Treatment of Breast Cancer. Translational Oncology, 2017, 10, 988-997. | 3.7 | 16 |
| 25 | Impact of Prior Cancer History on the Clinical Outcomes in Advanced Breast Cancer: A Propensity Score–Adjusted, Population-Based Study. Cancer Research and Treatment, 2020, 52, 552-562. | 3.0 | 16 |
| 26 | Subdivision of M1 Stage for De Novo Metastatic Breast Cancer to Better Predict Prognosis and Response to Primary Tumor Surgery. Journal of the National Comprehensive Cancer Network: JNCCN, 2019, 17, 1521-1528. | 4.9 | 16 |
| 27 | Fulvestrant 500 mg vs 250 mg in postmenopausal women with estrogen receptor-positive advanced breast cancer: a randomized, double-blind registrational trial in China. Oncotarget, 2016, 7, 57301-57309. | 1.8 | 15 |
| 28 | Danggui Buxue Decoction, a Classical Formula of Traditional Chinese Medicine, Fails to Prevent Myelosuppression in Breast Cancer Patients Treated With Adjuvant Chemotherapy: A Prospective Study. Integrative Cancer Therapies, 2017, 16, 406-413. | 2.0 | 14 |
| 29 | Prolonged Time to Adjuvant Chemotherapy Initiation Was Associated with Worse Disease Outcome in Triple Negative Breast Cancer Patients. Scientific Reports, 2020, 10, 7029. | 3.3 | 14 |
| 30 | BFAR coordinates $TGF\hat{l}^2$ signaling to modulate Th9-mediated cancer immunotherapy. Journal of Experimental Medicine, 2021, 218, . | 8.5 | 14 |
| 31 | 21-Gene Recurrence Score and Adjuvant Chemotherapy Decision for Breast Cancer Patients with Positive Lymph Nodes. Scientific Reports, 2019, 9, 13123. | 3.3 | 13 |
| 32 | <p>A high absolute lymphocyte count predicts a poor prognosis in HER-2- positive breast cancer patients treated with trastuzumab</p> . Cancer Management and Research, 2019, Volume 11, 3371-3379. | 1.9 | 13 |
| 33 | Clinicopathological Features and Disease Outcome in Breast Cancer Patients with Hormonal Receptor Discordance between Core Needle Biopsy and Following Surgical Sample. Annals of Surgical Oncology, 2019, 26, 2779-2786. | 1.5 | 13 |
| 34 | A prospective, randomized study of Toremifene vs. tamoxifen for the treatment of premenopausal breast cancer: safety and genital symptom analysis. BMC Cancer, 2020, 20, 663. | 2.6 | 13 |
| 35 | A Smartphone-Based App to Improve Adjuvant Treatment Adherence to Multidisciplinary Decisions in Patients With Early-Stage Breast Cancer: Observational Study. Journal of Medical Internet Research, 2021, 23, e27576. | 4.3 | 13 |
| 36 | Association of tumorâ€infiltrating lymphocytes before and after neoadjuvant chemotherapy with pathological complete response and prognosis in patients with breast cancer. Cancer Medicine, 2021, 10, 7921-7933. | 2.8 | 12 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Axillary lymph node and non-sentinel lymph node metastasis among the ACOSOG Z0011 eligible breast cancer patients with invasive ductal, invasive lobular, or other histological special types: a multi-institutional retrospective analysis. Breast Cancer Research and Treatment, 2020, 184, 193-202. | 2.5 | 11 |
| 38 | Compliance with multidisciplinary team recommendations and disease outcomes in early breast cancer patients: An analysis of 4501 consecutive patients. Breast, 2020, 52, 135-145. | 2.2 | 11 |
| 39 | IGF-1 Interacted With Obesity in Prognosis Prediction in HER2-Positive Breast Cancer Patients. Frontiers in Oncology, 2020, 10, 550. | 2.8 | 11 |
| 40 | Identification of a novel immune-related prognostic signature associated with tumor microenvironment for breast cancer. International Immunopharmacology, 2021, 100, 108122. | 3.8 | 11 |
| 41 | Weight Gain during Neoadjuvant Chemotherapy is Associated with Worse Outcome among the Patients with Operable Breast Cancer. Journal of Breast Cancer, 2019, 22, 399. | 1.9 | 10 |
| 42 | Predictors for Survival and Distribution of 21-Gene Recurrence Score in Patients With PureÂMucinous Breast Cancer: A SEER Population-Based Retrospective Analysis. Clinical Breast Cancer, 2019, 19, e66-e73. | 2.4 | 10 |
| 43 | HER2 positivity is not associated with adverse prognosis in high-risk estrogen receptor-positive early breast cancer patients treated with chemotherapy and trastuzumab. Breast, 2020, 54, 235-241. | 2.2 | 10 |
| 44 | Comprehensive Transcriptomic Analysis Reveals Dysregulated Competing Endogenous RNA Network in Endocrine Resistant Breast Cancer Cells. Frontiers in Oncology, 2020, 10, 600487. | 2.8 | 10 |
| 45 | A Decision Support System with Intelligent Recommendation for Multi-disciplinary Medical Treatment. ACM Transactions on Multimedia Computing, Communications and Applications, 2020, 16, 1-23. | 4.3 | 10 |
| 46 | Concurrent adjuvant radiochemotherapy versus standard chemotherapy followed by radiotherapy in operable breast cancer after breast conserving therapy: A meta-analysis. Journal of Cancer Research and Therapeutics, 2016, 12, 84. | 0.9 | 10 |
| 47 | Distribution and Clinical Utility of the 21-gene Recurrence Score in Pure Mucinous Breast Cancer Patients: a case-control study. Journal of Cancer, 2018, 9, 3216-3224. | 2.5 | 9 |
| 48 | Clinical validation of Ki67 by quantitative reverse transcription-polymerase chain reaction (RT-PCR) in HR+/HER2- early breast cancer. Journal of Cancer, 2019, 10, 1110-1116. | 2.5 | 9 |
| 49 | Inhibition of the FACT Complex Targets Aberrant Hedgehog Signaling and Overcomes Resistance to Smoothened Antagonists. Cancer Research, 2021, 81, 3105-3120. | 0.9 | 9 |
| 50 | Association of Biomarker Discrepancy and Treatment Decision, Disease Outcome in Recurrent/Metastatic Breast Cancer Patients. Frontiers in Oncology, 2021, 11, 638619. | 2.8 | 9 |
| 51 | Diffusion-Weighted Imaging-guided MR Spectroscopy in Breast Lesions using Readout-Segmented Echo-Planar Imaging. European Radiology, 2016, 26, 1565-1574. | 4.5 | 8 |
| 52 | Early response and pathological complete remission in Breast Cancer with different molecular subtypes: a retrospective single center analysis. Journal of Cancer, 2020, 11, 6916-6924. | 2.5 | 8 |
| 53 | Association between tumor molecular subtype, clinical stage and axillary pathological response in breast cancer patients undergoing complete pathological remission after neoadjuvant chemotherapy: potential implications for de-escalation of axillary surgery. Therapeutic Advances in Medical Oncology, 2021, 13, 175883592199667. | 3.2 | 8 |
| 54 | Association of molecular subtype concordance and survival outcome in synchronous and metachronous bilateral breast cancer. Breast, 2021, 57, 71-79. | 2.2 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | CHD1L promotes cell cycle progression and cell motility by up-regulating MDM2 in breast cancer. American Journal of Translational Research (discontinued), 2019, 11, 1581-1592. | 0.0 | 8 |
| 56 | Long Noncoding RNA Signature and Disease Outcome in Estrogen Receptor-Positive Breast Cancer Patients Treated with Tamoxifen. Journal of Breast Cancer, 2018, 21, 277. | 1.9 | 7 |
| 57 | Associations Between Circulating Insulin-Like Growth Factor 1 and Mortality in Women With Invasive Breast Cancer. Frontiers in Oncology, 2020, 10, 1384. | 2.8 | 7 |
| 58 | A novel metabolic gene signature-based nomogram to predict overall survival in breast cancer. Annals of Translational Medicine, 2021, 9, 367-367. | 1.7 | 7 |
| 59 | A771726, an anti-inflammatory drug, exerts an anticancer effect and reverses tamoxifen resistance in endocrine-resistant breast cancer cells. Oncology Reports, 2014, 32, 627-634. | 2.6 | 6 |
| 60 | Can Clinically Node-Negative Breast Cancer Patients with Suspicious Axillary Lymph Nodes at Ultrasound But Negative Fine-Needle Aspiration Be Approached as Having Node-Negative Disease?. Annals of Surgical Oncology, 2017, 24, 1874-1880. | 1.5 | 6 |
| 61 | 4-Hydroxytamoxifen enhances sensitivity of estrogen receptor \hat{l}_{\pm} -positive breast cancer to docetaxel in an estrogen and ZNF423 SNP-dependent fashion. Breast Cancer Research and Treatment, 2019, 175, 567-578. | 2.5 | 6 |
| 62 | Association of sonographic features and molecular subtypes in predicting breast cancer disease outcomes. Cancer Medicine, 2020, 9, 6173-6185. | 2.8 | 6 |
| 63 | Validation of the Prognostic Stage of American Joint Committee on Cancer Eighth Edition Staging Manual in Invasive Lobular Carcinoma Compared to Invasive Ductal Carcinoma and Proposal of a Novel Score System. Frontiers in Oncology, 2020, 10, 1471. | 2.8 | 6 |
| 64 | CRISPR-cas9 Screening Identified Lethal Genes Enriched in Cell Cycle Pathway and of Prognosis Significance in Breast Cancer. Frontiers in Cell and Developmental Biology, 2021, 9, 646774. | 3.7 | 6 |
| 65 | Impact of 21-gene recurrence score testing on adjuvant chemotherapy decision making in older patients with breast cancer. Journal of Geriatric Oncology, 2020, 11, 843-849. | 1.0 | 5 |
| 66 | Riomarkers of Insulin and the Insulin-Like Growth Factor Axis in Relation to Breast Cancer Risk in Chinese Women. OncoTargets and Therapy, 2020, Volume 13, 8027-8036. | 2.0 | 5 |
| 67 | Comprehensive Association Analysis of 21-Gene Recurrence Score and Obesity in Chinese Breast Cancer Patients. Frontiers in Oncology, 2021, 11, 619840. | 2.8 | 5 |
| 68 | A nomogram to predict adjuvant chemotherapy recommendation in breast cancer patients with intermediate recurrence score. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2018, 30, 222-230. | 2.2 | 5 |
| 69 | Comparison of the Distribution Pattern of 21-Gene Recurrence Score between Mucinous Breast Cancer and Infiltrating Ductal Carcinoma in Chinese Population: A Retrospective Single-Center Study. Cancer Research and Treatment, 2020, 52, 671-679. | 3.0 | 5 |
| 70 | Long noncoding RNA HOXC-AS3 indicates a poor prognosis and regulates tumorigenesis by binding to YBX1 in breast cancer. American Journal of Translational Research (discontinued), 2020, 12, 6335-6350. | 0.0 | 5 |
| 71 | Molecular Subtype May Be More Associated With Prognosis and Chemotherapy Benefit Than Tumor Size in T1NO Breast Cancer Patients: An Analysis of 2,168 Patients for Possible De-Escalation Treatment. Frontiers in Oncology, 2021, 11, 636266. | 2.8 | 4 |
| 72 | Trastuzumab emtansine (T-DM1) versus trastuzumab in Chinese patients with residual invasive disease after neoadjuvant chemotherapy and HER2-targeted therapy for HER2-positive breast cancer in the phase 3 KATHERINE study. Breast Cancer Research and Treatment, 2021, 187, 759-768. | 2.5 | 4 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Clinicopathological characteristics, adjuvant chemotherapy decision and disease outcome in patients with breast cancer with a 21â€'gene recurrence score of 26â€'30. Oncology Letters, 2020, 20, 1545-1556. | 1.8 | 4 |
| 74 | Association of Obesity and Luminal Subtypes in Prognosis and Adjuvant Endocrine Treatment Effectiveness Prediction in Chinese Breast Cancer Patients. Frontiers in Oncology, 2022, 12, . | 2.8 | 4 |
| 75 | Primary 21-Gene Recurrence Score and Disease Outcome in Loco-Regional and Distant Recurrent Breast Cancer Patients. Frontiers in Oncology, 2020, 10, 1315. | 2.8 | 3 |
| 76 | A nomogram to predict the high-risk RS in HR+/HER2-breast cancer patients older than 50Âyears of age. Journal of Translational Medicine, 2021, 19, 75. | 4.4 | 3 |
| 77 | Diverse Distribution and Gene Expression on the 21-Gene Recurrence Assay in Breast Cancer Patients with Locoregional Recurrence Versus Distant Metastasis. Cancer Management and Research, 2021, Volume 13, 6279-6289. | 1.9 | 3 |
| 78 | Association of epithelial-mesenchymal transition with lapatinib resistance through multipe pathways activation in HER2-positive breast cancer Journal of Clinical Oncology, 2014, 32, e11579-e11579. | 1.6 | 3 |
| 79 | Prognostic Factors and Surgery for Breast Cancer Patients With Locoregional Recurrence: An Analysis of 5,202 Consecutive Patients. Frontiers in Oncology, 2021, 11, 763119. | 2.8 | 3 |
| 80 | A Multi-disciplinary Medical Treatment Decision Support System with intelligent treatment recommendation. , 2016, , . | | 2 |
| 81 | A Novel Prognostic Scoring System Integrating Gene Expressions and Clinicopathological Characteristics to Predict Very Early Relapse in Node-Negative Estrogen Receptor-Positive/HER2-Negative Breast Cancer. Frontiers in Oncology, 2020, 10, 1335. | 2.8 | 2 |
| 82 | Do 21-Gene Recurrence Score Influence Chemotherapy Decisions in T1bNO Breast Cancer Patients?. Frontiers in Oncology, 2020, 10, 708. | 2.8 | 2 |
| 83 | Comprehensive analysis of the 21-gene recurrence score in invasive ductal breast carcinoma with or without ductal carcinoma in situ component. British Journal of Cancer, 2021, 124, 975-981. | 6.4 | 2 |
| 84 | 21-Gene Recurrence Assay Associated With Favorable Metabolic Profiles in HR-Positive, HER2-Negative Early-Stage Breast Cancer Patients. Frontiers in Endocrinology, 2021, 12, 725161. | 3.5 | 2 |
| 85 | Predictors of Nodal Pathological Complete Response in Asian Women with Stage Il–III Node-Positive Breast Cancer. Oncology, 2021, 99, 359-364. | 1.9 | 2 |
| 86 | Impact of Different Modules of 21-Gene Assay in Early Breast Cancer Patients. Frontiers in Endocrinology, 2021, 12, 759338. | 3.5 | 2 |
| 87 | Pathological underestimation and biomarkers concordance rates in breast cancer patients diagnosed with ductal carcinoma in situ at preoperative biopsy. Scientific Reports, 2022, 12, 2169. | 3.3 | 2 |
| 88 | Evaluation of the Incorporation of Recurrence Score into the American Joint Committee on Cancer Eighth Edition Staging System in Patients with T1â€2NOMO, Estrogen Receptorâ€Positive, Human Epidermal Growth Receptor 2â€Negative Invasive Breast Cancer: A Populationâ€Based Analysis. Oncologist, 2019, 24, e1014-e1023. | 3.7 | 1 |
| 89 | Decision-making of Adjuvant Chemotherapy for Breast Cancer Patients with Discordant Risk Classifications between Clinical-Pathological Factors and 21-gene Recurrence Score. Journal of Cancer, 2020, 11, 2509-2517. | 2.5 | 1 |
| 90 | Identification of Ten Mitosis Genes Associated with Tamoxifen Resistance in Breast Cancer. OncoTargets and Therapy, 2021, Volume 14, 3611-3624. | 2.0 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Combined Estrogen Receptor and Progesterone Receptor Level Can Predict Survival Outcome in Human Epidermal Growth Factor Receptor 2-positive Early Breast Cancer. Clinical Breast Cancer, 2022, 22, e147-e156. | 2.4 | 1 |
| 92 | Efficacy of adjuvant chemotherapy stratified by age and the 21-gene recurrence score in estrogen receptor-positive breast cancer. BMC Cancer, 2021, 21, 707. | 2.6 | 1 |
| 93 | Clinical characteristics and disease outcomes in ER+ breast cancer: a comparison between HER2+ patients treated with trastuzumab and HER2- patients. BMC Cancer, 2021, 21, 807. | 2.6 | 1 |
| 94 | Effect of curcumin on lapatinib sensitivity and lapatinib resistance associated EMT and stem-like phenotype in HER2 positive breast cancer Journal of Clinical Oncology, 2015, 33, e11594-e11594. | 1.6 | 1 |
| 95 | ASO Author Reflections: Core Needle Biopsy and Hormonal Receptor Retesting in Breast Cancer: Controversy and Management. Annals of Surgical Oncology, 2020, 27, 731-732. | 1.5 | 0 |
| 96 | Factors Influencing Adjuvant Chemotherapy and Trastuzumab Choice in Older Human Epidermal Growth Factor Receptor 2-positive Breast Cancer Patients. Journal of Cancer, 2020, 11, 2602-2609. | 2.5 | 0 |
| 97 | Abstract PS17-38: Comprehensive association analysis of 21-gene recurrence score and overweight in breast cancer patients., 2021,,. | | 0 |
| 98 | Abstract PS4-28: Efficacy of adjuvant chemotherapy stratified by age and the 21 gene recurrence score in estrogen receptor positive breast cancer., 2021,,. | | 0 |
| 99 | Effect of cancer-associated fibroblasts on trastuzumab resistance by activating multiple pathways in HER2-positive breast cancer Journal of Clinical Oncology, 2014, 32, e11587-e11587. | 1.6 | 0 |
| 100 | Analysis of factors related to adjuvant chemotherapy decision in early breast cancer patients with intermediate recurrence score Journal of Clinical Oncology, 2017, 35, e12032-e12032. | 1.6 | 0 |
| 101 | Quantitative measurement of total erbB2 (H2T), p110 t-erbB2, and erbB2:erbB3 (H23D) heterodimer expression and p110 t-erbB2 in malignant progression from ductal carcinoma in situ (DCIS) to invasive ductal carcinoma (IDC) Journal of Clinical Oncology, 2018, 36, 12089-12089. | 1.6 | 0 |
| 102 | Distribution and influence of the 21-gene recurrence score on chemotherapy decision-making in special type of breast cancer American Journal of Cancer Research, 2021, 11, 6188-6199. | 1.4 | 0 |
| 103 | Association of machine learning ultrasound radiomics and disease outcome in triple negative breast cancer American Journal of Cancer Research, 2022, 12, 152-164. | 1.4 | 0 |