
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/333683/publications.pdf Version: 2024-02-01



ΚΑΖΗΥΛ ΤΛΟΛ

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Novel photovoltaic devices based on donor-acceptor molecular and conducting polymer systems. IEEE<br>Transactions on Electron Devices, 1997, 44, 1315-1324.  | 3.0  | 87        |
| 2  | Optical Properties and Blue and Green Electroluminescence in Soluble Disubstituted Acetylene Polymers. Japanese Journal of Applied Physics, 1996, 35, L1138-L1141.   | 1.5  | 80        |
| 3  | Actuator based on doping/undoping-induced volume change in anisotropic polypyrrole film. Thin<br>Solid Films, 2001, 393, 383-387.  | 1.8  | 78        |
| 4  | The Optical Properties of Porous Opal Crystals Infiltrated with Organic Molecules. Japanese Journal of Applied Physics, 1997, 36, L714-L717.   | 1.5  | 73        |
| 5  | Photoinduced charge separation in photovoltaic cell with heterojunction of p- and n-type conjugated polymers. Thin Solid Films, 1998, 331, 76-81.  | 1.8  | 57        |
| 6  | Conducting Polymer Color Sensor. Japanese Journal of Applied Physics, 1997, 36, L1351-L1353.   | 1.5  | 56        |
| 7  | Polymeric Bipolar Thin-Film Transistor Utilizing Conducting Polymer Containing Electron Transport<br>Dye. Japanese Journal of Applied Physics, 1996, 35, L944-L946.  | 1.5  | 55        |
| 8  | Excitation Dynamics in Disubstituted Polyacetylene. Physical Review Letters, 1999, 82, 4058-4061.  | 7.8  | 47        |
| 9  | Nanostructured Conjugated Polymer Films by Electrophoretic Deposition. Advanced Functional<br>Materials, 2002, 12, 420-424.  | 14.9 | 47        |
| 10 | Yet another poor man's green bulk heterojunction photocells: Annealing effect and film composition dependence of photovoltaic devices using poly(3-hexylthiophene):C70 composites prepared with chlorine-free solvent. Solar Energy Materials and Solar Cells, 2013, 108, 82-86. | 6.2  | 42        |
| 11 | Optical Properties of Perfluoroalkylated Poly(diphenylacetylene). Japanese Journal of Applied Physics,<br>1995, 34, L1083-L1085.   | 1.5  | 40        |
| 12 | Characteristics of Poly( p-pyridyl vinylene)/Poly(3-alkylthiophene) Heterojunction Photocell. Japanese<br>Journal of Applied Physics, 1997, 36, L306-L309.   | 1.5  | 40        |
| 13 | Photoinduced modification of photoluminescent and electroluminescent properties in poly(p-phenylene vinylene) derivative. Journal of Applied Physics, 1999, 86, 3134-3139.   | 2.5  | 38        |
| 14 | Three-Color Polymer Light-Emitting Devices Patterned by Maskless Dye Diffusion onto Prepatterned<br>Electrode. Japanese Journal of Applied Physics, 1999, 38, L1143-L1145.   | 1.5  | 36        |
| 15 | Optical properties and electroluminescence characteristics of polyacetylene derivatives dependent on substituent and layer structure. Synthetic Metals, 1997, 91, 283-287.   | 3.9  | 35        |
| 16 | Effect of Alkyl and Aromatic Substituents on Blue Electroluminescence in Polyacetylene Derivatives.<br>Japanese Journal of Applied Physics, 1997, 36, L302-L305.   | 1.5  | 34        |
| 17 | Electronic energy states of organic interfaces studied by low-energy ultraviolet photoemission spectroscopy. Journal of Applied Physics, 1999, 86, 2110-2115.  | 2.5  | 34        |
| 18 | Loading Fullerene into a Conjugated Polymer Without Chemical Modification. Advanced Functional<br>Materials, 2004, 14, 139-144.  | 14.9 | 33        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Blue-Green Electroluminescence in Copolymer Based on Poly(1,4-phenylene ethynylene). Japanese<br>Journal of Applied Physics, 1996, 35, L251-L253.   | 1.5 | 32        |
| 20 | Electroluminescence in conducting polymers based on poly(phenylene ethynylene). Synthetic Metals, 1997, 85, 1273-1274.  | 3.9 | 32        |
| 21 | Donor polymer (PAT6) — acceptor polymer (CNPPV) fractal network photocells. Synthetic Metals, 1997,<br>85, 1305-1306.   | 3.9 | 31        |
| 22 | Fabrication of Multilayered Conducting Polymer Heterostructure by Self-Assembly Technique and Its<br>Optical and Electrical Properties. Japanese Journal of Applied Physics, 1996, 35, L741-L744. | 1.5 | 29        |
| 23 | Poor man's green bulk heterojunction photocells: A chlorine-free solvent for<br>poly(3-hexylthiophene)/C60 composites. Solar Energy Materials and Solar Cells, 2012, 100, 246-250.                | 6.2 | 28        |
| 24 | Electrical and optical properties of molecularly doped conducting polymers. Synthetic Metals, 1996, 78, 301-312.  | 3.9 | 27        |
| 25 | Optical properties and electronic structure of poly(1,4-bis(2-thienyl)-2,5-dialkoxy phenylene). Journal<br>Physics D: Applied Physics, 1997, 30, 2063-2068.                                       | 2.8 | 27        |
| 26 | Effects of C\$_{f 60}\$ Doping on Electrical and Optical Properties of<br>Poly[(disilanylene)oligophenylenes]. Japanese Journal of Applied Physics, 1997, 36, L372-L375.                          | 1.5 | 25        |
| 27 | Spectral Narrowing of Emission in Di-substituted Polyacetylene. Japanese Journal of Applied Physics,<br>1997, 36, L1268-L1271.  | 1.5 | 25        |
| 28 | Effect of Molecular Structure of Substituents on Green Electroluminescence in Disubstituted Acetylene Polymers. Japanese Journal of Applied Physics, 1997, 36, 3740-3743.                         | 1.5 | 25        |
| 29 | Novel properties of new type conducting and insulating polymers and their composites. IEEE Transactions on Dielectrics and Electrical Insulation, 1996, 3, 331-344.                               | 2.9 | 24        |
| 30 | Field-Effect Mobility of Molecularly Doped Poly(3-hexylthiophene). Japanese Journal of Applied Physics,<br>1997, 36, L718-L720.   | 1.5 | 24        |
| 31 | Bending Machine Using Anisotropic Polypyrrole Films. Japanese Journal of Applied Physics, 2000, 39, 2854-2858.  | 1.5 | 24        |
| 32 | Granular superconductivity in a conducting polymer-fullerene-alkali metal composite. Physics Letters,<br>Section A: General, Atomic and Solid State Physics, 1995, 205, 317-326.                  | 2.1 | 23        |
| 33 | Ground state charge transfer in fullerene-polyalkylthiophene composites: ESR and iodine doping effect. Synthetic Metals, 1996, 77, 155-159.   | 3.9 | 23        |
| 34 | Optical Patterning of Polymer Light-Emitting Device. Japanese Journal of Applied Physics, 1998, 37,<br>L1181-L1183.   | 1.5 | 23        |
| 35 | Polypyrrole Films with Anisotropy for Artificial Muscles and Examination of Bending Behavior.<br>Japanese Journal of Applied Physics, 1999, 38, L1070-L1072.                                      | 1.5 | 22        |
| 36 | Photocell with heterojunction of donor /acceptor polymers. Synthetic Metals, 1999, 102, 982-983.  | 3.9 | 22        |

| #  | Article   | IF                | CITATIONS    |
|----|---|-------------------|--------------|
| 37 | Fullerene-conducting polymer composites: intrinsic charge transfer processes and doping effects.<br>Synthetic Metals, 1996, 77, 127-137.  | 3.9               | 21           |
| 38 | Bulk heterojunction photocells utilizing neat C70 and low energy-gap polymer prepared with halogen-free solvent. Solar Energy Materials and Solar Cells, 2013, 117, 194-197.  | 6.2               | 20           |
| 39 | Uniform film of conjugated polymer for light-emitting device by electrophoretic deposition. Journal<br>Physics D: Applied Physics, 2008, 41, 032001.  | 2.8               | 19           |
| 40 | Effect of conjugated polyelectrolyte interlayer at cathode in bulk heterojunction photocells based<br>on neat C70and low-energy-gap polymer prepared with halogen-free solvent. Applied Physics Express,<br>2014, 7, 051601.                              | 2.4               | 19           |
| 41 | Characterization of polymer bulk heterojunction photocell with unmodified C 70 prepared with halogen-free solvent for indoor light harvesting. Organic Electronics, 2016, 30, 289-295.  | 2.6               | 19           |
| 42 | Preparation and application of nanostructured conjugated polymer film by electrophoretic deposition. Thin Solid Films, 2003, 438-439, 365-368.  | 1.8               | 18           |
| 43 | Polymer Light-Emitting Devices for Artificial Fingerprints. Japanese Journal of Applied Physics, 2003, 42,<br>L1093-L1095.  | 1.5               | 18           |
| 44 | A self-organized bending-beam electrochemical actuator. Current Applied Physics, 2005, 5, 194-201.  | 2.4               | 18           |
| 45 | Solution-processed photocells based on low energy-gap polymer and unmodified C70 composites from halogen-free solvent exceeding 5% power conversion efficiency. Solar Energy Materials and Solar Cells, 2015, 143, 52-57.                                 | 6.2               | 18           |
| 46 | Hole injection from diamond into conducting polymer. Journal of Applied Physics, 1998, 84, 5635-5638.   | 2.5               | 17           |
| 47 | Artificial muscle using conducting polymers. Electrical Engineering in Japan (English Translation of) Tj ETQq1 1 (  | ).784314 r<br>0.4 | gBT_/Overloc |
| 48 | New fabrication technique of conductive polymer/insulating polymer composite films and evaluation of biocompatibility in neuron cultures. Thin Solid Films, 2009, 518, 743-749.   | 1.8               | 17           |
| 49 | Thermally robust bulk heterojunction photocells based on PTB7:C70 composites. Solar Energy<br>Materials and Solar Cells, 2015, 132, 15-20.  | 6.2               | 17           |
| 50 | Electronic states at conducting polymer/conducting oxide interfaces observed using a low-energy photoelectron spectroscopic method. Applied Physics Letters, 1999, 75, 226-228.   | 3.3               | 16           |
| 51 | A polymer Schottky diode carrying a chimney for selective doping. Journal Physics D: Applied Physics, 2003, 36, L70-L73.  | 2.8               | 15           |
| 52 | In situ polymerization process of polypyrrole ultrathin films. Thin Solid Films, 2006, 499, 61-72.  | 1.8               | 15           |
| 53 | Interplay between annealing temperature and optimum composition and fullerene aggregation effects<br>in bulk heterojunction photocells based on poly(3-hexylthiophene) and unmodified C60. Solar Energy<br>Materials and Solar Cells, 2014, 120, 136-142. | 6.2               | 14           |
|    |   |                   |              |

54 Optical properties of disubstituted acetylene polymers. , 1997, , .

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Multiphase superconductivity in OO-PPV/C60 composite doped by alkali metals low-field microwave absorption and SQUID study. Physica C: Superconductivity and Its Applications, 1996, 264, 161-171. | 1.2 | 13        |
| 56 | Photoluminescence and Electroluminescence in Polymer Mixture of Poly(alkylphenylacetylene) and<br>Poly(diphenylacetylene) Derivatives. Japanese Journal of Applied Physics, 1998, 37, L180-L183.   | 1.5 | 13        |
| 57 | Properties of Light-Emitting Diodes Fabricated from Self-Assembled Multilayer Heterostructures of<br>Poly(p-pyridyl vinylene). Japanese Journal of Applied Physics, 1997, 36, 5322-5328.           | 1.5 | 12        |
| 58 | Photoirradiation effect on polymer light-emitting device: Separation between recombination zone and photo-oxidized defects. Applied Physics Letters, 2000, 77, 2539-2541.                          | 3.3 | 12        |
| 59 | Green- and White-Light-Emitting Devices Made from Poly(9,9-dioctylfluorene) by Maskless Dye<br>Diffusion Technique. Japanese Journal of Applied Physics, 2005, 44, 4167-4170.                      | 1.5 | 12        |
| 60 | Red emission from poly(9,9-dioctylfluorene) doped with phosphorescent dye through maskless<br>dye-diffusion technique. Applied Physics Letters, 2006, 89, 043508.                                  | 3.3 | 12        |
| 61 | Experimental study of culture for mouse fibroblast used conductive polymer films. Thin Solid Films, 2010, 519, 1230-1234.  | 1.8 | 12        |
| 62 | Photoexcitations in disubstituted polyacetylene: solitons and polarons. Synthetic Metals, 2001, 116, 91-94.  | 3.9 | 11        |
| 63 | Preparation of Large-Size Anisotropic Polypyrrole Film and Its Actuation Property. Japanese Journal of<br>Applied Physics, 2003, 42, 1458-1461.  | 1.5 | 11        |
| 64 | Electric current during electrophoretic deposition of conjugated polymer. Journal Physics D: Applied Physics, 2009, 42, 132001.  | 2.8 | 11        |
| 65 | Photophysical properties of fullerene-conducting polymer system. Synthetic Metals, 1995, 70, 1317-1320.  | 3.9 | 10        |
| 66 | Photoluminescence and Electroluminescence in Polyacetylene Derivatives. Synthetic Metals, 1999, 102, 1159.   | 3.9 | 10        |
| 67 | Preparation of donor–acceptor nanocomposite through electrophoretic deposition. Current Applied<br>Physics, 2005, 5, 5-8.  | 2.4 | 10        |
| 68 | Electrophoretic deposition through colloidal suspension: A way to obtain nanostructured conjugated polymer film. Synthetic Metals, 2005, 152, 341-344.   | 3.9 | 10        |
| 69 | High material efficiency found in electrophoretic deposition of conjugated polymer. Journal Physics<br>D: Applied Physics, 2009, 42, 172001.   | 2.8 | 10        |
| 70 | Preparation of Bulk Heterojunction Composite Consisting of Poly(3-hexylthiophene) and Neat<br>C <sub>70</sub> Using Halogen-Free Solvent. Japanese Journal of Applied Physics, 2012, 51, 030205.   | 1.5 | 10        |
| 71 | Validation of opposed two-diode equivalent-circuit model for S-shaped characteristic in polymer photocell by low-light characterization. Organic Electronics, 2017, 40, 8-12.                      | 2.6 | 10        |
| 72 | Nanostructured conjugated polymer films for electroluminescent and photovoltaic applications.<br>Thin Solid Films, 2005, 477, 187-192.   | 1.8 | 9         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Highly Photoluminescent Nanocrystals Based on a Gold(I) Complex and Their Electrophoretic<br>Patterning. Langmuir, 2011, 27, 10947-10952.  | 3.5 | 9         |
| 74 | Effects of C60 on conducting polymer with small band gap. Synthetic Metals, 1995, 70, 1347-1348.   | 3.9 | 8         |
| 75 | Light Emitting Diode with Porous Silicon/Conducting Polymer Heterojunction. Japanese Journal of Applied Physics, 1997, 36, L418-L420.  | 1.5 | 8         |
| 76 | Properties of light-emitting diodes fabricated from self-assembled multilayer heterostructures of poly(p-pyridyl vinylene). Journal Physics D: Applied Physics, 1997, 30, 2364-2371.   | 2.8 | 8         |
| 77 | Optically Patternable Polymer Light-Emitting Device. Japanese Journal of Applied Physics, 1999, 38,<br>L833-L835.  | 1.5 | 8         |
| 78 | Polypyrrole films with anisotropy. Synthetic Metals, 1999, 102, 1321-1322.   | 3.9 | 8         |
| 79 | Polymer devices fabricated by the maskless dye diffusion technique. Thin Solid Films, 2002, 417, 32-35.  | 1.8 | 8         |
| 80 | Preparation of sheet polypyrrole with vertical anisotropy: A self-organized bending-beam actuator.<br>Synthetic Metals, 2003, 135-136, 101-102.  | 3.9 | 8         |
| 81 | Patterned Polarized Light Emission of Fluorene Derivative Based on Photoalignment. Japanese Journal of Applied Physics, 2009, 48, 120208.  | 1.5 | 8         |
| 82 | Electrophoretic deposition of conjugated polymer: Deposition from dilute solution and PEDOT coating effect. Synthetic Metals, 2009, 159, 851-853.  | 3.9 | 8         |
| 83 | Tuning Photoluminescent Wavelength of Water-Soluble Oligothiophene/Polymer Complex Film by<br>Proton Bonding. Chemistry Letters, 2011, 40, 264-265.  | 1.3 | 8         |
| 84 | Parameter extraction from S-shaped current-voltage characteristics in organic photocell with<br>opposed two-diode model: Effects of ideality factors and series resistance. Physica Status Solidi (A)<br>Applications and Materials Science, 2015, 212, 1731-1734. | 1.8 | 8         |
| 85 | Characteristics of PTB7â€Th:C bulk heterojunction photocells under lowâ€light illumination: Critical<br>effect of dark parallel resistance. Physica Status Solidi (A) Applications and Materials Science, 2017,<br>214, 1700018.                                   | 1.8 | 8         |
| 86 | Characteristics of Heterojunction Utilizing Conducting Polymer and Diamond Film on Si. Japanese<br>Journal of Applied Physics, 1997, 36, L1678-L1680.  | 1.5 | 7         |
| 87 | Microwave heating effect on two Josephson-junction systems in granular PAT12î—,C60î—,Rb composites:<br>low-field microwave absorption study. Physica C: Superconductivity and Its Applications, 1997, 277,<br>277-284.   | 1.2 | 7         |
| 88 | Negative Creeping Discharge Characteristics of a Gas/Solid Composite Insulation System under Pulse<br>Voltages. Japanese Journal of Applied Physics, 1998, 37, 6595-6600.  | 1.5 | 7         |
| 89 | Conducting Polymer/Insulating Polymer Composite Films Prepared by the Molecular Self-Assembly<br>Process. Japanese Journal of Applied Physics, 1999, 38, 3736-3741.  | 1.5 | 7         |
| 90 | A consideration of thermochromic behavior in poly(p-phenylene vinylene) derivatives. Thin Solid<br>Films, 2003, 438-439, 187-194.  | 1.8 | 7         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Preparation of nanostructured conjugated polymer films from suspension-based technique and their applications. Thin Solid Films, 2006, 499, 19-22.  | 1.8 | 7         |
| 92  | Preparation of smooth and dense composite films consisting of MEHPPV and neat C60 by means of electrophoretic deposition. Solar Energy Materials and Solar Cells, 2011, 95, 688-692.  | 6.2 | 7         |
| 93  | Alkali-metal doping of fullerene-conducting polymer composite: evolution of conductivity and ESR.<br>Synthetic Metals, 1996, 77, 291-297.   | 3.9 | 6         |
| 94  | Emission Characteristics of Poly[(tetraalkyldisilanylene)-p-oligophenylene]s. Japanese Journal of<br>Applied Physics, 1997, 36, L1548-L1551.  | 1.5 | 6         |
| 95  | An electroluminescent diode using liquid-crystalline conducting polymer. Thin Solid Films, 2000, 363, 9-12.   | 1.8 | 6         |
| 96  | Photovoltaic effects of MDOPPV/PPy layer. Thin Solid Films, 2001, 393, 284-290.   | 1.8 | 6         |
| 97  | Photovoltaic effects of p–n heterojunction device. Current Applied Physics, 2003, 3, 141-147.   | 2.4 | 6         |
| 98  | Spontaneous stratification in composite films consisting of conjugated polymers and neat C60 prepared by electrophoretic deposition. Materials Letters, 2011, 65, 1367-1370.  | 2.6 | 6         |
| 99  | Characteristics of PTB7:C70 bulk heterojunction photocell prepared with halogen-free solvent at low light illumination. Polymer Bulletin, 2016, 73, 2401-2408.  | 3.3 | 6         |
| 100 | What Do Apparent Series and Shunt Resistances in Solar Cell Estimated by <i>I</i> – <i>V</i> Slope<br>Mean? Study with Exact Analytical Expressions. Physica Status Solidi (A) Applications and Materials<br>Science, 2018, 215, 1800448. | 1.8 | 6         |
| 101 | Charge Transfer in Fullerene-Conducting Polymer Compositex: Electronic and Excitonic Properties.<br>Fullerenes, Nanotubes, and Carbon Nanostructures, 1997, 5, 1359-1386.   | 0.6 | 5         |
| 102 | Patterned emission from polymeric light-emitting device realized by photo-irradiation in air. Thin Solid<br>Films, 2000, 363, 195-197.  | 1.8 | 5         |
| 103 | Photooxidation study of polymer light-emitting devices. Thin Solid Films, 2001, 393, 358-361.   | 1.8 | 5         |
| 104 | Photoirradiation effects on polymer light-emitting devices based on poly(3-alkylthiophene). Journal<br>Physics D: Applied Physics, 2002, 35, 192-195.   | 2.8 | 5         |
| 105 | In SituPolymerization of Polypyrrole in Alcohols: Controlling Deposition Rate and Electrical Conductivity. Japanese Journal of Applied Physics, 2002, 41, 6586-6590.  | 1.5 | 5         |
| 106 | Preparation of Polymer Light-Emitting Devices by Electrophoretic Deposition. Molecular Crystals and Liquid Crystals, 2009, 505, 124/[362]-129/[367].  | 0.9 | 5         |
| 107 | Percolation in carrier transport in FET with dye doped conducting polymers. Synthetic Metals, 1999,<br>102, 981.  | 3.9 | 4         |
| 108 | Thermochromic Behavior in Poly(p-phenylene vinylene) Derivatives. Japanese Journal of Applied Physics,<br>2000. 39. 1913-1917.  | 1.5 | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Photooxidation mechanism of polymer light-emitting device and its application to optically patternable device. Synthetic Metals, 2001, 121, 1653-1654.  | 3.9 | 4         |
| 110 | Simple Recipe for Controlling Morphology of Nanostructured Conjugated Polymer Films. Japanese<br>Journal of Applied Physics, 2003, 42, L1279-L1281.   | 1.5 | 4         |
| 111 | Color Tuning of Poly(N-vinylcarbazole)-Based Light-Emitting Devices through Maskless Dye-Diffusion<br>Technique Using Phosphorescent Dyes. Japanese Journal of Applied Physics, 2008, 47, 1290-1292.                                  | 1.5 | 4         |
| 112 | <i>In-situ</i> Measurement of Ionization Potential of Conjugated Polymer during Electrochemical Doping Using Photoelectron Spectroscopy in Air. Applied Physics Express, 0, 1, 071801.  | 2.4 | 4         |
| 113 | New Fabrication Technique of Conductive Polymer / Insulating Polymer Composite Films. IEEJ Transactions on Fundamentals and Materials, 2008, 128, 703-709.  | 0.2 | 4         |
| 114 | Preparation of Composite Films of Conjugated Polymer and C60by Electrophoretic Deposition and Their Photovoltaic Effect. Japanese Journal of Applied Physics, 2010, 49, 101602.   | 1.5 | 4         |
| 115 | Electrophoretic Deposition of the Thiophene-Based Copolymer and Its Composites with C60. Journal of Physical Chemistry B, 2013, 117, 1628-1632.   | 2.6 | 4         |
| 116 | Calculation of error in series/shunt resistance estimated from current-voltage slope using exact<br>analytical expressions with roberts g-function. IEEJ Transactions on Electrical and Electronic<br>Engineering, 2019, 14, 333-334. | 1.4 | 4         |
| 117 | Effect of fullerene substituent on thermal robustness in polymer:fullerene bulk heterojunction solar cells. Japanese Journal of Applied Physics, 2020, 59, SDDD03.  | 1.5 | 4         |
| 118 | Lighting flicker: a blind spot in indoor photovoltaic cell characterization. Applied Physics Express, 2020, 13, 024005.   | 2.4 | 4         |
| 119 | Conductive Polymers as Bioelectronic Materials. IEEJ Transactions on Electronics, Information and Systems, 2012, 132, 1422-1428.  | 0.2 | 4         |
| 120 | Studies of Raman scattering in novel disubstituted acetylene polymers. , 1997, , .  |     | 3         |
| 121 | Flux trapping on multi-superconducting phase PAT12-C60î—,Rb composite: Low-field microwave absorption study. Solid State Communications, 1997, 103, 607-614.  | 1.9 | 3         |
| 122 | A photoelectron emission study of conducting polymer/metal interfaces. Synthetic Metals, 1999, 102, 975.  | 3.9 | 3         |
| 123 | Preparation of conducting polymer/insulating polymer composite films using molecular self-assembly process. Synthetic Metals, 1999, 102, 1253.  | 3.9 | 3         |
| 124 | Actuators based on steric effect from cation insertion and extraction. Synthetic Metals, 2001, 119, 279-280.  | 3.9 | 3         |
| 125 | Transient photocurrent in poly(3-octadecylthiophene) near the solid–liquid phase transition. Thin<br>Solid Films, 2003, 438-439, 248-252.   | 1.8 | 3         |
| 126 | The maskless dye diffusion technique—A proposal of patterning techniques for polymer light-emitting<br>device. Current Applied Physics, 2006, 6, 887-890.   | 2.4 | 3         |

| #   | Article  | IF                   | CITATIONS     |
|-----|--|----------------------|---------------|
| 127 | Preparation of flat and dense conjugated polymer films from dilute solutions by means of electrophoretic deposition. Thin Solid Films, 2009, 518, 711-713.   | 1.8                  | 3             |
| 128 | Scaling Behavior in Electric Current during Electrophoretic Deposition of Conjugated Polymer.<br>Japanese Journal of Applied Physics, 2010, 49, 061602.  | 1.5                  | 3             |
| 129 | Electric current during electrophoretic deposition of conjugated polymer: A test with various electrode distances. Physics Procedia, 2011, 14, 58-61.  | 1.2                  | 3             |
| 130 | Solution-processed small molecular photocells with neat fullerene. Solar Energy Materials and Solar Cells, 2014, 130, 331-335.   | 6.2                  | 3             |
| 131 | Comment on "Simulation of current–voltage curves for inverted planar structure perovskite solar<br>cells using equivalent circuit model with inductance― Applied Physics Express, 2017, 10, 059101.                                | 2.4                  | 3             |
| 132 | Low-light characteristics of polymer photocell with S-shaped current-voltage curve at 1 sun.<br>Molecular Crystals and Liquid Crystals, 2017, 653, 39-43.  | 0.9                  | 3             |
| 133 | Studies on Electronic States at the Organic Nanointerface Using Low-Energy Photoelectron<br>Spectroscopic Method. IEEJ Transactions on Fundamentals and Materials, 1998, 118, 1347-1354.   | 0.2                  | 3             |
| 134 | Photophysical properties of a new C60-derivative and its composite with poly(3-dodecylthiophene).<br>Solid State Communications, 1998, 105, 345-349.   | 1.9                  | 2             |
| 135 | Photoluminescence, Electroluminescence, Lasing and Novel Characteristics in Photonic Crystal,<br>Synthetic Opal, of Conducting Polymers, Polyacetylene Derivatives. Molecular Crystals and Liquid<br>Crystals, 1998, 322, 253-262. | 0.3                  | 2             |
| 136 | Preparation and properties of carbonized films from conducting poly(naphthalene vinylene).<br>Synthetic Metals, 1999, 103, 2567-2568.  | 3.9                  | 2             |
| 137 | Photovoltaic Effect in Heterostructure Consisting of Poly(p-phenylene vinylene) Derivative and Polypyridine. Japanese Journal of Applied Physics, 2000, 39, 3623-3626.   | 1.5                  | 2             |
| 138 | Sign Inversion of Photocarrier in Poly(3-octadecylthiophene) Associated with Solid-Liquid Phase<br>Transition. Japanese Journal of Applied Physics, 2002, 41, L1422-L1424.   | 1.5                  | 2             |
| 139 | Electronic and optical properties of liquid-crystalline poly(p-phenylene vinylene) derivatives and their functional application. Electrical Engineering in Japan (English Translation of Denki Gakkai) Tj ETQq1 1 0.784314         | 4 rg <b>6.</b> 7₄/Ov | erlæk 10 Tf 5 |
| 140 | Preparation of conjugated polymer suspensions by using ultrasonic atomizer. Thin Solid Films, 2010, 519, 1044-1046.  | 1.8                  | 2             |
| 141 | Morphological Control of Conjugated Polymers. Physics Procedia, 2011, 14, 124-133.   | 1.2                  | 2             |
| 142 | Optimization of photovoltaic device based on poly(3-hexylthiophene):C60bulk heterojunction composites prepared with halogen-free solvent. Japanese Journal of Applied Physics, 2014, 53, 01AB01.                                   | 1.5                  | 2             |
| 143 | Negligible effect of processing additive in polymer bulk heterojunction photovoltaic cells with unmodified fullerene. Macromolecular Research, 2017, 25, 624-628.  | 2.4                  | 2             |
| 144 | Effect of fullerene substituent on low-light characteristics of polymer: fullerene bulk<br>heterojunction solar cells. Molecular Crystals and Liquid Crystals, 2020, 705, 65-70.   | 0.9                  | 2             |

| #   | Article   | IF                 | CITATIONS  |
|-----|---|--------------------|------------|
| 145 | Bayesian estimation of equivalent circuit parameters of photovoltaic cells. Applied Physics Express, 2021, 14, 046502.  | 2.4                | 2          |
| 146 | Effect of Temperature on Electrical Resistance-Length Characteristic of Electroactive Supercoiled Polymer Artificial Muscle. IEICE Transactions on Electronics, 2021, E104.C, 192-193.          | 0.6                | 2          |
| 147 | Prototyping of LED-based Spectral Response Measurement Device for Photocells. IEEJ Transactions on Electronics, Information and Systems, 2015, 135, 1293-1298.                                  | 0.2                | 2          |
| 148 | Estimation of Material Efficiency in Electrophoretic Deposition of Conjugated Polymer from Optical Absorption of Residual Suspension. IEICE Transactions on Electronics, 2011, E94-C, 193-195.  | 0.6                | 2          |
| 149 | Temporal Change in Electric Potential Distribution and Film Thickness in Electrophoretic Deposition of Conjugated Polymer. IEICE Transactions on Electronics, 2013, E96.C, 378-380.             | 0.6                | 2          |
| 150 | S-Shaped Nonlinearity in Electrical Resistance of Electroactive Supercoiled Polymer Artificial Muscle.<br>IEICE Transactions on Electronics, 2020, E103.C, 59-61.                               | 0.6                | 2          |
| 151 | Electrical and Optical Properties of Conducting Polymer with Quinoid Structure. Japanese Journal of Applied Physics, 1997, 36, 3744-3749.   | 1.5                | 1          |
| 152 | Optical properties of poly(disilanylene oligophenylenes). , 1997, 3145, 192.  |                    | 1          |
| 153 | A molecularly doping method for polymer devices: maskless dye diffusion technique. Materials<br>Science and Engineering B: Solid-State Materials for Advanced Technology, 2001, 85, 109-113.    | 3.5                | 1          |
| 154 | Schottky Junction Devices with a Free-Standing Semiconductor Polymer Film Prepared by Peeling-Off<br>Transfer Technique. Japanese Journal of Applied Physics, 2003, 42, L335-L337.              | 1.5                | 1          |
| 155 | Bending behaviour of polypyrrole films with anisotropy for artificial muscles. Journal Physics D:<br>Applied Physics, 2006, 39, 2596-2599.  | 2.8                | 1          |
| 156 | New technique for the fabrication of conductive polymer/insulating polymer composite films.<br>Electrical Engineering in Japan (English Translation of Denki Gakkai Ronbunshi), 2011, 174, 1-8. | 0.4                | 1          |
| 157 | Fabrication of Highly Photoluminescent Gold(I) Nanorods and their Electrophoretic Patterning.<br>Physics Procedia, 2011, 14, 52-57.   | 1.2                | 1          |
| 158 | Note: Measuring spectral response of photocells with light-emitting diodes. Review of Scientific<br>Instruments, 2015, 86, 126106.  | 1.3                | 1          |
| 159 | Performance evaluation method of dye-sensitized solar cell under modulated illumination.<br>Molecular Crystals and Liquid Crystals, 0, , 1-7.   | 0.9                | 1          |
| 160 | 電気北å¦çš"手法ã«ã,^ã,‹ãfēfªãf"ãfãf1⁄4ãf«ã®å1⁄2¢æ‹å^¶å¾¡. IEEJ Transactions on Fundamentals an   | d <b>Ma</b> terial | s,2011,131 |
|     |   |                    |            |

| 161 | Photonics of fullerene-conducting polymer composites and multilayered structures: new results and prospects. , 1995, , .                                    |     | 0 |
|-----|---|-----|---|
| 162 | Application of Maskless Dye-Diffusion Technique to Conducting Polymer for Emission-Color Tuning.<br>Molecular Crystals and Liquid Crystals, 2005, 443, 1-7. | 0.9 | 0 |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Size Effect of Anisotropic Polypyrrole Actuator. Molecular Crystals and Liquid Crystals, 2005, 443, 137-141.   | 0.9 | 0         |
| 164 | Size effect of polypyrrole films with anisotropy. , 2006, , .  |     | 0         |
| 165 | Color-tuning of polymer light-emitting devices through maskless dye diffusion technique. Thin Solid<br>Films, 2008, 516, 2723-2726.  | 1.8 | 0         |
| 166 | Electrophoretic deposition of nanostructured film from colloidal suspensions of conjugated polymers. , 2008, , .   |     | 0         |
| 167 | Conduction current behavior during electrophoretic deposition of conductive polymer. , 2011, , .   |     | 0         |
| 168 | Culture experiments for mouse fibroblast using conductive polymers. , 2011, , .  |     | 0         |
| 169 | Bayesian Estimation of Equivalent Circuit Parameters of Photovoltaic Cell with Sâ€Shaped<br>Current–Voltage Characteristic. Physica Status Solidi (A) Applications and Materials Science, 0, ,<br>2100403.   | 1.8 | 0         |
| 170 | Thermochromic behavior in novel conducting polymers at the solid-liquid phase transition. , 2003, , 479-508.   |     | 0         |
| 171 | Initial Deposition Process of Polypyrrole on the Positively Charged Substrates by In Situ<br>Polymerization Method. IEEJ Transactions on Fundamentals and Materials, 2003, 123, 1136-1140.   | 0.2 | 0         |
| 172 | Size Effect in Actuation Property of Anisotropic Polypyrrole Film. IEEJ Transactions on Fundamentals and Materials, 2005, 125, 1037-1040.  | 0.2 | 0         |
| 173 | Heat Treatment Effect on Polymer Light-Emitting Device Based on Poly(9,9-dioctylfluorene) during<br>Maskless Dye-Diffusion Technique. IEICE Transactions on Electronics, 2006, E89-C, 1775-1776.   | 0.6 | 0         |
| 174 | In-situ Measurement of Photoelectron Spectroscopy in Air of Polypyrrole during Electrochemical Undoping. IEICE Transactions on Electronics, 2008, E91-C, 1885-1886.  | 0.6 | 0         |
| 175 | MORPHOLOGY CONTROL OF NANOSTRUCTURED CONJUGATED POLYMER FILMS. , 2010, , 273-295.  |     | 0         |
| 176 | Thermal Annealing Effect on Optical Absorption Spectra of<br>Poly(3-hexylthiophene):Unmodified-C <sub>60</sub> Composites. IEICE Transactions on<br>Electronics, 2015, E98.C, 120-122.   | 0.6 | 0         |
| 177 | Improvement of Simple Spectral Sensitivity Measurement Device Using LED. IEEJ Transactions on Electronics, Information and Systems, 2019, 139, 1527-1528.  | 0.2 | 0         |
| 178 | Different colloidal particle formation process between conjugated polymer and unmodified<br>C <sub>60</sub> in preparation of suspension for electrophoretic deposition by reprecipitation<br>method. Japanese Journal of Applied Physics, 2022, 61, SE1002. | 1.5 | 0         |