

# Eva Cagide

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3336995/publications.pdf>

Version: 2024-02-01

23  
papers

626  
citations

516710

16  
h-index

794594

19  
g-index

23  
all docs

23  
docs citations

23  
times ranked

702  
citing authors

#	ARTICLE	IF	CITATIONS
1	7. Cyanobacterial toxins. , 2018, , 168-201.		0
2	Human Poisoning from Marine Toxins: Unknowns for Optimal Consumer Protection. <i>Toxins</i> , 2018, 10, 324.	3.4	104
3	Acute Oral Toxicity of Tetrodotoxin in Mice: Determination of Lethal Dose 50 (LD50) and No Observed Adverse Effect Level (NOAEL). <i>Toxins</i> , 2017, 9, 75.	3.4	43
4	Cytotoxicity of goniodomin A and B in non contractile cells. <i>Toxicology Letters</i> , 2016, 250-251, 10-20.	0.8	17
5	The Mechanistic Complexities of Phycotoxins. <i>Advances in Molecular Toxicology</i> , 2014, 8, 1-33.	0.4	7
6	Hapalindoles from the Cyanobacterium <i>Fischerella</i> : Potential Sodium Channel Modulators. <i>Chemical Research in Toxicology</i> , 2014, 27, 1696-1706.	3.3	26
7	Marine Compounds as a Starting Point to Drugs. , 2014, , 1141-1178.		3
8	Comparative Cytotoxicity of Gambierol versus Other Marine Neurotoxins. <i>Chemical Research in Toxicology</i> , 2011, 24, 835-842.	3.3	10
9	Palytoxins and cytoskeleton: An overview. <i>Toxicon</i> , 2011, 57, 460-469.	1.6	36
10	The methyl ester of okadaic acid is more potent than okadaic acid in disrupting the actin cytoskeleton and metabolism of primary cultured hepatocytes. <i>British Journal of Pharmacology</i> , 2010, 159, 337-344.	5.4	42
11	Cytotoxic effect of palytoxin on mussel. <i>Toxicon</i> , 2010, 56, 842-847.	1.6	25
12	Production of Functionally Active Palytoxin-like Compounds by Mediterranean <i>Ostreopsis cf. siamensis</i> . <i>Cellular Physiology and Biochemistry</i> , 2009, 23, 431-440.	1.6	22
13	Specific and dynamic detection of palytoxins by in vitro microplate assay with human neuroblastoma cells. <i>Bioscience Reports</i> , 2009, 29, 13-23.	2.4	49
14	Ostreocin-D Impact on Globular Actin of Intact Cells. <i>Chemical Research in Toxicology</i> , 2009, 22, 374-381.	3.3	13
15	Induction of actin cytoskeleton rearrangement by methyl okadaate " comparison with okadaic acid. <i>FEBS Journal</i> , 2008, 275, 926-934.	4.7	19
16	Marine toxins and the cytoskeleton: a new view of palytoxin toxicity. <i>FEBS Journal</i> , 2008, 275, 6067-6074.	4.7	40
17	Cytoskeletal toxicity of pectenotoxins in hepatic cells. <i>British Journal of Pharmacology</i> , 2008, 155, 934-944.	5.4	27
18	Azaspiracid Substituent at C1 Is Relevant to in Vitro Toxicity. <i>Chemical Research in Toxicology</i> , 2008, 21, 1823-1831.	3.3	19

#	ARTICLE	IF	CITATIONS
19	Polycavernosides and Gambierol. Food Additives, 2008, , 597-628.	0.1	0
20	Effects of a Synthetic Analog of Polycavernoside A on Human Neuroblastoma Cells. Cellular Physiology and Biochemistry, 2007, 19, 185-194.	1.6	20
21	Cell Growth Inhibition and Actin Cytoskeleton Disorganization Induced by Azaspiracid-1 Structureâ”Activity Studies. Chemical Research in Toxicology, 2006, 19, 1459-1466.	3.3	57
22	The Sodium Channel of Human Excitable Cells is a Target for Gambierol. Cellular Physiology and Biochemistry, 2006, 17, 257-268.	1.6	45
23	Gambierol. , 0, , 1-18.		2