## Ã~yvind Kirkevold

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/334201/publications.pdf

Version: 2024-02-01

39 papers 1,213 citations

471509 17 h-index 35 g-index

41 all docs

41 docs citations

41 times ranked

1312 citing authors

#	Article	IF	CITATIONS
1	Geriatric assessment with management for older patients with cancer receiving radiotherapy. Protocol of a Norwegian cluster-randomised controlled pilot study. Journal of Geriatric Oncology, 2022, 13, 363-373.	1.0	5
2	Geriatric impairments are prevalent and predictive of survival in older patients with cancer receiving radiotherapy: a prospective observational study. Acta Oncológica, 2022, 61, 393-402.	1.8	8
3	Being sheltered from a demanding everyday life: experiences of the next of kin to people with dementia attending farm-based daycare. International Journal of Qualitative Studies on Health and Well-being, 2021, 16, 1959497.	1.6	4
4	Selfâ€reported quality of life in people with dementia attending a dayâ€care programme in Norway: A 24â€month quasiâ€experimental study. Health and Social Care in the Community, 2021, , .	1.6	0
5	Experiences of older patients with cancer from the radiotherapy pathway – A qualitative study. European Journal of Oncology Nursing, 2021, 53, 101999.	2.1	3
6	Cohort profile: Norwegian survey of health and ageing (NORSE). BMC Public Health, 2021, 21, 2229.	2.9	1
7	<p>Characteristics, Burden of Care and Quality of Life of Next of Kin of People with Dementia Attending Farm-Based Day Care in Norway: A Descriptive Cross-Sectional Study</p> . Journal of Multidisciplinary Healthcare, 2020, Volume 13, 1363-1373.	2.7	7
8	321 - Association between quality of life and anxiety, depression, and comorbid anxiety and depression in people with dementia in nursing homes: A 12-month follow-up study. International Psychogeriatrics, 2020, 32, 79-79.	1.0	0
9	LIVE@Home.Pathâ€"innovating the clinical pathway for home-dwelling people with dementia and their caregivers: study protocol for a mixed-method, stepped-wedge, randomized controlled trial. Trials, 2020, 21, 510.	1.6	16
10	People with dementia attending farmâ€based day care in Norway – Individual and farm characteristics associated with participants' quality of life. Health and Social Care in the Community, 2020, 28, 1038-1048.	1.6	12
11	<p>Farm-based day care services – a prospective study protocol on health benefits for people with dementia and next of kin</p> . Journal of Multidisciplinary Healthcare, 2019, Volume 12, 643-653.	2.7	12
12	The course of depressive symptoms with decline in cognitive function - a longitudinal study of older adults receiving in-home care at baseline. BMC Geriatrics, 2019, 19, 231.	2.7	20
13	Modifiable factors affecting older patients' quality of life and physical function during cancer treatment. Journal of Geriatric Oncology, 2019, 10, 904-912.	1.0	38
14	The course of anxiety in persons with dementia in Norwegian nursing homes: A 12-month follow-up study. Journal of Affective Disorders, 2018, 235, 117-123.	4.1	9
15	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms: A Cluster Randomized Controlled Trial. American Journal of Geriatric Psychiatry, 2018, 26, 25-38.	1.2	36
16	The impact of attending day care designed for home-dwelling people with dementia on nursing home admission: a 24-month controlled study. BMC Health Services Research, 2018, 18, 864.	2.2	14
17	Trajectories of quality of life and their association with anxiety in people with dementia in nursing homes: A 12-month follow-up study. PLoS ONE, 2018, 13, e0203773.	2.5	16
18	Mobility and cognition at admission to the nursing home – a cross-sectional study. BMC Geriatrics, 2018, 18, 30.	2.7	42

#	Article	IF	Citations
19	Norwegian version of the rating anxiety in dementia scale (RAID-N): a validity and reliability study. Aging and Mental Health, 2017, 21, 1256-1261.	2.8	13
20	Anxiety, Anxiety Symptoms, and Their Correlates in Persons with Dementia in Norwegian Nursing Homes: A Cause for Concern. Dementia and Geriatric Cognitive Disorders, 2017, 43, 294-305.	1.5	15
21	The association between attending specialized day care centers and the quality of life of people with dementia. International Psychogeriatrics, 2017, 29, 627-636.	1.0	15
22	Resource Use and Disease Course in dementia - Nursing Home (REDIC-NH), a longitudinal cohort study; design and patient characteristics at admission to Norwegian nursing homes. BMC Health Services Research, 2017, 17, 365.	2.2	53
23	Modeling and evaluating evidenceâ€based continuing education program in nursing home dementia care (MEDCED)â€"training of care home staff to reduce use of restraint in care home residents with dementia. A cluster randomized controlled trial. International Journal of Geriatric Psychiatry, 2016, 31. 24-32.	2.7	54
24	TIME â€" Targeted interdisciplinary model for evaluation and treatment of neuropsychiatric symptoms: protocol for an effectiveness-implementation cluster randomized hybrid trial. BMC Psychiatry, 2016, 16, 233.	2.6	11
25	Predictors for Nursing Home Admission and Death among Community-Dwelling People 70 Years and Older Who Receive Domiciliary Care. Dementia and Geriatric Cognitive Disorders Extra, 2015, 5, 320-329.	1.3	47
26	The Agreement between the MMSE and IQCODE Tests in a Community-Based Sample of Subjects Aged 70 Years or Older Receiving In-Home Nursing: An Explorative Study. Dementia and Geriatric Cognitive Disorders Extra, 2015, 5, 32-41.	1.3	8
27	A 36-month follow-up of decline in activities of daily living in individuals receiving domiciliary care. BMC Geriatrics, 2015, 15, 47.	2.7	27
28	The Reliability and Validity of the Norwegian Version of the Quality of Life in Late-Stage Dementia Scale. Dementia and Geriatric Cognitive Disorders, 2015, 40, 233-242.	1.5	26
29	Burden of Care and Patient's Neuropsychiatric Symptoms Influence Carer's Evaluation of Cognitive Impairment. Dementia and Geriatric Cognitive Disorders, 2015, 40, 256-267.	1.5	22
30	Dementia, neuropsychiatric symptoms, and the use of psychotropic drugs among older people who receive domiciliary care: a cross-sectional study. International Psychogeriatrics, 2014, 26, 383-391.	1.0	36
31	Factors to Make the VIPS Practice Model More Effective in the Treatment of Neuropsychiatric Symptoms in Nursing Home Residents with Dementia. Dementia and Geriatric Cognitive Disorders, 2014, 37, 335-346.	1.5	8
32	What is person-centred care in dementia? Clinical reviews into practice: the development of the VIPS practice model. Reviews in Clinical Gerontology, 2013, 23, 155-163.	0.5	32
33	The Effect of Person-Centred Dementia Care to Prevent Agitation and Other Neuropsychiatric Symptoms and Enhance Quality of Life in Nursing Home Patients: A 10-Month Randomized Controlled Trial. Dementia and Geriatric Cognitive Disorders, 2013, 36, 340-353.	1.5	96
34	Development of residential care services facilitated for persons with dementia in Norway. Aging Clinical and Experimental Research, 2012, 24, 1-5.	2.9	7
35	A model for using the VIPS framework for personâ€centred care for persons with dementia in nursing homes: a qualitative evaluative study. International Journal of Older People Nursing, 2011, 6, 227-236.	1.3	58
36	Pain and Quality of Life Among Residents of Norwegian Nursing Homes. Pain Management Nursing, 2010, 11, 35-44.	0.9	58

## $\tilde{A}^{\sim}$ YVIND KIRKEVOLD

#	Article	IF	CITATIONS
37	Quality of care in Norwegian nursing homes – deficiencies and their correlates. Scandinavian Journal of Caring Sciences, 2008, 22, 560-567.	2.1	17
38	The prevalence of psychiatric symptoms and behavioural disturbances and the use of psychotropic drugs in Norwegian nursing homes. International Journal of Geriatric Psychiatry, 2007, 22, 843-849.	2.7	322
39	Use of constraints and their correlates in Norwegian nursing homes. International Journal of Geriatric Psychiatry, 2004, 19, 980-988.	2.7	44