Serge Poiraudeau

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3347935/publications.pdf

Version: 2024-02-01

38720 62565 7,574 163 50 80 citations h-index g-index papers 192 192 192 7915 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----------------|---|-------------------|-------------------|
| 1 | Risk factors and burden of osteoarthritis. Annals of Physical and Rehabilitation Medicine, 2016, 59, 134-138. | 1.1 | 474 |
| 2 | A checklist to evaluate a report of a nonpharmacological trial (CLEAR NPT) was developed using consensus. Journal of Clinical Epidemiology, 2005, 58, 1233-1240. | 2.4 | 287 |
| 3 | Myostatin antibody (LY2495655) in older weak fallers: a proof-of-concept, randomised, phase 2 trial. Lancet Diabetes and Endocrinology,the, 2015, 3, 948-957. | 5.5 | 275 |
| 4 | Capacity of the Clinical Picture to Characterize Low Back Pain Relieved by Facet Joint Anesthesia. Spine, 1998, 23, 1972-1976. | 1.0 | 225 |
| 5 | Validity, reliability, and responsiveness of the fingertip-to-floor test. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1566-1570. | 0.5 | 212 |
| 6 | Assessing disability and quality of life in systemic sclerosis: Construct validities of the Cochin Hand Function Scale, Health Assessment Questionnaire (HAQ), Systemic Sclerosis HAQ, and Medical Outcomes Study 36-Item Short Form Health Survey. Arthritis and Rheumatism, 2007, 57, 94-102. | 6.7 | 178 |
| 7 | General practitioners' fear-avoidance beliefs influence their management of patients with low back pain. Pain, 2006, 124, 330-337. | 2.0 | 176 |
| 8 | Fear-avoidance beliefs and pain avoidance in low back painâ€"translating research into clinical practice. Spine Journal, 2011, 11, 895-903. | 0.6 | 169 |
| 9 | Barriers to home-based exercise program adherence with chronic low back pain: Patient expectations regarding new technologies. Annals of Physical and Rehabilitation Medicine, 2016, 59, 107-113. | 1.1 | 168 |
| 10 | The Burden of Musculoskeletal Conditions. PLoS ONE, 2014, 9, e90633. | 1.1 | 159 |
| | | | |
| 11 | French translation and validation of 3 functional disability scales for neck pain. Archives of Physical Medicine and Rehabilitation, 2002, 83, 376-382. | 0.5 | 145 |
| 11 | French translation and validation of 3 functional disability scales for neck pain. Archives of Physical Medicine and Rehabilitation, 2002, 83, 376-382. Validation of the French Version of the Fear Avoidance Belief Questionnaire. Spine, 2004, 29, 908-913. | 0.5 | 145 |
| | Medicine and Rehabilitation, 2002, 83, 376-382. | | |
| 12 | Medicine and Rehabilitation, 2002, 83, 376-382. Validation of the French Version of the Fear Avoidance Belief Questionnaire. Spine, 2004, 29, 908-913. | 1.0 | 143 |
| 12 | Medicine and Rehabilitation, 2002, 83, 376-382. Validation of the French Version of the Fear Avoidance Belief Questionnaire. Spine, 2004, 29, 908-913. Splint for Base-of-Thumb Osteoarthritis. Annals of Internal Medicine, 2009, 150, 661. Determinants of satisfaction 1Âyear after total hip arthroplasty: the role of expectations fulfilment. | 2.0 | 143 135 |
| 12 13 14 | Medicine and Rehabilitation, 2002, 83, 376-382. Validation of the French Version of the Fear Avoidance Belief Questionnaire. Spine, 2004, 29, 908-913. Splint for Base-of-Thumb Osteoarthritis. Annals of Internal Medicine, 2009, 150, 661. Determinants of satisfaction 1Âyear after total hip arthroplasty: the role of expectations fulfilment. BMC Musculoskeletal Disorders, 2014, 15, 53. Reliability, validity, and sensitivity to change of the Cochin hand functional disability scale in hand | 1.0 2.0 0.8 | 143 135 129 |
| 12 13 14 | Medicine and Rehabilitation, 2002, 83, 376-382. Validation of the French Version of the Fear Avoidance Belief Questionnaire. Spine, 2004, 29, 908-913. Splint for Base-of-Thumb Osteoarthritis. Annals of Internal Medicine, 2009, 150, 661. Determinants of satisfaction 1Âyear after total hip arthroplasty: the role of expectations fulfilment. BMC Musculoskeletal Disorders, 2014, 15, 53. Reliability, validity, and sensitivity to change of the Cochin hand functional disability scale in hand osteoarthritis. Osteoarthritis and Cartilage, 2001, 9, 570-577. Three-dimensional scapular kinematics and scapulohumeral rhythm in patients with glenohumeral | 1.0 2.0 0.8 | 143 135 129 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Algo-functional assessment of knee osteoarthritis: comparison of the test–retest reliability and construct validity of the Womac and Lequesne indexes. Osteoarthritis and Cartilage, 2002, 10, 602-610. | 0.6 | 103 |
| 20 | Relation of inflammatory modic changes to intradiscal steroid injection outcome in chronic low back pain. European Spine Journal, 2007, 16, 925-931. | 1.0 | 103 |
| 21 | Highâ€sensitivity Câ€reactive protein in chronic low back pain with vertebral endâ€plate modic signal changes. Arthritis and Rheumatism, 2007, 57, 1311-1315. | 6.7 | 96 |
| 22 | Patients' and Practitioners' Views of Knee Osteoarthritis and Its Management: A Qualitative Interview Study. PLoS ONE, 2011, 6, e19634. | 1.1 | 96 |
| 23 | Troublesome Heterotopic Ossification after Central Nervous System Damage: A Survey of 570 Surgeries. PLoS ONE, 2011, 6, e16632. | 1.1 | 85 |
| 24 | Reliability, validity and responsiveness of the French version of the questionnaire Quick Disability of the Arm, Shoulder and Hand in shoulder disorders. Manual Therapy, 2009, 14, 206-212. | 1.6 | 84 |
| 25 | Rehabilitation (exercise and strength training) and osteoarthritis: A critical narrative review. Annals of Physical and Rehabilitation Medicine, 2016, 59, 190-195. | 1.1 | 80 |
| 26 | 3-D scapular kinematics during arm elevation: Effect of motion velocity. Clinical Biomechanics, 2006, 21, 932-941. | 0.5 | 79 |
| 27 | Magnetic resonance imaging of shoulders with idiopathic adhesive capsulitis: reliability of measures. European Radiology, 2005, 15, 2415-2422. | 2.3 | 78 |
| 28 | Translation, adaptation and validation of the Western Ontario and McMaster Universities osteoarthritis index (WOMAC) for an Arab population: the Sfax modified WOMAC. Osteoarthritis and Cartilage, 2004, 12, 459-468. | 0.6 | 76 |
| 29 | Non-pharmacological approaches for the treatment of osteoarthritis. Best Practice and Research in Clinical Rheumatology, 2010, 24, 93-106. | 1.4 | 74 |
| 30 | Chondroscopy: A new method for scoring chondropathy. Seminars in Arthritis and Rheumatism, 1993, 22, 289-297. | 1.6 | 71 |
| 31 | Sensitivity of Anulus Fibrosus Cells to Interleukin 1β. Spine, 2000, 25, 17. | 1.0 | 71 |
| 32 | Assessment of the test–retest reliability and construct validity of a modified WOMAC index in knee osteoarthritis. Joint Bone Spine, 2004, 71, 121-127. | 0.8 | 71 |
| 33 | Cyclic tensile stretch modulates proteoglycan production by intervertebral disc annulus fibrosus cells through production of nitrite oxide. Journal of Cellular Biochemistry, 2003, 90, 148-157. | 1.2 | 69 |
| 34 | Comparison of visual and ultrasound based techniques to measure head repositioning in healthy and neck-pain subjects. Manual Therapy, 2009, 14, 270-277. | 1.6 | 69 |
| 35 | Validation of the French version of the Disability of the Arm, Shoulder and Hand questionnaire (F-DASH). Joint Bone Spine, 2008, 75, 195-200. | 0.8 | 66 |
| 36 | Pharmacologic induction of heme oxygenase 1 reduces acute inflammatory arthritis in mice. Arthritis and Rheumatism, 2007, 56, 2585-2594. | 6.7 | 65 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Evidence and recommendations for use of intra-articular injections for knee osteoarthritis. Annals of Physical and Rehabilitation Medicine, 2016, 59, 184-189. | 1.1 | 64 |
| 38 | Impact of quality scales on levels of evidence inferred from a systematic review of exercise therapy and low back pain. Archives of Physical Medicine and Rehabilitation, 2002, 83, 1745-1752. | 0.5 | 63 |
| 39 | Intradiscal Glucocorticoid Injection for Patients With Chronic Low Back Pain Associated With Active Discopathy. Annals of Internal Medicine, 2017, 166, 547. | 2.0 | 63 |
| 40 | A Pilot Study on the Recovery from Paresis After Lumbar Disc Herniation. Spine, 2002, 27, 1426-1431. | 1.0 | 63 |
| 41 | Comparison of Patient and Surgeon Expectations of Total Hip Arthroplasty. PLoS ONE, 2012, 7, e30195. | 1.1 | 63 |
| 42 | Barriers to Effective Postmenopausal Osteoporosis Treatment: A Qualitative Study of Patients' and Practitioners' Views. PLoS ONE, 2016, 11, e0158365. | 1.1 | 61 |
| 43 | Kinematic patterns in normal and degenerative shoulders. Part II: Review of 3-D scapular kinematic patterns in patients with shoulder pain, and clinical implications. Annals of Physical and Rehabilitation Medicine, 2018, 61, 46-53. | 1.1 | 59 |
| 44 | Nonpharmacological treatments inÂearly rheumatoid arthritis: clinical practice guidelines based onÂpublished evidence andÂexpert opinion. Joint Bone Spine, 2006, 73, 396-402. | 0.8 | 58 |
| 45 | Effect of a Simple Information Booklet on Pain Persistence after an Acute Episode of Low Back Pain: A Non-Randomized Trial in a Primary Care Setting. PLoS ONE, 2007, 2, e706. | 1.1 | 58 |
| 46 | From Modic 1 vertebral-endplate subchondral bone signal changes detected by MRI to the concept of $\hat{a}\in \hat{a}$ active discopathy $\hat{a}\in \hat{a}$. Annals of the Rheumatic Diseases, 2015, 74, 1488-1494. | 0.5 | 56 |
| 47 | The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. Rheumatology, 2018, 57, 1623-1631. | 0.9 | 53 |
| 48 | The ability of the Cochin rheumatoid arthritis hand functional scale to detect change during the course of disease. Arthritis and Rheumatism, 2000, 13, 296-303. | 6.7 | 52 |
| 49 | Correlates of Pain Intensity in Men and Women With Hip and Knee Osteoarthritis. Results of a National Survey: The French ARTHRIX Study. Clinical Journal of Pain, 2009, 25, 767-772. | 0.8 | 52 |
| 50 | Personalized Physical Therapy Versus Usual Care for Patients With Systemic Sclerosis: A Randomized Controlled Trial. Arthritis Care and Research, 2017, 69, 1050-1059. | 1.5 | 52 |
| 51 | The ability to change of three questionnaires for neck pain. Joint Bone Spine, 2004, 71, 317-326. | 0.8 | 51 |
| 52 | Cervical Range of Motion and Cephalic Kinesthesis. Spine, 2007, 32, E254-E261. | 1.0 | 51 |
| 53 | Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. Rheumatology, 2017, 56, 1302-1311. | 0.9 | 51 |
| 54 | Reliability, validity, and responsiveness of the modified kapandji index for assessment of functional mobility of the rheumatoid hand 11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2003, 84, 1032-1038. | 0.5 | 50 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Patient preference disability questionnaire in systemic sclerosis: A crossâ€sectional survey. Arthritis and Rheumatism, 2008, 59, 968-973. | 6.7 | 49 |
| 56 | Assessment of the test-retest reliability and construct validity of a modified Lequesne index in knee osteoarthritis. Joint Bone Spine, 2003, 70, 520-525. | 0.8 | 47 |
| 57 | Respective Contribution of Chronic Conditions to Disability in France: Results from the National Disability-Health Survey. PLoS ONE, 2012, 7, e44994. | 1.1 | 44 |
| 58 | Patients' views and needs about systemic sclerosis and its management: a qualitative interview study. BMC Musculoskeletal Disorders, 2017, 18, 230. | 0.8 | 42 |
| 59 | Fear-avoidance Beliefs About Back Pain in Patients With Acute LBP. Clinical Journal of Pain, 2007, 23, 720-725. | 0.8 | 41 |
| 60 | Clinical, Functional and Health-Related Quality of Life Correlates of Clinically Significant Symptoms of Anxiety and Depression in Patients with Systemic Sclerosis: A Cross-Sectional Survey. PLoS ONE, 2014, 9, e90484. | 1.1 | 41 |
| 61 | Association of Gender with Clinical Expression, Quality of Life, Disability, and Depression and Anxiety in Patients with Systemic Sclerosis. PLoS ONE, 2011, 6, e17551. | 1.1 | 39 |
| 62 | Reliability of a modified Modic classification of bone marrow changes in lumbar spine MRI. Joint Bone Spine, 2009, 76, 286-289. | 0.8 | 38 |
| 63 | Is physical activity, practiced as recommended for health benefit, a risk factor for osteoarthritis?. Annals of Physical and Rehabilitation Medicine, 2016, 59, 196-206. | 1.1 | 37 |
| 64 | Beneficial effects of information leaflets before spinal steroid injection. Joint Bone Spine, 2002, 69, 597-603. | 0.8 | 36 |
| 65 | Employment status and socio-economic burden in systemic sclerosis: a cross-sectional survey. Rheumatology, 2010, 49, 982-989. | 0.9 | 33 |
| 66 | Monolayer anulus fibrosus cell cultures in a mechanically active environment: Local culture condition adaptations and cell phenotype study. Translational Research, 2000, 136, 412-421. | 2.4 | 32 |
| 67 | Role of bracing in the management of knee osteoarthritis. Current Opinion in Rheumatology, 2010, 22, 218-222. | 2.0 | 32 |
| 68 | Development and Validation of a Questionnaire Assessing Fears and Beliefs of Patients with Knee Osteoarthritis: The Knee Osteoarthritis Fears and Beliefs Questionnaire (KOFBeQ). PLoS ONE, 2013, 8, e53886. | 1.1 | 32 |
| 69 | Validation of the Selfâ€Efficacy for Managing Chronic Disease Scale: A Scleroderma Patient entered Intervention Network Cohort Study. Arthritis Care and Research, 2016, 68, 1195-1200. | 1.5 | 31 |
| 70 | Modified 3D scapular kinematic patterns for activities of daily living in painful shoulders with restricted mobility: A comparison with contralateral unaffected shoulders. Journal of Biomechanics, 2012, 45, 1305-1311. | 0.9 | 29 |
| 71 | Evaluation of the benefits of low back pain patients' education workshops during spa therapy. Joint Bone Spine, 2013, 80, 82-87. | 0.8 | 28 |
| 72 | New directions for patient-centred care in scleroderma: the Scleroderma Patient-centred Intervention Network (SPIN). Clinical and Experimental Rheumatology, 2012, 30, S23-9. | 0.4 | 28 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Sensitivity to Change in Systemic Sclerosis of the McMaster-Toronto Arthritis Patient Preference Disability Questionnaire (MACTAR): Shift in Patient Priorities Over Time. Journal of Rheumatology, 2010, 37, 359-364. | 1.0 | 27 |
| 74 | Prevalence of simple and complex sacral perineural Tarlov cysts in a French cohort of adults and children. Journal of Neuroradiology, 2017, 44, 38-43. | 0.6 | 27 |
| 75 | Relationship of glenohumeral elevation and 3-dimensional scapular kinematics with disability in patients with shoulder disorders. Journal of Rehabilitation Medicine, 2008, 40, 456-460. | 0.8 | 26 |
| 76 | Implication of cytosolic phospholipase A2 (cPLA2) in the regulation of human synoviocyte NADPH oxidase (Nox2) activity. Life Sciences, 2007, 81, 1050-1058. | 2.0 | 25 |
| 77 | Frequency and Interrelations of Risk Factors for Chronic Low Back Pain in a Primary Care Setting. PLoS ONE, 2009, 4, e4874. | 1.1 | 25 |
| 78 | Specific scapular kinematic patterns to differentiate two forms of dynamic scapular winging. Clinical Biomechanics, 2013, 28, 941-947. | 0.5 | 24 |
| 79 | Lombalgie chroniqueÂ: facteurs de passage à la chronicité. Revue Du Rhumatisme (Edition Francaise), 2009, 76, 537-542. | 0.0 | 23 |
| 80 | Assessment of Ankylosing Spondylitis Criteria in Patients with Chronic Low Back Pain and Vertebral Endplate Modic I Signal Changes. Journal of Rheumatology, 2010, 37, 2334-2339. | 1.0 | 23 |
| 81 | Using Optimal Test Assembly Methods for Shortening Patientâ€Reported Outcome Measures: Development and Validation of the Cochin Hand Function Scaleâ€6: A Scleroderma Patientâ€Centered Intervention Network Cohort Study. Arthritis Care and Research, 2016, 68, 1704-1713. | 1.5 | 23 |
| 82 | Eosinophilia-myalgia linked with L-tryptophan. Lancet, The, 1990, 335, 420-421. | 6.3 | 22 |
| 83 | Lack of effectiveness of antibiotics in chronic low back pain with Modic 1 changes. Joint Bone Spine, 2017, 84, 507-508. | 0.8 | 22 |
| 84 | Pelvic mobility when bending forward in standing position: Validity and reliability of 2 motion analysis devices. Archives of Physical Medicine and Rehabilitation, 2001, 82, 221-226. | 0.5 | 21 |
| 85 | Disk degeneration and disk herniation: the contribution of mechanical stress. Joint Bone Spine, 2001, 68, 543-546. | 0.8 | 21 |
| 86 | Correlation of force control with regional spinal DTI in patients with cervical spondylosis without signs of spinal cord injury on conventional MRI. European Radiology, 2016, 26, 733-742. | 2.3 | 21 |
| 87 | Evaluation of the impact of a nurse-led program of patient self-assessment and self-management in axial spondyloarthritis: results of a prospective, multicentre, randomized, controlled trial (COMEDSPA). Rheumatology, 2021, 60, 888-895. | 0.9 | 21 |
| 88 | The trunk as a part of the kinematic chain for arm elevation in healthy subjects and in patients with frozen shoulder. Brain Research, 2008, 1191, 107-115. | 1.1 | 20 |
| 89 | Association of accelerated switch from vertebral endâ€plate Modic I to Modic 0 signal changes with clinical benefit of intradiscal corticosteroid injection for chronic low back pain. Arthritis and Rheumatism, 2011, 63, 2828-2831. | 6.7 | 20 |
| 90 | A new description of scapulothoracic motion during arm movements in healthy subjects. Manual Therapy, 2015, 20, 46-55. | 1.6 | 20 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Is degenerative disk disease genetically determined?. Joint Bone Spine, 2003, 70, 3-5. | 0.8 | 19 |
| 92 | Management of pain induced by exercise and mobilization during physical therapy programs: views of patients and care providers. BMC Musculoskeletal Disorders, 2011, 12, 172. | 0.8 | 19 |
| 93 | Low influenza vaccination rate among patients with systemic sclerosis. Rheumatology, 2010, 49, 600-606. | 0.9 | 18 |
| 94 | Patients', relatives', and practitioners' views of pulmonary arterial hypertension: A qualitative study. Presse Medicale, 2016, 45, e11-e27. | 0.8 | 18 |
| 95 | Intervertebral disc and vertebral endplate subchondral changes associated with Modic 1 changes of the lumbar spine: a cross-sectional study. BMC Musculoskeletal Disorders, 2017, 18, 34. | 0.8 | 18 |
| 96 | Patient acceptable symptom state and minimal clinically important difference for patient-reported outcomes in systemic sclerosis: A secondary analysis of a randomized controlled trial comparing personalized physical therapy to usual care. Seminars in Arthritis and Rheumatism, 2019, 48, 694-700. | 1.6 | 18 |
| 97 | Intensive spa and exercise therapy program for returning to work for low back pain patients: a randomized controlled trial. Scientific Reports, 2017, 7, 17956. | 1.6 | 17 |
| 98 | Translation and French cultural adaptation of a decision making tool for patients orientation after total hip or knee arthroplasty. Annals of Physical and Rehabilitation Medicine, 2009, 52, 694-703. | 1.1 | 16 |
| 99 | Neither pre-operative education or a minimally invasive procedure have any influence on the recovery time after total hip replacement. International Orthopaedics, 2015, 39, 1475-1481. | 0.9 | 16 |
| 100 | Effects of pro- and anti-inflammatory cytokines and nitric oxide donors on hyaluronic acid synthesis by synovial cells from patients with rheumatoid arthritis. Clinical Science, 2004, 107, 291-296. | 1.8 | 15 |
| 101 | Precision of 3D scapular kinematic measurements for analytic arm movements and activities of daily living. Manual Therapy, 2013, 18, 473-480. | 1.6 | 15 |
| 102 | Systemic sclerosis: Sexual dysfunction and lower urinary tract symptoms in 73 patients. Presse Medicale, 2016, 45, e79-e89. | 0.8 | 15 |
| 103 | Anatomical specificities of the degenerated cervical spine: a narrative review of clinical implications, with special focus on targeted spinal injections. Annals of Physical and Rehabilitation Medicine, 2016, 59, 276-281. | 1.1 | 15 |
| 104 | Kinematic analysis of the shoulder complex after anatomic and reverse total shoulder arthroplasty: A cross-sectional study. Musculoskeletal Science and Practice, 2017, 29, 84-90. | 0.6 | 15 |
| 105 | Responsiveness of the French version of the Disability of the Arm, Shoulder and Hand questionnaire (F-DASH) in patients with orthopaedic and medical shoulder disorders. Joint Bone Spine, 2008, 75, 579-584. | 0.8 | 14 |
| 106 | Patient-Preference Disability Assessment for Disabling Chronic Low Back Pain. Spine, 2009, 34, 1052-1059. | 1.0 | 14 |
| 107 | Changes over Time and Responsiveness of the Cochin Hand Function Scale and Mouth Handicap in Systemic Sclerosis Scale in Patients with Systemic Sclerosis. American Journal of Physical Medicine and Rehabilitation, 2016, 95, e189-e197. | 0.7 | 14 |
| 108 | Evolution of pain at 3 months by oral resveratrol in knee osteoarthritis (ARTHROL): protocol for a multicentre randomised double-blind placebo-controlled trial. BMJ Open, 2017, 7, e017652. | 0.8 | 14 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Impact of self-care programs for lower limb osteoarthritis and influence of patients' beliefs. Annals of Physical and Rehabilitation Medicine, 2010, 53, 434-450. | 1.1 | 13 |
| 110 | Recent advances in kinematics of the shoulder complex in healthy people. Annals of Physical and Rehabilitation Medicine, 2018, 61, 56-59. | 1.1 | 13 |
| 111 | Psychometric validation of the Hand Disability in Systemic Sclerosis-Digital Ulcers (HDISS-DU®) patient-reported outcome instrument. Arthritis Research and Therapy, 2020, 22, 3. | 1.6 | 13 |
| 112 | Knee Arthroplasty: Disabilities in Comparison to the General Population and to Hip Arthroplasty Using a French National Longitudinal Survey. PLoS ONE, 2008, 3, e2561. | 1.1 | 12 |
| 113 | Evolution of disability in adults with hip arthroplasty: A national longitudinal study. Arthritis and Rheumatism, 2007, 57, 364-371. | 6.7 | 11 |
| 114 | Home-based cycling program tailored to older people with lumbar spinal stenosis: Barriers and facilitators. Annals of Physical and Rehabilitation Medicine, 2018, 61, 144-150. | 1.1 | 11 |
| 115 | Evaluation of the impact of a nurse-led program of systematic screening of comorbidities in patients with axial spondyloarthritis: The results of the COMEDSPA prospective, controlled, one year randomized trial. Seminars in Arthritis and Rheumatism, 2020, 50, 701-708. | 1.6 | 11 |
| 116 | The Role of Magnetic Resonance Imaging for the Diagnosis of Lipoma Arborescens in Polyarthritic Patients With Persistent Single-Joint Effusion. Journal of Clinical Rheumatology, 2009, 15, 431. | 0.5 | 10 |
| 117 | Hypoxia induces nitric oxide synthase in rheumatoid synoviocytes: consequences on NADPH oxidase regulation. Free Radical Research, 2012, 46, 628-636. | 1.5 | 10 |
| 118 | Elaboration and validation of a questionnaire assessing patient expectations about management of knee osteoarthritis by their physicians: the Knee Osteoarthritis Expectations Questionnaire. Annals of the Rheumatic Diseases, 2013, 72, 552-559. | 0.5 | 10 |
| 119 | Evaluation of physiotherapy in a prospective cohort of early axial spondyloarthritis. Data from the DESIR cohort. Joint Bone Spine, 2016, 83, 185-190. | 0.8 | 10 |
| 120 | Development and Preliminary Psychometrics of the Exercise Therapy Burden Questionnaire for Patients With Chronic Conditions. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2188-2195.e6. | 0.5 | 10 |
| 121 | Rehabilitation therapy in chronic low back pain. Joint Bone Spine, 2000, 67, 582-587. | 0.8 | 9 |
| 122 | Differences in patients with systemic sclerosis recruited from associations and tertiary care settings. Presse Medicale, 2010, 39, e205-e209. | 0.8 | 9 |
| 123 | Development and validation of an Arabic rheumatoid hand disability scale. Disability and Rehabilitation, 2004, 26, 655-661. | 0.9 | 8 |
| 124 | McMaster-Toronto Arthritis Patient Preference Disability Questionnaire Sensitivity to Change in Low Back Pain: Influence of Shifts in Priorities. PLoS ONE, 2011, 6, e20274. | 1.1 | 8 |
| 125 | Construction of an ICF core set and ICF-based questionnaire assessing activities and participation in patients with systemic sclerosis. Rheumatology, 2019, 58, 2260-2272. | 0.9 | 8 |
| 126 | Social and personal consequences of disability in adults with hip and knee arthroplasty. A French national community based survey. Journal of Rheumatology, 2004, 31, 759-66. | 1.0 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Intradiscal corticosteroid injections in spondylotic cervical radiculopathy. European Radiology, 2007, 17, 1156-1161. | 2.3 | 7 |
| 128 | Kinetic DTI of the cervical spine: diffusivity changes in healthy subjects. Neuroradiology, 2016, 58, 929-935. | 1.1 | 7 |
| 129 | La discopathie destructrice rapide. Revue Du Rhumatisme (Edition Francaise), 2000, 67, 266-269. | 0.0 | 6 |
| 130 | Biochimie et biologie du disque intervertébral. Revue Du Rhumatisme (Edition Francaise), 2000, 67, 214-218. | 0.0 | 6 |
| 131 | Traitement des lomboradiculalgies. EMC - Rhumatologie-Orthopedie, 2004, 1, 328-342. | 0.0 | 6 |
| 132 | Bone mineral density and bone remodeling markers in chronic low back pain patients with active discopathy: A case-control exploratory study. PLoS ONE, 2018, 13, e0196536. | 1.1 | 6 |
| 133 | Sources anatomiques de la douleur cervicale. Revue Du Rhumatisme (Edition Francaise), 2004, 71, 650-652. | 0.0 | 5 |
| 134 | Tumor necrosis factor-α blockade in recurrent and disabling chronic sciatica associated with post-operative peridural lumbar fibrosis: results of a double-blind, placebo randomized controlled study. Arthritis Research and Therapy, 2015, 17, 330. | 1.6 | 5 |
| 135 | Contribution of chronic diseases to educational disparity in disability in France: results from the cross-sectional "disability-health―survey. Archives of Public Health, 2019, 77, 2. | 1.0 | 5 |
| 136 | Long-Term Disability Assessment After Surgical Treatment of Low Grade Spondylolisthesis. Journal of Spinal Disorders, 2001, 14, 411-416. | 1.1 | 4 |
| 137 | Patient-preference disability assessment for disabling knee osteoarthritis: Validity and responsiveness of the McMaster-Toronto Arthritis Patient Preference Disability Questionnaire. Annals of Physical and Rehabilitation Medicine, 2016, 59, 255-262. | 1.1 | 4 |
| 138 | Intra-articular botulinum toxin A for base-of-thumb osteoarthritis: protocol for a randomised trial (RHIBOT). BMJ Open, 2018, 8, e022337. | 0.8 | 4 |
| 139 | Agreement among physiotherapists in assessing patient performance of exercises for low-back pain. BMC Musculoskeletal Disorders, 2018, 19, 265. | 0.8 | 4 |
| 140 | Qualités métrologiques de l'indice d'incapacité fonctionnelle de Cochin adapté à la main rhumatoïde. Annales De Réadaptation Et De Médecine Physique: Revue Scientifique De La Société Française De Rééducation Fonctionnelle De Réadaptation Et De Médecine Physique, 2000, 43, 106-115. | 0.8 | 3 |
| 141 | Sensibilité au changement de trois questionnaires d'évaluation des cervicalgies. Revue Du Rhumatisme (Edition Francaise), 2004, 71, 603-612. | 0.0 | 3 |
| 142 | Validation de la version française du questionnaire Disability of the Arm, Shoulder and Hand (DASH). Revue Du Rhumatisme (Edition Francaise), 2008, 75, 274-279. | 0.0 | 3 |
| 143 | Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. Body Image, 2017, 20, 99-106. | 1.9 | 3 |
| 144 | Intra-articular botulinum toxin A injection for painful base-of-thumb osteoarthritis: a double-blind, randomised, controlled, phase 3 trial (RHIBOT). Lancet Rheumatology, The, 2022, 4, e480-e489. | 2.2 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-------------|-----------|
| 145 | Congenital lumbar spinal stenosis associated with Marfan syndrome. Joint Bone Spine, 2012, 79, 199-200. | 0.8 | 2 |
| 146 | La discarthrose. Revue Du Rhumatisme (Edition Française), 2000, 67, 261-265. | 0.0 | 1 |
| 147 | Biochimie et biologie du disque intervertébral. Revue Du Rhumatisme (Edition Francaise), 2000, 67, 214-218. | 0.0 | 1 |
| 148 | Effets bénéfiques de l'utilisation d'une notice d'information avant une injection rachidienne de dérivé cortisonique. Revue Du Rhumatisme (Edition Francaise), 2002, 69, 1235-1242. | 0.0 | 1 |
| 149 | Orthèses et ergothérapie dans les affections rhumatologiques de la main et du poignet. Revue Du Rhumatisme Monographies, 2012, 79, 193-199. | 0.0 | 1 |
| 150 | Évaluation des bénéfices d'ateliers d'éducation thérapeutique chez des patients atteints de lo au cours d'une cure thermale. Revue Du Rhumatisme (Edition Francaise), 2013, 80, 72-77. | mbalgie | 1 |
| 151 | Responders to intradiscal glucocorticoid among patients with chronic low back pain and active discopathy. Rheumatology, 2019, 58, 1689-1690. | 0.9 | 1 |
| 152 | Contraintes mécaniques et disque intervertébral lombaire. Revue Du Rhumatisme (Edition Francaise), 2000, 67, 219-224. | 0.0 | 0 |
| 153 | Dégénérescence discale et hernie discaleÂ: rÃ1e des contraintes mécaniques. Revue Du Rhumatisme (Edition Francaise), 2001, 68, 908-912. | 0.0 | O |
| 154 | Évaluation de la reproductibilité et de la validité de construit d'une forme modifiée de l'indice algofonctionnel de Lequesne dans l'arthrose du genou. Revue Du Rhumatisme (Edition Francaise), 2003, 70, 1105-1111. | 0.0 | 0 |
| 155 | Évaluation de la reproductibilité et de la validité de construit d'une forme modifiée de l'indice W dans l'arthrose du genou. Revue Du Rhumatisme (Edition Francaise), 2004, 71, 208-215. | omac 0.0 | O |
| 156 | Tratamiento de las lumborradiculalgias. EMC - Aparato Locomotor, 2004, 37, 1-11. | 0.1 | 0 |
| 157 | Fiabilité de la classification de Modic modifiée pour les modifications de l'aspect de la moelle osseuse du rachis lombaire en IRM. Revue Du Rhumatisme (Edition Francaise), 2009, 76, 453-457. | 0.0 | O |
| 158 | Sténose rachidienne lombaire congénitale associée au syndrome de Marfan. Revue Du Rhumatisme (Edition Francaise), 2012, 79, 283-284. | 0.0 | 0 |
| 159 | Rainville et al respond. Spine Journal, 2012, 12, 175. | 0.6 | 0 |
| 160 | Peurs, croyances et attitudes d'évitement au cours de la lombalgie. Revue Du Rhumatisme Monographies, 2014, 81, 46-51. | 0.0 | 0 |
| 161 | Focal chondropathy of the far posterior femoral condyle: An unusual cause of posterior knee pain. Annals of Physical and Rehabilitation Medicine, 2017, 60, 120-122. | 1.1 | 0 |
| 162 | Lumbosacral immobilization following glucocorticoid intradiscal injection in patients with chronic low back pain and active discopathy: A feasibility study. Journal of Back and Musculoskeletal Rehabilitation, 2020, 33, 931-937. | 0.4 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Development of a new patient-reported outcome measure assessing activities and participation in people with lumbar spinal stenosis: The Cochin Spinal Stenosis 19-item questionnaire. European Journal of Physical and Rehabilitation Medicine, 2021, 57, 92-100. | 1.1 | O |