Emilio Varea

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3351456/publications.pdf

Version: 2024-02-01

59	2,317	30	46
papers	citations	h-index	g-index
59	59	59	2954
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Phenotype and Distribution of Immature Neurons in the Human Cerebral Cortex Layer II. Frontiers in Neuroanatomy, 2022, 16, 851432.	1.7	9
2	Rescuing Over-activated Microglia Restores Cognitive Performance in Juvenile Animals of the Dp(16) Mouse Model of Down Syndrome. Neuron, 2020, 108, 887-904.e12.	8.1	82
3	Piriform cortex alterations in the Ts65Dn model for down syndrome. Brain Research, 2020, 1747, 147031.	2.2	6
4	Phenotypic characterization of MCP-1 expressing neurons in the rat cerebral cortex. Journal of Chemical Neuroanatomy, 2020, 106, 101785.	2.1	1
5	Semilunar Granule Cells Are the Primary Source of the Perisomatic Excitatory Innervation onto Parvalbumin-Expressing Interneurons in the Dentate Gyrus. ENeuro, 2020, 7, ENEURO.0323-19.2020.	1.9	7
6	Alterations in reelin and reelin receptors in Down syndrome. NeuroReport, 2019, 30, 14-18.	1.2	2
7	Cranial Pair I: The Olfactory Nerve. Anatomical Record, 2019, 302, 405-427.	1.4	24
8	Alterations of perineuronal nets in the dorsolateral prefrontal cortex of neuropsychiatric patients. International Journal of Bipolar Disorders, 2019, 7, 24.	2.2	33
9	Morphological alterations in the hippocampus of the Ts65Dn mouse model for Down Syndrome correlate with structural plasticity markers. Histology and Histopathology, 2018, 33, 101-115.	0.7	2
10	NMDA Receptors Regulate the Structural Plasticity of Spines and Axonal Boutons in Hippocampal Interneurons. Frontiers in Cellular Neuroscience, 2017, 11, 166.	3.7	23
11	Early increased density of cyclooxygenase-2 (COX-2) immunoreactive neurons in Down syndrome. Folia Neuropathologica, 2017, 2, 154-160.	1.2	7
12	Effects of Chronic Dopamine D2R Agonist Treatment and Polysialic Acid Depletion on Dendritic Spine Density and Excitatory Neurotransmission in the mPFC of Adult Rats. Neural Plasticity, 2016, 2016, 1-12.	2.2	10
13	Hypocellularity in the Murine Model for Down Syndrome Ts65Dn Is Not Affected by Adult Neurogenesis. Frontiers in Neuroscience, 2016, 10, 75.	2.8	7
14	Synaptic connectivity of the cholinergic axons in the olfactory bulb of the cynomolgus monkey. Frontiers in Neuroanatomy, 2015, 9, 28.	1.7	5
15	Altered Distribution of Hippocampal Interneurons in the Murine Down Syndrome Model Ts65Dn. Neurochemical Research, 2015, 40, 151-164.	3.3	34
16	The Dendritic Spines of Interneurons Are Dynamic Structures Influenced by PSA-NCAM Expression. Cerebral Cortex, 2014, 24, 3014-3024.	2.9	45
17	Astrocytes of the murine model for Down Syndrome Ts65Dn display reduced intracellular ionic zinc. Neurochemistry International, 2014, 75, 48-53.	3.8	12
18	Two types of periglomerular cells in the olfactory bulb of the macaque monkey (Macaca fascicularis). Brain Structure and Function, 2013, 218, 873-887.	2.3	8

#	Article	IF	Citations
19	Cells expressing markers of immature neurons in the amygdala of adult humans. European Journal of Neuroscience, 2013, 37, 10-22.	2.6	40
20	The Circuits of the Olfactory Bulb. The Exception as a Rule. Anatomical Record, 2013, 296, 1401-1412.	1.4	21
21	Alterations in the expression of PSA-NCAM and synaptic proteins in the dorsolateral prefrontal cortex of psychiatric disorder patients. Neuroscience Letters, 2012, 530, 97-102.	2.1	89
22	Characterization of a population of tyrosine hydroxylase-containing interneurons in the external plexiform layer of the rat olfactory bulb. Neuroscience, 2012, 217, 140-153.	2.3	13
23	Personality traits in rats predict vulnerability and resilience to developing stress-induced depression-like behaviors, HPA axis hyper-reactivity and brain changes in pERK1/2 activity. Psychoneuroendocrinology, 2012, 37, 1209-1223.	2.7	73
24	Expression of PSA-NCAM and synaptic proteins in the amygdala of psychiatric disorder patients. Journal of Psychiatric Research, 2012, 46, 189-197.	3.1	91
25	Altered expression of neuropeptides in the primary somatosensory cortex of the Down syndrome model Ts65Dn. Neuropeptides, 2012, 46, 29-37.	2.2	21
26	PSA-NCAM is Expressed in Immature, but not Recently Generated, Neurons in the Adult Cat Cerebral Cortex Layer II. Frontiers in Neuroscience, 2011, 5, 17.	2.8	31
27	Polysialic Acid Is Required for Dopamine D2 Receptor-Mediated Plasticity Involving Inhibitory Circuits of the Rat Medial Prefrontal Cortex. PLoS ONE, 2011, 6, e29516.	2.5	38
28	Macrophage migration inhibitory factor is critically involved in basal and fluoxetine-stimulated adult hippocampal cell proliferation and in anxiety, depression, and memory-related behaviors. Molecular Psychiatry, 2011, 16, 533-547.	7.9	81
29	The Polysialylated Form of the Neural Cell Adhesion Molecule (PSA-NCAM) Is Expressed in a Subpopulation of Mature Cortical Interneurons Characterized by Reduced Structural Features and Connectivity. Cerebral Cortex, 2011, 21, 1028-1041.	2.9	85
30	Alteration of inhibitory circuits in the somatosensory cortex of Ts65Dn mice, a model for Down's syndrome. Journal of Neural Transmission, 2010, 117, 445-455.	2.8	73
31	Characterization of a mouse model overexpressing betaâ€site APPâ€cleaving enzyme 2 reveals a new role for BACE2. Genes, Brain and Behavior, 2010, 9, 160-172.	2.2	23
32	Role of Late Maternal Thyroid Hormones in Cerebral Cortex Development: An Experimental Model for Human Prematurity. Cerebral Cortex, 2010, 20, 1462-1475.	2.9	90
33	Divergent impact of the polysialyltransferases ST8Siall and ST8SialV on polysialic acid expression in immature neurons and interneurons of the adult cerebral cortex. Neuroscience, 2010, 167, 825-837.	2.3	50
34	Synaptic connectivity of serotonergic axons in the olfactory glomeruli of the rat olfactory bulb. Neuroscience, 2010, 169, 770-780.	2.3	21
35	GABAergic basal forebrain afferents innervate selectively GABAergic targets in the main olfactory bulb. Neuroscience, 2010, 170, 913-922.	2.3	46
36	Role of the Amygdala in Antidepressant Effects on Hippocampal Cell Proliferation and Survival and on Depression-like Behavior in the Rat. PLoS ONE, 2010, 5, e8618.	2.5	55

3

#	Article	IF	CITATIONS
37	Differential evolution of PSA-NCAM expression during aging of the rat telencephalon. Neurobiology of Aging, 2009, 30, 808-818.	3.1	30
38	Effects of chronic fluoxetine treatment on the rat somatosensory cortex: Activation and induction of neuronal structural plasticity. Neuroscience Letters, 2009, 457, 12-15.	2.1	39
39	Chronic stressâ€induced alterations in amygdala responsiveness and behavior – modulation by trait anxiety and corticotropinâ€releasing factor systems. European Journal of Neuroscience, 2008, 28, 1836-1848.	2.6	77
40	Distribution of the A3 subunit of the cyclic nucleotide–gated ion channels in the main olfactory bulb of the rat. Neuroscience, 2008, 153, 1164-1176.	2.3	5
41	Dopamine acting through D2 receptors modulates the expression of PSA-NCAM, a molecule related to neuronal structural plasticity, in the medial prefrontal cortex of adult rats. Experimental Neurology, 2008, 214, 97-111.	4.1	40
42	A Population of Prenatally Generated Cells in the Rat Paleocortex Maintains an Immature Neuronal Phenotype into Adulthood. Cerebral Cortex, 2008, 18, 2229-2240.	2.9	105
43	Chronic stress in adulthood followed by intermittent stress impairs spatial memory and the survival of newborn hippocampal cells in aging animals: prevention by FGL, a peptide mimetic of neural cell adhesion molecule. Behavioural Pharmacology, 2008, 19, 41-49.	1.7	63
44	Upregulation of Polysialylated Neural Cell Adhesion Molecule in the Dorsal Hippocampus after Contextual Fear Conditioning Is Involved in Long-Term Memory Formation. Journal of Neuroscience, 2007, 27, 4552-4561.	3.6	90
45	Chronic Fluoxetine Treatment Increases the Expression of PSA-NCAM in the Medial Prefrontal Cortex. Neuropsychopharmacology, 2007, 32, 803-812.	5.4	90
46	N-methyl-d-aspartate receptor expression during adult neurogenesis in the rat dentate gyrus. Neuroscience, 2007, 144, 855-864.	2.3	71
47	PSA-NCAM expression in the human prefrontal cortex. Journal of Chemical Neuroanatomy, 2007, 33, 202-209.	2.1	47
48	Chronic antidepressant treatment induces contrasting patterns of synaptophysin and PSA-NCAM expression in different regions of the adult rat telencephalon. European Neuropsychopharmacology, 2007, 17, 546-557.	0.7	57
49	Migrating neuroblasts of the rostral migratory stream are putative targets for the action of nitric oxide. European Journal of Neuroscience, 2007, 26, 392-402.	2.6	15
50	Capture of extracellular zinc ions by astrocytes. Glia, 2006, 54, 304-315.	4.9	15
51	Distribution of D2 dopamine receptor in the olfactory glomeruli of the rat olfactory bulb. European Journal of Neuroscience, 2005, 22, 1357-1367.	2.6	41
52	Expression of the transcription factor Pax6 in the adult rat dentate gyrus. Journal of Neuroscience Research, 2005, 81, 753-761.	2.9	79
53	PSA-NCAM expression in the rat medial prefrontal cortex. Neuroscience, 2005, 136, 435-443.	2.3	71
54	CRMP-4 expression in the adult cerebral cortex and other telencephalic areas of the lizard Podarcis hispanica. Developmental Brain Research, 2002, 139, 285-294.	1.7	9

EMILIO VAREA

#	Article	IF	CITATIONS
55	Cytochemical techniques for zinc and heavy metals localization in nerve cells. Microscopy Research and Technique, 2002, 56, 318-331.	2.2	26
56	Inhibitory zinc-enriched terminals in mouse spinal cord. Neuroscience, 2001, 105, 941-947.	2.3	54
57	Is the postganglionic sympathetic neuron zinc-enriched? A stop-flow nerve crush study on rat sciatic nerve. NeuroReport, 2001, 12, 2247-2250.	1.2	5
58	Imaging synaptic zinc release in living nervous tissue. Journal of Neuroscience Methods, 2001, 110, 57-63.	2.5	29
59	Cholinergic Senescence in the Ts65Dn Mouse Model for Down Syndrome. Neurochemical Research, 0, ,	3.3	1