

Arne W Mould

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3355373/publications.pdf>

Version: 2024-02-01

37
papers

2,011
citations

361413

20
h-index

315739

38
g-index

39
all docs

39
docs citations

39
times ranked

3184
citing authors

#	ARTICLE	IF	CITATIONS
1	Long read sequencing reveals novel isoforms and insights into splicing regulation during cell state changes. <i>BMC Genomics</i> , 2022, 23, 42.	2.8	11
2	Kalirin as a Novel Treatment Target for Cognitive Dysfunction in Schizophrenia. <i>CNS Drugs</i> , 2022, 36, 1-16.	5.9	8
3	Cellular calcium in bipolar disorder: systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2021, 26, 4106-4116.	7.9	46
4	Targeting synaptic plasticity in schizophrenia: insights from genomic studies. <i>Trends in Molecular Medicine</i> , 2021, 27, 1022-1032.	6.7	17
5	The transcriptional repressor Blimp1/PRDM1 regulates the maternal decidual response in mice. <i>Nature Communications</i> , 2020, 11, 2782.	12.8	17
6	The Oxford study of Calcium channel Antagonism, Cognition, Mood instability and Sleep (OxCaMS): study protocol for a randomised controlled, experimental medicine study. <i>Trials</i> , 2019, 20, 120.	1.6	17
7	Blimp-1/PRDM1 is a critical regulator of Type III Interferon responses in mammary epithelial cells. <i>Scientific Reports</i> , 2018, 8, 237.	3.3	14
8	Smchd1 regulates long-range chromatin interactions on the inactive X chromosome and at Hox clusters. <i>Nature Structural and Molecular Biology</i> , 2018, 25, 766-777.	8.2	84
9	Combinatorial Smad2/3 Activities Downstream of Nodal Signaling Maintain Embryonic/Extra-Embryonic Cell Identities during Lineage Priming. <i>Cell Reports</i> , 2018, 24, 1977-1985.e7.	6.4	31
10	PCGF3/5â€“PRC1 initiates Polycomb recruitment in X chromosome inactivation. <i>Science</i> , 2017, 356, 1081-1084.	12.6	220
11	Mapping the chromatin landscape and Blimp1 transcriptional targets that regulate trophoblast differentiation. <i>Scientific Reports</i> , 2017, 7, 6793.	3.3	15
12	The transcriptional repressor Blimp1 is expressed in rare luminal progenitors and is essential for mammary gland development. <i>Development (Cambridge)</i> , 2016, 143, 1663-1673.	2.5	15
13	Single-cell RNA-seq reveals cell type-specific transcriptional signatures at the maternalâ€“foetal interface during pregnancy. <i>Nature Communications</i> , 2016, 7, 11414.	12.8	86
14	Blimp1/Prdm1 Functions in Opposition to Irf1 to Maintain Neonatal Tolerance during Postnatal Intestinal Maturation. <i>PLoS Genetics</i> , 2015, 11, e1005375.	3.5	30
15	Lhx1 functions together with Otx2, Foxa2, and Ldb1 to govern anterior mesendoderm, node, and midline development. <i>Genes and Development</i> , 2015, 29, 2108-2122.	5.9	83
16	Smchd1 regulates a subset of autosomal genes subject to monoallelic expression in addition to being critical for X inactivation. <i>Epigenetics and Chromatin</i> , 2013, 6, 19.	3.9	88
17	The Nonconventional MHC Class II Molecule DM Governs Diabetes Susceptibility in NOD Mice. <i>PLoS ONE</i> , 2013, 8, e56738.	2.5	20
18	Blimp1/Prdm1 governs terminal differentiation of endovascular trophoblast giant cells and defines multipotent progenitors in the developing placenta. <i>Genes and Development</i> , 2012, 26, 2063-2074.	5.9	63

#	ARTICLE	IF	CITATIONS
19	Alternative Splicing Regulates Prdm1/Blimp-1 DNA Binding Activities and Corepressor Interactions. <i>Molecular and Cellular Biology</i> , 2012, 32, 3403-3413.	2.3	17
20	Menin and p53 have non-synergistic effects on tumorigenesis in mice. <i>BMC Cancer</i> , 2012, 12, 252.	2.6	10
21	The transcriptional repressor Blimp1/Prdm1 regulates postnatal reprogramming of intestinal enterocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 10585-10590.	7.1	120
22	Alterations in Gene Expression in MEN1-Associated Insulinoma Development. <i>Pancreas</i> , 2010, 39, 1140-1146.	1.1	7
23	Dual Loss of Rb1 and Trp53 in the Adrenal Medulla Leads to Spontaneous Pheochromocytoma. <i>Neoplasia</i> , 2010, 12, 235-243.	5.3	11
24	Melanocyte homeostasis in vivo tolerates <i>Rb1</i> loss in a developmentally independent fashion. <i>Pigment Cell and Melanoma Research</i> , 2010, 23, 564-570.	3.3	2
25	Global expression profiling of sex cord stromal tumors from <i>Men1</i> heterozygous mice identifies altered TGF β ² signaling, decreased Gata6 and increased Csf1r expression. <i>International Journal of Cancer</i> , 2009, 124, 1122-1132.	5.1	12
26	Dual loss of <i>Rb1</i> and <i>Trp53</i> in melanocytes perturbs melanocyte homeostasis and genetic stability in vitro but does not cause melanoma or pigmentation defects in vivo. <i>Pigment Cell and Melanoma Research</i> , 2009, 22, 328-330.	3.3	2
27	Identification of <i>ARHGEF17</i> , <i>DENND2D</i> , <i>FGFR3</i> and <i>RB1</i> mutations in melanoma by inhibition of nonsense-mediated mRNA decay. <i>Genes Chromosomes and Cancer</i> , 2008, 47, 1076-1085.	2.8	22
28	Global expression profiling of murine MEN1-associated tumors reveals a regulatory role for menin in transcription, cell cycle and chromatin remodelling. <i>International Journal of Cancer</i> , 2007, 121, 776-783.	5.1	20
29	Melanocytes in conditional <i>Rb</i> ^{-/-} mice are normal in vivo but exhibit proliferation and pigmentation defects in vitro. <i>Pigment Cell & Melanoma Research</i> , 2005, 18, 252-264.	3.6	17
30	Transgenic Overexpression of Vascular Endothelial Growth Factor-B Isoforms by Endothelial Cells Potentiates Postnatal Vessel Growth In Vivo and In Vitro. <i>Circulation Research</i> , 2005, 97, e60-70.	4.5	48
31	Tyrosinase-Cre mice for tissue-specific gene ablation in neural crest and neuroepithelial-derived tissues. <i>Genesis</i> , 2003, 37, 131-138.	1.6	44
32	<i>Vegfb</i> gene knockout mice display reduced pathology and synovial angiogenesis in both antigen-induced and collagen-induced models of arthritis. <i>Arthritis and Rheumatism</i> , 2003, 48, 2660-2669.	6.7	118
33	Elemental signals regulating eosinophil accumulation in the lung. <i>Immunological Reviews</i> , 2001, 179, 173-181.	6.0	207
34	The Effect of IL-5 and Eotaxin Expression in the Lung on Eosinophil Trafficking and Degranulation and the Induction of Bronchial Hyperreactivity. <i>Journal of Immunology</i> , 2000, 164, 2142-2150.	0.8	171
35	Mice Lacking the Vascular Endothelial Growth Factor-B Gene (<i>Vegfb</i>) Have Smaller Hearts, Dysfunctional Coronary Vasculature, and Impaired Recovery From Cardiac Ischemia. <i>Circulation Research</i> , 2000, 86, E29-35.	4.5	250
36	Early pregnancy factor suppresses experimental autoimmune encephalomyelitis induced in Lewis rats with myelin basic protein and in SJL/J mice with myelin proteolipid protein peptide 139-151. <i>Journal of the Neurological Sciences</i> , 2000, 182, 5-15.	0.6	33

#	ARTICLE	IF	CITATIONS
37	Cellular and molecular regulation of eosinophil trafficking to the lung. Immunology and Cell Biology, 1998, 76, 454-460.	2.3	31