

Jason A Burdick

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3356279/publications.pdf>

Version: 2024-02-01

305
papers

41,297
citations

1233

110
h-index

2680

193
g-index

314
all docs

314
docs citations

314
times ranked

32130
citing authors

#	ARTICLE	IF	CITATIONS
1	Matrix Metalloproteinase-Targeted SPECT/CT Imaging for Evaluation of Therapeutic Hydrogels for the Early Modulation of Post-Infarct Myocardial Remodeling. <i>Journal of Cardiovascular Translational Research</i> , 2023, 16, 155-165.	1.1	3
2	Computational Modeling and Experimental Characterization of Extrusion Printing into Suspension Baths. <i>Advanced Healthcare Materials</i> , 2022, 11, e2101679.	3.9	16
3	Harnessing Tissue-derived Extracellular Vesicles for Osteoarthritis Theranostics. <i>Theranostics</i> , 2022, 12, 207-231.	4.6	53
4	Fabrication of MSC-laden composites of hyaluronic acid hydrogels reinforced with MEW scaffolds for cartilage repair. <i>Biofabrication</i> , 2022, 14, 014106.	3.7	34
5	Anisotropic Rod-Shaped Particles Influence Injectable Granular Hydrogel Properties and Cell Invasion. <i>Advanced Materials</i> , 2022, 34, e2109194.	11.1	48
6	Metabolic labeling of secreted matrix to investigate cell-material interactions in tissue engineering and mechanobiology. <i>Nature Protocols</i> , 2022, 17, 618-648.	5.5	14
7	Anisotropic Rod-Shaped Particles Influence Injectable Granular Hydrogel Properties and Cell Invasion (Adv. Mater. 12/2022). <i>Advanced Materials</i> , 2022, 34, .	11.1	5
8	Sticking Together: Injectable Granular Hydrogels with Increased Functionality via Dynamic Covalent Inter-Particle Crosslinking. <i>Small</i> , 2022, 18, e2201115.	5.2	45
9	Methods to Characterize Granular Hydrogel Rheological Properties, Porosity, and Cell Invasion. <i>ACS Biomaterials Science and Engineering</i> , 2022, 8, 1427-1442.	2.6	39
10	Programming hydrogels to probe spatiotemporal cell biology. <i>Cell Stem Cell</i> , 2022, 29, 678-691.	5.2	28
11	Microstructured Hydrogels to Guide Self-Assembly and Function of Lung Alveolospheres. <i>Advanced Materials</i> , 2022, 34, e2202992.	11.1	21
12	Simultaneous One-Pot Interpenetrating Network Formation to Expand 3D Processing Capabilities. <i>Advanced Materials</i> , 2022, 34, e2202261.	11.1	20
13	Resorbable Pins to Enhance Scaffold Retention in a Porcine Chondral Defect Model. <i>Cartilage</i> , 2021, 13, 1676S-1687S.	1.4	6
14	Chemically Modified Biopolymers for the Formation of Biomedical Hydrogels. <i>Chemical Reviews</i> , 2021, 121, 10908-10949.	23.0	216
15	Injectable hyaluronic acid and platelet lysate-derived granular hydrogels for biomedical applications. <i>Acta Biomaterialia</i> , 2021, 119, 101-113.	4.1	47
16	Bioprinting for the Biologist. <i>Cell</i> , 2021, 184, 18-32.	13.5	152
17	Influence of Microgel Fabrication Technique on Granular Hydrogel Properties. <i>ACS Biomaterials Science and Engineering</i> , 2021, 7, 4269-4281.	2.6	84
18	3D bioprinting of high cell-density heterogeneous tissue models through spheroid fusion within self-healing hydrogels. <i>Nature Communications</i> , 2021, 12, 753.	5.8	247

#	ARTICLE	IF	CITATIONS
19	Nuclear envelope wrinkling predicts mesenchymal progenitor cell mechano-response in 2D and 3D microenvironments. <i>Biomaterials</i> , 2021, 270, 120662.	5.7	33
20	Stabilization of Damaged Articular Cartilage with Hydrogel-Mediated Reinforcement and Sealing. <i>Advanced Healthcare Materials</i> , 2021, 10, 2100315.	3.9	17
21	Granular hydrogels for endogenous tissue repair. <i>Biomaterials and Biosystems</i> , 2021, 1, 100008.	1.0	50
22	Therapeutic Efficacy of Cryopreserved, Allogeneic Extracellular Vesicles for Treatment of Acute Myocardial Infarction. <i>International Heart Journal</i> , 2021, 62, 381-389.	0.5	6
23	Genomic, epigenomic, and biophysical cues controlling the emergence of the lung alveolus. <i>Science</i> , 2021, 371, .	6.0	108
24	Detecting and Monitoring Hydrogels with Medical Imaging. <i>ACS Biomaterials Science and Engineering</i> , 2021, 7, 4027-4047.	2.6	30
25	Enhancing Biopolymer Hydrogel Functionality through Interpenetrating Networks. <i>Trends in Biotechnology</i> , 2021, 39, 519-538.	4.9	138
26	Tissue Engineering: Stabilization of Damaged Articular Cartilage with Hydrogel-Mediated Reinforcement and Sealing (Adv. Healthcare Mater. 10/2021). <i>Advanced Healthcare Materials</i> , 2021, 10, 2170049.	3.9	2
27	Emerging technologies provide insights on cancer extracellular matrix biology and therapeutics. <i>IScience</i> , 2021, 24, 102475.	1.9	9
28	Nanofibrous hyaluronic acid scaffolds delivering TGF- β 3 and SDF-1 α for articular cartilage repair in a large animal model. <i>Acta Biomaterialia</i> , 2021, 126, 170-182.	4.1	40
29	Novel Treatment for Glioblastoma Delivered by a Radiation Responsive and Radiopaque Hydrogel. <i>ACS Biomaterials Science and Engineering</i> , 2021, 7, 3209-3220.	2.6	20
30	Enhanced mechanosensing of cells in synthetic 3D matrix with controlled biophysical dynamics. <i>Nature Communications</i> , 2021, 12, 3514.	5.8	92
31	Editorial: Special Issue on Advanced Biomedical Hydrogels. <i>ACS Biomaterials Science and Engineering</i> , 2021, 7, 3993-3996.	2.6	3
32	Introduction: Polymeric Biomaterials. <i>Chemical Reviews</i> , 2021, 121, 10789-10791.	23.0	24
33	A biofabrication method to align cells within bioprinted photocrosslinkable and cell-degradable hydrogel constructs via embedded fibers. <i>Biofabrication</i> , 2021, 13, 044108.	3.7	37
34	Restoring lost nigrostriatal fibers in Parkinson's disease based on clinically-inspired design criteria. <i>Brain Research Bulletin</i> , 2021, 175, 168-185.	1.4	14
35	Programmable and contractile materials through cell encapsulation in fibrous hydrogel assemblies. <i>Science Advances</i> , 2021, 7, eabi8157.	4.7	36
36	Delayed delivery of endothelial progenitor cell-derived extracellular vesicles via shear thinning gel improves postinfarct hemodynamics. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 159, 1825-1835.e2.	0.4	32

#	ARTICLE	IF	CITATIONS
37	Hydrogel microparticles for biomedical applications. <i>Nature Reviews Materials</i> , 2020, 5, 20-43.	23.3	646
38	Recent advances in shear-thinning and self-healing hydrogels for biomedical applications. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48668.	1.3	192
39	Recent Advances in Enabling Technologies in 3D Printing for Precision Medicine. <i>Advanced Materials</i> , 2020, 32, e1902516.	11.1	126
40	Influence of Fiber Stiffness on Meniscal Cell Migration into Dense Fibrous Networks. <i>Advanced Healthcare Materials</i> , 2020, 9, e1901228.	3.9	33
41	Alginate-Boronic Acid: pH-Triggered Bioinspired Glue for Hydrogel Assembly. <i>Advanced Functional Materials</i> , 2020, 30, 1908497.	7.8	52
42	Mechanochemical Adhesion and Plasticity in Multifiber Hydrogel Networks. <i>Advanced Materials</i> , 2020, 32, e1905719.	11.1	43
43	Engineered Full-Length Fibronectin-Hyaluronic Acid Hydrogels for Stem Cell Engineering. <i>Advanced Healthcare Materials</i> , 2020, 9, e2000989.	3.9	28
44	A Bioengineered Neuregulin-Hydrogel Therapy Reduces Scar Size and Enhances Post-Infarct Ventricular Contractility in an Ovine Large Animal Model. <i>Journal of Cardiovascular Development and Disease</i> , 2020, 7, 53.	0.8	8
45	How hydrogel inclusions modulate the local mechanical response in early and fully formed post-infarcted myocardium. <i>Acta Biomaterialia</i> , 2020, 114, 296-306.	4.1	16
46	Expanding and optimizing 3D bioprinting capabilities using complementary network bioinks. <i>Science Advances</i> , 2020, 6, .	4.7	156
47	Injectable Shear-Thinning Hydrogels Prevent Ischemic Mitral Regurgitation and Normalize Ventricular Flow Dynamics. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2020, 32, 445-453.	0.4	1
48	Imaging of Injectable Hydrogels Delivered into Myocardium with SPECT/CT. <i>Advanced Healthcare Materials</i> , 2020, 9, e2000294.	3.9	22
49	Nuclear softening expedites interstitial cell migration in fibrous networks and dense connective tissues. <i>Science Advances</i> , 2020, 6, eaax5083.	4.7	36
50	Engineered Biomaterial Platforms to Study Fibrosis. <i>Advanced Healthcare Materials</i> , 2020, 9, e1901682.	3.9	53
51	Metabolic Labeling to Probe the Spatiotemporal Accumulation of Matrix at the Chondrocyte-Hydrogel Interface. <i>Advanced Functional Materials</i> , 2020, 30, 1909802.	7.8	48
52	Hydrogels: Mechanochemical Adhesion and Plasticity in Multifiber Hydrogel Networks (<i>Adv. Mater.</i>)	11.1	10
53	The bioprinting roadmap. <i>Biofabrication</i> , 2020, 12, 022002.	3.7	291
54	Fundamentals and Applications of Photo-Cross-Linking in Bioprinting. <i>Chemical Reviews</i> , 2020, 120, 10662-10694.	23.0	222

#	ARTICLE	IF	CITATIONS
55	Moving hydrogels to the fourth dimension. <i>Nature Materials</i> , 2019, 18, 914-915.	13.3	16
56	Injectable and Conductive Granular Hydrogels for 3D Printing and Electroactive Tissue Support. <i>Advanced Science</i> , 2019, 6, 1901229.	5.6	118
57	Influence of hyaluronic acid modification on CD44 binding towards the design of hydrogel biomaterials. <i>Biomaterials</i> , 2019, 222, 119451.	5.7	100
58	Tailoring supramolecular guest-host hydrogel viscoelasticity with covalent fibrinogen double networks. <i>Journal of Materials Chemistry B</i> , 2019, 7, 1753-1760.	2.9	36
59	Local nascent protein deposition and remodelling guide mesenchymal stromal cell mechanosensing and fate in three-dimensional hydrogels. <i>Nature Materials</i> , 2019, 18, 883-891.	13.3	273
60	Engineered Fibrous Networks To Investigate the Influence of Fiber Mechanics on Myofibroblast Differentiation. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 3899-3908.	2.6	42
61	3D bioprinting via an in situ crosslinking technique towards engineering cartilage tissue. <i>Scientific Reports</i> , 2019, 9, 19987.	1.6	107
62	Delivery of progenitor cells with injectable shear-thinning hydrogel maintains geometry and normalizes strain to stabilize cardiac function after ischemia. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 157, 1479-1490.	0.4	22
63	Extracellular vesicles mediate improved functional outcomes in engineered cartilage produced from MSC/chondrocyte cocultures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 1569-1578.	3.3	47
64	Gallol-derived ECM-mimetic adhesive bioinks exhibiting temporal shear-thinning and stabilization behavior. <i>Acta Biomaterialia</i> , 2019, 95, 165-175.	4.1	84
65	Jammed Microgel Inks for 3D Printing Applications. <i>Advanced Science</i> , 2019, 6, 1801076.	5.6	270
66	Injectable Supramolecular Hydrogel/Microgel Composites for Therapeutic Delivery. <i>Macromolecular Bioscience</i> , 2019, 19, e1800248.	2.1	65
67	Bioactive factors for cartilage repair and regeneration: Improving delivery, retention, and activity. <i>Acta Biomaterialia</i> , 2019, 93, 222-238.	4.1	101
68	Matching material and cellular timescales maximizes cell spreading on viscoelastic substrates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E2686-E2695.	3.3	183
69	Nuclear-Import Receptors Reverse Aberrant Phase Transitions of RNA-Binding Proteins with Prion-like Domains. <i>Cell</i> , 2018, 173, 677-692.e20.	13.5	376
70	Frontispiece: Ruthenium-Crosslinked Hydrogels with Rapid, Visible-Light Degradation. <i>Chemistry - A European Journal</i> , 2018, 24, .	1.7	0
71	Combinatorial hydrogels with biochemical gradients for screening 3D cellular microenvironments. <i>Nature Communications</i> , 2018, 9, 614.	5.8	150
72	Antisecretory Factor-Mediated Inhibition of Cell Volume Dynamics Produces Antitumor Activity in Glioblastoma. <i>Molecular Cancer Research</i> , 2018, 16, 777-790.	1.5	16

#	ARTICLE	IF	CITATIONS
73	Engineering Stem and Stromal Cell Therapies for Musculoskeletal Tissue Repair. <i>Cell Stem Cell</i> , 2018, 22, 325-339.	5.2	132
74	Reversible Control of Network Properties in Azobenzene-Containing Hyaluronic Acid-Based Hydrogels. <i>Bioconjugate Chemistry</i> , 2018, 29, 905-913.	1.8	132
75	Dose and Timing of N-cadherin Mimetic Peptides Regulate MSC Chondrogenesis within Hydrogels. <i>Advanced Healthcare Materials</i> , 2018, 7, e1701199.	3.9	51
76	Three-dimensional extrusion bioprinting of single- and double-network hydrogels containing dynamic covalent crosslinks. <i>Journal of Biomedical Materials Research - Part A</i> , 2018, 106, 865-875.	2.1	218
77	Biofabrication strategies for 3D in vitro models and regenerative medicine. <i>Nature Reviews Materials</i> , 2018, 3, 21-37.	23.3	502
78	Facile Biofabrication of Heterogeneous Multilayer Tubular Hydrogels by Fast Diffusion-Induced Gelation. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 12424-12430.	4.0	37
79	Injectable Granular Hydrogels with Multifunctional Properties for Biomedical Applications. <i>Advanced Materials</i> , 2018, 30, e1705912.	11.1	224
80	Sustained release of endothelial progenitor cell-derived extracellular vesicles from shear-thinning hydrogels improves angiogenesis and promotes function after myocardial infarction. <i>Cardiovascular Research</i> , 2018, 114, 1029-1040.	1.8	147
81	Ruthenium-crosslinked Hydrogels with Rapid, Visible-light Degradation. <i>Chemistry - A European Journal</i> , 2018, 24, 2328-2333.	1.7	36
82	Biofabrication: A Guide to Technology and Terminology. <i>Trends in Biotechnology</i> , 2018, 36, 384-402.	4.9	465
83	Biomaterial-Based Delivery of a Small Molecule Matrix Metalloproteinase Inhibitor Limits Adverse Biomechanical Changes Throughout the Left Ventricle Following Myocardial Infarction. <i>Journal of Cardiac Failure</i> , 2018, 24, S40.	0.7	0
84	Cathelicidin Related Antimicrobial Peptide (CRAMP) Enhances Bone Marrow Cell Retention and Attenuates Cardiac Dysfunction in a Mouse Model of Myocardial Infarction. <i>Stem Cell Reviews and Reports</i> , 2018, 14, 702-714.	5.6	11
85	Delivery of a matrix metalloproteinase-responsive hydrogel releasing TIMP-3 after myocardial infarction: effects on left ventricular remodeling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 315, H814-H825.	1.5	44
86	Injectable and protease-degradable hydrogel for siRNA sequestration and triggered delivery to the heart. <i>Journal of Controlled Release</i> , 2018, 285, 152-161.	4.8	84
87	Effects of hydrogel injection on borderzone contractility post-myocardial infarction. <i>Biomechanics and Modeling in Mechanobiology</i> , 2018, 17, 1533-1542.	1.4	18
88	Complex 3D-Printed Microchannels within Cell-Degradable Hydrogels. <i>Advanced Functional Materials</i> , 2018, 28, 1801331.	7.8	171
89	Photopatterned Hydrogels to Investigate the Endothelial Cell Response to Matrix Stiffness Heterogeneity. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 3007-3016.	2.6	41
90	Thermosensitive Poly(N-vinylcaprolactam) Injectable Hydrogels for Cartilage Tissue Engineering. <i>Tissue Engineering - Part A</i> , 2017, 23, 935-945.	1.6	51

#	ARTICLE	IF	CITATIONS
91	Multiscale model predicts increasing focal adhesion size with decreasing stiffness in fibrous matrices. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E4549-E4555.	3.3	88
92	Enhanced nutrient transport improves the depth-dependent properties of tri-layered engineered cartilage constructs with zonal co-culture of chondrocytes and MSCs. <i>Acta Biomaterialia</i> , 2017, 58, 1-11.	4.1	24
93	Norbornene-modified poly(glycerol sebacate) as a photocurable and biodegradable elastomer. <i>Polymer Chemistry</i> , 2017, 8, 5091-5099.	1.9	46
94	Injectable, Guest-Host Assembled Polyethylenimine Hydrogel for siRNA Delivery. <i>Biomacromolecules</i> , 2017, 18, 77-86.	2.6	67
95	A Generalizable Strategy for the 3D Bioprinting of Hydrogels from Nonviscous Photo-crosslinkable Inks. <i>Advanced Materials</i> , 2017, 29, 1604983.	11.1	414
96	Engineered Hydrogels for Local and Sustained Delivery of RNA Interference Therapies. <i>Advanced Healthcare Materials</i> , 2017, 6, 1601041.	3.9	79
97	Mechanically dynamic PDMS substrates to investigate changing cell environments. <i>Biomaterials</i> , 2017, 145, 23-32.	5.7	68
98	Computational sensitivity investigation of hydrogel injection characteristics for myocardial support. <i>Journal of Biomechanics</i> , 2017, 64, 231-235.	0.9	13
99	Matrix degradability controls multicellularity of 3D cell migration. <i>Nature Communications</i> , 2017, 8, 371.	5.8	192
100	Hydrogels with Reversible Mechanics to Probe Dynamic Cell Microenvironments. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 12132-12136.	7.2	220
101	Hydrogels with Reversible Mechanics to Probe Dynamic Cell Microenvironments. <i>Angewandte Chemie</i> , 2017, 129, 12300-12304.	1.6	19
102	Programmed biomolecule delivery to enable and direct cell migration for connective tissue repair. <i>Nature Communications</i> , 2017, 8, 1780.	5.8	96
103	Methods To Assess Shear-Thinning Hydrogels for Application As Injectable Biomaterials. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 3146-3160.	2.6	261
104	Shear-thinning and self-healing hydrogels as injectable therapeutics and for 3D-printing. <i>Nature Protocols</i> , 2017, 12, 1521-1541.	5.5	382
105	EXTH-23. ANTISECRETORY FACTOR-MEDIATED LOWERING OF INTERSTITIAL FLUID PRESSURE PRODUCES ANTI-TUMOR ACTIVITY IN GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2017, 19, vi77-vi77.	0.6	0
106	Sustained miRNA delivery from an injectable hydrogel promotes cardiomyocyte proliferation and functional regeneration after ischaemic injury. <i>Nature Biomedical Engineering</i> , 2017, 1, 983-992.	11.6	184
107	Epicardial YAP/TAZ orchestrate an immunosuppressive response following myocardial infarction. <i>Journal of Clinical Investigation</i> , 2017, 127, 899-911.	3.9	126
108	Hydrogels in Cardiac Tissue Engineering. , 2016, , 323-361.		0

#	ARTICLE	IF	CITATIONS
109	Computational Investigation of Transmural Differences in Left Ventricular Contractility. <i>Journal of Biomechanical Engineering</i> , 2016, 138, .	0.6	10
110	Stiffening hydrogels for investigating the dynamics of hepatic stellate cell mechanotransduction during myofibroblast activation. <i>Scientific Reports</i> , 2016, 6, 21387.	1.6	176
111	Near-infrared light triggered release of molecules from supramolecular hydrogel-nanorod composites. <i>Nanomedicine</i> , 2016, 11, 1579-1590.	1.7	20
112	Effects of using the unloaded configuration in predicting the <i>in vivo</i> diastolic properties of the heart. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2016, 19, 1714-1720.	0.9	18
113	Single Cell Imaging to Probe Mesenchymal Stem Cell N-Cadherin Mediated Signaling within Hydrogels. <i>Annals of Biomedical Engineering</i> , 2016, 44, 1921-1930.	1.3	21
114	A practical guide to hydrogels for cell culture. <i>Nature Methods</i> , 2016, 13, 405-414.	9.0	1,348
115	Gradually softening hydrogels for modeling hepatic stellate cell behavior during fibrosis regression. <i>Integrative Biology (United Kingdom)</i> , 2016, 8, 720-728.	0.6	72
116	Injectable Shear-Thinning Hydrogels for Minimally Invasive Delivery to Infarcted Myocardium to Limit Left Ventricular Remodeling. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	1.4	98
117	Editorial: Special Issue on 3D Printing of Biomaterials. <i>ACS Biomaterials Science and Engineering</i> , 2016, 2, 1658-1661.	2.6	22
118	3D printing of photocurable poly(glycerol sebacate) elastomers. <i>Biofabrication</i> , 2016, 8, 045004.	3.7	67
119	Injectable and Cytocompatible Tough Double- π -Network Hydrogels through Tandem Supramolecular and Covalent Crosslinking. <i>Advanced Materials</i> , 2016, 28, 8419-8424.	11.1	233
120	Evolution of hierarchical porous structures in supramolecular guest-host hydrogels. <i>Soft Matter</i> , 2016, 12, 7839-7847.	1.2	21
121	N-cadherin adhesive interactions modulate matrix mechanosensing and fate commitment of mesenchymal stem cells. <i>Nature Materials</i> , 2016, 15, 1297-1306.	13.3	262
122	Delivery of interleukin-10 via injectable hydrogels improves renal outcomes and reduces systemic inflammation following ischemic acute kidney injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F362-F372.	1.3	50
123	Dimensionality and spreading influence MSC YAP/TAZ signaling in hydrogel environments. <i>Biomaterials</i> , 2016, 103, 314-323.	5.7	240
124	3D Printing of Shear-Thinning Hyaluronic Acid Hydrogels with Secondary Cross-Linking. <i>ACS Biomaterials Science and Engineering</i> , 2016, 2, 1743-1751.	2.6	473
125	Biofabrication: reappraising the definition of an evolving field. <i>Biofabrication</i> , 2016, 8, 013001.	3.7	523
126	ACS Biomaterials Science and Engineering, Editorial-First Anniversary. <i>ACS Biomaterials Science and Engineering</i> , 2016, 2, 141-141.	2.6	0

#	ARTICLE	IF	CITATIONS
127	Effects of Mesenchymal Stem Cell and Growth Factor Delivery on Cartilage Repair in a Mini-Pig Model. <i>Cartilage</i> , 2016, 7, 174-184.	1.4	35
128	Recent advances in hyaluronic acid hydrogels for biomedical applications. <i>Current Opinion in Biotechnology</i> , 2016, 40, 35-40.	3.3	441
129	Mimicking the topography of the epidermalâ€“dermal interface with elastomer substrates. <i>Integrative Biology (United Kingdom)</i> , 2016, 8, 21-29.	0.6	52
130	To Serve and Protect: Hydrogels to Improve Stem Cell-Based Therapies. <i>Cell Stem Cell</i> , 2016, 18, 13-15.	5.2	158
131	Computational Modeling of Healthy Myocardium in Diastole. <i>Annals of Biomedical Engineering</i> , 2016, 44, 980-992.	1.3	18
132	Local Drug Delivery in the Treatment of Glioblastoma. , 2016, , 207-211.		0
133	Synergistic Effects of SDF-1 β and BMP-2 Delivery from Proteolytically Degradable Hyaluronic Acid Hydrogels for Bone Repair. <i>Macromolecular Bioscience</i> , 2015, 15, 1218-1223.	2.1	61
134	Direct 3D Printing of Shearâ€“Thinning Hydrogels into Selfâ€“Healing Hydrogels. <i>Advanced Materials</i> , 2015, 27, 5075-5079.	11.1	831
135	Hydrogels with dynamically tunable properties. , 2015, , 90-109.		1
136	Cartilage Repair and Subchondral Bone Remodeling in Response to Focal Lesions in a Mini-Pig Model: Implications for Tissue Engineering. <i>Tissue Engineering - Part A</i> , 2015, 21, 850-860.	1.6	72
137	Role Played by Prx1â€“Dependent Extracellular Matrix Properties in Vascular Smooth Muscle Development in Embryonic Lungs. <i>Pulmonary Circulation</i> , 2015, 5, 382-397.	0.8	16
138	Progress in material design for biomedical applications. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 14444-14451.	3.3	201
139	Estimating passive mechanical properties in a myocardial infarction using MRI and finite element simulations. <i>Biomechanics and Modeling in Mechanobiology</i> , 2015, 14, 633-647.	1.4	53
140	Welcome to <i>ACS Biomaterials Science & Engineering</i>. <i>ACS Biomaterials Science and Engineering</i> , 2015, 1, 1-1.	2.6	0
141	Injectable Microsphere Gel Progressively Improves Global Ventricular Function, Regional Contractile Strain, and Mitral Regurgitation After Myocardial Infarction. <i>Annals of Thoracic Surgery</i> , 2015, 99, 597-603.	0.7	10
142	Nanofibrous Hydrogels with Spatially Patterned Biochemical Signals to Control Cell Behavior. <i>Advanced Materials</i> , 2015, 27, 1356-1362.	11.1	153
143	Shearâ€“Thinning Supramolecular Hydrogels with Secondary Autonomous Covalent Crosslinking to Modulate Viscoelastic Properties In Vivo. <i>Advanced Functional Materials</i> , 2015, 25, 636-644.	7.8	278
144	From Repair to Regeneration: Biomaterials to Reprogram the Meniscus Wound Microenvironment. <i>Annals of Biomedical Engineering</i> , 2015, 43, 529-542.	1.3	44

#	ARTICLE	IF	CITATIONS
145	One-Step Generation of Multifunctional Polyelectrolyte Microcapsules <i>via</i> Nanoscale Interfacial Complexation in Emulsion (NICE). ACS Nano, 2015, 9, 8269-8278.	7.3	70
146	Selective Proteolytic Degradation of Guest-Host Assembled, Injectable Hyaluronic Acid Hydrogels. ACS Biomaterials Science and Engineering, 2015, 1, 277-286.	2.6	79
147	Protease-degradable electrospun fibrous hydrogels. Nature Communications, 2015, 6, 6639.	5.8	126
148	Local immunotherapy via delivery of interleukin-10 and transforming growth factor β 2 antagonist for treatment of chronic kidney disease. Journal of Controlled Release, 2015, 206, 131-139.	4.8	60
149	Visualization of Injectable Hydrogels Using Chemical Exchange Saturation Transfer MRI. ACS Biomaterials Science and Engineering, 2015, 1, 227-237.	2.6	19
150	Temporal Changes in Infarct Material Properties: An In Vivo Assessment Using Magnetic Resonance Imaging and Finite Element Simulations. Annals of Thoracic Surgery, 2015, 100, 582-589.	0.7	28
151	Regulation Policy on Tissue Engineering and Regenerative Medicine in Asian-Pacific Region. Tissue Engineering - Part A, 2015, 21, 2779-2780.	1.6	3
152	Injectable shear-thinning hydrogels used to deliver endothelial progenitor cells, enhance cell engraftment, and improve ischemic myocardium. Journal of Thoracic and Cardiovascular Surgery, 2015, 150, 1268-1277.	0.4	113
153	Supramolecular Guest-Host Interactions for the Preparation of Biomedical Materials. Bioconjugate Chemistry, 2015, 26, 2279-2289.	1.8	162
154	Cell-mediated fibre recruitment drives extracellular matrix mechanosensing in engineered fibrillar microenvironments. Nature Materials, 2015, 14, 1262-1268.	13.3	464
155	Fibrous Scaffolds with Varied Fiber Chemistry and Growth Factor Delivery Promote Repair in a Porcine Cartilage Defect Model. Tissue Engineering - Part A, 2015, 21, 2680-2690.	1.6	46
156	MRI evaluation of injectable hyaluronic acid-based hydrogel therapy to limit ventricular remodeling after myocardial infarction. Biomaterials, 2015, 69, 65-75.	5.7	91
157	Sustained small molecule delivery from injectable hyaluronic acid hydrogels through host-guest mediated retention. Journal of Materials Chemistry B, 2015, 3, 8010-8019.	2.9	111
158	Author response: new therapies for reducing post-myocardial left ventricular remodeling. Annals of Translational Medicine, 2015, 3, 146.	0.7	0
159	Emerging Issues in Translating Laboratory Experiments to Applications for Society. Tissue Engineering - Part A, 2014, 20, 2547-2548.	1.6	3
160	A Bioengineered Hydrogel System Enables Targeted and Sustained Intramyocardial Delivery of Neuregulin, Activating the Cardiomyocyte Cell Cycle and Enhancing Ventricular Function in a Murine Model of Ischemic Cardiomyopathy. Circulation: Heart Failure, 2014, 7, 619-626.	1.6	53
161	Jagged1 immobilization to an osteoconductive polymer activates the Notch signaling pathway and induces osteogenesis. Journal of Biomedical Materials Research - Part A, 2014, 102, 1558-1567.	2.1	50
162	Immunotherapy with injectable hydrogels to treat obstructive nephropathy. Journal of Biomedical Materials Research - Part A, 2014, 102, 2173-2180.	2.1	44

#	ARTICLE	IF	CITATIONS
163	Ordered, adherent layers of nanofibers enabled by supramolecular interactions. <i>Journal of Materials Chemistry B</i> , 2014, 2, 8110-8115.	2.9	22
164	Local Hydrogel Release of Recombinant TIMP-3 Attenuates Adverse Left Ventricular Remodeling After Experimental Myocardial Infarction. <i>Science Translational Medicine</i> , 2014, 6, 223ra21.	5.8	94
165	Experimental and Computational Investigation of Altered Mechanical Properties in Myocardium after Hydrogel Injection. <i>Annals of Biomedical Engineering</i> , 2014, 42, 1546-1556.	1.3	44
166	Injectable and bioresponsive hydrogels for on-demand matrix metalloproteinase inhibition. <i>Nature Materials</i> , 2014, 13, 653-661.	13.3	419
167	Hydrogels with differential and patterned mechanics to study stiffness-mediated myofibroblastic differentiation of hepatic stellate cells. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014, 38, 198-208.	1.5	84
168	Transdermal gelation of methacrylated macromers with near-infrared light and gold nanorods. <i>Nanotechnology</i> , 2014, 25, 014004.	1.3	23
169	Radicals promote magnetic gel assembly. <i>Nature</i> , 2014, 514, 574-575.	13.7	4
170	Advances in nanofibrous scaffolds for biomedical applications: From electrospinning to self-assembly. <i>Nano Today</i> , 2014, 9, 722-742.	6.2	109
171	Targeted Injection of a Biocomposite Material Alters Macrophage and Fibroblast Phenotype and Function following Myocardial Infarction: Relation to Left Ventricular Remodeling. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 350, 701-709.	1.3	24
172	Themed issue on nanoscale biomaterials. <i>Journal of Materials Chemistry B</i> , 2014, 2, 8039-8042.	2.9	0
173	Incorporation of sulfated hyaluronic acid macromers into degradable hydrogel scaffolds for sustained molecule delivery. <i>Biomaterials Science</i> , 2014, 2, 693-702.	2.6	46
174	Stem cell-materials interactions. <i>Biomaterials Science</i> , 2014, 2, 1545-1547.	2.6	2
175	Hyaluronic acid hydrogel stiffness and oxygen tension affect cancer cell fate and endothelial sprouting. <i>Biomaterials Science</i> , 2014, 2, 655.	2.6	72
176	Modulating hydrogel crosslink density and degradation to control bone morphogenetic protein delivery and in vivo bone formation. <i>Journal of Controlled Release</i> , 2014, 191, 63-70.	4.8	115
177	Hydrogels that mimic developmentally relevant matrix and N-cadherin interactions enhance MSC chondrogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 10117-10122.	3.3	344
178	Fibrous hyaluronic acid hydrogels that direct MSC chondrogenesis through mechanical and adhesive cues. <i>Biomaterials</i> , 2013, 34, 5571-5580.	5.7	211
179	Localized targeting of biomaterials following myocardial infarction: A foundation to build on. <i>Trends in Cardiovascular Medicine</i> , 2013, 23, 301-311.	2.3	9
180	Degradation-mediated cellular traction directs stem cell fate in covalently crosslinked three-dimensional hydrogels. <i>Nature Materials</i> , 2013, 12, 458-465.	13.3	982

#	ARTICLE	IF	CITATIONS
181	Engineering synthetic hydrogel microenvironments to instruct stem cells. <i>Current Opinion in Biotechnology</i> , 2013, 24, 841-846.	3.3	201
182	Secondary Photocrosslinking of Injectable Shear-Thinning Dock-and-Lock Hydrogels. <i>Advanced Healthcare Materials</i> , 2013, 2, 1028-1036.	3.9	85
183	The influence of hyaluronic acid hydrogel crosslinking density and macromolecular diffusivity on human MSC chondrogenesis and hypertrophy. <i>Biomaterials</i> , 2013, 34, 413-421.	5.7	265
184	Synthesis and orthogonal photopatterning of hyaluronic acid hydrogels with thiol-norbornene chemistry. <i>Biomaterials</i> , 2013, 34, 9803-9811.	5.7	263
185	Rational Design of Network Properties in Guest-Host Assembled and Shear-Thinning Hyaluronic Acid Hydrogels. <i>Biomacromolecules</i> , 2013, 14, 4125-4134.	2.6	349
186	Stem Cell Response to Spatially and Temporally Displayed and Reversible Surface Topography. <i>Advanced Healthcare Materials</i> , 2013, 2, 155-164.	3.9	81
187	Sustained Release of Engineered Stromal Cell-Derived Factor 1- β From Injectable Hydrogels Effectively Recruits Endothelial Progenitor Cells and Preserves Ventricular Function After Myocardial Infarction. <i>Circulation</i> , 2013, 128, S79-86.	1.6	100
188	Acellular Biomaterials: An Evolving Alternative to Cell-Based Therapies. <i>Science Translational Medicine</i> , 2013, 5, 176ps4.	5.8	113
189	Plant-Derived Recombinant Human Collagen: A Strategic Approach for Generating Safe Human ECM-Based Scaffold. <i>Tissue Engineering - Part A</i> , 2013, 19, 1489-1490.	1.6	5
190	Tissue Engineering: Stem Cell Response to Spatially and Temporally Displayed and Reversible Surface Topography (<i>Adv. Healthcare Mater.</i> 1/2013). <i>Advanced Healthcare Materials</i> , 2013, 2, 232-232.	3.9	0
191	Integration and Regression of Implanted Engineered Human Vascular Networks During Deep Wound Healing. <i>Stem Cells Translational Medicine</i> , 2013, 2, 297-306.	1.6	41
192	Fiber alignment directs cell motility over chemotactic gradients. <i>Biotechnology and Bioengineering</i> , 2013, 110, 1249-1254.	1.7	63
193	Improved cartilage repair via <i>in vitro</i> pre-maturation of MSC-seeded hyaluronic acid hydrogels. <i>Biomedical Materials (Bristol)</i> , 2012, 7, 024110.	1.7	57
194	Dynamic Compressive Loading Enhances Cartilage Matrix Synthesis and Distribution and Suppresses Hypertrophy in hMSC-Laden Hyaluronic Acid Hydrogels. <i>Tissue Engineering - Part A</i> , 2012, 18, 715-724.	1.6	121
195	Dynamic Mechanical Properties Control Adult Stem Cell Fate. , 2012, , .		0
196	Moving from static to dynamic complexity in hydrogel design. <i>Nature Communications</i> , 2012, 3, 1269.	5.8	445
197	Tunable hydrogel-microsphere composites that modulate local inflammation and collagen bulking. <i>Acta Biomaterialia</i> , 2012, 8, 3218-3227.	4.1	40
198	Sacrificial nanofibrous composites provide instruction without impediment and enable functional tissue formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 14176-14181.	3.3	145

#	ARTICLE	IF	CITATIONS
199	Soft biodegradable polymersomes from caprolactone-derived polymers. <i>Soft Matter</i> , 2012, 8, 10853.	1.2	18
200	Magnitude and presentation of mechanical signals influence adult stem cell behavior in 3-dimensional macroporous hydrogels. <i>Soft Matter</i> , 2012, 8, 8113.	1.2	51
201	Ischemia induces P-selectin-mediated selective progenitor cell engraftment in the isolated-perfused heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 52, 105-112.	0.9	5
202	High mesenchymal stem cell seeding densities in hyaluronic acid hydrogels produce engineered cartilage with native tissue properties. <i>Acta Biomaterialia</i> , 2012, 8, 3027-3034.	4.1	173
203	Stiffening hydrogels to probe short- and long-term cellular responses to dynamic mechanics. <i>Nature Communications</i> , 2012, 3, 792.	5.8	574
204	Engineering ECM signals into biomaterials. <i>Materials Today</i> , 2012, 15, 454-459.	8.3	179
205	Synergistic effects of SDF-1 α chemokine and hyaluronic acid release from degradable hydrogels on directing bone marrow derived cell homing to the myocardium. <i>Biomaterials</i> , 2012, 33, 7849-7857.	5.7	119
206	Shear-thinning hydrogels for biomedical applications. <i>Soft Matter</i> , 2012, 8, 260-272.	1.2	712
207	Controlling the Cell-Adhesion Properties of Poly(acrylic acid)/Polyacrylamide Hydrogen-Bonded Multilayers. <i>Macromolecules</i> , 2012, 45, 6120-6126.	2.2	15
208	Injectable shear-thinning hydrogels engineered with a self-assembling Dock-and-Lock mechanism. <i>Biomaterials</i> , 2012, 33, 2145-2153.	5.7	173
209	Spatial control of cell-mediated degradation to regulate vasculogenesis and angiogenesis in hyaluronan hydrogels. <i>Biomaterials</i> , 2012, 33, 6123-6131.	5.7	129
210	Harnessing Interfacial Phenomena to Program the Release Properties of Hollow Microcapsules. <i>Advanced Functional Materials</i> , 2012, 22, 131-138.	7.8	84
211	Drug Delivery: Harnessing Interfacial Phenomena to Program the Release Properties of Hollow Microcapsules (<i>Adv. Funct. Mater.</i> 1/2012). <i>Advanced Functional Materials</i> , 2012, 22, 130-130.	7.8	3
212	Coculture of Human Mesenchymal Stem Cells and Articular Chondrocytes Reduces Hypertrophy and Enhances Functional Properties of Engineered Cartilage. <i>Tissue Engineering - Part A</i> , 2011, 17, 1137-1145.	1.6	235
213	Patterning hydrogels in three dimensions towards controlling cellular interactions. <i>Soft Matter</i> , 2011, 7, 830-838.	1.2	151
214	Influence of Injectable Hyaluronic Acid Hydrogel Degradation Behavior on Infarction-Induced Ventricular Remodeling. <i>Biomacromolecules</i> , 2011, 12, 4127-4135.	2.6	119
215	Gradients with Depth in Electrospun Fibrous Scaffolds for Directed Cell Behavior. <i>Biomacromolecules</i> , 2011, 12, 2344-2350.	2.6	92
216	Enhanced Release of Small Molecules from Near-Infrared Light Responsive Polymer ⁺ Nanorod Composites. <i>ACS Nano</i> , 2011, 5, 2948-2956.	7.3	146

#	ARTICLE	IF	CITATIONS
217	High-throughput stem-cell niches. <i>Nature Methods</i> , 2011, 8, 915-916.	9.0	14
218	Controlled activation of morphogenesis to generate a functional human microvasculature in a synthetic matrix. <i>Blood</i> , 2011, 118, 804-815.	0.6	166
219	Modification of Infarct Material Properties Limits Adverse Ventricular Remodeling. <i>Annals of Thoracic Surgery</i> , 2011, 92, 617-624.	0.7	54
220	Hydrogel design for cartilage tissue engineering: A case study with hyaluronic acid. <i>Biomaterials</i> , 2011, 32, 8771-8782.	5.7	443
221	Infarct Restraint to Limit Adverse Ventricular Remodeling. <i>Journal of Cardiovascular Translational Research</i> , 2011, 4, 73-81.	1.1	35
222	Injectable Acellular Hydrogels for Cardiac Repair. <i>Journal of Cardiovascular Translational Research</i> , 2011, 4, 528-542.	1.1	136
223	Hyaluronic Acid Hydrogels for Biomedical Applications. <i>Advanced Materials</i> , 2011, 23, H41-56.	11.1	1,593
224	High-throughput screening of a small molecule library for promoters and inhibitors of mesenchymal stem cell osteogenic differentiation. <i>Biotechnology and Bioengineering</i> , 2011, 108, 163-174.	1.7	50
225	Enhanced MSC chondrogenesis following delivery of TGF- β 3 from alginate microspheres within hyaluronic acid hydrogels in vitro and in vivo. <i>Biomaterials</i> , 2011, 32, 6425-6434.	5.7	327
226	Nanofiber/nanorod composites exhibiting light-induced reversible lower critical solution temperature transitions. <i>Nanotechnology</i> , 2011, 22, 494009.	1.3	19
227	Engineering Cartilage Tissue. , 2011, , 493-520.		7
228	Controllable and robust morphogenesis of functional vascular network assembly within synthetic environments. <i>FASEB Journal</i> , 2011, 25, 300.7.	0.2	0
229	Patterning network structure to spatially control cellular remodeling and stem cell fate within 3-dimensional hydrogels. <i>Biomaterials</i> , 2010, 31, 8228-8234.	5.7	258
230	Identification of osteoconductive and biodegradable polymers from a combinatorial polymer library. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 93A, 807-816.	2.1	12
231	Controlling Stem Cell Fate with Material Design. <i>Advanced Materials</i> , 2010, 22, 175-189.	11.1	215
232	Light-Responsive Biomaterials: Development and Applications. <i>Macromolecular Bioscience</i> , 2010, 10, 339-348.	2.1	217
233	Electrospun Fibrous Scaffolds with Multiscale and Photopatterned Porosity. <i>Macromolecular Bioscience</i> , 2010, 10, 265-270.	2.1	87
234	Biodegradable fibrous scaffolds with diverse properties by electrospinning candidates from a combinatorial macromer library. <i>Acta Biomaterialia</i> , 2010, 6, 1219-1226.	4.1	24

#	ARTICLE	IF	CITATIONS
235	An anisotropic nanofiber/microsphere composite with controlled release of biomolecules for fibrous tissue engineering. <i>Biomaterials</i> , 2010, 31, 4113-4120.	5.7	114
236	The control of stem cell morphology and differentiation by hydrogel surface wrinkles. <i>Biomaterials</i> , 2010, 31, 6511-6518.	5.7	193
237	Light-Sensitive Polypeptide Hydrogel and Nanorod Composites. <i>Small</i> , 2010, 6, 1608-1611.	5.2	72
238	The Influence of Fibrous Elastomer Structure and Porosity on Matrix Organization. <i>PLoS ONE</i> , 2010, 5, e15717.	1.1	27
239	Injectable hydrogel properties influence infarct expansion and extent of postinfarction left ventricular remodeling in an ovine model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 11507-11512.	3.3	267
240	Modular Synthesis of Biodegradable Diblock Copolymers for Designing Functional Polymersomes. <i>Journal of the American Chemical Society</i> , 2010, 132, 3654-3655.	6.6	116
241	Solvent induced transition from wrinkles to creases in thin film gels with depth-wise crosslinking gradients. <i>Soft Matter</i> , 2010, 6, 5795.	1.2	122
242	Photocleavable side groups to spatially alter hydrogel properties and cellular interactions. <i>Journal of Materials Chemistry</i> , 2010, 20, 8920.	6.7	36
243	Kinetic study of swelling-induced surface pattern formation and ordering in hydrogel films with depth-wise crosslinking gradient. <i>Soft Matter</i> , 2010, 6, 2044.	1.2	104
244	Spatially controlled hydrogel mechanics to modulate stem cell interactions. <i>Soft Matter</i> , 2010, 6, 136-143.	1.2	253
245	Tuning hydrogel properties for applications in tissue engineering. , 2009, 2009, 2094-6.		7
246	Mechanically Robust and Bioadhesive Collagen and Photocrosslinkable Hyaluronic Acid Semi-Interpenetrating Networks. <i>Tissue Engineering - Part A</i> , 2009, 15, 1645-1653.	1.6	167
247	Fabrication and Modeling of Dynamic Multipolymer Nanofibrous Scaffolds. <i>Journal of Biomechanical Engineering</i> , 2009, 131, 101012.	0.6	78
248	Differential Maturation and Structure-Function Relationships in Mesenchymal Stem Cell- and Chondrocyte-Seeded Hydrogels. <i>Tissue Engineering - Part A</i> , 2009, 15, 1041-1052.	1.6	196
249	High-Throughput and Combinatorial Technologies for Tissue Engineering Applications. <i>Tissue Engineering - Part B: Reviews</i> , 2009, 15, 225-239.	2.5	54
250	Engineering on the Straight and Narrow: The Mechanics of Nanofibrous Assemblies for Fiber-Reinforced Tissue Regeneration. <i>Tissue Engineering - Part B: Reviews</i> , 2009, 15, 171-193.	2.5	188
251	Swelling-Induced Surface Patterns in Hydrogels with Gradient Crosslinking Density. <i>Advanced Functional Materials</i> , 2009, 19, 3038-3045.	7.8	305
252	Hydrogel Patterning: (Swelling-Induced Surface Patterns in Hydrogels with Gradient Crosslinking) Tj ETQq0 0 0 rgBTj (Overlock 10 Tf 50	7.8	305

#	ARTICLE	IF	CITATIONS
253	Controlled release of GDNF reduces nerve root-mediated behavioral hypersensitivity. <i>Journal of Orthopaedic Research</i> , 2009, 27, 120-127.	1.2	11
254	Hydrogel mediated delivery of trophic factors for neural repair. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2009, 1, 128-139.	3.3	56
255	Light-Induced Temperature Transitions in Biodegradable Polymer and Nanorod Composites. <i>Small</i> , 2009, 5, 1830-1834.	5.2	96
256	Cellular control in two clicks. <i>Nature</i> , 2009, 460, 469-470.	13.7	11
257	The influence of degradation characteristics of hyaluronic acid hydrogels on in vitro neocartilage formation by mesenchymal stem cells. <i>Biomaterials</i> , 2009, 30, 4287-4296.	5.7	205
258	Membrane Stabilization of Biodegradable Polymersomes. <i>Langmuir</i> , 2009, 25, 4429-4434.	1.6	33
259	Biodegradable Fibrous Scaffolds with Tunable Properties Formed from Photo-Cross-Linkable Poly(glycerol sebacate). <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 1878-1886.	4.0	94
260	Engineered Microenvironments for Controlled Stem Cell Differentiation. <i>Tissue Engineering - Part A</i> , 2009, 15, 205-219.	1.6	429
261	Influence of Three-Dimensional Hyaluronic Acid Microenvironments on Mesenchymal Stem Cell Chondrogenesis. <i>Tissue Engineering - Part A</i> , 2009, 15, 243-254.	1.6	408
262	Sequential crosslinking to control cellular spreading in 3-dimensional hydrogels. <i>Soft Matter</i> , 2009, 5, 1601.	1.2	170
263	Hydrophilic elastomeric biomaterials based on resilin-like polypeptides. <i>Soft Matter</i> , 2009, 5, 3412.	1.2	124
264	Electrospinning Fibrous Polymer Scaffolds for Tissue Engineering and Cell Culture. <i>Journal of Visualized Experiments</i> , 2009, , .	0.2	22
265	Cellular Encapsulation in 3D Hydrogels for Tissue Engineering. <i>Journal of Visualized Experiments</i> , 2009, , .	0.2	35
266	The potential to improve cell infiltration in composite fiber-aligned electrospun scaffolds by the selective removal of sacrificial fibers. <i>Biomaterials</i> , 2008, 29, 2348-2358.	5.7	557
267	Influence of macromer molecular weight and chemistry on poly(β -amino ester) network properties and initial cell interactions. <i>Journal of Biomedical Materials Research - Part A</i> , 2008, 85A, 731-741.	2.1	49
268	Electrospinning of photocrosslinked and degradable fibrous scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , 2008, 87A, 1034-1043.	2.1	58
269	Controlling poly(β -amino ester) network properties through macromer branching. <i>Acta Biomaterialia</i> , 2008, 4, 207-217.	4.1	41
270	Engineering cartilage tissue. <i>Advanced Drug Delivery Reviews</i> , 2008, 60, 243-262.	6.6	650

#	ARTICLE	IF	CITATIONS
271	Hydrolytically Degradable Hyaluronic Acid Hydrogels with Controlled Temporal Structures. <i>Biomacromolecules</i> , 2008, 9, 1088-1092.	2.6	171
272	Differential Behavior of Auricular and Articular Chondrocytes in Hyaluronic Acid Hydrogels. <i>Tissue Engineering - Part A</i> , 2008, 14, 1121-1131.	1.6	108
273	Biodegradable and radically polymerized elastomers with enhanced processing capabilities. <i>Biomedical Materials (Bristol)</i> , 2008, 3, 034104.	1.7	67
274	Differential Behavior of Auricular and Articular Chondrocytes in Hyaluronic Acid Hydrogels. <i>Tissue Engineering - Part A</i> , 2008, .	1.6	2
275	Micro-bioreactor array for controlling cellular microenvironments. <i>Lab on A Chip</i> , 2007, 7, 710.	3.1	208
276	Hyaluronic acid hydrogel for controlled self-renewal and differentiation of human embryonic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 11298-11303.	3.3	615
277	Review: Photopolymerizable and Degradable Biomaterials for Tissue Engineering Applications. <i>Tissue Engineering</i> , 2007, 13, 2369-2385.	4.9	556
278	Photocrosslinkable hydrogel for myocyte cell culture and injection. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2007, 81B, 312-322.	1.6	113
279	Three-dimensional Culture of Human Embryonic Stem Cells. <i>Human Cell Culture</i> , 2007, , 149-172.	0.1	1
280	Effects of Auricular Chondrocyte Expansion on Neocartilage Formation in Photocrosslinked Hyaluronic Acid Networks. <i>Tissue Engineering</i> , 2006, 12, 2665-2673.	4.9	104
281	Stimulation of neurite outgrowth by neurotrophins delivered from degradable hydrogels. <i>Biomaterials</i> , 2006, 27, 452-459.	5.7	198
282	Influence of gel properties on neocartilage formation by auricular chondrocytes photoencapsulated in hyaluronic acid networks. <i>Journal of Biomedical Materials Research - Part A</i> , 2006, 77A, 518-525.	2.1	120
283	Micromolding of photocrosslinkable hyaluronic acid for cell encapsulation and entrapment. <i>Journal of Biomedical Materials Research - Part A</i> , 2006, 79A, 522-532.	2.1	203
284	A Combinatorial Library of Photocrosslinkable and Degradable Materials. <i>Advanced Materials</i> , 2006, 18, 2614-2618.	11.1	135
285	Understanding multivinyl monomer photopolymerization kinetics through modeling and GPC investigation of degradable networks. <i>Polymer</i> , 2005, 46, 6226-6234.	1.8	26
286	Poly(ester-anhydride):poly(β -amino ester) micro- and nanospheres: DNA encapsulation and cellular transfection. <i>International Journal of Pharmaceutics</i> , 2005, 304, 210-219.	2.6	36
287	Formulation and surface modification of poly(ester-anhydride) micro- and nanospheres. <i>Biomaterials</i> , 2005, 26, 117-124.	5.7	63
288	Controlled Degradation and Mechanical Behavior of Photopolymerized Hyaluronic Acid Networks. <i>Biomacromolecules</i> , 2005, 6, 386-391.	2.6	669

#	ARTICLE	IF	CITATIONS
289	Neurotrophin-Induced Differentiation of Human Embryonic Stem Cells on Three-Dimensional Polymeric Scaffolds. <i>Tissue Engineering</i> , 2005, 11, 506-512.	4.9	133
290	Molded polyethylene glycol microstructures for capturing cells within microfluidic channels. <i>Lab on A Chip</i> , 2004, 4, 425.	3.1	190
291	Fabrication of Gradient Hydrogels Using a Microfluidics/Photopolymerization Process. <i>Langmuir</i> , 2004, 20, 5153-5156.	1.6	338
292	MATERIALS SCIENCE: Smart Biomaterials. <i>Science</i> , 2004, 305, 1923-1924.	6.0	281
293	Synthesis and Characterization of in Situ Cross-Linkable Hyaluronic Acid-Based Hydrogels with Potential Application for Vocal Fold Regeneration. <i>Macromolecules</i> , 2004, 37, 3239-3248.	2.2	173
294	An initial investigation of photocurable three-dimensional lactic acid based scaffolds in a critical-sized cranial defect. <i>Biomaterials</i> , 2003, 24, 1613-1620.	5.7	92
295	Photoinitiated crosslinked degradable copolymer networks for tissue engineering applications. <i>Biomaterials</i> , 2003, 24, 2485-2495.	5.7	131
296	Kinetic Chain Lengths in Highly Cross-Linked Networks Formed by the Photoinitiated Polymerization of Divinyl Monomers: A Gel Permeation Chromatography Investigation. <i>Biomacromolecules</i> , 2003, 4, 149-156.	2.6	55
297	New Directions in Photopolymerizable Biomaterials. <i>MRS Bulletin</i> , 2002, 27, 130-136.	1.7	73
298	Delivery of osteoinductive growth factors from degradable PEG hydrogels influences osteoblast differentiation and mineralization. <i>Journal of Controlled Release</i> , 2002, 83, 53-63.	4.8	217
299	An investigation of the cytotoxicity and histocompatibility of in situ forming lactic acid based orthopedic biomaterials. <i>Journal of Biomedical Materials Research Part B</i> , 2002, 63, 484-491.	3.0	50
300	Photoencapsulation of osteoblasts in injectable RGD-modified PEG hydrogels for bone tissue engineering. <i>Biomaterials</i> , 2002, 23, 4315-4323.	5.7	906
301	In situ forming lactic acid based orthopaedic biomaterials: Influence of oligomer chemistry on osteoblast attachment and function. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2001, 12, 1253-1265.	1.9	26
302	Conversion and temperature profiles during the photoinitiated polymerization of thick orthopaedic biomaterials. <i>Biomaterials</i> , 2001, 22, 1779-1786.	5.7	97
303	Synthesis and characterization of tetrafunctional lactic acid oligomers: A potential in situ forming degradable orthopaedic biomaterial. <i>Journal of Polymer Science Part A</i> , 2001, 39, 683-692.	2.5	66
304	Surface and bulk modifications to photocrosslinked polyanhydrides to control degradation behavior. <i>Journal of Biomedical Materials Research Part B</i> , 2000, 51, 352-359.	3.0	89
305	Surface and bulk modifications to photocrosslinked polyanhydrides to control degradation behavior. <i>Journal of Biomedical Materials Research Part B</i> , 2000, 51, 352-359.	3.0	2