

Jason Chia-Hsien Cheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3356612/publications.pdf>

Version: 2024-02-01

121
papers

3,028
citations

159585

30
h-index

189892

50
g-index

128
all docs

128
docs citations

128
times ranked

3901
citing authors

#	ARTICLE	IF	CITATIONS
1	Longitudinal shear wave elasticity measurements of millimeter-sized biomaterials using a single-element transducer platform. <i>PLoS ONE</i> , 2022, 17, e0266235.	2.5	2
2	Tumor-Derived C-C Motif Ligand 2 Induces the Recruitment and Polarization of Tumor-Associated Macrophages and Increases the Metastatic Potential of Bladder Cancer Cells in the Postirradiated Microenvironment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2022, 114, 321-333.	0.8	12
3	Hippocampal avoidance whole-brain radiotherapy without memantine in preserving neurocognitive function for brain metastases: a phase II blinded randomized trial. <i>Neuro-Oncology</i> , 2021, 23, 478-486.	1.2	33
4	Pretreatment Neutrophil-to-Lymphocyte Ratio Predicts Survival and Liver Toxicity in Patients With Hepatocellular Carcinoma Treated With Stereotactic Ablative Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 109, 474-484.	0.8	10
5	Multi-Institutional Retrospective Study of Radiotherapy for Hepatocellular Carcinoma in the Caudate Lobe. <i>Frontiers in Oncology</i> , 2021, 11, 646473.	2.8	3
6	CT-Based Collision Prediction Software for External-Beam Radiation Therapy. <i>Frontiers in Oncology</i> , 2021, 11, 617007.	2.8	2
7	Randomized multi-reader evaluation of automated detection and segmentation of brain tumors in stereotactic radiosurgery with deep neural networks. <i>Neuro-Oncology</i> , 2021, 23, 1560-1568.	1.2	26
8	Outcomes and Prediction Models for Exclusive Prostate Bed Salvage Radiotherapy among Patients with Biochemical Recurrence after Radical Prostatectomy. <i>Cancers</i> , 2021, 13, 2672.	3.7	4
9	Peri-radiosurgical administration of bevacizumab improves radiographic response to single and fractionated stereotactic radiosurgery for large brain metastasis. <i>Journal of Neuro-Oncology</i> , 2021, 153, 455-465.	2.9	1
10	In Reply to Cousins et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 110, 1252-1253.	0.8	0
11	Using Megavoltage Computed Tomography to Estimate Radiotherapy Dose for High-Density Metallic Implants. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-11.	4.7	0
12	Circulating Exosomal Integrin $\alpha 3$ Is Associated with Intracranial Failure and Survival in Lung Cancer Patients Receiving Cranial Irradiation for Brain Metastases: A Prospective Observational Study. <i>Cancers</i> , 2021, 13, 380.	3.7	11
13	A retrospective study of clinicopathologic and molecular features of inoperable early-stage non-small cell lung cancer treated with stereotactic ablative radiotherapy. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 2176-2185.	1.7	2
14	Competing Risk Analysis of Outcomes of Unresectable Pancreatic Cancer Patients Undergoing Definitive Radiotherapy. <i>Frontiers in Oncology</i> , 2021, 11, 730646.	2.8	1
15	Development and Validation of a Nomogram for Patients with Nonmetastatic BCLC Stage C Hepatocellular Carcinoma after Stereotactic Body Radiotherapy. <i>Liver Cancer</i> , 2020, 9, 326-337.	7.7	11
16	Enhanced Radiosensitization for Cancer Treatment with Gold Nanoparticles through Sonoporation. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8370.	4.1	10
17	Targeting human epidermal growth factor receptor 2 enhances radiosensitivity and reduces the metastatic potential of Lewis lung carcinoma cells. <i>Radiation Oncology</i> , 2020, 15, 58.	2.7	6
18	Impact of breath-hold level on positional error aligned by stent/Lipiodol in Hepatobiliary radiotherapy with breath-hold respiratory control. <i>BMC Cancer</i> , 2020, 20, 613.	2.6	2

#	ARTICLE	IF	CITATIONS
19	Lower postoperative natural killer cell activity is associated with positive surgical margins after radical prostatectomy. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 1673-1683.	1.7	8
20	Circular RNA TUBD1 Acts as the miR-146a-5p Sponge to Affect the Viability and Pro-Inflammatory Cytokine Production of LX-2 Cells through the TLR4 Pathway. <i>Radiation Research</i> , 2020, 193, 383.	1.5	19
21	Efforts to Reduce the Impact of Coronavirus Disease 2019 Outbreak on Radiation Oncology in Taiwan. <i>Advances in Radiation Oncology</i> , 2020, 5, 534-537.	1.2	14
22	An evaluation of hepatocellular carcinoma practice guidelines from a radiation oncology perspective. <i>Radiotherapy and Oncology</i> , 2020, 148, 73-81.	0.6	23
23	<i>C1QTNF6</i> as a Novel Diagnostic and Prognostic Biomarker for Clear Cell Renal Cell Carcinoma. <i>DNA and Cell Biology</i> , 2020, 39, 1000-1011.	1.9	13
24	Risk Factors and Genetic Biomarkers of Multiple Primary Cancers in Esophageal Cancer Patients. <i>Frontiers in Oncology</i> , 2020, 10, 585621.	2.8	3
25	Proteomic Profiling of Human Hepatic Stellate Cell Line LX2 Responses to Irradiation and TGF- β 1. <i>Journal of Proteome Research</i> , 2019, 18, 508-521.	3.7	17
26	Contactless Monitoring of Pulse Rate and Eye Movement for Uveal Melanoma Patients Undergoing Radiation Therapy. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2019, 68, 474-482.	4.7	7
27	MicroRNA-146a-5p Attenuates Fibrosis-related Molecules in Irradiated and TGF-beta1-Treated Human Hepatic Stellate Cells by Regulating PTPRA-SRC Signaling. <i>Radiation Research</i> , 2019, 192, 621.	1.5	18
28	Improved prognosis with induction chemotherapy in pathological complete responders after trimodality treatment for esophageal squamous cell carcinoma: Hypothesis generating for adjuvant treatment. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1498-1504.	1.0	9
29	Local Control and Clinical Outcome of High-risk Pediatric Neuroblastoma Patients After Receiving Multimodality Treatment and Helical Tomotherapy. <i>Anticancer Research</i> , 2019, 39, 2207-2215.	1.1	3
30	Radiosensitization in Cancer Treatment with Gold nanoparticles through Synergistic Sonoporation. , 2019, , .		0
31	Phase II study of metabolic response to one-cycle chemotherapy in patients with locally advanced esophageal squamous cell carcinoma. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 1024-1030.	1.7	5
32	Evolving development of multi-parametric normal tissue complication probability model for liver radiotherapy. <i>Translational Cancer Research</i> , 2019, 8, S120-S123.	1.0	0
33	Targeting histone deacetylase 4/ubiquitin-conjugating enzyme 9 impairs DNA repair for radiosensitization of hepatocellular carcinoma cells in mice. <i>Hepatology</i> , 2018, 67, 586-599.	7.3	29
34	Do We Need to Add Postoperative Radiotherapy in Patients Undergoing Trimodality Therapy for Esophageal Squamous Cell Carcinoma with Positive Lymph Nodes Disease?. <i>Digestive Surgery</i> , 2018, 35, 104-110.	1.2	4
35	Management consensus guideline for hepatocellular carcinoma: 2016 updated by the Taiwan Liver Cancer Association and the Gastroenterological Society of Taiwan. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 381-403.	1.7	92
36	Epidermal growth factor receptor mutation predicts favorable outcomes in non-small cell lung cancer patients with brain metastases treated with stereotactic radiosurgery. <i>Radiotherapy and Oncology</i> , 2018, 126, 368-374.	0.6	29

#	ARTICLE	IF	CITATIONS
37	Number of Resected Lymph Nodes and Survival of Patients with Locally Advanced Esophageal Squamous Cell Carcinoma Receiving Preoperative Chemoradiotherapy. <i>Anticancer Research</i> , 2018, 38, 1569-1577.	1.1	9
38	A role of multimodality bladder-preserving therapy in patients with muscle-invasive bladder cancer plus hydronephrosis with or without pelvic nodal involvement. <i>Journal of the Formosan Medical Association</i> , 2017, 116, 689-696.	1.7	9
39	Consensus on Stereotactic Body Radiation Therapy for Small-Sized Hepatocellular Carcinoma at the 7th Asia-Pacific Primary Liver Cancer Expert Meeting. <i>Liver Cancer</i> , 2017, 6, 264-274.	7.7	46
40	Treatment outcomes regarding the addition of targeted agents in the therapeutic portfolio for stage II-III rectal cancer undergoing neoadjuvant chemoradiation. <i>Oncotarget</i> , 2017, 8, 101832-101846.	1.8	9
41	Impact of androgen-deprivation therapy on the outcome of dose-escalation prostate cancer radiotherapy without elective pelvic irradiation. <i>Asian Journal of Andrology</i> , 2017, 19, 596.	1.6	3
42	A phase II study of early FDG-PET evaluation after one-cycle chemotherapy in patients with locally advanced esophageal squamous cell carcinoma treated with neoadjuvant chemoradiotherapy: Final report.. <i>Journal of Clinical Oncology</i> , 2017, 35, 4042-4042.	1.6	14
43	MicroRNA-146a-5p Negatively Regulates Pro-Inflammatory Cytokine Secretion and Cell Activation in Lipopolysaccharide Stimulated Human Hepatic Stellate Cells through Inhibition of Toll-Like Receptor 4 Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1076.	4.1	48
44	The ratio of weight loss to planning target volume significantly impacts setup errors in nasopharyngeal cancer patients undergoing helical tomotherapy with daily megavoltage computed tomography. <i>Radiology and Oncology</i> , 2016, 50, 427-432.	1.7	12
45	Radiosensitization in esophageal squamous cell carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 260-268.	2.0	8
46	Differences in toxicity and outcome associated with circadian variations between patients undergoing daytime and evening radiotherapy for prostate adenocarcinoma. <i>Chronobiology International</i> , 2016, 33, 210-219.	2.0	33
47	How to Improve Therapeutic Ratio in Radiotherapy of HCC. <i>Liver Cancer</i> , 2016, 5, 210-220.	7.7	14
48	Maximizing Benefits from Maintenance Pemetrexed with Stereotactic Ablative Radiotherapy in Oligoprogressive Non-Squamous Non-Small Cell Lung Cancer. <i>Case Reports in Oncology</i> , 2016, 9, 474-480.	0.7	2
49	Consensus for Radiotherapy in Hepatocellular Carcinoma from The 5th Asia-Pacific Primary Liver Cancer Expert Meeting (APPLE 2014): Current Practice and Future Clinical Trials. <i>Liver Cancer</i> , 2016, 5, 162-174.	7.7	53
50	Gastrointestinal Cancers—Changing the Standard for Rectal Cancer and Establishing a New Standard for Liver Tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 95, 930-936.	0.8	1
51	Dual-timing PSA as a biomarker for patients with salvage intensity modulated radiation therapy for biochemical failure after radical prostatectomy. <i>Oncotarget</i> , 2016, 7, 44224-44235.	1.8	2
52	A Walk-and-Eat Intervention Improves Outcomes for Patients With Esophageal Cancer Undergoing Neoadjuvant Chemoradiotherapy. <i>Oncologist</i> , 2015, 20, 1216-1222.	3.7	63
53	The outcome and prognostic factors for lymph node recurrence after node-sparing definitive external beam radiotherapy for localized prostate cancer. <i>World Journal of Surgical Oncology</i> , 2015, 13, 312.	1.9	4
54	onic Hedgehog inhibition as a strategy to augment radiosensitivity of hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1317-1324.	2.8	28

#	ARTICLE	IF	CITATIONS
55	Patterns of Nodal Metastases on 18F-FDG PET/CT in Patients With Esophageal Squamous Cell Carcinoma are Useful to Guide Treatment Planning of Radiotherapy. <i>Clinical Nuclear Medicine</i> , 2015, 40, 384-389.	1.3	7
56	Circulating mRNA Profiling in Esophageal Squamous Cell Carcinoma Identifies FAM84B As A Biomarker In Predicting Pathological Response to Neoadjuvant Chemoradiation. <i>Scientific Reports</i> , 2015, 5, 10291.	3.3	24
57	Postchemoradiotherapy Pathologic Stage Classified by the American Joint Committee on the Cancer Staging System Predicts Prognosis of Patients with Locally Advanced Esophageal Squamous Cell Carcinoma. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1481-1489.	1.1	15
58	Consensus Development from the 5th Asia-Pacific Primary Liver Cancer Expert Meeting (APPLE 2014). <i>Liver Cancer</i> , 2015, 4, 96-105.	7.7	19
59	Randomized Trials and New Directions in Gastrointestinal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 91, 459-464.	0.8	3
60	Pathological stage after neoadjuvant chemoradiation and esophagectomy superiorly predicts survival in patients with esophageal squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2015, 115, 9-15.	0.6	12
61	Serum Transforming Growth Factor- β 1 Change After Neoadjuvant Chemoradiation Therapy Is Associated With Postoperative Pulmonary Complications in Esophageal Cancer Patients Undergoing Combined Modality Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 93, 1023-1031.	0.8	2
62	Synergistic Blockade of EGFR and HER2 by New-Generation EGFR Tyrosine Kinase Inhibitor Enhances Radiation Effect in Bladder Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 810-820.	4.1	26
63	Neoadjuvant bevacizumab and chemoradiotherapy in locally advanced rectal cancer: early outcome and technical impact on toxicity. <i>World Journal of Surgical Oncology</i> , 2014, 12, 329.	1.9	4
64	Radiosensitization by combining an aurora kinase inhibitor with radiotherapy in hepatocellular carcinoma through cell cycle interruption. <i>International Journal of Cancer</i> , 2014, 135, 492-501.	5.1	19
65	Radiation-induced VEGF-C expression and endothelial cell proliferation in lung cancer. <i>Strahlentherapie Und Onkologie</i> , 2014, 190, 1154-1162.	2.0	31
66	Lumbosacral spine and marrow cavity modeling of acute hematologic toxicity in patients treated with intensity modulated radiation therapy for squamous cell carcinoma of the anal canal. <i>Practical Radiation Oncology</i> , 2014, 4, 198-206.	2.1	31
67	High Serum Levels of Vascular Endothelial Growth Factor-A and Transforming Growth Factor- β 1 Before Neoadjuvant Chemoradiotherapy Predict Poor Outcomes in Patients with Esophageal Squamous Cell Carcinoma Receiving Combined Modality Therapy. <i>Annals of Surgical Oncology</i> , 2014, 21, 2361-2368.	1.5	21
68	Preoperative Prognostic Neurologic Index for Glioblastoma Patients Receiving Tumor Resection. <i>Annals of Surgical Oncology</i> , 2014, 21, 3992-3998.	1.5	6
69	Differential clinical characteristics, treatment response and prognosis of locally advanced adenocarcinoma/adenosquamous carcinoma and squamous cell carcinoma of cervix treated with definitive radiotherapy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 661-668.	2.8	57
70	Targeting Phosphatidylinositol3-Kinase/Akt pathway by BKM120 for radiosensitization in hepatocellular carcinoma. <i>Oncotarget</i> , 2014, 5, 3662-3672.	1.8	40
71	Superior liver sparing by combined coplanar/noncoplanar volumetric-modulated arc therapy for hepatocellular carcinoma: A planning and feasibility study. <i>Medical Dosimetry</i> , 2013, 38, 366-371.	0.9	7
72	Pretreatment prostate specific antigen (PSA) and 2-year PSA dynamics: Early predictors of prostate cancer prognosis with external radiation therapy. <i>Urological Science</i> , 2013, 24, 120-123.	0.6	2

#	ARTICLE	IF	CITATIONS
73	Targeting epidermal growth factor receptor/human epidermal growth factor receptor 2 signalling pathway by a dual receptor tyrosine kinase inhibitor afatinib for radiosensitisation in murine bladder carcinoma. <i>European Journal of Cancer</i> , 2013, 49, 1458-1466.	2.8	27
74	Biomarker Studies on Radiotherapy to Hepatocellular Carcinoma. <i>Oncology</i> , 2013, 84, 64-68.	1.9	10
75	Comparison of tumor recurrence between laparoscopic total mesorectal excision with sphincter preservation and laparoscopic abdominoperineal resection for low rectal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 3452-3464.	2.4	12
76	Prone breast forward intensity-modulated radiotherapy for Asian women with early left breast cancer: factors for cardiac sparing and clinical outcomes. <i>Journal of Radiation Research</i> , 2013, 54, 899-908.	1.6	14
77	Early Detection of Lewis Lung Carcinoma Tumor Control by Irradiation Using Diffusion-Weighted and Dynamic Contrast-Enhanced MRI. <i>PLoS ONE</i> , 2013, 8, e62762.	2.5	9
78	Outcome analysis of cervical adenosquamous carcinoma compared with adenocarcinoma. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 1158-1166.	2.8	14
79	Postoperative Intensity-Modulated Radiotherapy for Squamous Cell Carcinoma of the External Auditory Canal and Middle Ear: Treatment Outcomes, Marginal Misses, and Perspective on Target Delineation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 1485-1493.	0.8	17
80	Radiosensitizing Effect of a Phenylbutyrate-Derived Histone Deacetylase Inhibitor in Hepatocellular Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, e181-e189.	0.8	22
81	Volumetric modulated arc therapy for nasopharyngeal carcinoma: A dosimetric comparison with TomoTherapy and step-and-shoot IMRT. <i>Radiotherapy and Oncology</i> , 2012, 104, 324-330.	0.6	93
82	Programmable segmented volumetric modulated arc therapy for respiratory coordination in pancreatic cancer. <i>Radiotherapy and Oncology</i> , 2012, 104, 386-389.	0.6	0
83	Radiation therapy for primary and metastatic tumors of the liver. <i>Journal of Radiation Oncology</i> , 2012, 1, 227-237.	0.7	2
84	Phase-specific cone beam computed tomography reduces reconstructed volume loss of moving phantom. <i>Strahlentherapie Und Onkologie</i> , 2012, 188, 77-83.	2.0	2
85	Branched β -D-(1,4) Glucans from <i>Lentinula edodes</i> (L10) in Combination with Radiation Enhance Cytotoxic Effect on Human Lung Adenocarcinoma through the Toll-like Receptor 4 Mediated Induction of THP-1 Differentiation/Activation. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 11997-12005.	5.2	21
86	Polymorphism in Epidermal Growth Factor Receptor Intron 1 Predicts Prognosis of Patients with Esophageal Cancer after Chemoradiation and Surgery. <i>Annals of Surgical Oncology</i> , 2011, 18, 2066-2073.	1.5	22
87	Retrospective Analysis of Outcome Differences in Preoperative Concurrent Chemoradiation With or Without Elective Nodal Irradiation for Esophageal Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e593-e599.	0.8	42
88	Treatment and Dosimetric Advantages Between VMAT, IMRT, and Helical TomoTherapy in Prostate Cancer. <i>Medical Dosimetry</i> , 2011, 36, 264-271.	0.9	92
89	Practically acquired and modified cone-beam computed tomography images for accurate dose calculation in head and neck cancer. <i>Strahlentherapie Und Onkologie</i> , 2011, 187, 633-644.	2.0	12
90	Skin Dose Impact from Vacuum Immobilization Device and Carbon Fiber Couch in Intensity Modulated Radiation Therapy for Prostate Cancer. <i>Medical Dosimetry</i> , 2009, 34, 228-232.	0.9	18

#	ARTICLE	IF	CITATIONS
91	Radiation-Induced Interleukin-6 Expression Through MAPK/p38/NF- κ B Signaling Pathway and the Resultant Antiapoptotic Effect on Endothelial Cells Through Mcl-1 Expression With sIL6-R1. International Journal of Radiation Oncology Biology Physics, 2009, 75, 1553-1561.	0.8	42
92	Using Cone-Beam Computed Tomography to Evaluate the Impact of Bladder Filling Status on Target Position in Prostate Radiotherapy. Strahlentherapie Und Onkologie, 2009, 185, 588-595.	2.0	31
93	Synergistic Effect of Radiation and Interleukin-6 on Hepatitis B Virus Reactivation in Liver Through STAT3 Signaling Pathway. International Journal of Radiation Oncology Biology Physics, 2009, 75, 1545-1552.	0.8	25
94	Association of Clinical and Dosimetric Factors with Postoperative Pulmonary Complications in Esophageal Cancer Patients Receiving Intensity-Modulated Radiation Therapy and Concurrent Chemotherapy Followed by Thoracic Esophagectomy. Annals of Surgical Oncology, 2009, 16, 1669-1677.	1.5	35
95	Mathematical estimation and in vivo dose measurement for cone-beam computed tomography on prostate cancer patients. Radiotherapy and Oncology, 2009, 92, 57-61.	0.6	19
96	Evaluation of radiation dose and positioning accuracy on X-ray volume imaging system for image-guided radiotherapy. Nuclear Instruments & Methods in Physics Research B, 2008, 266, 2203-2206.	1.4	2
97	Improved local control by surgery and paclitaxel-based chemoradiation for esophageal squamous cell carcinoma: Results of a retrospective non-randomized study. Journal of Surgical Oncology, 2008, 98, 34-41.	1.7	28
98	Essential Dosimetric Parameters of Liver for the Association With Radiation-Induced Liver Disease and Virus Reactivation: In Regard to Kim et al. (Int J Radiat Oncol Biol Phys 2007;69:813-819). International Journal of Radiation Oncology Biology Physics, 2008, 71, 961.	0.8	2
99	Comprehensive Locoregional Treatment and Systemic Therapy for Postmastectomy Isolated Locoregional Recurrence. International Journal of Radiation Oncology Biology Physics, 2008, 72, 1456-1464.	0.8	38
100	Radiation-Induced Hepatitis B Virus Reactivation in Liver Mediated by the Bystander Effect from Irradiated Endothelial Cells. Clinical Cancer Research, 2007, 13, 851-857.	7.0	94
101	Set-up errors due to endorectal balloon positioning in intensity modulated radiation therapy for prostate cancer. Radiotherapy and Oncology, 2007, 84, 177-184.	0.6	19
102	Should adjuvant radiotherapy to the supraclavicular fossa be routinely given in patients with breast conservative treatment?. Journal of Surgical Oncology, 2007, 96, 144-150.	1.7	12
103	Practical setup and appropriate parameters are essential for plan comparison: In regards to Ringash et al. (Int J Radiat Oncol Biol Phys 2005;63:732-738). International Journal of Radiation Oncology Biology Physics, 2006, 65, 311.	0.8	0
104	Inclusion of biological factors in parallel-architecture normal-tissue complication probability model for radiation-induced liver disease. International Journal of Radiation Oncology Biology Physics, 2005, 62, 1150-1156.	0.8	46
105	SU-FF-T-222: The Analysis of Confounding Factors in Volume Reconstruction of 3DCRT with Spiral Mode CT Simulation. Medical Physics, 2005, 32, 2001-2001.	3.0	0
106	Unexpectedly frequent hepatitis B reactivation by chemoradiation in postgastrectomy patients. Cancer, 2004, 101, 2126-2133.	4.1	27
107	The chance of further chemoembolization and intrahepatic disease control after radiotherapy to portal vein thrombus. International Journal of Radiation Oncology Biology Physics, 2004, 58, 1316.	0.8	0
108	Biologic susceptibility of hepatocellular carcinoma patients treated with radiotherapy to radiation-induced liver disease. International Journal of Radiation Oncology Biology Physics, 2004, 60, 1502-1509.	0.8	169

#	ARTICLE	IF	CITATIONS
109	Dosimetric analysis and comparison of three-dimensional conformal radiotherapy and intensity-modulated radiation therapy for patients with hepatocellular carcinoma and radiation-induced liver disease. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 56, 229-234.	0.8	70
110	Unique role of proximal rectal dose in late rectal complications for patients with cervical cancer undergoing high-dose-rate intracavitary brachytherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 57, 1010-1018.	0.8	38
111	MODEL ANALYSIS OF RESPIRATION-RELATED DOSIMETRIC CHANGE DURING RADIOTHERAPY. <i>Biomedical Engineering - Applications, Basis and Communications</i> , 2002, 14, 35-39.	0.6	0
112	Radiation-induced liver disease after radiotherapy for hepatocellular carcinoma: clinical manifestation and dosimetric description. <i>Radiotherapy and Oncology</i> , 2002, 63, 41-45.	0.6	102
113	Locoregional failure of postmastectomy patients with 1-3 positive axillary lymph nodes without adjuvant radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 52, 980-988.	0.8	61
114	Improvement of local control of T3 and T4 nasopharyngeal carcinoma by hyperfractionated radiotherapy and concomitant chemotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 53, 344-352.	0.8	38
115	Radiation-induced liver disease after three-dimensional conformal radiotherapy for patients with hepatocellular carcinoma: dosimetric analysis and implication. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 54, 156-162.	0.8	158
116	Comparison of intensity modulated radiation therapy (IMRT) treatment techniques for nasopharyngeal carcinoma. <i>International Journal of Cancer</i> , 2001, 96, 126-132.	5.1	121
117	Unresectable hepatocellular carcinoma treated with radiotherapy and/or chemoembolization. <i>International Journal of Cancer</i> , 2001, 96, 243-252.	5.1	56
118	Local radiotherapy with or without transcatheter arterial chemoembolization for patients with unresectable hepatocellular carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000, 47, 435-442.	0.8	157
119	Letters to the editor. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000, 48, 909-910.	0.8	0
120	Different Dose escalation from plan normalization scheme. <i>Radiotherapy and Oncology</i> , 2000, 54, 284.	0.6	0
121	A pilot study of three-dimensional conformal radiotherapy in unresectable hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1999, 14, 1025-1033.	2.8	95