

# Kayode K Ojo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3356698/publications.pdf>

Version: 2024-02-01

96  
papers

3,622  
citations

117625

34  
h-index

155660

55  
g-index

102  
all docs

102  
docs citations

102  
times ranked

3194  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Common Molecular Targets of a Quinolone Based Bumped Kinase Inhibitor in <i>Neospora caninum</i> and <i>Danio rerio</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 2381.   | 4.1 | 5         |
| 2  | Targeting Pantothenate Kinase as an Effective Strategy for Antifungal Drug Development. <i>FASEB Journal</i> , 2022, 36, .   | 0.5 | 0         |
| 3  | Repurposing the Kinase Inhibitor Mavelertinib for Giardiasis Therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2022, 66, .   | 3.2 | 3         |
| 4  | One health therapeutics: Target-Based drug development for cryptosporidiosis and other apicomplexa diseases. <i>Veterinary Parasitology</i> , 2021, 289, 109336.   | 1.8 | 16        |
| 5  | Pyrrolopyrimidine Bumped Kinase Inhibitors for the Treatment of Cryptosporidiosis. <i>ACS Infectious Diseases</i> , 2021, 7, 1200-1207.  | 3.8 | 3         |
| 6  | A Curious Case for Development of Kinase Inhibitors as Antigiardiasis Treatments Using Advanced Drug Techniques. <i>ACS Infectious Diseases</i> , 2021, 7, 943-947.  | 3.8 | 4         |
| 7  | Repurposing Infectious Disease Hits as Anti- <i>Cryptosporidium</i> Leads. <i>ACS Infectious Diseases</i> , 2021, 7, 1275-1282.  | 3.8 | 8         |
| 8  | In vitro activity, safety and in vivo efficacy of the novel bumped kinase inhibitor BKI-1748 in non-pregnant and pregnant mice experimentally infected with <i>Neospora caninum</i> tachyzoites and <i>Toxoplasma gondii</i> oocysts. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021, 16, 90-101. | 3.4 | 17        |
| 9  | Endochin-like quinolones (ELQs) and bumped kinase inhibitors (BKIs): Synergistic and additive effects of combined treatments against <i>Neospora caninum</i> infection in vitro and in vivo. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021, 17, 92-106.  | 3.4 | 7         |
| 10 | CDPKs: The critical decoders of calcium signal at various stages of malaria parasite development. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 5092-5107.   | 4.1 | 6         |
| 11 | <i>Plasmodium falciparum</i> Calcium-Dependent Protein Kinase 4 is Critical for Male Gametogenesis and Transmission to the Mosquito Vector. <i>MBio</i> , 2021, 12, e0257521.  | 4.1 | 26        |
| 12 | Reduced treatment frequencies with bumped kinase inhibitor 1369 are effective against porcine cystoisosporosis. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2020, 14, 37-45.  | 3.4 | 3         |
| 13 | Comparative assessment of the effects of bumped kinase inhibitors on early zebrafish embryo development and pregnancy in mice. <i>International Journal of Antimicrobial Agents</i> , 2020, 56, 106099.  | 2.5 | 12        |
| 14 | The Impact of BKI-1294 Therapy in Mice Infected With the Apicomplexan Parasite <i>Neospora caninum</i> and Re-infected During Pregnancy. <i>Frontiers in Veterinary Science</i> , 2020, 7, 587570.   | 2.2 | 7         |
| 15 | <i>Neospora caninum</i> : Structure and Fate of Multinucleated Complexes Induced by the Bumped Kinase Inhibitor BKI-1294. <i>Pathogens</i> , 2020, 9, 382.   | 2.8 | 17        |
| 16 | <i>Neospora caninum</i> : Differential Proteome of Multinucleated Complexes Induced by the Bumped Kinase Inhibitor BKI-1294. <i>Microorganisms</i> , 2020, 8, 801.   | 3.6 | 15        |
| 17 | Methionyl-tRNA synthetase inhibitor has potent <i>in vivo</i> activity in a novel <i>Giardia lamblia</i> luciferase murine infection model. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 1218-1227.  | 3.0 | 12        |
| 18 | Taming the Boys for Global Good: Contraceptive Strategy to Stop Malaria Transmission. <i>Molecules</i> , 2020, 25, 2773.   | 3.8 | 6         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Structures of glyceraldehyde 3-phosphate dehydrogenase in <i>Neisseria gonorrhoeae</i> and <i>Chlamydia trachomatis</i> . <i>Protein Science</i> , 2020, 29, 768-778.   | 7.6 | 10        |
| 20 | Bumped Kinase Inhibitors as therapy for apicomplexan parasitic diseases: lessons learned. <i>International Journal for Parasitology</i> , 2020, 50, 413-422.  | 3.1 | 37        |
| 21 | Treatment with Bumped Kinase Inhibitor 1294 Is Safe and Leads to Significant Protection against Abortion and Vertical Transmission in Sheep Experimentally Infected with <i>Toxoplasma gondii</i> during Pregnancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .                                | 3.2 | 23        |
| 22 | Lysyl-tRNA synthetase as a drug target in malaria and cryptosporidiosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 7015-7020.   | 7.1 | 94        |
| 23 | Development of 5-Aminopyrazole-4-carboxamide-based Bumped-Kinase Inhibitors for Cryptosporidiosis Therapy. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 3135-3146.   | 6.4 | 27        |
| 24 | Bumped kinase inhibitor 1369 is effective against <i>Cystoisospora suis</i> in vivo and in vitro. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2019, 10, 9-19.  | 3.4 | 12        |
| 25 | Pharmacokinetics and In Vivo Efficacy of Pyrazolopyrimidine, Pyrrolopyrimidine, and 5-Aminopyrazole-4-Carboxamide Bumped Kinase Inhibitors against Toxoplasmosis. <i>Journal of Infectious Diseases</i> , 2019, 219, 1464-1473.   | 4.0 | 13        |
| 26 | Safety and efficacy of the bumped kinase inhibitor BKI-1553 in pregnant sheep experimentally infected with <i>Neospora caninum</i> tachyzoites. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2018, 8, 112-124.  | 3.4 | 28        |
| 27 | Therapeutic Efficacy of Bumped Kinase Inhibitor 1369 in a Pig Model of Acute Diarrhea Caused by <i>Cryptosporidium hominis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .   | 3.2 | 31        |
| 28 | Kinome chemoproteomics characterization of pyrrolo[3,4- <i>c</i> ]pyrazoles as potent and selective inhibitors of glycogen synthase kinase 3. <i>Molecular Omics</i> , 2018, 14, 26-36.   | 2.8 | 14        |
| 29 | In vitro growth inhibition of <i>Theileria equi</i> by bumped kinase inhibitors. <i>Veterinary Parasitology</i> , 2018, 251, 90-94.   | 1.8 | 3         |
| 30 | <i>Toxoplasma</i> Calcium-Dependent Protein Kinase 1 Inhibitors: Probing Activity and Resistance Using Cellular Thermal Shift Assays. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .  | 3.2 | 12        |
| 31 | 7H-Pyrrolo[2,3- <i>d</i> ]pyrimidin-4-amine-Based Inhibitors of Calcium-Dependent Protein Kinase 1 Have Distinct Inhibitory and Oral Pharmacokinetic Characteristics Compared with 1H-Pyrazolo[3,4- <i>d</i> ]pyrimidin-4-amine-Based Inhibitors. <i>ACS Infectious Diseases</i> , 2018, 4, 516-522.          | 3.8 | 5         |
| 32 | Screening of the Pathogen Box for inhibitors with dual efficacy against <i>Giardia lamblia</i> and <i>Cryptosporidium parvum</i> . <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006673.  | 3.0 | 37        |
| 33 | Abstract 3837: Bumped kinase inhibitor 1553 selectively inhibits androgen receptor positive prostate cancer. , 2018, , .  |     | 0         |
| 34 | Extended-spectrum antiprotozoal bumped kinase inhibitors: A review. <i>Experimental Parasitology</i> , 2017, 180, 71-83.  | 1.2 | 71        |
| 35 | Two Novel Calcium-Dependent Protein Kinase 1 Inhibitors Interfere with Vertical Transmission in Mice Infected with <i>Neospora caninum</i> Tachyzoites. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .  | 3.2 | 24        |
| 36 | Development of a murine vertical transmission model for <i>Toxoplasma gondii</i> oocyst infection and studies on the efficacy of bumped kinase inhibitor (BKI)-1294 and the naphthoquinone buparvaquone against congenital toxoplasmosis. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2334-2341. | 3.0 | 52        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | 5-Aminopyrazole-4-Carboxamide-Based Compounds Prevent the Growth of <i>Cryptosporidium parvum</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .  | 3.2 | 17        |
| 38 | Bumped-Kinase Inhibitors for Cryptosporidiosis Therapy. <i>Journal of Infectious Diseases</i> , 2017, 215, 1275-1284.   | 4.0 | 52        |
| 39 | In vitro efficacy of bumped kinase inhibitors against <i>Besnoitia besnoiti</i> tachyzoites. <i>International Journal for Parasitology</i> , 2017, 47, 811-821.   | 3.1 | 40        |
| 40 | Advances in bumped kinase inhibitors for human and animal therapy for cryptosporidiosis. <i>International Journal for Parasitology</i> , 2017, 47, 753-763.   | 3.1 | 30        |
| 41 | Necessity of Bumped Kinase Inhibitor Gastrointestinal Exposure in Treating <i>Cryptosporidium</i> Infection. <i>Journal of Infectious Diseases</i> , 2017, 216, 55-63.  | 4.0 | 44        |
| 42 | Open Source Drug Discovery with the Malaria Box Compound Collection for Neglected Diseases and Beyond. <i>PLoS Pathogens</i> , 2016, 12, e1005763.  | 4.7 | 244       |
| 43 | Reduced Activity of Mutant Calcium-Dependent Protein Kinase 1 Is Compensated in <i>Plasmodium falciparum</i> through the Action of Protein Kinase G. <i>MBio</i> , 2016, 7, .   | 4.1 | 37        |
| 44 | Novel Bumped Kinase Inhibitors Are Safe and Effective Therapeutics in the Calf Clinical Model for Cryptosporidiosis. <i>Journal of Infectious Diseases</i> , 2016, 214, 1856-1864.  | 4.0 | 54        |
| 45 | Invasion of hepatocytes by <i>Plasmodium</i> sporozoites requires cGMP-dependent protein kinase and calcium dependent protein kinase 4. <i>Molecular Microbiology</i> , 2016, 102, 349-363.   | 2.5 | 69        |
| 46 | Selective inhibition of <i>Sarcocystis neurona</i> calcium-dependent protein kinase 1 for equine protozoal myeloencephalitis therapy. <i>International Journal for Parasitology</i> , 2016, 46, 871-880.  | 3.1 | 22        |
| 47 | A Novel Calcium-Dependent Kinase Inhibitor, Bumped Kinase Inhibitor 1517, Cures Cryptosporidiosis in Immunosuppressed Mice. <i>Journal of Infectious Diseases</i> , 2016, 214, 1850-1855.   | 4.0 | 29        |
| 48 | 5-Aminopyrazole-4-carboxamide analogues are selective inhibitors of <i>Plasmodium falciparum</i> microgametocyte exflagellation and potential malaria transmission blocking agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 5487-5491.  | 2.2 | 15        |
| 49 | Development of an Orally Available and Central Nervous System (CNS) Penetrant <i>Toxoplasma gondii</i> Calcium-Dependent Protein Kinase 1 ( <i>Tg</i> CDPK1) Inhibitor with Minimal Human Ether-a-go-go-Related Gene (hERG) Activity for the Treatment of <i>Toxoplasmosis</i> . <i>Journal of Medicinal Chemistry</i> , 2016, 59, 6531-6546. | 6.4 | 81        |
| 50 | Bumped kinase inhibitor prohibits egression in <i>Babesia bovis</i> . <i>Veterinary Parasitology</i> , 2016, 215, 22-28.  | 1.8 | 19        |
| 51 | Identification and Validation of Small-Gatekeeper Kinases as Drug Targets in <i>Giardia lamblia</i> . <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0005107.   | 3.0 | 18        |
| 52 | Biochemical Screening of Five Protein Kinases from <i>Plasmodium falciparum</i> against 14,000 Cell-Active Compounds. <i>PLoS ONE</i> , 2016, 11, e0149996.   | 2.5 | 44        |
| 53 | <i>Brucella melitensis</i> Methionyl-tRNA-Synthetase (MetRS), a Potential Drug Target for Brucellosis. <i>PLoS ONE</i> , 2016, 11, e0160350.  | 2.5 | 21        |
| 54 | Abstract 3033: Bumped kinase inhibitors: A novel therapy for castration-resistant prostate cancer. , 2016, , .  |     | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | <i>In Vitro</i> and <i>In Vivo</i> Effects of the Bumped Kinase Inhibitor 1294 in the Related Cyst-Forming Apicomplexans <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 6361-6374.       | 3.2 | 72        |
| 56 | A novel CDPK1 inhibitor—a potential treatment for cryptosporidiosis in calves?. <i>Parasitology Research</i> , 2015, 114, 335-336.  | 1.6 | 26        |
| 57 | <i>Theileria equi</i> isolates vary in susceptibility to imidocarb dipropionate but demonstrate uniform <i>in vitro</i> susceptibility to a bumped kinase inhibitor. <i>Parasites and Vectors</i> , 2015, 8, 33.  | 2.5 | 25        |
| 58 | SAR Studies of 5-Aminopyrazole-4-carboxamide Analogues as Potent and Selective Inhibitors of <i>Toxoplasma gondii</i> CDPK1. <i>ACS Medicinal Chemistry Letters</i> , 2015, 6, 1184-1189.   | 2.8 | 32        |
| 59 | Bumped Kinase Inhibitor 1294 Treats Established <i>Toxoplasma gondii</i> Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 3547-3549.   | 3.2 | 66        |
| 60 | The gatekeeper residue and beyond: homologous calcium-dependent protein kinases as drug development targets for veterinarian Apicomplexa parasites. <i>Parasitology</i> , 2014, 141, 1499-1509.   | 1.5 | 47        |
| 61 | Potent and Selective Inhibitors of CDPK1 from <i>T. gondii</i> and <i>C. parvum</i> Based on a 5-Aminopyrazole-4-carboxamide Scaffold. <i>ACS Medicinal Chemistry Letters</i> , 2014, 5, 40-44.   | 2.8 | 49        |
| 62 | A Specific Inhibitor of PfCDPK4 Blocks Malaria Transmission: Chemical-genetic Validation. <i>Journal of Infectious Diseases</i> , 2014, 209, 275-284.   | 4.0 | 83        |
| 63 | Development of potent and selective <i>Plasmodium falciparum</i> calcium-dependent protein kinase 4 (PfCDPK4) inhibitors that block the transmission of malaria to mosquitoes. <i>European Journal of Medicinal Chemistry</i> , 2014, 74, 562-573.        | 5.5 | 54        |
| 64 | <i>Neospora caninum</i> Calcium-Dependent Protein Kinase 1 Is an Effective Drug Target for Neosporosis Therapy. <i>PLoS ONE</i> , 2014, 9, e92929.  | 2.5 | 63        |
| 65 | A Novel Calcium-Dependent Protein Kinase Inhibitor as a Lead Compound for Treating Cryptosporidiosis. <i>Journal of Infectious Diseases</i> , 2013, 208, 1342-1348.   | 4.0 | 67        |
| 66 | From On-Target to Off-Target Activity: Identification and Optimisation of <i>Trypanosoma brucei</i> GSK3 Inhibitors and Their Characterisation as Anti- <i>Trypanosoma brucei</i> Drug Discovery Lead Molecules. <i>ChemMedChem</i> , 2013, 8, 1127-1137. | 3.2 | 30        |
| 67 | Multiple Determinants for Selective Inhibition of Apicomplexan Calcium-Dependent Protein Kinase CDPK1. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 2803-2810.   | 6.4 | 60        |
| 68 | Benzoylbenzimidazole-based selective inhibitors targeting <i>Cryptosporidium parvum</i> and <i>Toxoplasma gondii</i> calcium-dependent protein kinase-1. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 5264-5267.                         | 2.2 | 43        |
| 69 | Development of <i>Toxoplasma gondii</i> Calcium-Dependent Protein Kinase 1 ( <i>Tg</i> CDPK1) Inhibitors with Potent Anti- <i>Toxoplasma</i> Activity. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 2416-2426.                                       | 6.4 | 101       |
| 70 | Transmission of malaria to mosquitoes blocked by bumped kinase inhibitors. <i>Journal of Clinical Investigation</i> , 2012, 122, 2301-2305.   | 8.2 | 90        |
| 71 | Structure determination of glycogen synthase kinase-3 from <i>Leishmania major</i> and comparative inhibitor structure-activity relationships with <i>Trypanosoma brucei</i> GSK-3. <i>Molecular and Biochemical Parasitology</i> , 2011, 176, 98-108.    | 1.1 | 35        |
| 72 | <i>Trypanosoma brucei</i> Glycogen Synthase Kinase-3, A Target for Anti- <i>Trypanosomal</i> Drug Development: A Public-Private Partnership to Identify Novel Leads. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1017.                            | 3.0 | 31        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Nigeria's dracunculiasis eradication triumph and the need for caution. <i>Journal of Infection in Developing Countries</i> , 2011, 5, 901-902.   | 1.2 | 1         |
| 74 | Self-medication with antibiotics for the treatment of menstrual symptoms in southwest Nigeria: a cross-sectional study. <i>BMC Public Health</i> , 2010, 10, 610.  | 2.9 | 67        |
| 75 | Discovery of Potent and Selective Inhibitors of CDPK1 from <i>C. parvum</i> and <i>T. gondii</i> . <i>ACS Medicinal Chemistry Letters</i> , 2010, 1, 331-335.  | 2.8 | 126       |
| 76 | <i>Toxoplasma gondii</i> calcium-dependent protein kinase 1 is a target for selective kinase inhibitors. <i>Nature Structural and Molecular Biology</i> , 2010, 17, 602-607.   | 8.2 | 172       |
| 77 | Antimicrobial Use and Resistance in Africa. , 2010, , 301-314.   |     | 5         |
| 78 | Glycogen Synthase Kinase 3 Is a Potential Drug Target for African Trypanosomiasis Therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 3710-3717.   | 3.2 | 86        |
| 79 | Antimicrobial resistance gene distribution: a socioeconomic and sociocultural perspective. <i>GMS Krankenhaushygiene Interdisziplinär</i> , 2008, 3, Doc26.  | 0.3 | 2         |
| 80 | Growing Problem of Multidrug-Resistant Enteric Pathogens in Africa. <i>Emerging Infectious Diseases</i> , 2007, 13, 1640-1646.   | 4.3 | 157       |
| 81 | Tetracycline Resistant Plasmids from Uropathogenic <i>Escherichia coli</i> from Southwestern Nigeria. <i>Journal of Chemotherapy</i> , 2006, 18, 112-114.  | 1.5 | 3         |
| 82 | Antibiotic resistance genes in multidrug-resistant <i>Enterococcus</i> spp. and <i>Streptococcus</i> spp. recovered from the indoor air of a large-scale swine-feeding operation. <i>Letters in Applied Microbiology</i> , 2006, 43, 534-540.  | 2.2 | 40        |
| 83 | CTX-M-15 extended-spectrum $\beta$ -lactamase from Nigerian <i>Klebsiella pneumoniae</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 57, 24-30.   | 3.0 | 72        |
| 84 | <i>Staphylococcus</i> Efflux <i>msr</i> (A) Gene Characterized in <i>Streptococcus</i> , <i>Enterococcus</i> , <i>Corynebacterium</i> , and <i>Pseudomonas</i> Isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 1089-1091.   | 3.2 | 38        |
| 85 | The presence of a conjugative Gram-positive Tn2009 in Gram-negative commensal bacteria. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 57, 1065-1069.  | 3.0 | 14        |
| 86 | Characterization of pRAS1-like plasmids from atypical North American psychrophilic <i>Aeromonas salmonicida</i> . <i>FEMS Microbiology Letters</i> , 2005, 242, 59-63.   | 1.8 | 39        |
| 87 | Nucleotide sequence and organization of the multiresistance plasmid pSCFS1 from <i>Staphylococcus sciuri</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 936-939.   | 3.0 | 95        |
| 88 | Distribution and molecular analysis of <i>mef</i> (A)-containing elements in tetracycline-susceptible and -resistant <i>Streptococcus pyogenes</i> clinical isolates with efflux-mediated erythromycin resistance. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 991-998. | 3.0 | 57        |
| 89 | The <i>mef</i> (A) Gene Predominates among Seven Macrolide Resistance Genes Identified in Gram-Negative Strains Representing 13 Genera, Isolated from Healthy Portuguese Children. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 3451-3456.                               | 3.2 | 65        |
| 90 | Gram-positive <i>mer</i> Agene in gram-negative oral and urine bacteria. <i>FEMS Microbiology Letters</i> , 2004, 238, 411-416.  | 1.8 | 15        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 91 | Gram-positive gene in gram-negative oral and urine bacteria. FEMS Microbiology Letters, 2004, 238, 411-416.  | 1.8 | 12        |
| 92 | Structural analysis of the tetracycline resistance gene region of a small multiresistance plasmid from uropathogenic Escherichia coli isolated in Nigeria. Journal of Antimicrobial Chemotherapy, 2003, 52, 1043-1044.                                   | 3.0 | 10        |
| 93 | Staphylococcus sciuri Gene erm (33), Encoding Inducible Resistance to Macrolides, Lincosamides, and Streptogramin B Antibiotics, Is a Product of Recombination between erm (C) and erm (A). Antimicrobial Agents and Chemotherapy, 2002, 46, 3621-3623.  | 3.2 | 41        |
| 94 | Identification of a cassette-borne dfrA7-like gene that shows a 97 bp extension at the 3'-end of the reading frame. Journal of Antimicrobial Chemotherapy, 2002, 49, 573-574.  | 3.0 | 6         |
| 95 | Identification of a Complete dfrA14 Gene Cassette Integrated at a Secondary Site in a Resistance Plasmid of Uropathogenic Escherichia coli from Nigeria. Antimicrobial Agents and Chemotherapy, 2002, 46, 2054-2055.                                     | 3.2 | 24        |
| 96 | Vaccine-Linked Chemotherapy Approach: Additive Effects of Combining the Listeria monocytogenes-Based Vaccine Lm3Dx_NcSAG1 With the Bumped Kinase Inhibitor BKI-1748 Against Neospora caninum Infection in Mice. Frontiers in Veterinary Science, 0, 9, . | 2.2 | 2         |