

Preben Kj lhede

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/336080/publications.pdf>

Version: 2024-02-01

59
papers

1,239
citations

394421

19
h-index

395702

33
g-index

59
all docs

59
docs citations

59
times ranked

1348
citing authors

#	ARTICLE	IF	CITATIONS
1	The wait time to primary surgery in endometrial cancer – impact on survival and predictive factors: a population-based SweGCG study. <i>Acta Oncologica</i> , 2022, 61, 30-37.	1.8	0
2	The Effect of Follow-Up Contact on Recovery After Benign Hysterectomy: A Randomized, Single-Blinded, Four-Arm, Controlled Multicenter Trial. <i>Journal of Women's Health</i> , 2021, 30, 872-881.	3.3	2
3	The Impact of Preoperative Assessment and Planning on the Outcome of Benign Hysterectomy – a Systematic Review. <i>Geburtshilfe Und Frauenheilkunde</i> , 2021, 81, 200-213.	1.8	2
4	Maternal body mass index and oxytocin in augmentation of labour in nulliparous women: a prospective observational study. <i>BMJ Open</i> , 2021, 11, e044754.	1.9	6
5	Implementation of National Guidelines increased survival in advanced ovarian cancer - A population-based nationwide SweGCG study. <i>Gynecologic Oncology</i> , 2021, 161, 244-250.	1.4	6
6	Preoperative and intraoperative assessment of myometrial invasion in endometrial cancer – A Swedish Gynecologic Cancer Group (SweGCG) study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1526-1533.	2.8	16
7	Survival in endometrial cancer in relation to minimally invasive surgery or open surgery – a Swedish Gynecologic Cancer Group (SweGCG) study. <i>BMC Cancer</i> , 2021, 21, 658.	2.6	2
8	Radiotherapy Versus Inguinofemoral Lymphadenectomy as Treatment for Vulvar Cancer Patients With Micrometastases in the Sentinel Node: Results of GROINSS-V II. <i>Journal of Clinical Oncology</i> , 2021, 39, 3623-3632.	1.6	69
9	Impact of lymphadenectomy and lymphoedema on health-related quality of life 1 year after surgery for endometrial cancer. A prospective longitudinal multicentre study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, , .	2.3	1
10	Risk factors for lymphedema and method of assessment in endometrial cancer: a prospective longitudinal multicenter study. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 1416-1427.	2.5	2
11	Validation of the Lymphoedema Quality of Life Questionnaire (LYMQOL) in Swedish cancer patients. <i>Acta Oncologica</i> , 2020, 59, 365-371.	1.8	17
12	Incidence of lymphedema in the lower limbs and lymphocyst formation within one year of surgery for endometrial cancer: A prospective longitudinal multicenter study. <i>Gynecologic Oncology</i> , 2020, 159, 201-208.	1.4	10
13	Primary treatment and relative survival by stage and age in vulvar squamous cell carcinoma: A population-based SweGCG study. <i>Gynecologic Oncology</i> , 2020, 159, 663-671.	1.4	10
14	Markers of tissue damage and inflammation after robotic and abdominal hysterectomy in early endometrial cancer: a randomised controlled trial. <i>Scientific Reports</i> , 2020, 10, 7226.	3.3	12
15	Agreements on perceived use of principles for Enhanced Recovery After Surgery between patients and nursing staff in a gynecological ward. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 250, 216-223.	1.1	4
16	Cost-effectiveness of robotic hysterectomy versus abdominal hysterectomy in early endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 1719-1725.	2.5	21
17	Pain catastrophizing is associated with pain thresholds for heat, cold and pressure in women with chronic pelvic pain. <i>Scandinavian Journal of Pain</i> , 2020, 20, 635-646.	1.3	19
18	Lymphovascular space invasion as a predictive factor for lymph node metastases and survival in endometrioid endometrial cancer – a Swedish Gynecologic Cancer Group (SweGCG) study. <i>Acta Oncologica</i> , 2019, 58, 1628-1633.	1.8	55

#	ARTICLE	IF	CITATIONS
19	Primary treatment patterns and survival of cervical cancer in Sweden: A population-based Swedish Gynecologic Cancer Group Study. <i>Gynecologic Oncology</i> , 2019, 155, 229-236.	1.4	12
20	Associations between pain thresholds for heat, cold and pressure, and Pain Sensitivity Questionnaire scores in healthy women and in women with persistent pelvic pain. <i>European Journal of Pain</i> , 2019, 23, 1631-1639.	2.8	17
21	A prospective randomized assessment of quality of life between open and robotic hysterectomy in early endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 721-727.	2.5	15
22	Reduced pain thresholds and signs of sensitization in women with persistent pelvic pain and suspected endometriosis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 327-336.	2.8	53
23	Adverse Neonatal Outcomes in Overweight and Obese Adolescents Compared with Normal Weight Adolescents and Low Risk Adults. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2019, 32, 139-145.	0.7	4
24	Insulin and β -adrenergic receptors mediate lipolytic and anti-lipolytic signalling that is not altered by type 2 diabetes in human adipocytes. <i>Biochemical Journal</i> , 2019, 476, 2883-2908.	3.7	26
25	Effect of intrathecal morphine and epidural analgesia on postoperative recovery after abdominal surgery for gynecologic malignancy: an open-label randomised trial. <i>BMJ Open</i> , 2019, 9, e024484.	1.9	38
26	Lymph node metastases as only qualifier for stage IV serous ovarian cancer confers longer survival than other sites of distant disease – a Swedish Gynecologic Cancer Group (SweGCG) study. <i>Acta Oncologica</i> , 2018, 57, 331-337.	1.8	17
27	The double-edged experience of healthcare encounters among women with endometriosis: A qualitative study. <i>Journal of Clinical Nursing</i> , 2018, 27, 205-211.	3.0	52
28	Data quality in the Swedish Quality Register of Gynecologic Cancer – a Swedish Gynecologic Cancer Group (SweGCG) study. <i>Acta Oncologica</i> , 2018, 57, 346-353.	1.8	41
29	Impact of Pelvic Pain and Endometriosis on Patient-Reported Outcomes and Experiences of Benign Hysterectomy; A Study from the Swedish National Register for Gynecological Surgery. <i>Journal of Women's Health</i> , 2018, 27, 691-698.	3.3	10
30	Bioelectrical impedance analysis; a new method to evaluate lymphoedema, fluid status, and tissue damage after gynaecological surgery - A systematic review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 228, 111-119.	1.1	18
31	Lymphedema after treatment for endometrial cancer – A review of prevalence and risk factors. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 211, 112-121.	1.1	49
32	Risk factors for lymph node metastases in women with endometrial cancer: A population-based, nationwide register study – On behalf of the Swedish Gynecological Cancer Group. <i>International Journal of Cancer</i> , 2017, 140, 2693-2700.	5.1	23
33	Obstetric Outcomes in Adolescents Related to Body Mass Index and Compared with Low-Risk Adult Women. <i>Journal of Women's Health</i> , 2017, 26, 426-434.	3.3	3
34	Population-based study of survival for women with serous cancer of the ovary, fallopian tube, peritoneum or undesignated origin - on behalf of the Swedish gynecological cancer group (SweGCG). <i>Gynecologic Oncology</i> , 2017, 144, 167-173.	1.4	23
35	“A challenge” healthcare professionals' experiences when meeting women with symptoms that might indicate endometriosis. <i>Sexual and Reproductive Healthcare</i> , 2016, 7, 65-69.	1.2	17
36	A population-based study of pelvic serous carcinoma in Sweden: Primary site, FIGO stage and survival.. <i>Journal of Clinical Oncology</i> , 2015, 33, e16533-e16533.	1.6	0

#	ARTICLE	IF	CITATIONS
37	Authors' reply: Pelvic organ prolapse after subtotal and total hysterectomy: a long-term follow-up of an open randomised controlled multicentre study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1579-1579.	2.3	0
38	Impact of maternal age on obstetric and neonatal outcome with emphasis on primiparous adolescents and older women: a Swedish Medical Birth Register Study. <i>BMJ Open</i> , 2014, 4, e005840.	1.9	91
39	The Concentration of β -Carotene in Human Adipocytes, but Not the Whole-Body Adipocyte Stores, Is Reduced in Obesity. <i>PLoS ONE</i> , 2014, 9, e85610.	2.5	39
40	Deliveries among teenage women " with emphasis on incidence and mode of delivery: a Swedish national survey from 1973 to 2010. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 204.	2.4	29
41	Risk factors for postoperative complications after fast-track abdominal hysterectomy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 113-120.	1.0	19
42	Impact of stress coping capacity on recovery from abdominal hysterectomy in a fast-track programme: a prospective longitudinal study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 998-1007.	2.3	11
43	The Impact of Quality of Sleep on Recovery from Fast-Track Abdominal Hysterectomy. <i>Journal of Clinical Sleep Medicine</i> , 2012, 08, 395-402.	2.6	54
44	The impact of mode of anaesthesia on postoperative recovery from fast-track abdominal hysterectomy: a randomised clinical trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 299-308.	2.3	58
45	Vaginal cleansing and postoperative infectious morbidity in vaginal hysterectomy. A register study from the Swedish National Register for Gynecological Surgery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 63-71.	2.8	25
46	The influence of preoperative vaginal cleansing on postoperative infectious morbidity in abdominal total hysterectomy for benign indications. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 408-416.	2.8	20
47	Long-term efficacy of Burch colposuspension: a 14-year follow-up study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 767-772.	2.8	47
48	Pelvic floor dysfunction after Burch colposuspension - a comprehensive study. Part I. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 894-901.	2.8	5
49	Pelvic floor dysfunction after Burch colposuspension - a comprehensive study. Part II. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 902-908.	2.8	4
50	Abdominal Urethrocytopexy Using Fibrin Sealant. A Prospective Study of Long-Term Efficacy. <i>International Urogynecology Journal</i> , 2000, 11, 93.	1.4	2
51	Genital prolapse in women treated successfully and unsuccessfully by the Burch colposuspension. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 444-450.	2.8	5
52	Anorectal manometry in women with urinary stress incontinence. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997, 76, 266-270.	2.8	0
53	Clinical and urodynamic characteristics of women with recurrent urinary incontinence after Burch colposuspension. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997, 76, 461-467.	2.8	18
54	Pelvic floor neuropathy in relation to the outcome of burch colposuspension. <i>International Urogynecology Journal</i> , 1997, 8, 61-65.	1.4	11

#	ARTICLE	IF	CITATIONS
55	Anorectal manometry in women with urinary stress incontinence. Acta Obstetricia Et Gynecologica Scandinavica, 1997, 76, 266-70.	2.8	3
56	Prediction of genital prolapse after Burch colposuspension. Acta Obstetricia Et Gynecologica Scandinavica, 1996, 75, 849-854.	2.8	45
57	Prognostic factors and long-term results of the Burch colposuspension: A retrospective study. Acta Obstetricia Et Gynecologica Scandinavica, 1994, 73, 642-647.	2.8	71
58	An open prospective randomized study of dinoproston and gemeprost in second trimester legal abortions. Acta Obstetricia Et Gynecologica Scandinavica, 1994, 73, 316-320.	2.8	6
59	Long-term incidence of endometrial cancer after endometrial resection and ablation: A population based Swedish gynecologic cancer group (<sc>SweGCG</sc>) study. Acta Obstetricia Et Gynecologica Scandinavica, 0, , .	2.8	4