

Jacob M Rowe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3361033/publications.pdf>

Version: 2024-02-01

278
papers

18,576
citations

28736

57
h-index

14779

131
g-index

304
all docs

304
docs citations

304
times ranked

16735
citing authors

#	ARTICLE	IF	CITATIONS
1	Consolidation in AML: Abundant opinion and much unknown. <i>Blood Reviews</i> , 2022, 51, 100873.	2.8	5
2	Risk classification at diagnosis predicts post-HCT outcomes in intermediate-, adverse-risk, and <i>KMT2A</i> -rearranged AML. <i>Blood Advances</i> , 2022, 6, 828-847.	2.5	5
3	Risk of Cancer in Paediatric onset Inflammatory Bowel Diseases: A Nation-wide Study From the epi-IIRN. <i>Journal of Crohn's and Colitis</i> , 2022, 16, 786-795.	0.6	13
4	Toward further excellence in <i>Haematologica</i> . <i>Haematologica</i> , 2022, 107, 2-2.	1.7	1
5	The 7+3 regimen in acute myeloid leukemia. <i>Haematologica</i> , 2022, 107, 3-3.	1.7	14
6	The predictive value of a positive phase II ASH abstract for peer-reviewed publication and progression to phase III. <i>Blood</i> , 2022, , .	0.6	1
7	Anti-CD20 monoclonal antibodies inhibit seropositive response to Covid-19 vaccination in non-Hodgkin lymphoma patients within 6 months after treatment. <i>Experimental Hematology</i> , 2022, 107, 20-23.	0.2	10
8	Enhancer retargeting of <i>CDX2</i> and <i>UBTF::ATXN7L3</i> define a subtype of high-risk B-progenitor acute lymphoblastic leukemia. <i>Blood</i> , 2022, 139, 3519-3531.	0.6	20
9	Cytogenetics or MRD in B-cell ALL. Do both reign supreme?. <i>Leukemia</i> , 2022, 36, 1201-1202.	3.3	0
10	Acute lymphoblastic leukemia displays a distinct highly methylated genome. <i>Nature Cancer</i> , 2022, 3, 768-782.	5.7	15
11	BL-8040 CXCR4 antagonist is safe and demonstrates antileukemic activity in combination with cytarabine for the treatment of relapsed/refractory acute myelogenous leukemia: An open-label safety and efficacy phase 2a study. <i>Cancer</i> , 2021, 127, 1246-1259.	2.0	21
12	Perspectives on current survival and new developments in AML. <i>Best Practice and Research in Clinical Haematology</i> , 2021, 34, 101248.	0.7	15
13	Molecular classification improves risk assessment in adult <i>BCR-ABL1</i> -negative B-ALL. <i>Blood</i> , 2021, 138, 948-958.	0.6	59
14	Efficacy and safety of asparaginase (BST-236) as a single-agent, first-line therapy for patients with acute myeloid leukemia unfit for standard chemotherapy. <i>Journal of Clinical Oncology</i> , 2021, 39, 7007-7007.	0.8	1
15	Efficacy and Safety Profile of Ivosidenib in the Management of Patients with Acute Myeloid Leukemia (AML): An Update on the Emerging Evidence. <i>Blood and Lymphatic Cancer: Targets and Therapy</i> , 2021, Volume 11, 41-54.	1.2	8
16	Prognostic effect of gender on outcome of treatment for adults with acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2021, 194, 309-318.	1.2	10
17	Enhancer Hijacking Drives Oncogenic <i>BCL11B</i> Expression in Lineage-Ambiguous Stem Cell Leukemia. <i>Cancer Discovery</i> , 2021, 11, 2846-2867.	7.7	83
18	Inhibition of FLT3: A Prototype for Molecular Targeted Therapy in Acute Myeloid Leukemia. <i>Engineering</i> , 2021, 7, 1354-1368.	3.2	0

#	ARTICLE	IF	CITATIONS
19	CNS involvement in AML at diagnosis is rare and does not affect response or survival: data from 11 ECOG-ACRIN trials. <i>Blood Advances</i> , 2021, 5, 4560-4568.	2.5	12
20	Emerging Monoclonal Antibody Therapy for the Treatment of Acute Lymphoblastic Leukemia. <i>Biologics: Targets and Therapy</i> , 2021, Volume 15, 419-431.	3.0	1
21	Tipifarnib as maintenance therapy did not improve disease-free survival in patients with acute myelogenous leukemia at high risk of relapse: Results of the phase III randomized E2902 trial. <i>Leukemia Research</i> , 2021, 111, 106736.	0.4	3
22	Changing trends in the therapy of acute myeloid leukemia. <i>Best Practice and Research in Clinical Haematology</i> , 2021, 34, 101333.	0.7	3
23	Allogeneic Transplantation in Fit Older Adults Is Feasible and Encouragingly Efficacious. Post Remission Data from the Prospective ECOG-ACRIN (E2906) Clinical Study. <i>Blood</i> , 2021, 138, 413-413.	0.6	1
24	Patients with AML Who Achieve Long Term Complete Remission Do Not Have a Normal Life Expectancy When Compared to the General Population. Analysis of 3,012 Patients Enrolled on 9 Consecutive ECOG-ACRIN Trials. <i>Blood</i> , 2021, 138, 690-690.	0.6	0
25	Most ASH Abstracts Reporting Phase II Studies Lead to Peer-Reviewed Publications, but Less Than 50% of "Positive" Abstracts Lead to Phase III Investigations: An Analysis of 371 Abstracts 2013 - 2015. <i>Blood</i> , 2021, 138, 4040-4040.	0.6	0
26	Newly diagnosed myeloma patients with low-burden disease may benefit from tandem autologous stem cell transplantation: results of long-term follow-up. <i>Bone Marrow Transplantation</i> , 2020, 55, 1200-1202.	1.3	0
27	Maintenance Tyrosine Kinase Inhibitors Following Allogeneic Hematopoietic Stem Cell Transplantation for Chronic Myelogenous Leukemia: A Center for International Blood and Marrow Transplant Research Study. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 472-479.	2.0	21
28	Bone marrow blast elimination by the fifth day of 7d+3 induction is the strongest predictor of potential cure in patients with acute myeloid leukemia younger than 61 years of age: A long-term follow-up of a multicenter prospective study. <i>American Journal of Hematology</i> , 2020, 95, E3-E5.	2.0	0
29	Pharmacological prophylaxis of infection in pediatric acute myeloid leukemia patients. <i>Expert Opinion on Pharmacotherapy</i> , 2020, 21, 193-205.	0.9	8
30	Mutational and functional genetics mapping of chemotherapy resistance mechanisms in relapsed acute lymphoblastic leukemia. <i>Nature Cancer</i> , 2020, 1, 1113-1127.	5.7	32
31	Venetoclax is safe and efficacious in relapsed/refractory AML. <i>Leukemia and Lymphoma</i> , 2020, 61, 2221-2225.	0.6	30
32	At three years, patients with acute lymphoblastic leukaemia are still at risk for relapse. Results of the international MRC UKALLXII/ECOG E2993 trial. <i>British Journal of Haematology</i> , 2020, 191, 37-43.	1.2	9
33	Survival following allogeneic transplant in patients with myelofibrosis. <i>Blood Advances</i> , 2020, 4, 1965-1973.	2.5	63
34	A novel PrECOG (PrE0901) dose-escalation trial using eltrombopag: enhanced platelet recovery during consolidation therapy in acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2020, 61, 2191-2199.	0.6	4
35	How we treat older patients with acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2020, 191, 682-691.	1.2	3
36	Forward into the second century of Haematologica. <i>Haematologica</i> , 2020, 105, 2498.	1.7	0

#	ARTICLE	IF	CITATIONS
37	Durable Remissions and Increased Overall Survival in AML Patients Deemed Unfit for Standard Intensive Chemotherapy Achieved with High-Dose BST-236 (Aspacytarabine) Induction and Consolidation. <i>Blood</i> , 2020, 136, 9-10.	0.6	0
38	Safety and Demonstrated Efficacy of Placenta-Derived Cell Therapy PLX-R18 in Subjects with Incomplete Hematopoietic Recovery Following Hematopoietic Cell Transplantation: A Phase I International Multi-Center Study. <i>Blood</i> , 2020, 136, 24-25.	0.6	1
39	Advances in BCR/ABL positive ALL. <i>Advances in Cell and Gene Therapy</i> , 2019, 2, e60.	0.6	0
40	Hematopoietic Cell Transplantation in the Treatment of Adult Acute Lymphoblastic Leukemia: Updated 2019 Evidence-Based Review from the American Society for Transplantation and Cellular Therapy. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2113-2123.	2.0	77
41	Eltrombopag treatment during induction chemotherapy for acute myeloid leukaemia: a randomised, double-blind, phase 2 study. <i>Lancet Haematology</i> , 2019, 6, e122-e131.	2.2	20
42	The relationship between clinical trial accrual volume and outcomes in acute myeloid leukemia: A SWOG/ECOG-ACRIN study (S0106 and E1900). <i>Leukemia Research</i> , 2019, 78, 29-33.	0.4	2
43	Efficacy outcomes in the treatment of older or medically unfit patients with acute myeloid leukaemia: A systematic review and meta-analysis. <i>Leukemia Research</i> , 2019, 82, 36-42.	0.4	22
44	Superior outcome of patients with favorable-risk acute myeloid leukemia using consolidation with autologous stem cell transplantation. <i>Leukemia and Lymphoma</i> , 2019, 60, 2449-2456.	0.6	14
45	The impact of the graft-versus-leukemia effect on survival in acute lymphoblastic leukemia. <i>Blood Advances</i> , 2019, 3, 670-680.	2.5	71
46	Outcomes of haploidentical vs matched sibling transplantation for acute myeloid leukemia in first complete remission. <i>Blood Advances</i> , 2019, 3, 1826-1836.	2.5	89
47	BST-236, a novel cytarabine prodrug for patients with acute leukemia unfit for standard induction: a phase 1/2a study. <i>Blood Advances</i> , 2019, 3, 3740-3749.	2.5	10
48	Will new agents impact survival in AML?. <i>Best Practice and Research in Clinical Haematology</i> , 2019, 32, 101094.	0.7	21
49	Extramedullary acute myeloid leukemia presenting in young adults demonstrates sensitivity to high-dose anthracycline: a subset analysis from ECOG-ACRIN 1900. <i>Haematologica</i> , 2019, 104, e147-e150.	1.7	4
50	PAX5-driven subtypes of B-progenitor acute lymphoblastic leukemia. <i>Nature Genetics</i> , 2019, 51, 296-307.	9.4	384
51	A randomized trial of three novel regimens for recurrent acute myeloid leukemia demonstrates the continuing challenge of treating this difficult disease. <i>American Journal of Hematology</i> , 2019, 94, 111-117.	2.0	21
52	Venetoclax Is Safe and Efficacious in Relapsed/ Refractory AML. <i>Blood</i> , 2019, 134, 5091-5091.	0.6	1
53	A Phase 1 Study of Flotetuzumab, a CD123 x CD3 DART [®] Protein, Combined with MGA012, an Anti-PD-1 Antibody, in Patients with Relapsed or Refractory Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 2662-2662.	0.6	11
54	Phase II Randomized Trial of Gilteritinib Vs Midostaurin in Newly Diagnosed FLT3 Mutated Acute Myeloid Leukemia (AML). <i>Blood</i> , 2019, 134, 1309-1309.	0.6	9

#	ARTICLE	IF	CITATIONS
55	Maintenance Decitabine (DAC) Improves Disease-Free (DFS) and Overall Survival (OS) after Intensive Therapy for Acute Myeloid Leukemia (AML) in Older Adults, Particularly in FLT3-ITD-Negative Patients: ECOG-ACRIN (E-A) E2906 Randomized Study. <i>Blood</i> , 2019, 134, 115-115.	0.6	19
56	Primary plasma cell leukemia in the era of novel agents for myeloma – a multicenter retrospective analysis of outcome. <i>Leukemia Research</i> , 2018, 68, 9-14.	0.4	14
57	Revisiting autologous transplantation in acute myeloid leukemia. <i>Current Opinion in Hematology</i> , 2018, 25, 95-102.	1.2	12
58	Pretransplant Consolidation Is Not Beneficial for Adults with ALL Undergoing Myeloablative Allogeneic Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 945-955.	2.0	7
59	Progress and predictions: AML in 2018. <i>Best Practice and Research in Clinical Haematology</i> , 2018, 31, 337-340.	0.7	16
60	Myeloablative vs reduced-intensity conditioning allogeneic hematopoietic cell transplantation for chronic myeloid leukemia. <i>Blood Advances</i> , 2018, 2, 2922-2936.	2.5	35
61	Daratumumab for relapsed/refractory Philadelphia-positive acute lymphoblastic leukemia. <i>Haematologica</i> , 2018, 103, e489-e490.	1.7	26
62	Advances in the genetics of acute lymphoblastic leukemia in adults and the potential clinical implications. <i>Expert Review of Hematology</i> , 2018, 11, 781-791.	1.0	11
63	Very poor long-term survival in past and more recent studies for relapsed AML patients: The ECOG-ACRIN experience. <i>American Journal of Hematology</i> , 2018, 93, 1074-1081.	2.0	93
64	Daratumumab in Combination with Vincristine or Nelarabine As Effective Salvage Therapy for Patients with Acute Lymphoblastic Leukemia at High Risk of Relapse. <i>Blood</i> , 2018, 132, 5206-5206.	0.6	6
65	Minimal Residual Disease (MRD) at Time of Complete Remission Is Commonly Detected in Acute Myeloid Leukemia (AML) Patients Age ≥60 Years and Significantly Impacts Outcome Based on Post-Remission Treatment Strategies: Prospective Analysis of ECOG-ACRIN (E-A) E2906 Phase III Trial. <i>Blood</i> , 2018, 132, 437-437.	0.6	4
66	Prospective, Multi-Center, Phase I Clinical Trial of PLX-R18 Placental Expanded Adherent Stromal Cells in Subjects with Incomplete Hematopoietic Recovery after Hematopoietic Cell Transplantation. <i>Blood</i> , 2018, 132, 3379-3379.	0.6	1
67	FLT3-ITD Mutations Are Prevalent and Significantly Impact Outcome after Intensive Therapy in Elderly Adults with Acute Myeloid Leukemia (AML): Analysis of the North American Intergroup E2906 Phase III Trial in Patients Age ≥60 Years. <i>Blood</i> , 2018, 132, 3995-3995.	0.6	3
68	Characterization of Novel Subtypes in B Progenitor Acute Lymphoblastic Leukemia. <i>Blood</i> , 2018, 132, 565-565.	0.6	14
69	The Predictive Value of Thromboelastogram in the Evaluation of Patients with Suspected Acute Venous Thromboembolism. <i>Blood</i> , 2018, 132, 5052-5052.	0.6	1
70	Allogeneic Hematopoietic Cell Transplantation for Adult Chronic Myelomonocytic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 767-775.	2.0	41
71	Determinants of fatal bleeding during induction therapy for acute promyelocytic leukemia in the ATRA era. <i>Blood</i> , 2017, 129, 1763-1767.	0.6	78
72	Liposomal cytarabine and daunorubicin (CPX-351) for treatment of acute myeloid leukemia. <i>Expert Opinion on Orphan Drugs</i> , 2017, 5, 369-374.	0.5	2

#	ARTICLE	IF	CITATIONS
73	High Frequency and Poor Outcome of Philadelphia Chromosome-“Like Acute Lymphoblastic Leukemia in Adults. <i>Journal of Clinical Oncology</i> , 2017, 35, 394-401.	0.8	326
74	Treatment of Philadelphia Chromosome-Positive Acute Lymphocytic Leukemia. <i>Current Treatment Options in Oncology</i> , 2017, 18, 20.	1.3	8
75	Independent Prognostic Significance of Monosomy 17 and Impact of Karyotype Complexity in Monosomal Karyotype/Complex Karyotype Acute Myeloid Leukemia: Results from Four ECOG-ACRIN Prospective Therapeutic Trials. <i>Leukemia Research</i> , 2017, 59, 55-64.	0.4	17
76	Published abstracts at international meetings often over- or underestimate the initial response rate. <i>Blood</i> , 2017, 129, 2326-2328.	0.6	7
77	AML in 2017: Advances in clinical practice. <i>Best Practice and Research in Clinical Haematology</i> , 2017, 30, 283-286.	0.7	13
78	Which patients should I transplant with acute lymphoblastic leukemia?. <i>Best Practice and Research in Clinical Haematology</i> , 2017, 30, 249-260.	0.7	10
79	Inotuzumab ozogamicin for the treatment of acute lymphoblastic leukemia. <i>Expert Opinion on Biological Therapy</i> , 2017, 17, 1557-1564.	1.4	10
80	BST-236. <i>Journal of Clinical Oncology</i> , 2017, 35, e18520-e18520.	0.8	0
81	A phase II randomized trial comparing standard and low dose rituximab combined with alemtuzumab as initial treatment of progressive chronic lymphocytic leukemia in older patients: a trial of the ECOG-ACRIN cancer research group (E1908). <i>American Journal of Hematology</i> , 2016, 91, 308-312.	2.0	13
82	Does FLT3 mutation impact survival after hematopoietic stem cell transplantation for acute myeloid leukemia? A Center for International Blood and Marrow Transplant Research (CIBMTR) analysis. <i>Cancer</i> , 2016, 122, 3005-3014.	2.0	45
83	International reference analysis of outcomes in adults with B-precursor Ph-negative relapsed/refractory acute lymphoblastic leukemia. <i>Haematologica</i> , 2016, 101, 1524-1533.	1.7	154
84	Treatment of Relapsed/Refractory Acute Lymphoblastic Leukemia in Adults. <i>Current Oncology Reports</i> , 2016, 18, 39.	1.8	38
85	Benefit of high-dose daunorubicin in AML induction extends across cytogenetic and molecular groups. <i>Blood</i> , 2016, 127, 1551-1558.	0.6	105
86	How I treat acute myeloid leukemia presenting with preexisting comorbidities. <i>Blood</i> , 2016, 128, 488-496.	0.6	45
87	Extramedullary Disease in Adult Acute Myeloid Leukemia Is Common but Lacks Independent Significance: Analysis of Patients in ECOG-ACRIN Cancer Research Group Trials, 1980-2008. <i>Journal of Clinical Oncology</i> , 2016, 34, 3544-3553.	0.8	99
88	Delays in postremission chemotherapy for Philadelphia chromosome negative acute lymphoblastic leukemia are associated with inferior outcomes in patients who undergo allogeneic transplant: An analysis from ECOG 2993/MRC UK ALLXII. <i>American Journal of Hematology</i> , 2016, 91, 1107-1112.	2.0	7
89	Genomic analyses identify recurrent MEF2D fusions in acute lymphoblastic leukaemia. <i>Nature Communications</i> , 2016, 7, 13331.	5.8	218
90	DNMT3A mutations promote anthracycline resistance in acute myeloid leukemia via impaired nucleosome remodeling. <i>Nature Medicine</i> , 2016, 22, 1488-1495.	15.2	195

#	ARTICLE	IF	CITATIONS
91	AML in 2016: Where we are now?. Best Practice and Research in Clinical Haematology, 2016, 29, 315-319.	0.7	11
92	Deregulation of DUX4 and ERG in acute lymphoblastic leukemia. Nature Genetics, 2016, 48, 1481-1489.	9.4	231
93	Pseudotumor Cerebri in Acute Promyelocytic Leukemia Patients on Intergroup Protocol 0129: Clinical Description and Recommendations for New Diagnostic Criteria. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, 146-151.	0.2	22
94	Allogeneic Stem Cell Transplantation in Congenital Hemoglobinopathies Using a Tailored Busulfan-Based Conditioning Regimen: Single-Center Experience. Biology of Blood and Marrow Transplantation, 2016, 22, 1043-1048.	2.0	11
95	Adult Nephrotic Syndrome after Hematopoietic Stem Cell Transplantation: Renal Pathology is the Best Predictor of Response to Therapy. Biology of Blood and Marrow Transplantation, 2016, 22, 975-981.	2.0	29
96	The Selective Anti Leukemic Effect of BL-8040, a Peptidic CXCR4 Antagonist, Is Mediated By Induction of Leukemic Blast Mobilization, Differentiation and Apoptosis: Results of Correlative Studies from a Ph2a Trial in Acute Myeloid Leukemia. Blood, 2016, 128, 2745-2745.	0.6	3
97	Importance of Achieving Complete Remission (CR) after Intensive Therapy for Acute Myeloid Leukemia (AML) in Older Adults Age ≥60 Years: Analysis of Risk Factors for Early Mortality and Re-Induction, and Impact of Quality of Response on Overall Survival (OS) in the ECOG-ACRIN E2906 Randomized Trial. Blood, 2016, 128, 339-339.	0.6	7
98	Primary Plasma Cell Leukemia Has a Poor Prognosis Even in the Era of Novel Agents - a Multicenter Case Series. Blood, 2016, 128, 5699-5699.	0.6	1
99	Astarabine, a Novel Leukemia-Targeted Cytarabine Composition Allows, for the First Time, the Delivery of High Cytarabine Doses for Older or Unfit Patients with Acute Leukemia. Results of an Ongoing Phase I/IIa Study. Blood, 2016, 128, 1650-1650.	0.6	0
100	A genome-wide association study of susceptibility to acute lymphoblastic leukemia in adolescents and young adults. Blood, 2015, 125, 680-686.	0.6	110
101	Severe and persistent heparin-induced thrombocytopenia despite fondaparinux treatment. American Journal of Hematology, 2015, 90, 675-678.	2.0	59
102	Secondary acute lymphoblastic leukaemia is constitutional and probably not related to prior therapy. British Journal of Haematology, 2015, 170, 50-55.	1.2	26
103	Prospective comparison of early bone marrow evaluation on day 5 versus day 14 of the 3+7 induction regimen for acute myeloid leukemia. American Journal of Hematology, 2015, 90, 1159-1164.	2.0	22
104	Impact of Pretransplantation 18F-fluorodeoxy Glucose Positron Emission Tomography Status on Outcomes after Allogeneic Hematopoietic Cell Transplantation for Non-Hodgkin Lymphoma. Biology of Blood and Marrow Transplantation, 2015, 21, 1605-1611.	2.0	39
105	Introducing minimal residual disease in acute myeloid leukemia. Current Opinion in Hematology, 2015, 22, 139-145.	1.2	10
106	Efficacy of Retinoids in IKZF1-Mutated BCR-ABL1 Acute Lymphoblastic Leukemia. Cancer Cell, 2015, 28, 343-356.	7.7	145
107	Reasons for optimism in the therapy of acute leukemia. Best Practice and Research in Clinical Haematology, 2015, 28, 69-72.	0.7	9
108	Tipifarnib As Maintenance Therapy in Acute Myeloid Leukemia (AML) Improves Survival in a Subgroup of Patients with High Risk Disease. Results of the Phase III Intergroup Trial E2902. Blood, 2015, 126, 1308-1308.	0.6	7

#	ARTICLE	IF	CITATIONS
109	North American Leukemia, Intergroup Phase III Randomized Trial of Single Agent Clofarabine As Induction and Post-Remission Therapy, and Decitabine As Maintenance Therapy in Newly-Diagnosed Acute Myeloid Leukemia in Older Adults (Age ≥ 60 Years): A Trial of the ECOG-ACRIN Cancer Research Group (E2906). <i>Blood</i> , 2015, 126, 217-217.	0.6	28
110	The Peptidic CXCR4 Antagonist, BL-8040, Significantly Reduces Bone Marrow Immature Leukemia Progenitors By Inducing Differentiation, Apoptosis and Mobilization: Results of the Dose Escalation Clinical Trial in Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 2546-2546.	0.6	15
111	High Frequency and Poor Outcome of Ph-like Acute Lymphoblastic Leukemia in Adults. <i>Blood</i> , 2015, 126, 2618-2618.	0.6	5
112	Expression of an Oncogenic ERG isoform Characterizes a Distinct Subtype of B-Progenitor Acute Lymphoblastic Leukemia. <i>Blood</i> , 2015, 126, 693-693.	0.6	1
113	Integrated DNA/RNA Profiling for Somatic Alterations in Adult B-Cell ALL. <i>Blood</i> , 2015, 126, 1422-1422.	0.6	0
114	Very Poor Long-Term Survival, Also in Contemporary Studies, of Patients with AML Who Relapse after Achieving a First Complete Remission: The ECOG-ACRIN Cancer Research Group Experience. <i>Blood</i> , 2015, 126, 1315-1315.	0.6	0
115	The increasing genomic complexity of acute myeloid leukemia. <i>Best Practice and Research in Clinical Haematology</i> , 2014, 27, 209-213.	0.7	8
116	Transplantation in Acute Myeloid Leukemia. <i>Hematology/Oncology Clinics of North America</i> , 2014, 28, 983-994.	0.9	9
117	Single cell analysis exposes intratumor heterogeneity and suggests that FLT3-ITD is a late event in leukemogenesis. <i>Experimental Hematology</i> , 2014, 42, 457-463.	0.2	22
118	Contrasting roles of histone 3 lysine 27 demethylases in acute lymphoblastic leukaemia. <i>Nature</i> , 2014, 514, 513-517.	13.7	340
119	Autologous Is Superior to Allogeneic Hematopoietic Cell Transplantation for Acute Promyelocytic Leukemia in Second Complete Remission. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1021-1025.	2.0	61
120	Allotransplantation for Patients Age ≥ 40 Years with Non-Hodgkin Lymphoma: Encouraging Progression-Free Survival. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 960-968.	2.0	37
121	Younger adults with acute myeloid leukemia in remission for ≥ 3 years have a high likelihood of cure: The ECOG experience in over 1200 patients. <i>Leukemia Research</i> , 2014, 38, 901-906.	0.4	10
122	Pathogenesis and prognostication in acute lymphoblastic leukemia. <i>F1000prime Reports</i> , 2014, 6, 59.	5.9	21
123	UKALLXII/ECOG2993: addition of imatinib to a standard treatment regimen enhances long-term outcomes in Philadelphia positive acute lymphoblastic leukemia. <i>Blood</i> , 2014, 123, 843-850.	0.6	321
124	Histamine dihydrochloride for maintaining remission in acute myeloid leukemia. <i>International Journal of Hematologic Oncology</i> , 2014, 3, 137-143.	0.7	0
125	Minimal Residual Disease Assessment By Flow Cytometry in AML Is an Independant Prognostic Factor Even after Adjusting for Cytogenetic/Molecular Abnormalities. <i>Blood</i> , 2014, 124, 1016-1016.	0.6	7
126	Results of the ECOG E1900 Trial in Younger Adults with AML Using an Event Free Survival Endpoint Are Concordant with Results Based on Overall Survival: Potential for a Surrogate Endpoint to Facilitate Rapid Approval of Therapies in AML. <i>Blood</i> , 2014, 124, 2599-2599.	0.6	10

#	ARTICLE	IF	CITATIONS
127	High Dose Daunorubicin Improves Survival in AML up to Age 60, Across All Cytogenetic Risk Groups Including Patients with Unfavorable Cytogenetic Risk, and FLT3-ITD Mutant AML: Updated Analyses from Eastern Cooperative Oncology Trial E1900. <i>Blood</i> , 2014, 124, 373-373.	0.6	7
128	A Randomized Phase II Trial of Three Novel Regimens for Relapsed/ Refractory Acute Myeloid Leukemia (AML) Demonstrates Encouraging Results with a Flavopiridol-Based Regimen: Results of Eastern Cooperative Oncology Group (ECOG) Trial E1906. <i>Blood</i> , 2014, 124, 3742-3742.	0.6	5
129	BL-8040, a Peptidic CXCR4 Antagonist, Induces Leukemia Cell Death and Specific Leukemia Cell Mobilization in Relapsed/Refractory Acute Myeloid Leukemia Patients in an Ongoing Phase IIa Clinical Trial. <i>Blood</i> , 2014, 124, 950-950.	0.6	11
130	Prevalence and Incidence of Acute Myeloid Leukemia May be Higher Than Currently Accepted Estimates Among the ≥65 Year-Old Population in the United States. <i>Blood</i> , 2014, 124, 958-958.	0.6	9
131	Telomere Length Recovery Strongly Predicts Overall Survival in Acute Promyelocytic Leukemia. <i>Blood</i> , 2014, 124, 2375-2375.	0.6	0
132	Early Apoptotic Cells (ApoCell) As Prophylaxis of Graft-Versus-Host Disease in Myeloablative HLA-Matched Allogeneic Bone Marrow Transplantation Is Safe and Effective: 1 Year Follow-up. <i>Blood</i> , 2014, 124, 5866-5866.	0.6	0
133	A Genome-Wide Association Study of Susceptibility to Acute Lymphoblastic Leukemia in Adolescents and Young Adults. <i>Blood</i> , 2014, 124, 132-132.	0.6	1
134	Semaphorin 3A Expression on Donor and Recipient Regulatory Cells: A Novel Pre-Transplant Biomarker Predicting the Development of Acute Graft-Versus-Host Disease. <i>Blood</i> , 2014, 124, 3935-3935.	0.6	0
135	Delays in Start of Intensification Therapy Are Common for Adults with Acute Lymphoblastic Leukemia, and Are Associated with Decreased Survival in Patients Who Undergo Allogeneic Stem Cell Transplant (SCT). <i>Blood</i> , 2014, 124, 208-208.	0.6	1
136	Secondary ALL May be Independent of Prior Cytotoxic Therapy. <i>Blood</i> , 2014, 124, 3648-3648.	0.6	0
137	Determinants of Fatal Bleeding during Induction Therapy for Acute Promyelocytic Leukemia in the ATRA Era. <i>Blood</i> , 2014, 124, 948-948.	0.6	1
138	Direct Reversal of Glucocorticoid Resistance by AKT Inhibition in Acute Lymphoblastic Leukemia. <i>Cancer Cell</i> , 2013, 24, 766-776.	7.7	220
139	Important milestones in acute leukemia in 2013. <i>Best Practice and Research in Clinical Haematology</i> , 2013, 26, 241-244.	0.7	14
140	High-Dose Vincristine Sulfate Liposome Injection for Advanced, Relapsed, and Refractory Adult Philadelphia Chromosome-Negative Acute Lymphoblastic Leukemia. <i>Journal of Clinical Oncology</i> , 2013, 31, 676-683.	0.8	171
141	Acute myeloid leukemia with translocation t(8;16) presents with features which mimic acute promyelocytic leukemia and is associated with poor prognosis. <i>Leukemia Research</i> , 2013, 37, 32-36.	0.4	29
142	Genetic profiling in acute myeloid leukaemia – where are we and what is its role in patient management. <i>British Journal of Haematology</i> , 2013, 160, 303-320.	1.2	47
143	Is there a role for allogeneic transplantation in chronic myeloid leukemia?. <i>Expert Review of Hematology</i> , 2013, 6, 759-765.	1.0	7
144	Allogeneic, but not autologous, hematopoietic cell transplantation improves survival only among younger adults with acute lymphoblastic leukemia in first remission: an individual patient data meta-analysis. <i>Blood</i> , 2013, 121, 339-350.	0.6	123

#	ARTICLE	IF	CITATIONS
145	The myth of the second remission of acute leukemia in the adult. <i>Blood</i> , 2013, 121, 1077-1082.	0.6	192
146	Gemtuzumab ozogamicin in acute myeloid leukemia: a remarkable saga about an active drug. <i>Blood</i> , 2013, 121, 4838-4841.	0.6	128
147	The clinical characteristics, therapy and outcome of 85 adults with acute lymphoblastic leukemia and t(4;11)(q21;q23)/MLL-AFF1 prospectively treated in the UKALLXII/ECOG2993 trial. <i>Haematologica</i> , 2013, 98, 945-952.	1.7	54
148	Updated Efficacy and Safety, and Exploratory Ki-67 Results For The MCL-001 Study Of Lenalidomide In Mantle Cell Lymphoma Patients Who Relapsed Or Were Refractory To Bortezomib. <i>Blood</i> , 2013, 122, 3057-3057.	0.6	2
149	Early Bone Marrow Examination, On The Fifth Day Of Induction For AML, Is Highly Predictive Of Response. <i>Blood</i> , 2013, 122, 3893-3893.	0.6	1
150	Preemptive Detection Of JC Virus In Peripheral Blood Of Patients Undergoing Allogeneic Stem Cell Transplantation: A Potential Tool To Prevent Progressive Multifocal Leukoencephalopathy In High-Risk Patients?. <i>Blood</i> , 2013, 122, 4537-4537.	0.6	1
151	Interpreting Outcome Data in Hematological Malignancies: A Paradigm for Clinical Studies. <i>Rambam Maimonides Medical Journal</i> , 2013, 4, e0004.	0.4	1
152	Treatment for relapsed acute myeloid leukemia. <i>Current Opinion in Hematology</i> , 2012, 19, 89-94.	1.2	35
153	<i>IGH@</i> Translocations, <i>CRLF2</i> Deregulation, and Microdeletions in Adolescents and Adults With Acute Lymphoblastic Leukemia. <i>Journal of Clinical Oncology</i> , 2012, 30, 3100-3108.	0.8	120
154	CD25 expression status improves prognostic risk classification in AML independent of established biomarkers: ECOG phase 3 trial, E1900. <i>Blood</i> , 2012, 120, 2297-2306.	0.6	92
155	How I treat hematologic emergencies in adults with acute leukemia. <i>Blood</i> , 2012, 120, 1993-2002.	0.6	57
156	The impact of mutational profiling on AML prognosis. <i>Best Practice and Research in Clinical Haematology</i> , 2012, 25, 403-408.	0.7	4
157	Total ambulatory hemato-oncological care: a myth or reality?. <i>Leukemia and Lymphoma</i> , 2012, 53, 2335-2336.	0.6	7
158	Hyperleukocytosis, leukostasis and leukapheresis: Practice management. <i>Blood Reviews</i> , 2012, 26, 117-122.	2.8	177
159	Prognostic Relevance of Integrated Genetic Profiling in Acute Myeloid Leukemia. <i>New England Journal of Medicine</i> , 2012, 366, 1079-1089.	13.9	1,688
160	Cell lineage analysis of acute leukemia relapse uncovers the role of replication-rate heterogeneity and microsatellite instability. <i>Blood</i> , 2012, 120, 603-612.	0.6	67
161	Allogeneic stem cell transplantation for patients with chronic myeloid leukemia: Risk stratified approach with a long-term follow-up. <i>American Journal of Hematology</i> , 2012, 87, 875-879.	2.0	6
162	Outcomes in older adults with acute lymphoblastic leukaemia (<sc>ALL</sc>): results from the international <sc>MRC UKALL XII</sc>/<sc>ECOG</sc>2993 trial. <i>British Journal of Haematology</i> , 2012, 157, 463-471.	1.2	161

#	ARTICLE	IF	CITATIONS
163	Blockade of PD-1 in Combination with Dendritic Cell/Myeloma Fusion Cell Vaccination Following Autologous Stem Cell Transplantation. <i>Blood</i> , 2012, 120, 578-578.	0.6	3
164	R115777(tipifarnib) Improves Early Survival when Used As Maintenance Therapy for Elderly or Relapsed/Refractory Patients with Acute Myelogenous Leukemia in Remission. <i>Blood</i> , 2012, 120, 676-676.	0.6	2
165	Phase II Multicenter Study of Single-Agent Lenalidomide in Subjects with Mantle Cell Lymphoma Who Relapsed or Progressed After or Were Refractory to Bortezomib: The MCL-001 "EMERGE" Study. <i>Blood</i> , 2012, 120, 905-905.	0.6	18
166	Biology and Outcome of 85 Adults with Acute Lymphoblastic Leukemia (ALL) with t(4;11)/MLL-AF4 Treated in the UKALL XII/ECOG 2993 Study. <i>Blood</i> , 2012, 120, 663-663.	0.6	0
167	Parallel Transcriptional Analysis of Multiple Stem and Progenitor Populations Identifies Novel Commonly Dysregulated and Functionally Relevant Targets in AML. <i>Blood</i> , 2012, 120, 1875-1875.	0.6	0
168	Prognostic Relevance of Integrated Genetic Profiling in Adult T-Cell Acute Lymphoblastic Leukemia. <i>Blood</i> , 2012, 120, 294-294.	0.6	0
169	Practically All Patients with Acute Myeloid Leukemia (AML) in Continuous Complete Remission for 3 Years or More Are Cured of Their Disease: The ECOG Experience. <i>Blood</i> , 2012, 120, 132-132.	0.6	0
170	Female Donor Allografts Have a Higher CD3 Content Than Male Donor Allografts: Potential Impact On Transplantation Outcomes in Male Recipients. <i>Blood</i> , 2012, 120, 587-587.	0.6	0
171	Prognostic Factors in Adult Acute Leukemia. <i>Hematology/Oncology Clinics of North America</i> , 2011, 25, 1163-1187.	0.9	11
172	Acute Leukemia. , 2011, , 235-250.		0
173	Interpreting Data on Transplant Selection and Outcome in Adult Acute Lymphoblastic Leukemia (ALL). <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, S76-S83.	2.0	13
174	Induction and postremission strategies in acute myeloid leukemia: what is new?. <i>Current Opinion in Hematology</i> , 2011, 18, 83-88.	1.2	14
175	Autologous transplantation gives encouraging results for young adults with favorable-risk acute myeloid leukemia, but is not improved with gemtuzumab ozogamicin. <i>Blood</i> , 2011, 117, 5306-5313.	0.6	58
176	Assessment of the consistency and robustness of results from a multicenter trial of remission maintenance therapy for acute myeloid leukemia. <i>Trials</i> , 2011, 12, 86.	0.7	7
177	Reply to induction therapy and outcome in acute myeloid leukemia. <i>Cancer</i> , 2011, 117, 2237-2237.	2.0	1
178	Adding Mercaptopurine and Methotrexate to Alternate Week ATRA Maintenance Therapy Does Not Improve the Outcome for Adults with Acute Promyelocytic Leukemia (APL) in First Remission: Results From North American Leukemia Intergroup Trial C9710. <i>Blood</i> , 2011, 118, 258-258.	0.6	7
179	Late Relapses Following All-Trans Retinoic Acid for Acute Promyelocytic Leukemia Are Uncommon, Respond Well to Salvage Therapy and Occur Independently of Prognostic Factors At Diagnosis: Long-Term Follow-up of North American Intergroup Study I0129. <i>Blood</i> , 2011, 118, 83-83.	0.6	5
180	Clinical Trial Evaluating DC/AML Fusion Cell Vaccination Alone and in Conjunction with PD-1 Blockade in AML Patients Who Achieve a Chemotherapy-Induced Remission. <i>Blood</i> , 2011, 118, 948-948.	0.6	3

#	ARTICLE	IF	CITATIONS
181	Six Cycles of BEACOPP Tailored Based on Interim Scintigraphy Provide Favorable Outcome for Patients with Standard and Advanced Risk Hodgkin Lymphoma and Female Fertility Is Preserved: Results of a 10-Year Follow-up. <i>Blood</i> , 2011, 118, 1564-1564.	0.6	0
182	Administration of All-Trans Retinoic Acid (ATRA) to Newly Diagnosed Patients (pts) with Acute Promyelocytic Leukemia (APL) Is Delayed Even At Experienced Centers and Associated with An Increased Early Death Rate (EDR): A Retrospective Analysis of 205 Pts. <i>Blood</i> , 2011, 118, 942-942.	0.6	0
183	Young Adults Presenting with Extramedullary Acute Myeloid Leukemia Have A Unique Sensitivity to High Doses of Anthracyclines: Subset Analysis of ECOG 1900. <i>Blood</i> , 2011, 118, 3619-3619.	0.6	0
184	Reduced Specificity and Positive Predictive Value of Surveillance FDG-PET/CT for Diffuse Large Cell B Cell Lymphoma in the Rituximab Era. <i>Blood</i> , 2011, 118, 1576-1576.	0.6	0
185	Post-Engraftment Persistent Leukocytosis May Be An Independent Poor Prognostic Factor in Allogeneic Stem Cell Transplant Patients. <i>Blood</i> , 2011, 118, 4574-4574.	0.6	0
186	ETV6 Is An Early T-Cell Progenitor (ETP) Specific Tumor Suppressor Gene in Adult T-ALL. <i>Blood</i> , 2011, 118, 406-406.	0.6	1
187	Induction therapy in acute myeloid leukemia: intensifying and targeting the approach. <i>Current Opinion in Hematology</i> , 2010, 17, 79-84.	1.2	9
188	Getting to the root of (it) ALL. <i>Blood</i> , 2010, 115, 3649-3650.	0.6	2
189	How I treat acute myeloid leukemia. <i>Blood</i> , 2010, 116, 3147-3156.	0.6	155
190	Adult patients with acute myeloid leukemia who achieve complete remission after 1 or 2 cycles of induction have a similar prognosis. <i>Cancer</i> , 2010, 116, 5012-5021.	2.0	99
191	Prognostic factors in adult acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2010, 150, 389-405.	1.2	117
192	The evolving paradigm of prognostic factors in AML: Introduction to the Acute Leukemia Forum 2010. <i>Best Practice and Research in Clinical Haematology</i> , 2010, 23, 453-456.	0.7	3
193	Zosuquidar, a novel modulator of P-glycoprotein, does not improve the outcome of older patients with newly diagnosed acute myeloid leukemia: a randomized, placebo-controlled trial of the Eastern Cooperative Oncology Group 3999. <i>Blood</i> , 2010, 116, 4077-4085.	0.6	188
194	Imatinib Significantly Enhances Long-Term Outcomes In Philadelphia Positive Acute Lymphoblastic Leukaemia; Final Results of the UKALLXII/ECOG2993 Trial. <i>Blood</i> , 2010, 116, 169-169.	0.6	13
195	BKT140 Is a Novel CXCR4 Antagonist with Stem Cell Mobilization and Antimyeloma Effects: An Open-Label First Human Trial In Patients with Multiple Myeloma Undergoing Stem Cell Mobilization for Autologous Transplantation. <i>Blood</i> , 2010, 116, 2260-2260.	0.6	10
196	Maintenance Rituximab Every 2 Months for 2 Years Is Effective and Well Tolerated In Patients with Follicular Lymphoma with Both Standard or Rapid Infusion: Updated Results From the Phase IIIb MAXIMA Study. <i>Blood</i> , 2010, 116, 3945-3945.	0.6	2
197	Inability to Tolerate Standard Therapy Is a Major Reason for Poor Outcome In Older Adults with Acute Lymphoblastic Leukemia (ALL): Results From the International MRC/ECOG Trial. <i>Blood</i> , 2010, 116, 493-493.	0.6	3
198	Outcome of 1,229 Adult Philadelphia Chromosome Negative B Acute Lymphoblastic Leukemia (B-ALL) Patients (pts) From the International UKALLXII/E2993 Trial: No Difference In Results Between B Cell Immunophenotypic Subgroups. <i>Blood</i> , 2010, 116, 524-524.	0.6	6

#	ARTICLE	IF	CITATIONS
199	High-Throughput Mutational Profiling In AML: Mutational Analysis of the ECOG E1900 Trial. <i>Blood</i> , 2010, 116, 851-851.	0.6	4
200	A Population-Based Study In Acute Promyelocytic Leukemia (APL) Suggests a Higher Early Death Rate and Lower Overall Survival Than Commonly Reported In Clinical Trials: Data From the Surveillance, Epidemiology, and End Results (SEER) Program and the New York State Cancer Registry In the United States Between 1992â€“2007. <i>Blood</i> , 2010, 116, 872-872.	0.6	5
201	A Multi-Center Prospective Randomized Study Comparing Ibritumomab Tiuxetan (Zevalin) and High-Dose BEAM Chemotherapy (Z-BEAM) Vs. BEAM Alone as the Conditioning Regimen Prior to Autologous Stem-Cell Transplantation In Patients with Aggressive Lymphoma; Possible Advantage for Z-BEAM In Low-Risk Patients. <i>Blood</i> , 2010, 116, 686-686.	0.6	2
202	BCL11B Mutations In T-Cell Acute Lymphoblastic Leukemia. <i>Blood</i> , 2010, 116, 471-471.	0.6	0
203	Increased Incidence of Therapy Related Myeloid Neoplasia (t-MN) After Initial Therapy for CLL with Fludarabine-Cyclophosphamide (FC) Vs Fludarabine (F): Long-Term Follow-up of US Intergroup Study E2997. <i>Blood</i> , 2010, 116, 924-924.	0.6	1
204	Single-Cell Phylogenetic analysis provides Novel Insight Into Resistance Mechanisms In AML. <i>Blood</i> , 2010, 116, 178-178.	0.6	0
205	Tipifarnib Is Well Tolerated as Maintenance Therapy In Acute Myeloid Leukemia (AML). Significant, but Non-Fatal, Hematologic Toxicity Not Ameliorated by Dose Reduction. Preliminary Results of the Phase III Intergroup Trial E2902. <i>Blood</i> , 2010, 116, 3315-3315.	0.6	1
206	Integrative Genome-Wide DNA Methylation and Gene Expression Analysis Reveals Biological and Clinical Insights In Adult Acute Lymphoblastic Leukemia. <i>Blood</i> , 2010, 116, 852-852.	0.6	5
207	Cytogenetics Abnormalities Predict the Outcome of Allogeneic Transplantation In AML: A CIBMTR Study. <i>Blood</i> , 2010, 116, 680-680.	0.6	0
208	Prognostic Implications of <i>NOTCH1</i> and <i>FBXW7</i> Mutations in Adults With T-Cell Acute Lymphoblastic Leukemia Treated on the MRC UKALLXII/ECOG E2993 Protocol. <i>Journal of Clinical Oncology</i> , 2009, 27, 4352-4356.	0.8	108
209	Optimal induction and post-remission therapy for AML in first remission. <i>Hematology American Society of Hematology Education Program</i> , 2009, 2009, 396-405.	0.9	77
210	Transplantation in adult ALL. <i>Hematology American Society of Hematology Education Program</i> , 2009, 2009, 593-601.	0.9	18
211	Anthracycline Dose Intensification in Acute Myeloid Leukemia. <i>New England Journal of Medicine</i> , 2009, 361, 1249-1259.	13.9	797
212	Optimal management of adults with ALL. <i>British Journal of Haematology</i> , 2009, 144, 468-483.	1.2	47
213	Is there a role for intensifying induction therapy in acute myeloid leukaemia (AML)? <i>Best Practice and Research in Clinical Haematology</i> , 2009, 22, 509-515.	0.7	3
214	T-cell acute lymphoblastic leukemia in adults: clinical features, immunophenotype, cytogenetics, and outcome from the large randomized prospective trial (UKALL XII/ECOG 2993). <i>Blood</i> , 2009, 114, 5136-5145.	0.6	346
215	Closer to the truth in AML. <i>Blood</i> , 2009, 113, 4129-4130.	0.6	8
216	Hematopoietic stem cell transplantation for adults with acute lymphoblastic leukemia. <i>Current Opinion in Hematology</i> , 2009, 16, 453-459.	1.2	7

#	ARTICLE	IF	CITATIONS
217	Prospective outcome data on 267 unselected adult patients with Philadelphia chromosomeâ€“positive acute lymphoblastic leukemia confirms superiority of allogeneic transplantation over chemotherapy in the pre-imatinib era: results from the International ALL Trial MRC UKALLXII/ECOG2993. <i>Blood</i> , 2009, 113, 4489-4496.	0.6	257
218	Allogeneic Stem Cell Transplantation in Congenital Hemoglobinopathies â€“ A Curative Approach When Performed as a Primary Therapeutic Modality: A Single Center Experience.. <i>Blood</i> , 2009, 114, 1144-1144.	0.6	0
219	Dendritic Cell Tumor Fusion Vaccination in Conjunction with Autologous Transplantation for Multiple Myeloma.. <i>Blood</i> , 2009, 114, 783-783.	0.6	2
220	Prior Response to Imatinib Predicts Response to Second Line Treatment with Nilotinib in CML Patients Resistant or Intolerant to Imatinib.. <i>Blood</i> , 2009, 114, 3297-3297.	0.6	0
221	Why is clinical progress in acute myelogenous leukemia so slow?. <i>Best Practice and Research in Clinical Haematology</i> , 2008, 21, 1-3.	0.7	9
222	Consolidation therapy: What should be the standard of care?. <i>Best Practice and Research in Clinical Haematology</i> , 2008, 21, 53-60.	0.7	12
223	Graft-versus-disease effect following allogeneic transplantation for acute leukaemia. <i>Best Practice and Research in Clinical Haematology</i> , 2008, 21, 485-502.	0.7	14
224	Clinical progress in acute myeloid leukemia. <i>Best Practice and Research in Clinical Haematology</i> , 2008, 21, 597-599.	0.7	1
225	Indications for Hematopoietic Cell Transplantation in Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 154-164.	2.0	7
226	In adults with standard-risk acute lymphoblastic leukemia, the greatest benefit is achieved from a matched sibling allogeneic transplantation in first complete remission, and an autologous transplantation is less effective than conventional consolidation/maintenance chemotherapy in all patients: final results of the International ALL Trial (MRC UKALL XII/ECOG E2993). <i>Blood</i> , 2008, 111, 1827-1833.	0.6	702
227	Response: Chemotherapy or allografting for young adults with high-risk ALL?. <i>Blood</i> , 2008, 111, 5755-5755.	0.6	8
228	Treatment-Related Mortality and Relapse Rate from Time of Initiation of Post-Remission Therapy for Patients Receiving Allogeneic Transplantation, Autologous Transplantation or Intensive Chemotherapy: A Report from the Eastern Cooperative Oncology Group (ECOG). <i>Blood</i> , 2008, 112, 49-49.	0.6	4
229	Fusion Cell Vaccination in Conjunction with Stem Cell Transplantation Is Well Tolerated, Induces Anti-Tumor Immunity and Is Associated with Responses in Patients with Multiple Myeloma. <i>Blood</i> , 2008, 112, 826-826.	0.6	1
230	Induced CD4+CD25+ FOXP-3+ and CD8+CD25+ FOXP-3+t Cells Exhibit a Concurrent Expression of Effector and Selective Suppressive Capacities. <i>Blood</i> , 2008, 112, 3501-3501.	0.6	0
231	Karyotype is an independent prognostic factor in adult acute lymphoblastic leukemia (ALL): analysis of cytogenetic data from patients treated on the Medical Research Council (MRC) UKALLXII/Eastern Cooperative Oncology Group (ECOG) 2993 trial. <i>Blood</i> , 2007, 109, 3189-3197.	0.6	655
232	Differential Gene Expression Patterns and Interaction Networks in BCR-ABLâ€“Positive and â€“Negative Adult Acute Lymphoblastic Leukemias. <i>Journal of Clinical Oncology</i> , 2007, 25, 1341-1349.	0.8	100
233	Recent Developments in Acute Myelogenous Leukemia Therapy. <i>Oncologist</i> , 2007, 12, 14-21.	1.9	21
234	Outcome of 609 adults after relapse of acute lymphoblastic leukemia (ALL); an MRC UKALL12/ECOG 2993 study. <i>Blood</i> , 2007, 109, 944-950.	0.6	716

#	ARTICLE	IF	CITATIONS
235	Closing the gap in CML. <i>Blood</i> , 2007, 109, 2271-2271.	0.6	1
236	How I treat acute lymphocytic leukemia in adults. <i>Blood</i> , 2007, 110, 2268-2275.	0.6	33
237	Alternative donor transplantation in acute myeloid leukemia: which source and when?. <i>Current Opinion in Hematology</i> , 2007, 14, 152-161.	1.2	24
238	Innovative Approaches in the Treatment and Support of Patients with Acute Myelogenous Leukemia. <i>Oncologist</i> , 2007, 12, 1-1.	1.9	89
239	Post-Consolidation Immunotherapy with Histamine Dihydrochloride and Interleukin-2 in AML: Long Term Follow-Up of Leukemia-Free Survival and Overall Survival.. <i>Blood</i> , 2007, 110, 1846-1846.	0.6	4
240	Impact on Quality of Life of Postconsolidation Immunotherapy with Histamine Dihydrochloride and Interleukin-2 in Acute Myelogenous Leukemia.. <i>Blood</i> , 2007, 110, 4381-4381.	0.6	1
241	Does Imatinib Change the Outcome in Philadelphia Chromosome Positive Acute Lymphoblastic Leukaemia in Adults? Data from the UKALLXII/ECOG2993 Study.. <i>Blood</i> , 2007, 110, 8-8.	0.6	22
242	Preface: significant advances in the biology and therapy of AML over the past four decades. <i>Best Practice and Research in Clinical Haematology</i> , 2006, 19, 259-262.	0.7	2
243	Is there a role for consolidation therapy pre-transplantation?. <i>Best Practice and Research in Clinical Haematology</i> , 2006, 19, 301-310.	0.7	4
244	Improved leukemia-free survival after postconsolidation immunotherapy with histamine dihydrochloride and interleukin-2 in acute myeloid leukemia: results of a randomized phase 3 trial. <i>Blood</i> , 2006, 108, 88-96.	0.6	226
245	Central nervous system involvement in adult acute lymphoblastic leukemia at diagnosis: results from the international ALL trial MRC UKALL XII/ECOG E2993. <i>Blood</i> , 2006, 108, 465-472.	0.6	205
246	In Adults with Standard-Risk Acute Lymphoblastic Leukemia (ALL) the Greatest Benefit Is Achieved from an Allogeneic Transplant in First Complete Remission (CR) and an Autologous Transplant Is Less Effective Than Conventional Consolidation/Maintenance Chemotherapy: Final Results of the International ALL Trial (MRC UKALL XII/ECOG E2993).. <i>Blood</i> , 2006, 108, 2-2.	0.6	8
247	Allogeneic Stem Cell Transplantation (ASCT) in CML with Partial T-Cell Depletion, No Prophylaxis for Graft-Versus-Host Disease (GvHD) and Preemptive DLI for Patients with Post-Transplant Minimal Residual Disease (MRD): An Alternative Approach in CML Transplantation with Low Morbidity and Long Term Disease Free Survival.. <i>Blood</i> , 2006, 108, 318-318.	0.6	1
248	Expansion of Hematopoietic Stem Cells (HSC) from Cord-Blood (CB) Derived Mononuclear Cells (MNC) in Cytokine-Free Environment Using Mesenchymal Cells Spatial Co-Culture System.. <i>Blood</i> , 2006, 108, 2565-2565.	0.6	0
249	Differential Gene Expression Patterns and Interaction Networks in BCR/ABL Positive and Negative Adult Acute Lymphoblastic Leukemias.. <i>Blood</i> , 2006, 108, 1836-1836.	0.6	0
250	Early Interim Negative FDG-PET/CT Is a High Predictive Factor for Progression-Free Survival in Hodgkin Lymphoma.. <i>Blood</i> , 2006, 108, 4589-4589.	0.6	0
251	Prognostic factors in acute myeloid leukemia. <i>Current Opinion in Hematology</i> , 2005, 12, 62-67.	1.2	33
252	Drug therapy for acute myeloid leukemia. <i>Blood</i> , 2005, 106, 1154-1163.	0.6	594

#	ARTICLE	IF	CITATIONS
253	Intensified induction chemotherapy in adult acute myeloid leukemia followed by high-dose chemotherapy and autologous peripheral blood stem cell transplantation: an eastern cooperative oncology group trial (E4995). <i>Leukemia and Lymphoma</i> , 2005, 46, 55-61.	0.6	24
254	Induction therapy for adults with acute lymphoblastic leukemia: results of more than 1500 patients from the international ALL trial: MRC UKALL XII/ECOG E2993. <i>Blood</i> , 2005, 106, 3760-3767.	0.6	595
255	Very Poor Survival of Patients with AML Who Relapse after Achieving a First Complete Remission: The Eastern Cooperative Oncology Group Experience.. <i>Blood</i> , 2005, 106, 546-546.	0.6	22
256	Outcomes of Unrelated Cord Blood and Haploidentical Stem Cell Transplantation in Adults with Acute Leukaemia.. <i>Blood</i> , 2005, 106, 301-301.	0.6	3
257	Use of Dendritic Cells Versus Peripheral Blood Lymphocytes To Segregate Alloreactive and Regulatory T Cells during Allogeneic Transplantation.. <i>Blood</i> , 2005, 106, 5244-5244.	0.6	0
258	Karyotype Is an Independent Prognostic Factor in Adult Acute Lymphoblastic Leukaemia (ALL): Analysis of Cytogenetic Data from 1,235 Patients on the Medical Research Council (MRC) UKALLXII /Eastern Cooperative Oncology Group (ECOG) 2993 Trial.. <i>Blood</i> , 2005, 106, 331-331.	0.6	1
259	Risk Adapted BEACOPP Regimen Based on Early Scintigraphy Can Reduce the Cumulative Dose of Chemotherapy for Standard and High Risk Hodgkin Lymphoma (HD) with No Impairment of Outcome.. <i>Blood</i> , 2005, 106, 815-815.	0.6	0
260	Phase III Trial of All-Trans Retinoic Acid (ATRA) vs Daunorubicin (D) and Cytosine Arabinoside (A) as Induction Therapy and ATRA vs Observation as Maintenance Therapy for Children with Newly Diagnosed Acute Promyelocytic Leukemia (APL).. <i>Blood</i> , 2005, 106, 894-894.	0.6	0
261	Mitoxantrone, Etoposide, and Cytarabine With or Without Valspodar in Patients With Relapsed or Refractory Acute Myeloid Leukemia and High-Risk Myelodysplastic Syndrome: A Phase III Trial (E2995). <i>Journal of Clinical Oncology</i> , 2004, 22, 1078-1086.	0.8	226
262	Acute Monocytic Leukemia (French-American-British classification M5) Does Not Have a Worse Prognosis Than Other Subtypes of Acute Myeloid Leukemia: A Report From the Eastern Cooperative Oncology Group. <i>Journal of Clinical Oncology</i> , 2004, 22, 1276-1286.	0.8	66
263	State of the science for myelodysplastic syndrome: prognosis and promise of new therapies. <i>Best Practice and Research in Clinical Haematology</i> , 2004, 17, 535-541.	0.7	2
264	A phase 3 study of three induction regimens and of priming with GM-CSF in older adults with acute myeloid leukemia: a trial by the Eastern Cooperative Oncology Group. <i>Blood</i> , 2004, 103, 479-485.	0.6	260
265	State of the science for myelodysplastic syndrome: prognosis and promise of new therapies. <i>Best Practice and Research in Clinical Haematology</i> , 2004, 17, 535-541.	0.7	1
266	Improved Leukemia-Free Survival after Post-Consolidation Treatment with Histamine Dihydrochloride and Interleukin-2 in AML: A Randomized Phase III Trial.. <i>Blood</i> , 2004, 104, 261-261.	0.6	5
267	CA-125 as a Marker for the Early Diagnosis of Hepatic Veno-Occlusive Disease Following Hematopoietic Stem Cell Transplantation.. <i>Blood</i> , 2004, 104, 1138-1138.	0.6	0
268	Risk Factors for Outcomes of Family Haploidentical Allogeneic Stem Cell Transplantation for Adults with Acute Leukemias: A Survey on Behalf of the Acute Leukemia Working Party of the European Group for Blood and Marrow Transplantation (EBMT).. <i>Blood</i> , 2004, 104, 2146-2146.	0.6	0
269	Phase II study of combination human recombinant GM-CSF with intermediate-dose cytarabine and mitoxantrone chemotherapy in patients with high-risk myelodysplastic syndromes (RAEB, RAEBT, and Tj ETQq1 1 0,784314 rgBT /Overl 23-27.	2.0	10
270	Rare adult acute lymphocytic leukemia with CD56 expression in the ECOG experience shows unexpected phenotypic and genotypic heterogeneity. <i>American Journal of Hematology</i> , 2001, 66, 189-196.	2.0	34

#	ARTICLE	IF	CITATIONS
271	Invasive pulmonary aspergillosis in neutropenic patients during hospital construction: Before and after chemoprophylaxis and institution of HEPA filters. American Journal of Hematology, 2001, 66, 257-262.	2.0	210
272	Acute Myeloid Leukemia. Hematology American Society of Hematology Education Program, 2001, 2001, 62-86.	0.9	95
273	Concurrent use of growth factors and chemotherapy in acute leukemia. Current Opinion in Hematology, 2000, 7, 197-202.	1.2	8
274	Karyotypic analysis predicts outcome of preremission and postremission therapy in adult acute myeloid leukemia: a Southwest Oncology Group/Eastern Cooperative Oncology Group study. Blood, 2000, 96, 4075-4083.	0.6	1,442
275	Chemotherapy Compared with Autologous or Allogeneic Bone Marrow Transplantation in the Management of Acute Myeloid Leukemia in First Remission. New England Journal of Medicine, 1998, 339, 1649-1656.	13.9	569
276	All-trans-Retinoic Acid in Acute Promyelocytic Leukemia. New England Journal of Medicine, 1997, 337, 1021-1028.	13.9	1,006
277	Intensifying Induction Therapy in Acute Myeloid Leukemia: Has a New Standard of Care Emerged?. Blood, 1997, 90, 2121-2126.	0.6	47
278	Effects of GM-CSF on Ki67 expression and cell cycle traverse in acute myelogenous leukemia specimens and cell lines. Leukemia Research, 1994, 18, 609-616.	0.4	8