

Thomas Peters

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3365472/publications.pdf>

Version: 2024-02-01

113
papers

4,880
citations

109321

35
h-index

102487

66
g-index

132
all docs

132
docs citations

132
times ranked

4200
citing authors

#	ARTICLE	IF	CITATIONS
1	NMR Spectroscopy Techniques for Screening and Identifying Ligand Binding to Protein Receptors. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 864-890.	13.8	915
2	Discovery and Optimization of a Natural HIV-1 Entry Inhibitor Targeting the gp41 Fusion Peptide. <i>Cell</i> , 2007, 129, 263-275.	28.9	244
3	Virus-Ligand Interactions: Identification and Characterization of Ligand Binding by NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2003, 125, 14-15.	13.7	196
4	Screening Mixtures for Biological Activity by NMR. <i>FEBS Journal</i> , 1997, 246, 705-709.	0.2	154
5	NMR-Techniken zum Screening und zur Identifizierung der Bindung von Liganden an Proteinrezeptoren. <i>Angewandte Chemie</i> , 2003, 115, 890-918.	2.0	147
6	Structure and dynamics of oligosaccharides: NMR and modeling studies. <i>Current Opinion in Structural Biology</i> , 1996, 6, 710-720.	5.7	143
7	A Monte Carlo method for conformational analysis of saccharides. <i>Carbohydrate Research</i> , 1993, 238, 49-73.	2.3	126
8	Determination of the Bioactive Conformation of the Carbohydrate Ligand in the E-Selectin/Sialyl LewisX Complex. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 1841-1844.	4.4	112
9	Application of NMR Based Binding Assays to Identify Key Hydroxy Groups for Intermolecular Recognition. <i>Journal of the American Chemical Society</i> , 2000, 122, 6093-6099.	13.7	108
10	Molecular Recognition of Sialyl Lewisx and Related Saccharides by Two Lectins. <i>Journal of the American Chemical Society</i> , 2001, 123, 10705-10714.	13.7	106
11	Definition of Brucella A and M epitopes by monoclonal typing reagents and synthetic oligosaccharides. <i>Infection and Immunity</i> , 1989, 57, 2829-2836.	2.2	98
12	NMR Experiments Reveal the Molecular Basis of Receptor Recognition by a Calicivirus. <i>Journal of the American Chemical Society</i> , 2008, 130, 3669-3675.	13.7	80
13	Structures of Merkel Cell Polyomavirus VP1 Complexes Define a Sialic Acid Binding Site Required for Infection. <i>PLoS Pathogens</i> , 2012, 8, e1002738.	4.7	79
14	Ligand Specificity of CS-35, a Monoclonal Antibody That Recognizes Mycobacterial Lipoarabinomannan: A Model System for Oligofuranoside-Protein Recognition. <i>Journal of the American Chemical Society</i> , 2007, 129, 10489-10502.	13.7	77
15	Synthesis of antigenic determinants of the Brucella a antigen, utilizing methyl 4-azido-4,6-dideoxy- α -d-mannopyranoside efficiently derived from d-mannose. <i>Carbohydrate Research</i> , 1988, 174, 239-251.	2.3	71
16	The α -Gal Epitope of the Histo-Blood Group Antigen Family Is a Ligand for Bovine Norovirus Newbury2 Expected to Prevent Cross-Species Transmission. <i>PLoS Pathogens</i> , 2009, 5, e1000504.	4.7	71
17	A Structure-Guided Mutation in the Major Capsid Protein Retargets BK Polyomavirus. <i>PLoS Pathogens</i> , 2013, 9, e1003688.	4.7	70
18	Blood Group B Galactosyltransferase: Insights into Substrate Binding from NMR Experiments. <i>Journal of the American Chemical Society</i> , 2006, 128, 13529-13538.	13.7	68

#	ARTICLE	IF	CITATIONS
19	Bioaffinity NMR Spectroscopy: Identification of an E-Selectin Antagonist in a Substance Mixture by Transfer NOE. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 98-102.	13.8	67
20	Targeting Norovirus Infection—Multivalent Entry Inhibitor Design Based on NMR Experiments. <i>Chemistry - A European Journal</i> , 2011, 17, 7442-7453.	3.3	62
21	Molecular Details of the Recognition of Blood Group Antigens by a Human Norovirus as Determined by STD NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 928-932.	13.8	61
22	Mapping the Binding of Synthetic Disaccharides Representing Epitopes of Chlamydial Lipopolysaccharide to Antibodies with NMR. <i>Biochemistry</i> , 2000, 39, 12778-12788.	2.5	60
23	Conformational analysis of key disaccharide components of Brucella A and M antigens. <i>Canadian Journal of Chemistry</i> , 1990, 68, 979-988.	1.1	54
24	A post-translational modification of human Norovirus capsid protein attenuates glycan binding. <i>Nature Communications</i> , 2019, 10, 1320.	12.8	50
25	Konformationsanalyse, XXIV. Bestimmung der Konformationen von Tri- und Tetrasaccharidsequenzen der Core-Struktur von Glycoproteinen. Problem der (1 → 6)-Glycosidischen Bindung. <i>Liebigs Annalen Der Chemie</i> , 1984, 1984, 951-976.	0.8	49
26	NMR Experiments Reveal Distinct Antibody-Bound Conformations of a Synthetic Disaccharide Representing a General Structural Element of Bacterial Lipopolysaccharide Epitopes. <i>Biochemistry</i> , 1999, 38, 6449-6459.	2.5	47
27	Refinement of the Conformation of UDP-Galactose Bound to Galactosyltransferase Using the STD NMR Intensity-Restrained CORCEMA Optimization. <i>Journal of the American Chemical Society</i> , 2004, 126, 8610-8611.	13.7	46
28	Aleuria aurantia Agglutinin Recognizes Multiple Conformations of ?-L-Fuc-(1?6)-?-D-GlcNAc-OMe. <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 88-91.	4.4	42
29	Epitope mapping of sialyl Lewisx bound to E-selectin using saturation transfer difference NMR experiments. <i>Glycobiology</i> , 2003, 13, 435-443.	2.5	42
30	Konformationsanalyse, XXV. Konformationen von Octasaccharid- und Pentasaccharidsequenzen in Glycoproteinen des Lactosamin-Typs. <i>Liebigs Annalen Der Chemie</i> , 1985, 1985, 489-509.	0.8	37
31	Conformational Analysis of Blood Group A Trisaccharide in Solution and in the Binding Site of Dolichos biflorus Lectin Using Transient and Transferred Nuclear Overhauser Enhancement (NOE) and Rotating-Frame NOE Experiments. <i>FEBS Journal</i> , 1996, 239, 710-719.	0.2	37
32	Saturation transfer difference NMR and computational modeling of a sialoadhesin-sialyl lactose complex. <i>Carbohydrate Research</i> , 2004, 339, 259-267.	2.3	37
33	Attachment of Norovirus to Histo Blood Group Antigens: A...Cooperative Multistep Process. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 12014-12019.	13.8	37
34	Synthesis and conformational analysis of methyl 2-O-(1,4-D-Mannopyranosyl)-D-mannopyranoside. <i>Liebigs Annalen Der Chemie</i> , 1991, 1991, 135-141.	0.8	36
35	Synthetic antigenic determinants of the Brucella A polysaccharide: A disaccharide thioglycoside for block synthesis of pentasaccharide and lower homologues of 1,2-linked 4,6-dideoxy-4-formamido-1,2-D-mannose. <i>Canadian Journal of Chemistry</i> , 1989, 67, 491-496.	1.1	35
36	Molecular Recognition of UDP-Gal by ? ² -1,4-Galactosyltransferase T1. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 4189-4192.	13.8	35

#	ARTICLE	IF	CITATIONS
37	Block synthesis of two pentasaccharide determinants of the Brucella M antigen using thioglycoside methodologies. <i>Canadian Journal of Chemistry</i> , 1989, 67, 497-502.	1.1	34
38	Conformational analysis of a disaccharide fragment of the polysaccharide antigen of <i>Streptococcus pneumoniae</i> type 1 using n.m.r. spectroscopy and HSEA calculations. <i>Carbohydrate Research</i> , 1990, 198, 375-380.	2.3	34
39	Epitope mapping of the O-chain polysaccharide of <i>Legionella pneumophila</i> serogroup 1 lipopolysaccharide by saturation-transfer-difference NMR spectroscopy. <i>FEBS Journal</i> , 2002, 269, 573-582.	0.2	34
40	Application of homonuclear 3D NMR experiments and 1D analogs to study the conformation of sialyl Lewis(x) bound to E-selectin. <i>Journal of Biomolecular NMR</i> , 1997, 9, 423-436.	2.8	32
41	Neutralization of a common cold virus by concatemers of the third ligand binding module of the VLDL-receptor strongly depends on the number of modules. <i>Virology</i> , 2005, 338, 259-269.	2.4	32
42	NMR Analysis of Carbohydrate-Protein Interactions. <i>Methods in Enzymology</i> , 2006, 416, 12-30.	1.0	32
43	Binding of an acceptor substrate analog enhances the enzymatic activity of human blood group B galactosyltransferase. <i>Glycobiology</i> , 2010, 20, 718-723.	2.5	30
44	Assessing glycosidic linkage flexibility: Conformational analysis of the repeating trisaccharide unit of <i>Aeromonas salmonicida</i> . <i>Journal of Biomolecular NMR</i> , 1994, 4, 97-116.	2.8	27
45	Hepatitis A virus proteinase 3C binding to viral RNA: correlation with substrate binding and enzyme dimerization. <i>Biochemical Journal</i> , 2005, 385, 363-370.	3.7	26
46	Fragment-based Screening of the Donor Substrate Specificity of Human Blood Group B Galactosyltransferase Using Saturation Transfer Difference NMR. <i>Journal of Biological Chemistry</i> , 2006, 281, 32728-32740.	3.4	26
47	Click-Protocol for Synthesis of Heterobifunctional Multivalent Ligands: Toward a Focused Library of Specific Norovirus Inhibitors. <i>Chemistry - A European Journal</i> , 2011, 17, 7438-7441.	3.3	26
48	Synthesis and conformational and NMR studies of α -d-mannopyranosyl and α -d-mannopyranosyl-(1 \rightarrow 2) Tj ETQq0 0.0 rgBT /Overlock 10	2.3	25
49	Comparative Epitope Mapping with Saturation Transfer Difference NMR of Sialyl LewisX Compounds and Derivatives Bound to a Monoclonal Antibody. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 6879-6886.	6.4	25
50	Fucose-Functionalized Precision Glycomacromolecules Targeting Human Norovirus Capsid Protein. <i>Biomacromolecules</i> , 2018, 19, 3714-3724.	5.4	25
51	Characterization of Ligand Binding to the Bifunctional Key Enzyme in the Sialic Acid Biosynthesis by NMR. <i>Journal of Biological Chemistry</i> , 2004, 279, 55722-55727.	3.4	24
52	Conformational analysis of β -d-Fuc-(1 \rightarrow 4)- β -d-GlcNAc-OMe. One-dimensional transient NOE experiments and metropolis Monte Carlo simulations. <i>Journal of Biomolecular NMR</i> , 1993, 3, 399-414.	2.8	23
53	Human norovirus GII.4(MI001) P dimer binds fucosylated and sialylated carbohydrates. <i>Glycobiology</i> , 2017, 27, 1027-1037.	2.5	23
54	Characterization of Ligand Binding to the Bifunctional Key Enzyme in the Sialic Acid Biosynthesis by NMR. <i>Journal of Biological Chemistry</i> , 2004, 279, 55715-55721.	3.4	22

#	ARTICLE	IF	CITATIONS
55	Spin ballet for sweet encounters: saturation-transfer difference NMR and X-ray crystallography complement each other in the elucidation of protein-glycan interactions. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2018, 74, 451-462.	0.8	22
56	A New Concept for Glycosyltransferase Inhibitors: Nonionic Mimics of the Nucleotide Donor of the Human Blood Group B Galactosyltransferase. <i>ChemBioChem</i> , 2012, 13, 443-450.	2.6	21
57	Conformational analysis of a Chlamydia-specific disaccharide α -Kdo-(2 \rightarrow 8)- α -Kdo-(2 \rightarrow O)-allyl in aqueous solution and bound to a monoclonal antibody: observation of intermolecular transfer NOEs. <i>Journal of Biomolecular NMR</i> , 1998, 12, 123-133.	2.8	20
58	Consistent Bioactive Conformation of the Neu5Ac1 \rightarrow 3Gal Epitope Upon Lectin Binding. <i>ChemBioChem</i> , 2008, 9, 2941-2945.	2.6	20
59	Transferred Nuclear Overhauser Enhancement (NOE) and Rotating-Frame NOE Experiments Reflect the Size of the Bound Segment of the Forssman Pentasaccharide in the Binding Site of Dolichos Biflorus Lectin. <i>FEBS Journal</i> , 1997, 244, 242-250.	0.2	19
60	A Glycosyltransferase Inhibitor from a Molecular Fragment Library Simultaneously Interferes with Metal Ion and Substrate Binding. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 4171-4175.	13.8	19
61	Norovirus, glycans and attachment. <i>Current Opinion in Virology</i> , 2018, 31, 33-42.	5.4	19
62	Molecular Recognition of Ligands by Native Viruses and Virus-Like Particles as Studied by NMR Experiments. <i>Topics in Current Chemistry</i> , 2008, 273, 183-202.	4.0	18
63	Epitope mapping of histo blood group antigens bound to norovirus VLPs using STD NMR experiments reveals fine details of molecular recognition. <i>Glycoconjugate Journal</i> , 2017, 34, 679-689.	2.7	18
64	Application of 3D-TOCSY-trNOESY for the Assignment of Bioactive Ligands from Mixtures. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 2097-2099.	13.8	17
65	NMR of Carbohydrates: 1D Homonuclear Selective Methods. , 0, , 59-93.		17
66	NMR-based exploration of the acceptor binding site of human blood group B galactosyltransferase with molecular fragments. <i>Glycoconjugate Journal</i> , 2010, 27, 349-358.	2.7	17
67	Saturation transfer difference nuclear magnetic resonance titrations reveal complex multistep-binding of l-fucose to norovirus particles. <i>Glycobiology</i> , 2017, 27, 80-86.	2.5	17
68	Characterization of Ligand Binding to <i>N</i> -Acetylglucosamine Kinase Studied by STD NMR. <i>Biochemistry</i> , 2008, 47, 13138-13146.	2.5	16
69	Functional binding of hexanucleotides to 3C protease of hepatitis A virus. <i>Nucleic Acids Research</i> , 2012, 40, 3042-3055.	14.5	16
70	NMR Experiments Shed New Light on Glycan Recognition by Human and Murine Norovirus Capsid Proteins. <i>Viruses</i> , 2021, 13, 416.	3.3	15
71	Chemical Shift Perturbations Reflect Bile Acid Binding to Norovirus Coat Protein: Recognition Comes in Different Flavors. <i>ChemBioChem</i> , 2020, 21, 1007-1021.	2.6	14
72	Improved synthesis of β -D-Fuc(1 \rightarrow 4) α -D-GlcNAc and β -D-Fuc(1 \rightarrow 6) α -D-GlcNAc building blocks: A convergent strategy employing β -O-acetyl migration; NOE data of the protected β -D-Fuc1,4-linked disaccharide. <i>Liebigs Annalen Der Chemie</i> , 1991, 1991, 237-242.	0.8	13

#	ARTICLE	IF	CITATIONS
73	A rigid lanthanide binding tag to aid NMR studies of a 70 kDa homodimeric coat protein of human norovirus. <i>Chemical Communications</i> , 2016, 52, 601-604.	4.1	13
74	Glycan-Induced Protein Dynamics in Human Norovirus P Dimers Depend on Virus Strain and Deamidation Status. <i>Molecules</i> , 2021, 26, 2125.	3.8	13
75	Small molecules containing hetero-bicyclic ring systems compete with UDP-Glc for binding to WaaG glycosyltransferase. <i>Glycoconjugate Journal</i> , 2012, 29, 491-502.	2.7	12
76	Thermodynamic Signature of Substrates and Substrate Analogs Binding to Human Blood Group B Galactosyltransferase from Isothermal Titration Calorimetry Experiments. <i>Biopolymers</i> , 2013, 99, 784-795.	2.4	11
77	Donor substrate binding to trans-sialidase of <i>Trypanosoma cruzi</i> as studied by STD NMR. <i>Carbohydrate Research</i> , 2007, 342, 1904-1909.	2.3	10
78	A Nonionic Inhibitor with High Specificity for the UDP-Gal Donor Binding Site of Human Blood Group B Galactosyltransferase: Design, Synthesis, and Characterization. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 2150-2154.	6.4	10
79	Complete assignment of Ala, Ile, Leu, Met and Val methyl groups of human blood group A and B glycosyltransferases using lanthanide-induced pseudocontact shifts and methyl ¹³ C methyl NOESY. <i>Journal of Biomolecular NMR</i> , 2018, 70, 245-259.	2.8	10
80	Specificity of ligand binding to yeast hexokinase PII studied by STD-NMR. <i>Carbohydrate Research</i> , 2009, 344, 1567-1574.	2.3	9
81	Norovirus ¹³ C glycan interactions ¹³ C how strong are they really?. <i>Biochemical Society Transactions</i> , 2022, 50, 347-359.	3.4	9
82	Conformational analysis of biantennary glycans and molecular modeling of their complexes with lentil lectin. <i>Journal of Molecular Graphics and Modelling</i> , 1997, 15, 37-42.	2.4	8
83	Combined NMR, grid search/MM3 and Metropolis Monte Carlo/GEGOP studies of two l-fucose containing disaccharides: l ¹ -l-Fuc-(1,4)-l ² -d-GlcNAc-OMe and l ¹ -l-Fuc-(1,6)-l ² -d-GlcNAc-OMe. <i>Computational and Theoretical Chemistry</i> , 1997, 395-396, 297-311.	1.5	7
84	NMR of Sulfated Oligo- and Polysaccharides. , 0, , 189-229.		7
85	Protein Secondary Structure Affects Glycan Clustering in Native Mass Spectrometry. <i>Life</i> , 2021, 11, 554.	2.4	7
86	NMR Experiments Provide Insights into Ligand-Binding to the SARS-CoV-2 Spike Protein Receptor-Binding Domain. <i>Journal of the American Chemical Society</i> , 2022, 144, 13060-13065.	13.7	7
87	Conformational Analysis of a Complex Between <i>Dolichos biflorus</i> Lectin and the Forssman Pentasaccharide Using Transferred NOE Build-Up Curves. <i>Journal of Carbohydrate Chemistry</i> , 1998, 17, 217-230.	1.1	6
88	Insights into Neuronal Cell Metabolism Using NMR Spectroscopy: Uridyl Diphosphate ¹³ C Acetyl ¹³ C Glucosamine as a Unique Metabolic Marker. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 11672-11674.	13.8	6
89	Protein NMR Studies of Substrate Binding to Human Blood Group ¹³ C A and B Glycosyltransferases. <i>ChemBioChem</i> , 2017, 18, 1260-1269.	2.6	6
90	STD-NMR experiments identify a structural motif with novel second-site activity against West Nile virus NS2B-NS3 protease. <i>Antiviral Research</i> , 2017, 146, 174-183.	4.1	6

#	ARTICLE	IF	CITATIONS
91	Synthesis of 4,6-dideoxy-4-formamido- β -D-mannose containing tri-, tetra-, and penta-saccharides, antigenic determinants of the Brucella A and M antigens. Journal of the Chemical Society Chemical Communications, 1987, , 1648-1650.	2.0	5
92	Assaying Sialyltransferase Activity with Surface Plasmon Resonance. ChemBioChem, 2006, 7, 1226-1230.	2.6	5
93	Deuterated Disaccharides for the Investigation of Protein-Carbohydrate Interactions-Application of Bioaffinity-and STD-NMR. Journal of Carbohydrate Chemistry, 2000, 19, 769-782.	1.1	4
94	Substrate Binding Drives Active-Site Closing of Human Blood Group B Galactosyltransferase as Revealed by Hot-Spot Labeling and NMR Spectroscopy Experiments. ChemBioChem, 2018, 19, 970-978.	2.6	4
95	Fragment Growing to Design Optimized Inhibitors for Human Blood Group B Galactosyltransferase (GTB). ChemMedChem, 2019, 14, 1336-1342.	3.2	4
96	Distinct dissociation rates of murine and human norovirus P-domain dimers suggest a role of dimer stability in virus-host interactions. Communications Biology, 2022, 5, .	4.4	4
97	NMR Methods for Screening the Binding of Ligands to Proteins Identification and Characterization of Bioactive Ligands. , 2002, , 287-315.		3
98	High-resolution crystal structures and STD NMR mapping of human ABO(H) blood group glycosyltransferases in complex with trisaccharide reaction products suggest a molecular basis for product release. Glycobiology, 2017, 27, 966-977.	2.5	3
99	Insights into Allosteric Control of Human Blood Group A and B Glycosyltransferases from Dynamic NMR. ChemistryOpen, 2019, 8, 760-769.	1.9	3
100	Combining NMR and Simulation Methods in Oligosaccharide Conformational Analysis. , 0, , 109-144.		2
101	Assignment of Ala, Ile, LeuproS, Met, and ValproS methyl groups of the protruding domain of murine norovirus capsid protein VP1 using methyl-methyl NOEs, site directed mutagenesis, and pseudocontact shifts. Biomolecular NMR Assignments, 2022, 16, 97-107.	0.8	2
102	The Unique Solution Structure and Immunochemistry of the Candida albicans α 1, 2-Mannopyranan Cell Wall Antigen. , 0, , 145-187.		1
103	Detection of Hydroxyl Protons. , 0, , 39-57.		1
104	A Matter of Order: How E-selectin Makes Sweet Contacts. ChemBioChem, 2012, 13, 2325-2326.	2.6	1
105	NMR Experiments for Large Carbohydrates. , 0, , 95-108.		0
106	NMR Analysis of Carbohydrate Carbohydrate Interactions. , 0, , 273-288.		0
107	Relaxation and Dynamics. , 0, , 1-21.		0
108	Residual Dipolar Couplings: Structure and Dynamics of Glycolipids. , 0, , 231-245.		0

#	ARTICLE	IF	CITATIONS
109	Front Matter and Subject Index. , 0, , i-xv.		0
110	Activated Sugars. , 0, , 247-271.		0
111	Residual Dipolar Couplings in Bacterial Polysaccharides. , 0, , 23-38.		0
112	NMR Spectroscopy Techniques for Screening and Identifying Ligand Binding to Protein Receptors.. ChemInform, 2003, 34, no.	0.0	0
113	Structure-based discovery of antivirals targeting the proteases of RNA viruses. Acta Crystallographica Section A: Foundations and Advances, 2010, 66, s33-s33.	0.3	0