Rufu Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3365666/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Practice Patterns and Perioperative Outcomes of Laparoscopic Pancreaticoduodenectomy in China. Annals of Surgery, 2021, 273, 145-153.	4.2	98
2	Cancer-associated fibroblasts-mediated ATF4 expression promotes malignancy and gemcitabine resistance in pancreatic cancer via the TGF-β1/SMAD2/3 pathway and ABCC1 transactivation. Cell Death and Disease, 2021, 12, 334.	6.3	45
3	LINC00842 inactivates transcription co-regulator PGC- $1\hat{l}$ ± to promote pancreatic cancer malignancy through metabolic remodelling. Nature Communications, 2021, 12, 3830.	12.8	34
4	Laparoscopic versus open pancreatoduodenectomy for pancreatic or periampullary tumours: a multicentre, open-label, randomised controlled trial. The Lancet Gastroenterology and Hepatology, 2021, 6, 438-447.	8.1	120
5	Macrophage-expressed CD51 promotes cancer stem cell properties via the TGF-β1/smad2/3 axis in pancreatic cancer. Cancer Letters, 2019, 459, 204-215.	7.2	48
6	Excessive miR-25-3p maturation via N6-methyladenosine stimulated by cigarette smoke promotes pancreatic cancer progression. Nature Communications, 2019, 10, 1858.	12.8	242
7	Experts' consensus on intraoperative radiotherapy for pancreatic cancer. Cancer Letters, 2019, 449, 1-7.	7.2	12
8	Tumor-associated macrophages promote progression and the Warburg effect via CCL18/NF-kB/VCAM-1 pathway in pancreatic ductal adenocarcinoma. Cell Death and Disease, 2018, 9, 453.	6.3	160
9	FEZF1-AS1/miR-107/ZNF312B axis facilitates progression and Warburg effect in pancreatic ductal adenocarcinoma. Cell Death and Disease, 2018, 9, 34.	6.3	48
10	Long nonâ€coding RNA coxâ€2 prevents immune evasion and metastasis of hepatocellular carcinoma by altering M1/M2 macrophage polarization. Journal of Cellular Biochemistry, 2018, 119, 2951-2963.	2.6	168
11	Cancer-associated fibroblasts promote progression and gemcitabine resistance via the SDF-1/SATB-1 pathway in pancreatic cancer. Cell Death and Disease, 2018, 9, 1065.	6.3	106
12	LncRNA HOTAIR epigenetically suppresses miR-122 expression in hepatocellular carcinoma via DNA methylation. EBioMedicine, 2018, 36, 159-170.	6.1	122
13	Linc00511 acts as a competing endogenous RNA to regulate VEGFA expression through sponging hsaâ€miRâ€29bâ€3p in pancreatic ductal adenocarcinoma. Journal of Cellular and Molecular Medicine, 2018, 22, 655-667.	3.6	116
14	Surgery management for sporadic small (â‰ 2 cm), non-functioning pancreatic neuroendocrine tumors: A consensus statement by the Chinese Study Group for Neuroendocrine Tumors (CSNET). International Journal of Oncology, 2017, 50, 567-574.	3.3	38
15	Induced MiR-1249 expression by aberrant activation of Hedegehog signaling pathway in hepatocellular carcinoma. Experimental Cell Research, 2017, 355, 9-17.	2.6	18
16	Endogenous miRNA Sponge LincRNA-ROR promotes proliferation, invasion and stem cell-like phenotype of pancreatic cancer cells. Cell Death Discovery, 2017, 3, 17004.	4.7	60
17	LncRNA HOTTIP modulates cancer stem cell properties in human pancreatic cancer by regulating HOXA9. Cancer Letters, 2017, 410, 68-81.	7.2	161
18	Surgical management for non-functional pancreatic neuroendocrine neoplasms with synchronous liver metastasis: A consensus from the Chinese Study Group for Neuroendocrine Tumors (CSNET). International Journal of Oncology, 2016, 49, 1991-2000.	3.3	27

Rufu Chen

#	Article	IF	CITATIONS
19	A retrospective cohort study of pancreatic neuroendocrine tumors at single institution over 15 years: New proposal for low- and high-grade groups, validation of a nomogram for prognosis, and novel follow-up strategy for liver metastases. International Journal of Surgery, 2016, 29, 108-117.	2.7	22
20	The clinical utility of CA125/MUC16 in pancreatic cancer: A consensus of diagnostic, prognostic and predictive updates by the Chinese Study Group for Pancreatic Cancer (CSPAC). International Journal of Oncology, 2016, 48, 900-907.	3.3	17
21	Long non-coding RNA LOC389641 promotes progression of pancreatic ductal adenocarcinoma and increases cell invasion by regulating E-cadherin in a TNFRSF10A-related manner. Cancer Letters, 2016, 371, 354-365.	7.2	56
22	The long non-coding RNA HOTAIR affects the radiosensitivity of pancreatic ductal adenocarcinoma by regulating the expression of Wnt inhibitory factor 1. Tumor Biology, 2016, 37, 3957-3967.	1.8	54
23	Radical nerve dissection for the carcinoma of head of pancreas: report of 30 cases. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2016, 28, 429-434.	2.2	1
24	High expression of AFAP1-AS1 is associated with poor survival and short-term recurrence in pancreatic ductal adenocarcinoma. Journal of Translational Medicine, 2015, 13, 137.	4.4	102
25	Nanocomplexation of thrombin with cationic amylose derivative for improved stability and hemostatic efficacy. International Journal of Nanomedicine, 2015, 10, 939.	6.7	4
26	Metabolic Phenotypes in Pancreatic Cancer. PLoS ONE, 2015, 10, e0115153.	2.5	34
27	Should a standard lymphadenectomy during pancreatoduodenectomy exclude para-aortic lymph nodes for all cases of resectable pancreatic head cancer? A consensus statement by the Chinese Study Group for Pancreatic Cancer (CSPAC). International Journal of Oncology, 2015, 47, 1512-1516.	3.3	9
28	The long non-coding RNA HOTTIP promotes progression and gemcitabine resistance by regulating HOXA13 in pancreatic cancer. Journal of Translational Medicine, 2015, 13, 84.	4.4	211
29	Glutamate dehydrogenase is a novel prognostic marker and predicts metastases in colorectal cancer patients. Journal of Translational Medicine, 2015, 13, 144.	4.4	70
30	Inhibition of glutamine metabolism counteracts pancreatic cancer stem cell features and sensitizes cells to radiotherapy. Oncotarget, 2015, 6, 31151-31163.	1.8	76
31	Expression profile of long non-coding RNAs in pancreatic cancer and their clinical significance as biomarkers. Oncotarget, 2015, 6, 35684-35698.	1.8	85
32	Macrophage migration inhibitory factor is overexpressed in pancreatic cancer tissues and impairs insulin secretion function of Î ² -cell. Journal of Translational Medicine, 2014, 12, 92.	4.4	29