Ulrike Ravens-Sieberer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3368114/publications.pdf

Version: 2024-02-01

116 papers 11,630 citations

53 h-index 103 g-index

134 all docs

134 docs citations

times ranked

134

10265 citing authors

#	Article	IF	CITATIONS
1	The KIDSCREEN-52 Quality of Life Measure for Children and Adolescents: Psychometric Results from a Cross-Cultural Survey in 13 European Countries. Value in Health, 2008, 11, 645-658.	0.3	636
2	Development of the EQ-5D-Y: a child-friendly version of the EQ-5D. Quality of Life Research, 2010, 19, 875-886.	3.1	574
3	Impact of the COVID-19 pandemic on quality of life and mental health in children and adolescents in Germany. European Child and Adolescent Psychiatry, 2022, 31, 879-889.	4.7	558
4	KIDSCREEN-52 quality-of-life measure for children and adolescents. Expert Review of Pharmacoeconomics and Outcomes Research, 2005, 5, 353-364.	1.4	551
5	The KIDSCREEN-27 quality of life measure for children and adolescents: psychometric results from a cross-cultural survey in 13 European countries. Quality of Life Research, 2007, 16, 1347-1356.	3.1	489
6	Reliability, construct and criterion validity of the KIDSCREEN-10 score: a short measure for children and adolescents' well-being and health-related quality of life. Quality of Life Research, 2010, 19, 1487-1500.	3.1	455
7	Self-reported quality of life of 8–12-year-old children with cerebral palsy: a cross-sectional European study. Lancet, The, 2007, 369, 2171-2178.	13.7	398
8	The European KIDSCREEN approach to measure quality of life and well-being in children: development, current application, and future advances. Quality of Life Research, 2014, 23, 791-803.	3.1	384
9	Socioeconomic determinants of health related quality of life in childhood and adolescence: results from a European study. Journal of Epidemiology and Community Health, 2006, 60, 130-135.	3.7	347
10	Feasibility, reliability, and validity of the EQ-5D-Y: results from a multinational study. Quality of Life Research, 2010, 19, 887-897.	3.1	325
11	Generic Health-Related Quality-of-Life Assessment in Children and Adolescents. Pharmacoeconomics, 2006, 24, 1199-1220.	3.3	284
12	Prevalence of mental health problems among children and adolescents in Germany: results of the BELLA study within the National Health Interview and Examination Survey. European Child and Adolescent Psychiatry, 2008, 17, 22-33.	4.7	243
13	Socioeconomic status, stressful life situations and mental health problems in children and adolescents: Results of the German BELLA cohort-study. PLoS ONE, 2019, 14, e0213700.	2.5	242
14	Quality of life in children and adolescents: a European public health perspective. International Journal of Public Health, 2001, 46, 294-302.	2.6	220
15	Parent-proxy and child self-reported health-related quality of life: using qualitative methods to explain the discordance. Quality of Life Research, 2007, 16, 863-871.	3.1	201
16	Risk and protective factors for children's and adolescents' mental health: results of the BELLA study. European Child and Adolescent Psychiatry, 2008, 17, 133-147.	4.7	196
17	Being Bullied: Associated Factors in Children and Adolescents 8 to 18 Years Old in 11 European Countries. Pediatrics, 2009, 123, 569-577.	2.1	186
18	Cross-national variation of gender differences in adolescent subjective health in Europe and North America. Social Science and Medicine, 2006, 62, 815-827.	3.8	174

#	Article	IF	Citations
19	Quality of life and mental health in children and adolescents during the first year of the COVID-19 pandemic: results of a two-wave nationwide population-based study. European Child and Adolescent Psychiatry, 2023, 32, 575-588.	4.7	164
20	Testing the structural and cross-cultural validity of the KIDSCREEN-27 quality of life questionnaire. Quality of Life Research, 2007, 16, 1335-1345.	3.1	163
21	Generic health-related quality of life instruments in children and adolescents: a qualitative analysis of content. Journal of Adolescent Health, 2004, 34, 37-45.	2.5	162
22	Psychometric properties of the quality of life questionnaire for children with CP. Developmental Medicine and Child Neurology, 2007, 49, 49-55.	2.1	162
23	Subjective health, symptom load and quality of life of children and adolescents in Europe. International Journal of Public Health, 2009, 54, 151-159.	2.3	159
24	Health-related quality of life in children and adolescents in Germany: results of the BELLA study. European Child and Adolescent Psychiatry, 2008, 17, 148-156.	4.7	149
25	An international scoring system for self-reported health complaints in adolescents. European Journal of Public Health, 2008, 18, 294-299.	0.3	140
26	Measuring mental health and well-being of school-children in 15 European countries using the KIDSCREEN-10 Index. International Journal of Public Health, 2009, 54, 160-166.	2.3	133
27	Mental health of children and adolescents in 12 European countries—results from the European KIDSCREEN study. Clinical Psychology and Psychotherapy, 2008, 15, 154-163.	2.7	120
28	Measuring adolescents' HRQoL via self reports and parent proxy reports: an evaluation of the psychometric properties of both versions of the KINDL-R instrument. Health and Quality of Life Outcomes, 2009, 7, 77.	2.4	115
29	Examining the relationship between Attention-Deficit/Hyperactivity Disorder and overweight in children and adolescents. European Child and Adolescent Psychiatry, 2012, 21, 39-49.	4.7	113
30	Overweight and its impact on the health-related quality of life in children and adolescents: results from the European KIDSCREEN survey. Quality of Life Research, 2012, 21, 59-69.	3.1	112
31	Prevalence of Adolescent Gender Experiences and Gender Expression in Germany. Journal of Adolescent Health, 2017, 61, 83-90.	2.5	103
32	Mental Health and Quality of Life in Children and Adolescents During the COVID-19 Pandemic. Deutsches Ärzteblatt International, 2020, 117, 828-829.	0.9	103
33	Eating disorder symptoms do not just disappear: the implications of adolescent eating-disordered behaviour for body weight and mental health in young adulthood. European Child and Adolescent Psychiatry, 2015, 24, 675-684.	4.7	100
34	The longitudinal BELLA study: design, methods and first results on the course of mental health problems. European Child and Adolescent Psychiatry, 2015, 24, 651-663.	4.7	97
35	Commentary: The Patient-Reported Outcome Measurement Information System (PROMIS(R)) for Children and Youth: Application to Pediatric Psychology. Journal of Pediatric Psychology, 2012, 37, 614-621.	2.1	93
36	Subjective well-being measures for children were developed within the PROMIS project: presentation of first results. Journal of Clinical Epidemiology, 2014, 67, 207-218.	5.0	88

#	Article	IF	Citations
37	Socioeconomic inequalities in mental health and health-related quality of life (HRQOL) in children and adolescents from 11 European countries. International Journal of Public Health, 2014, 59, 95-105.	2.3	82
38	Mental health and well-being from childhood to adulthood: design, methods and results of the 11-year follow-up of the BELLA study. European Child and Adolescent Psychiatry, 2021, 30, 1559-1577.	4.7	82
39	Risk and protective factors for the development of depressive symptoms in children and adolescents: results of the longitudinal BELLA study. European Child and Adolescent Psychiatry, 2015, 24, 695-703.	4.7	81
40	Psychometric properties of two ADHD questionnaires: comparing the Conners' scale and the FBB-HKS in the general population of German children and adolescents – results of the BELLA study. European Child and Adolescent Psychiatry, 2008, 17, 106-115.	4.7	80
41	Long-term course of ADHD symptoms from childhood to early adulthood in a community sample. European Child and Adolescent Psychiatry, 2015, 24, 665-673.	4.7	78
42	International consensus on a standard set of outcome measures for child and youth anxiety, depression, obsessive-compulsive disorder, and post-traumatic stress disorder. Lancet Psychiatry,the, 2021, 8, 76-86.	7.4	77
43	Methods and representativeness of a European survey in children and adolescents: the KIDSCREEN study. BMC Public Health, 2007, 7, 182.	2.9	75
44	Risk and protective factors for the development of ADHD symptoms in children and adolescents: Results of the longitudinal BELLA study. PLoS ONE, 2019, 14, e0214412.	2.5	72
45	Risk and protective factors of health-related quality of life in children and adolescents: Results of the longitudinal BELLA study. PLoS ONE, 2017, 12, e0190363.	2.5	71
46	How impaired are children and adolescents by mental health problems? Results of the BELLA study. European Child and Adolescent Psychiatry, 2008, 17, 42-51.	4.7	70
47	How to assess quality of life in child and adolescent psychiatry. Dialogues in Clinical Neuroscience, 2014, 16, 147-158.	3.7	69
48	Determinants of agreement between self-reported and parent-assessed quality of life for children in Germany-results of the German Health Interview and Examination Survey for Children and Adolescents (KiGGS). Health and Quality of Life Outcomes, 2011, 9, 102.	2.4	68
49	Health related quality of life in immigrants and native school aged adolescents in Spain. Journal of Epidemiology and Community Health, 2006, 60, 694-698.	3.7	58
50	The mental health module (BELLA study) within the German Health Interview and Examination Survey of Children and Adolescents (KiGGS): study design and methods. European Child and Adolescent Psychiatry, 2008, 17, 10-21.	4.7	58
51	Six years ahead: a longitudinal analysis regarding course and predictive value of the Strengths and Difficulties Questionnaire (SDQ) in children and adolescents. European Child and Adolescent Psychiatry, 2015, 24, 715-725.	4.7	56
52	Health-related quality of life (HRQOL) and its associated factors in children with Type 1 Diabetes Mellitus (T1DM). BMC Pediatrics, 2017, 17, 16.	1.7	55
53	Trends in health complaints from 2002 to 2010 in 34 countries and their association with health behaviours and social context factors at individual and macro-level. European Journal of Public Health, 2015, 25, 83-89.	0.3	54
54	Trends in social inequalities in adolescent health complaints from 1994 to 2010 in Europe, North America and Israel: The HBSC study. European Journal of Public Health, 2015, 25, 57-60.	0.3	51

#	Article	IF	Citations
55	Normative Data of the Self-Report Version of the German Strengths and Difficulties Questionnaire in an Epidemiological Setting. Zeitschrift FÜr Kinder- Und Jugendpsychiatrie Und Psychotherapie, 2018, 46, 523-533.	0.7	51
56	Quality of lifeâ€"evaluation criteria for children with chronic conditions in medical care. Zeitschrift Fur Gesundheitswissenschaften, 2006, 14, 343-355.	1.6	49
57	Concurrent validity of the PROMIS® pediatric global health measure. Quality of Life Research, 2016, 25, 739-751.	3.1	49
58	Parents with mental health problems and their children in a German population based sample: Results of the BELLA study. PLoS ONE, 2017, 12, e0180410.	2.5	49
59	Use of a children questionnaire of health-related quality of life (KIDSCREEN) as a measure of needs for health care services. Journal of Adolescent Health, 2006, 38, 511-518.	2.5	47
60	Mental health care use among children and adolescents in Germany: results of the longitudinal BELLA study. European Child and Adolescent Psychiatry, 2015, 24, 705-713.	4.7	47
61	Do 8- to 18-year-old children/adolescents with chronic physical health conditions have worse health-related quality of life than their healthy peers? a meta-analysis of studies using the KIDSCREEN questionnaires. Quality of Life Research, 2019, 28, 1725-1750.	3.1	47
62	The Role of Individual- and Macro-Level Social Determinants on Young Adolescents' Psychosomatic Complaints. Journal of Early Adolescence, 2012, 32, 126-158.	1.9	43
63	Benefits of maternal education for mental health trajectories across childhood and adolescence. Social Science and Medicine, 2018, 202, 170-178.	3.8	43
64	Development and Evaluation of the PROMIS® Pediatric Positive Affect Item Bank, Child-Report and Parent-Proxy Editions. Journal of Happiness Studies, 2018, 19, 699-718.	3.2	38
65	Rasch Measurement Properties of the KIDSCREEN Quality of Life Instrument in Children with Cerebral Palsy and Differential Item Functioning between Children with and without Cerebral Palsy. Value in Health, 2009, 12, 782-792.	0.3	37
66	Trends in multiple recurrent health complaints in 15-year-olds in 35 countries in Europe, North America and Israel from 1994 to 2010. European Journal of Public Health, 2015, 25, 24-27.	0.3	36
67	Impact of the COVID-19 Pandemic on Quality of Life and Mental Health in Children and Adolescents. SSRN Electronic Journal, 0, , .	0.4	34
68	Adolescents' psychological health complaints and the economic recession in late 2007: a multilevel study in 31 countries. European Journal of Public Health, 2014, 24, 961-967.	0.3	30
69	Health-related quality of life in transgender adolescents: Associations with body image and emotional and behavioral problems. International Journal of Transgenderism, 2018, 19, 78-91.	3.5	30
70	Development and psychometric evaluation of the PROMIS Pediatric Life Satisfaction item banks, child-report, and parent-proxy editions. Quality of Life Research, 2018, 27, 217-234.	3.1	30
71	Quality of Life and Mental Health in Children and Adolescents after the First Year of the COVID-19 Pandemic: A Large Population-Based Survey in South Tyrol, Italy. International Journal of Environmental Research and Public Health, 2022, 19, 5220.	2.6	28
72	Impact of monitoring health-related quality ofÂlife in clinical practice in children with type 1 diabetes mellitus. Quality of Life Research, 2017, 26, 3267-3277.	3.1	27

#	Article	IF	Citations
73	Psychological problems, protective factors and healthâ€related quality of life in youth affected by violence: The burden of the multiply victimised. Journal of Adolescence, 2013, 36, 587-601.	2.4	25
74	Predictors of Health-Related Quality of Life in boys with Duchenne muscular dystrophy from six European countries. Journal of Neurology, 2017, 264, 709-723.	3.6	25
75	Quality of Life and Mental Health in Children and Adolescents during the First Year of the COVID-19 Pandemic in Germany: Results of a Two-Wave Nationally Representative Study. SSRN Electronic Journal, 0, , .	0.4	25
76	Monitoring adolescent health behaviours and social determinants cross-nationally over more than a decade: introducing the Health Behaviour in School-aged Children (HBSC) study supplement on trends. European Journal of Public Health, 2015, 25, 1-3.	0.3	24
77	Development of the web-based Spanish and Catalan versions of the Euroqol 5D-Y (EQ-5D-Y) and comparison of results with the paper version. Health and Quality of Life Outcomes, 2015, 13, 72.	2.4	22
78	Predictors of self-reported health-related quality of life according to the EQ-5D-Y in chronically ill children and adolescents with asthma, diabetes, and juvenile arthritis: longitudinal results. Quality of Life Research, 2018, 27, 879-890.	3.1	22
79	Evaluating the Serbian version of the KIDSCREEN quality-of-life questionnaires: reliability, validity, and agreement between children's and parents' ratings. Quality of Life Research, 2013, 22, 1729-1737.	3.1	21
80	Measurement Properties of the Online EuroQol-5D-Youth Instrument in Children and Adolescents With Type 1 Diabetes Mellitus: Questionnaire Study. Journal of Medical Internet Research, 2019, 21, e14947.	4.3	19
81	Assessing Children's Eudaimonic Well-Being: The PROMIS Pediatric Meaning and Purpose Item Banks. Journal of Pediatric Psychology, 2019, 44, 1074-1082.	2.1	18
82	Health-related quality of life in children with and without physical–mental multimorbidity. Quality of Life Research, 2021, 30, 3449-3461.	3.1	18
83	Children's Quality of Life in Europe: National Wealth and Familial Socioeconomic Position Explain Variations in Mental Health and Wellbeing—A Multilevel Analysis in 27 EU Countries. , 2013, 2013, 1-9.		17
84	Affective dysregulation in childhood - optimizing prevention and treatment: protocol of three randomized controlled trials in the ADOPT study. BMC Psychiatry, 2019, 19, 264.	2.6	16
85	Risk and resource factors for depressive symptoms during adolescence and emerging adulthood – A 5-year follow-up using population-based data of the BELLA study. Journal of Affective Disorders, 2021, 280, 258-266.	4.1	16
86	Understanding the impact of statural height on health-related quality of life in German adolescents: a population-based analysis. European Journal of Pediatrics, 2015, 174, 875-882.	2.7	15
87	Trajectories of mental health problems in children of parents with mental health problems: results of the BELLA study. European Child and Adolescent Psychiatry, 2018, 27, 867-876.	4.7	14
88	The 2017/18 Health Behaviour in School-aged Children (HBSC) study - Methodology of the World Health Organization's child and adolescent health study, 2020, 5, 88-102.		14
89	Phone respondents reported less mental health problems whereas mail interviewee gave higher physical health ratings. Journal of Clinical Epidemiology, 2008, 61, 1056-1060.	5.0	13
90	Modelling trajectories of psychosomatic health complaints in children and adolescents: results of the BELLA study. European Child and Adolescent Psychiatry, 2015, 24, 685-694.	4.7	13

#	Article	IF	Citations
91	The mental health and health-related behavior of children and parents during the COVID-19 pandemic. Deutsches Ärzteblatt International, 0, , .	0.9	12
92	Quality of life of children with mitral valve prolapse. Quality of Life Research, 2011, 20, 537-541.	3.1	11
93	The Hyperactivity/Inattention Subscale of the Strengths and Difficulties Questionnaire Predicts Short- and Long-Term Weight Loss in Overweight Children and Adolescents Treated as Outpatients. Obesity Facts, 2012, 5, 856-868.	3.4	11
94	Physical Activity Improves Mental Health in Children and Adolescents Irrespective of the Diagnosis of Attention Deficit Hyperactivity Disorder (ADHD)—A Multi-Wave Analysis Using Data from the KiGGS Study. International Journal of Environmental Research and Public Health, 2021, 18, 2207.	2.6	11
95	Risk and resource factors of antisocial behaviourÂin children and adolescents: results of the longitudinal BELLA study. Child and Adolescent Psychiatry and Mental Health, 2021, 15, 61.	2.5	10
96	Impact of the COVID-19 pandemic and the related containment measures on the mental health of children and adolescents, 2020, 5, 21-31.		9
97	Peer Relationships and Depressive Symptoms Among Adolescents: Results From the German BELLA Study. Frontiers in Psychology, 2021, 12, 767922.	2.1	9
98	Measuring health-related quality of life in young children with physical illness: psychometric properties of the parent-reported KIDSCREEN-27. Quality of Life Research, 2021, , 1.	3.1	7
99	Assessing health-related quality of life in young Japanese children with chronic conditions: Preliminary validation of the DISABKIDS smiley measure. BMC Pediatrics, 2017, 17, 100.	1.7	6
100	Pathways of Parental Education on Children's and Adolescent's Body Mass Index: The Mediating Roles of Behavioral and Psychological Factors. Frontiers in Public Health, 2022, 10, 763789.	2.7	6
101	Comparison of the Web-Based and Digital Questionnaires of the Spanish and Catalan Versions of the KIDSCREEN-52. PLoS ONE, 2014, 9, e114527.	2.5	5
102	Validation of the Arabic and Tunisian Arabic version of the KINDL questionnaires for children with diabetes type 1. Libyan Journal of Medicine, 2019, 14, 1537457.	1.6	5
103	Trajectories of Health-Related Quality of Life and HbA1c Values of Children and Adolescents With Diabetes Mellitus Type 1 Over 6 Months: A Longitudinal Observational Study. Frontiers in Pediatrics, 2019, 7, 566.	1.9	5
104	Irritability and Emotional Impulsivity as Core Feature of ADHD and ODD in Children. Journal of Psychopathology and Behavioral Assessment, 2022, 44, 679-697.	1.2	5
105	Trajectories of health-related quality of life in children of parents with mental health problems: results of the BELLA study. Quality of Life Research, 2021, 30, 1841-1852.	3.1	4
106	Associations Between Mental Health Problems in Adolescence and Educational Attainment in Early Adulthood: Results of the German Longitudinal BELLA Study. Frontiers in Pediatrics, 2022, 10, 828085.	1.9	4
107	Alcohol, tobacco and cannabis use in adolescence - Cross-sectional results of the 2017/18 HBSC study, 2020, 5, 69-87.		4
108	Minimal Associations Between Clinical Data and Children's Self-Reported Health-Related Quality of Life in Children With Chronic Conditionsâ€"A Cross-Sectional Study. Frontiers in Pediatrics, 2019, 7, 17.	1.9	3

#	Article	IF	CITATIONS
109	The Association between Low Blood Pressure and Attention-Deficit Hyperactivity Disorder (ADHD) Observed in Children/Adolescents Does Not Persist into Young Adulthood. A Population-Based Ten-Year Follow-Up Study. International Journal of Environmental Research and Public Health, 2021, 18, 1864.	2.6	3
110	Assessing anger and irritability in children: psychometric evaluation and normative data for the German version of the PROMIS® Parent Proxy Anger Scale. Quality of Life Research, 2022, 31, 831-839.	3.1	3
111	How to Assess Resilience: Reflections on a Measurement Model. , 2010, , 117-143.		3
112	The DADYS-Screen: Development and Evaluation of a Screening Tool for Affective Dysregulation in Children. Assessment, 2023, 30, 1080-1094.	3.1	3
113	Messung gesundheitsbezogener Lebensqualitäim Kindes- und Jugendalter. Public Health Forum, 2019, 27, 177-182.	0.2	2
114	The KIDSCREEN-27 scale: translation and validation study of the Slovenian version. Health and Quality of Life Outcomes, 2022, 20, 67.	2.4	2
115	Risks and Resources for Depressive Symptoms and Anxiety in Children and Adolescents During the COVID-19 Pandemic $\hat{a} \in \mathbb{C}$ Results of the Longitudinal COPSY Study. Frontiers in Psychiatry, 0, 13, .	2.6	2
116	Assessing health-related quality of life in Japanese children with a chronic condition: validation of the DISABKIDS chronic generic module. Health and Quality of Life Outcomes, 2018, 16, 85.	2.4	1