

John C Walker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3377333/publications.pdf>

Version: 2024-02-01

76
papers

8,576
citations

66343

42
h-index

88630

70
g-index

80
all docs

80
docs citations

80
times ranked

7341
citing authors

#	ARTICLE	IF	CITATIONS
1	Connections between abscission, dehiscence, pathogen defense, drought tolerance, and senescence. <i>Plant Science</i> , 2019, 284, 25-29.	3.6	35
2	Hypermorphic <i>SERK1</i> Mutations Function via a <i>SOBIR1</i> Pathway to Activate Floral Abscission Signaling. <i>Plant Physiology</i> , 2019, 180, 1219-1229.	4.8	11
3	A MAPK cascade downstream of IDA/HAE/HSL2 ligand-receptor pair in lateral root emergence. <i>Nature Plants</i> , 2019, 5, 414-423.	9.3	90
4	Advances in abscission signaling. <i>Journal of Experimental Botany</i> , 2018, 69, 733-740.	4.8	80
5	Transcriptomic evidence for distinct mechanisms underlying abscission deficiency in the <i>Arabidopsis</i> mutants <i>haesa/haesa-like 2</i> and <i>nevershed</i> . <i>BMC Research Notes</i> , 2018, 11, 754.	1.4	6
6	Leaf shedding as an anti-bacterial defense in <i>Arabidopsis</i> cauline leaves. <i>PLoS Genetics</i> , 2017, 13, e1007132.	3.5	44
7	Disrupting ER-associated protein degradation suppresses the abscission defect of a weak <i>hae hsl2</i> mutant in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2016, 67, 5473-5484.	4.8	18
8	Serine 231 and 257 of <i>Agamous-like 15</i> are phosphorylated in floral receptacles. <i>Plant Signaling and Behavior</i> , 2016, 11, e1199314.	2.4	11
9	Core Mechanisms Regulating Developmentally Timed and Environmentally Triggered Abscission. <i>Plant Physiology</i> , 2016, 172, 510-520.	4.8	65
10	Analysis of Phosphorylation of the Receptor-Like Protein Kinase HAESA during <i>Arabidopsis</i> Floral Abscission. <i>PLoS ONE</i> , 2016, 11, e0147203.	2.5	26
11	From Gigabyte to Kilobyte: A Bioinformatics Protocol for Mining Large RNA-Seq Transcriptomics Data. <i>PLoS ONE</i> , 2015, 10, e0125000.	2.5	7
12	Floral organ abscission is regulated by a positive feedback loop. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2906-2911.	7.1	70
13	A simple in vitro method to measure autophosphorylation of protein kinases. <i>Plant Methods</i> , 2013, 9, 22.	4.3	23
14	Transcriptional profiling of the <i>Arabidopsis</i> abscission mutant <i>hae hsl2</i> by RNA-Seq. <i>BMC Genomics</i> , 2013, 14, 37.	2.8	78
15	Letting Go is Never Easy: Abscission and Receptor-Like Protein Kinases. <i>Journal of Integrative Plant Biology</i> , 2013, 55, 1251-1263.	8.5	55
16	A MAPK Cascade Downstream of ERECTA Receptor-Like Protein Kinase Regulates <i>Arabidopsis</i> Inflorescence Architecture by Promoting Localized Cell Proliferation. <i>Plant Cell</i> , 2013, 24, 4948-4960.	6.6	191
17	DVL/RTFL, 2013, , 15-19.		2
18	DVL genes play a role in the coordination of socket cell recruitment and differentiation. <i>Journal of Experimental Botany</i> , 2012, 63, 1405-1412.	4.8	22

#	ARTICLE	IF	CITATIONS
19	Overexpression of a serine carboxypeptidase increases carpel number and seed production in <i>Arabidopsis thaliana</i> . Food and Energy Security, 2012, 1, 61-69.	4.3	17
20	Interactions between a NAC-Domain Transcription Factor and the Putative Small Protein Encoding DVL/ROT Gene Family. Plant Molecular Biology Reporter, 2010, 28, 162-168.	1.8	10
21	The Leucine-Rich Repeat Receptor Protein Kinases of <i>Arabidopsis thaliana</i> – a Paradigm for Plant LRR Receptors. , 2010, , 601-608.		0
22	Bioinformatic Identification of Plant Peptides. Methods in Molecular Biology, 2010, 615, 375-383.	0.9	9
23	Genetic interactions between the miRNA164-CUC2 regulatory module and BREVIPEDICELLUS in <i>Arabidopsis</i> developmental patterning. Plant Signaling and Behavior, 2009, 4, 666-668.	2.4	8
24	A microRNA transcription factor module regulates lateral organ size and patterning in <i>Arabidopsis</i> . Plant Journal, 2009, 58, 450-463.	5.7	88
25	14-3-3 and FHA Domains Mediate Phosphoprotein Interactions. Annual Review of Plant Biology, 2009, 60, 67-91.	18.7	141
26	Haplo-Insufficiency of MPK3 in MPK6 Mutant Background Uncovers a Novel Function of These Two MAPKs in <i>Arabidopsis</i> Ovule Development. Plant Cell, 2008, 20, 602-613.	6.6	148
27	The FHA domain proteins DAWDLE in <i>Arabidopsis</i> and SNIP1 in humans act in small RNA biogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 10073-10078.	7.1	284
28	Regulation of floral organ abscission in <i>Arabidopsis thaliana</i> . Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 15629-15634.	7.1	296
29	The Protein Phosphatases and Protein Kinases of <i>Arabidopsis thaliana</i> . The <i>Arabidopsis</i> Book, 2007, 5, e0106.	0.5	48
30	Stomatal Development and Patterning Are Regulated by Environmentally Responsive Mitogen-Activated Protein Kinases in <i>Arabidopsis</i> . Plant Cell, 2007, 19, 63-73.	6.6	727
31	Phosphoprotein and Phosphopeptide Interactions with the FHA Domain from <i>Arabidopsis</i> Kinase-Associated Protein Phosphatase. Biochemistry, 2007, 46, 2684-2696.	2.5	48
32	A petal breakstrength meter for <i>Arabidopsis</i> abscission studies. Plant Methods, 2006, 2, 2.	4.3	17
33	DVL Peptides Are Involved in Plant Development. , 2006, , 17-22.		6
34	The <i>Arabidopsis</i> Unannotated Secreted Peptide Database, a Resource for Plant Peptidomics. Plant Physiology, 2006, 142, 831-838.	4.8	189
35	DAWDLE, a Forkhead-Associated Domain Gene, Regulates Multiple Aspects of Plant Development. Plant Physiology, 2006, 141, 932-941.	4.8	55
36	FHA Domain of Kinase Associated Protein Phosphatase (KAPP): Interactions with PhosphoThr Peptides and a Receptor Kinase and Dynamics by NMR. FASEB Journal, 2006, 20, A465.	0.5	1

#	ARTICLE	IF	CITATIONS
37	Activation of the WUS gene induces ectopic initiation of floral meristems on mature stem surface in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 2005, 57, 773-784.	3.9	54
38	Functional genomics of protein kinases in plants. <i>Briefings in Functional Genomics & Proteomics</i> , 2005, 3, 362-371.	3.8	39
39	DVL, a novel class of small polypeptides: overexpression alters <i>Arabidopsis</i> development. <i>Plant Journal</i> , 2004, 37, 668-677.	5.7	111
40	BRL1, a leucine-rich repeat receptor-like protein kinase, is functionally redundant with BRI1 in regulating <i>Arabidopsis</i> brassinosteroid signaling. <i>Plant Journal</i> , 2004, 40, 399-409.	5.7	126
41	PLANT SCIENCES: Self-Rejection--a New Kinase Connection. <i>Science</i> , 2004, 303, 1474-1475.	12.6	40
42	1H, 13C and 15N resonance assignments of the kinase-interacting FHA domain of <i>Arabidopsis thaliana</i> kinase-associated protein phosphatase. <i>Journal of Biomolecular NMR</i> , 2003, 25, 253-254.	2.8	5
43	Receptor-like protein kinases: the keys to response. <i>Current Opinion in Plant Biology</i> , 2003, 6, 339-342.	7.1	197
44	NMR structure of the forkhead-associated domain from the <i>Arabidopsis</i> receptor kinase-associated protein phosphatase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 11261-11266.	7.1	43
45	The Leucine-Rich Repeat Receptor Protein Kinases of <i>Arabidopsis thaliana</i> : A Paradigm for Plant LRR Receptors. , 2003, , 579-582.		0
46	Biochemical Characterization of the Kinase Domain of the Rice Disease Resistance Receptor-like Kinase XA21. <i>Journal of Biological Chemistry</i> , 2002, 277, 20264-20269.	3.4	65
47	BAK1, an <i>Arabidopsis</i> LRR Receptor-like Protein Kinase, Interacts with BRI1 and Modulates Brassinosteroid Signaling. <i>Cell</i> , 2002, 110, 213-222.	28.9	1,231
48	Mitogen-activated protein kinase cascades in plants: a new nomenclature. <i>Trends in Plant Science</i> , 2002, 7, 301-308.	8.8	1,080
49	Receptor serine/threonine protein kinases in signalling: analysis of the erecta receptor-like kinase of <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2001, 151, 133-143.	7.3	77
50	A Mutant <i>Arabidopsis</i> Heterotrimeric G-Protein β^2 Subunit Affects Leaf, Flower, and Fruit Development. <i>Plant Cell</i> , 2001, 13, 2631-2641.	6.6	152
51	A Mutant <i>Arabidopsis</i> Heterotrimeric G-Protein β Subunit Affects Leaf, Flower, and Fruit Development. <i>Plant Cell</i> , 2001, 13, 2631.	6.6	6
52	<i>HAESA</i> , an <i>Arabidopsis</i> leucine-rich repeat receptor kinase, controls floral organ abscission. <i>Genes and Development</i> , 2000, 14, 108-117.	5.9	337
53	Molecular Evolution of Type 1 Serine/Threonine Protein Phosphatases. <i>Molecular Phylogenetics and Evolution</i> , 1999, 12, 57-66.	2.7	61
54	Biochemical characterization and expression of RLK4, a receptor-like kinase from <i>Arabidopsis thaliana</i> . <i>Plant Science</i> , 1999, 142, 83-91.	3.6	12

#	ARTICLE	IF	CITATIONS
55	Molecular cloning and chromosomal mapping of type one serine/threonine protein phosphatases in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 1998, 37, 471-481.	3.9	25
56	Challenges in understanding RLK function. <i>Current Opinion in Plant Biology</i> , 1998, 1, 388-392.	7.1	80
57	Control of Meristem Development by CLAVATA1 Receptor Kinase and Kinase-Associated Protein Phosphatase Interactions1. <i>Plant Physiology</i> , 1998, 117, 1217-1225.	4.8	233
58	Interaction of the maize and <i>Arabidopsis</i> kinase interaction domains with a subset of receptor-like protein kinases: implications for transmembrane signaling in plants. <i>Plant Journal</i> , 1997, 12, 83-95.	5.7	126
59	PLANT PROTEIN PHOSPHATASES. <i>Annual Review of Plant Biology</i> , 1996, 47, 101-125.	14.3	197
60	Plant transmembrane receptors: new pieces in the signaling puzzle. <i>Trends in Biochemical Sciences</i> , 1996, 21, 70-73.	7.5	113
61	Chapter 37 Expression and Assay of Autophosphorylation of Recombinant Protein Kinases. <i>Methods in Cell Biology</i> , 1995, 49, 531-541.	1.1	5
62	Chapter 36 Immunocytochemical Localization of Receptor Protein Kinases in Plants. <i>Methods in Cell Biology</i> , 1995, 49, 515-529.	1.1	1
63	ZmPK1. , 1995, , 342-343.		0
64	Structure and function of the receptor-like protein kinases of higher plants. <i>Plant Molecular Biology</i> , 1994, 26, 1599-1609.	3.9	238
65	Isolation of an <i>Arabidopsis thaliana</i> casein kinase II ? subunit by complementation in <i>Saccharomyces cerevisiae</i> . <i>Plant Molecular Biology</i> , 1994, 25, 649-658.	3.9	45
66	Biochemical properties of the autophosphorylation of RLK5, a receptor-like protein kinase from <i>Arabidopsis thaliana</i> . <i>BBA - Proteins and Proteomics</i> , 1994, 1208, 65-74.	2.1	86
67	Structure and function of the receptor-like protein kinases of higher plants. , 1994, , 363-373.		0
68	Expression of multiple type 1 phosphoprotein phosphatases in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 1993, 21, 307-316.	3.9	52
69	Structure and expression of the S locus-related genes of maize. <i>Plant Molecular Biology</i> , 1993, 21, 1171-1174.	3.9	18
70	Receptor-like protein kinase genes of <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 1993, 3, 451-456.	5.7	169
71	Molecular cloning of two novel protein kinase genes from <i>Arabidopsis thaliana</i> . <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993, 1216, 9-14.	2.4	36
72	Cloning and sequence of a chicken β -N-acetylgalactosaminidase gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993, 1216, 296-298.	2.4	10

#	ARTICLE	IF	CITATIONS
73	Identification of a maize nucleic acid-binding protein (NBP) belonging to a family of nuclear-encoded chloroplast proteins. <i>Nucleic Acids Research</i> , 1992, 20, 359-364.	14.5	50
74	Isolation and Expression of a Maize Type 1 Protein Phosphatase. <i>Plant Physiology</i> , 1991, 97, 677-683.	4.8	51
75	Relationship of a putative receptor protein kinase from maize to the S-locus glycoproteins of Brassica. <i>Nature</i> , 1990, 345, 743-746.	27.8	384
76	Functional properties of the anaerobic responsive element of the maize Adh1 gene. <i>Plant Molecular Biology</i> , 1990, 15, 593-604.	3.9	91