

# Laurence Meyer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/338395/publications.pdf>

Version: 2024-02-01

27  
papers

1,918  
citations

394421

19  
h-index

526287

27  
g-index

32  
all docs

32  
docs citations

32  
times ranked

3178  
citing authors

#	ARTICLE	IF	CITATIONS
1	A highly virulent variant of HIV-1 circulating in the Netherlands. <i>Science</i> , 2022, 375, 540-545.	12.6	39
2	Reprogramming dysfunctional CD8+ T cells to promote properties associated with natural HIV control. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	15
3	When lockdown policies amplify social inequalities in COVID-19 infections: evidence from a cross-sectional population-based survey in France. <i>BMC Public Health</i> , 2021, 21, 705.	2.9	44
4	CXCR3 and CXCR5 are highly expressed in HIV-1-specific CD8 central memory T cells from infected patients. <i>European Journal of Immunology</i> , 2021, 51, 2040-2050.	2.9	2
5	Ultrasensitive Detection of p24 in Plasma Samples from People with Primary and Chronic HIV-1 Infection. <i>Journal of Virology</i> , 2021, 95, e0001621.	3.4	9
6	Estimated pill intake with on-demand PrEP with oral TDF/FTC using TFV-DP concentration in dried blood spots in the ANRS IPERGAY trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 2675-2680.	3.0	6
7	CD4/CD8 Ratio and the Risk of Kaposi Sarcoma or Non-Hodgkin Lymphoma in the Context of Efficiently Treated Human Immunodeficiency Virus (HIV) Infection: A Collaborative Analysis of 20 European Cohort Studies. <i>Clinical Infectious Diseases</i> , 2021, 73, 50-59.	5.8	18
8	Enhanced immunovirological response in women compared to men after antiretroviral therapy initiation during acute and early HIV-1 infection: results from a longitudinal study in the French ANRS Primo cohort. <i>Journal of the International AIDS Society</i> , 2020, 23, e25485.	3.0	10
9	TLR7 dosage polymorphism shapes interferogenesis and HIV-1 acute viremia in women. <i>JCI Insight</i> , 2020, 5, .	5.0	36
10	Metabolic plasticity of HIV-specific CD8+ T cells is associated with enhanced antiviral potential and natural control of HIV-1 infection. <i>Nature Metabolism</i> , 2019, 1, 704-716.	11.9	72
11	Long-term Therapeutic Impact of the Timing of Antiretroviral Therapy in Patients Diagnosed With Primary Human Immunodeficiency Virus Type 1 Infection. <i>Clinical Infectious Diseases</i> , 2018, 66, 1519-1527.	5.8	25
12	Easy and accurate reconstruction of whole HIV genomes from short-read sequence data with shiver. <i>Virus Evolution</i> , 2018, 4, vey007.	4.9	64
13	Viral genetic variation accounts for a third of variability in HIV-1 set-point viral load in Europe. <i>PLoS Biology</i> , 2017, 15, e2001855.	5.6	38
14	Elevated Basal Pre-infection CXCL10 in Plasma and in the Small Intestine after Infection Are Associated with More Rapid HIV/SIV Disease Onset. <i>PLoS Pathogens</i> , 2016, 12, e1005774.	4.7	50
15	Evaluating Continuity During Transfer to Adult Care: A Systematic Review. <i>Pediatrics</i> , 2016, 138, .	2.1	34
16	Polymorphisms of large effect explain the majority of the host genetic contribution to variation of HIV-1 virus load. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 14658-14663.	7.1	154
17	Factors associated with failure to return for HIV test results in a free and anonymous screening centre. <i>International Journal of STD and AIDS</i> , 2015, 26, 549-555.	1.1	12
18	Intensive five-drug antiretroviral therapy regimen versus standard triple-drug therapy during primary HIV-1 infection (OPTIPRIM-ANRS 147): a randomised, open-label, phase 3 trial. <i>Lancet Infectious Diseases</i> , 2015, 15, 387-396.	9.1	67

#	ARTICLE	IF	CITATIONS
19	Impact of the Timing of Initiation of Antiretroviral Therapy During Primary HIV-1 Infection on the Decay of Cell-Associated HIV-DNA. <i>Clinical Infectious Diseases</i> , 2015, 60, 1715-1721.	5.8	125
20	Combined ART started during acute HIV infection protects central memory CD4+ T cells and can induce remission. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 2108-2120.	3.0	92
21	High Soluble CD14 Levels at Primary HIV-1 Infection Predict More Rapid Disease Progression. <i>Journal of Infectious Diseases</i> , 2015, 212, 909-913.	4.0	46
22	Elevated IP10 levels are associated with immune activation and low CD4+ T-cell counts in HIV controller patients. <i>Aids</i> , 2014, 28, 467-476.	2.2	85
23	Increasing Frequency of Self-Reported Orogenital HIV-1 Transmission Among Men Having Sex With Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, e164-e166.	2.1	2
24	Acute Plasma Biomarkers of T Cell Activation Set-Point Levels and of Disease Progression in HIV-1 Infection. <i>PLoS ONE</i> , 2012, 7, e46143.	2.5	149
25	Time From Human Immunodeficiency Virus Seroconversion to Reaching CD4+ Cell Count Thresholds <200, <350, and <500 Cells/mm <sup>3</sup> : Assessment of Need Following Changes in Treatment Guidelines. <i>Clinical Infectious Diseases</i> , 2011, 53, 817-825.	5.8	180
26	Distinct Genetic Loci Control Plasma HIV-RNA and Cellular HIV-DNA Levels in HIV-1 Infection: The ANRS Genome Wide Association 01 Study. <i>PLoS ONE</i> , 2008, 3, e3907.	2.5	171
27	HIV Controllers: A Homogeneous Group of HIV-1-Infected Patients with Spontaneous Control of Viral Replication. <i>Clinical Infectious Diseases</i> , 2005, 41, 1053-1056.	5.8	355