

# Ardesheer Talati

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/338843/publications.pdf>

Version: 2024-02-01

64  
papers

2,552  
citations

236925

25  
h-index

197818

49  
g-index

68  
all docs

68  
docs citations

68  
times ranked

3944  
citing authors

#	ARTICLE	IF	CITATIONS
1	Remissions in Maternal Depression and Child Psychopathology. JAMA - Journal of the American Medical Association, 2006, 295, 1389.	7.4	539
2	Offspring of Depressed Parents: 30 Years Later. American Journal of Psychiatry, 2016, 173, 1024-1032.	7.2	222
3	Functional Specialization within the Medial Frontal Gyrus for Perceptual Go/No-Go Decisions Based on "What," "When," and "Where"-Related Information: An fMRI Study. Journal of Cognitive Neuroscience, 2005, 17, 981-993.	2.3	192
4	Children of Depressed Mothers 1 Year After the Initiation of Maternal Treatment: Findings From the STAR*D-Child Study. American Journal of Psychiatry, 2008, 165, 1136-1147.	7.2	169
5	A 30-Year Study of 3 Generations at High Risk and Low Risk for Depression. JAMA Psychiatry, 2016, 73, 970.	11.0	139
6	Increased Default Mode Network Connectivity in Individuals at High Familial Risk for Depression. Neuropsychopharmacology, 2016, 41, 1759-1767.	5.4	102
7	Gray Matter Abnormalities in Social Anxiety Disorder: Primary, Replication, and Specificity Studies. Biological Psychiatry, 2013, 73, 75-84.	1.3	97
8	Remission of Maternal Depression: Relations to Family Functioning and Youth Internalizing and Externalizing Symptoms. Journal of Clinical Child and Adolescent Psychology, 2008, 37, 714-724.	3.4	60
9	Prenatal tobacco exposure, birthweight, and offspring psychopathology. Psychiatry Research, 2017, 252, 346-352.	3.3	56
10	Reduced Anterior Temporal and Hippocampal Functional Connectivity During Face Processing Discriminates Individuals with Social Anxiety Disorder from Healthy Controls and Panic Disorder, and Increases Following Treatment. Neuropsychopharmacology, 2014, 39, 425-434.	5.4	55
11	Association of a Polyadenylation Polymorphism in the Serotonin Transporter and Panic Disorder. Biological Psychiatry, 2010, 67, 331-338.	1.3	52
12	Maternal Smoking During Pregnancy and Bipolar Disorder in Offspring. American Journal of Psychiatry, 2013, 170, 1178-1185.	7.2	52
13	Temperament among offspring at high and low risk for depression. Psychiatry Research, 2007, 153, 145-151.	3.3	47
14	A pilot study of gray matter volume changes associated with paroxetine treatment and response in social anxiety disorder. Psychiatry Research - Neuroimaging, 2015, 231, 279-285.	1.8	44
15	Panic Disorder, Social Anxiety Disorder, and a Possible Medical Syndrome Previously Linked to Chromosome 13. Biological Psychiatry, 2008, 63, 594-601.	1.3	43
16	Dissecting clinical heterogeneity of bipolar disorder using multiple polygenic risk scores. Translational Psychiatry, 2020, 10, 314.	4.8	42
17	Association of Multigenerational Family History of Depression With Lifetime Depressive and Other Psychiatric Disorders in Children. JAMA Psychiatry, 2021, 78, 778.	11.0	42
18	Decoding Unattended Fearful Faces with Whole-Brain Correlations: An Approach to Identify Condition-Dependent Large-Scale Functional Connectivity. PLoS Computational Biology, 2012, 8, e1002441.	3.2	36

#	ARTICLE	IF	CITATIONS
19	Using the high-risk family design to identify biomarkers for major depression. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120129.	4.0	36
20	Cortical functional connectivity decodes subconscious, task-irrelevant threat-related emotion processing. <i>NeuroImage</i> , 2012, 61, 1355-1363.	4.2	35
21	Heritability of major depressive and comorbid anxiety disorders in multi-generational families at high risk for depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 1072-1079.	1.7	35
22	Prenatal smoking exposure and neuropsychiatric comorbidity of ADHD: a finnish nationwide population-based cohort study. <i>BMC Psychiatry</i> , 2016, 16, 306.	2.6	31
23	The Influence of Paternal and Maternal Major Depressive Disorder on Offspring Psychiatric Disorders. <i>Journal of Child and Family Studies</i> , 2015, 24, 2345-2351.	1.3	30
24	Smoking and psychopathology increasingly associated in recent birth cohorts. <i>Drug and Alcohol Dependence</i> , 2013, 133, 724-732.	3.2	29
25	Remission of maternal depression and child symptoms among single mothers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 962-971.	3.1	28
26	Dimensions and subtypes of oppositionality and their relation to comorbidity and psychosocial characteristics. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 351-365.	4.7	25
27	Visual and Tactile Guidance of Dexterous Manipulation Tasks: An fMRI Study. <i>Perceptual and Motor Skills</i> , 2005, 101, 317-334.	1.3	24
28	Temporal stability of posterior EEG alpha over twelve years. <i>Clinical Neurophysiology</i> , 2018, 129, 1410-1417.	1.5	24
29	Association of Parent and Offspring Religiosity With Offspring Suicide Ideation and Attempts. <i>JAMA Psychiatry</i> , 2018, 75, 1062.	11.0	24
30	Representation of nociceptive stimuli in primary sensory cortex. <i>NeuroReport</i> , 1998, 9, 4179-4187.	1.2	23
31	Stability of Cortical Thinning in Persons at Increased Familial Risk for Major Depressive Disorder Across 8 Years. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 619-625.	1.5	18
32	Personal Life Events—A Promising Dimension for Psychiatry in Electronic Health Records. <i>JAMA Psychiatry</i> , 2020, 77, 115.	11.0	16
33	Associations between serotonin transporter and behavioral traits and diagnoses related to anxiety. <i>Psychiatry Research</i> , 2017, 253, 211-219.	3.3	14
34	Genetic variants within the serotonin transporter associated with familial risk for major depression. <i>Psychiatry Research</i> , 2015, 228, 170-173.	3.3	13
35	Neuroanatomical correlates of familial risk-for-depression and religiosity/spirituality.. <i>Spirituality in Clinical Practice</i> , 2017, 4, 32-42.	1.0	13
36	Concordance in parent and offspring cortico-basal ganglia white matter connectivity varies by parental history of major depressive disorder and early parental care. <i>Social Cognitive and Affective Neuroscience</i> , 2020, 15, 889-903.	3.0	13

#	ARTICLE	IF	CITATIONS
37	Enduring problems in the offspring of depressed parents followed up to 38 years. <i>EClinicalMedicine</i> , 2021, 38, 101000.	7.1	12
38	A diffusion tensor imaging study of brain microstructural changes related to religion and spirituality in families at high risk for depression. <i>Brain and Behavior</i> , 2019, 9, e01209.	2.2	10
39	A survey of putative anxiety-associated genes in panic disorder patients with and without bladder symptoms. <i>Psychiatric Genetics</i> , 2012, 22, 271-278.	1.1	9
40	Altered Dentate Gyrus Microstructure in Individuals at High Familial Risk for Depression Predicts Future Symptoms. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 50-58.	1.5	9
41	Brain derived neurotrophic factor moderates associations between maternal smoking during pregnancy and offspring behavioral disorders. <i>Psychiatry Research</i> , 2016, 245, 387-391.	3.3	8
42	Trajectories of childhood anxiety disorders in two generations at high risk. <i>Depression and Anxiety</i> , 2020, 37, 521-531.	4.1	8
43	Dissociating default mode network resting state markers of suicide from familial risk factors for depression. <i>Neuropsychopharmacology</i> , 2021, 46, 1830-1838.	5.4	8
44	Serotonin signaling modulates the effects of familial risk for depression on cortical thickness. <i>Psychiatry Research - Neuroimaging</i> , 2016, 248, 83-93.	1.8	7
45	The importance of social activity to risk of major depression in older adults. <i>Psychological Medicine</i> , 2023, 53, 2634-2642.	4.5	7
46	Organization of the social cognition network predicts future depression and interpersonal impairment: a prospective family-based study. <i>Neuropsychopharmacology</i> , 2022, 47, 531-542.	5.4	6
47	Adult outcomes of childhood disruptive disorders in offspring of depressed and healthy parents. <i>Journal of Affective Disorders</i> , 2019, 244, 107-112.	4.1	5
48	Depression Risk Is Associated With Weakened Synchrony Between the Amygdala and Experienced Emotion. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 343-351.	1.5	5
49	Major depression, temperament, and social support as psychosocial mechanisms of the intergenerational transmission of parenting styles. <i>Development and Psychopathology</i> , 2022, 34, 1997-2011.	2.3	5
50	VISUAL AND TACTILE GUIDANCE OF DEXTEROUS MANIPULATION TASKS: AN fMRI STUDY. <i>Perceptual and Motor Skills</i> , 2005, 101, 317.	1.3	5
51	The effects of the pandemic on mental health in persons with and without a psychiatric history. <i>Psychological Medicine</i> , 2021, , 1-23.	4.5	5
52	Thinner cortices in high-risk offspring: the promises of big data. <i>Neuropsychopharmacology</i> , 2022, 47, 377-378.	5.4	4
53	Morphological Biomarkers in the Amygdala and Hippocampus of Children and Adults at High Familial Risk for Depression. <i>Diagnostics</i> , 2022, 12, 1218.	2.6	3
54	Impact of a Father Figure's Presence in the Household on Children's Psychiatric Diagnoses and Functioning in Families at High Risk for Depression. <i>Journal of Child and Family Studies</i> , 2016, 25, 588-597.	1.3	2

#	ARTICLE	IF	CITATIONS
55	Prospectively Predicting Adult Depressive Symptoms from Adolescent Peer Dysfunction: a Sibling Comparison Study. <i>Research on Child and Adolescent Psychopathology</i> , 2022, 50, 1081-1093.	2.3	2
56	The Long-Term Outcomes of Prepubertal Depression and Internalizing Problems: A Scoping Review. <i>Harvard Review of Psychiatry</i> , 2022, 30, 163-180.	2.1	2
57	On the Role of Randomized Clinical Trials in Medicine. <i>Economics of Innovation and New Technology</i> , 2007, 16, 357-370.	3.4	1
58	Risks for Major Depression: Searching for Stable Traits. <i>Biological Psychiatry</i> , 2018, 83, 7-8.	1.3	1
59	Commentary: Studies of prenatal antidepressant exposures: what can you recommend? A reflection on Suján et al. (2019). <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 377-379.	5.2	1
60	187. Developing Approaches to Identify and Modulate Components of Altered Resting State Default Mode Connectivity in Suicidal Individuals. <i>Biological Psychiatry</i> , 2019, 85, S77.	1.3	0
61	F78. The Impact of Family History of Depression on the Relation Between Episodic Memory Encoding and Intrinsic Hippocampal Connectivity. <i>Biological Psychiatry</i> , 2019, 85, S243.	1.3	0
62	Concordance of Parent-Offspring Cortico-Basal Ganglia White Matter Connectivity: The Role of Parental Depression and Parent-Child Bonding. <i>Biological Psychiatry</i> , 2020, 87, S264.	1.3	0
63	P227. Polygenic Risk for Depression is Associated With Depressive Symptoms and Suicide Attempts and Interacts With Adverse Childhood Environments to Predict Decreased Dentate Gyrus Structure in Offspring at Family Risk for Depression. <i>Biological Psychiatry</i> , 2022, 91, S179.	1.3	0
64	P223. The Role of the Putamen in Depressive Illness: An Multimodal RDoC-Driven Approach. <i>Biological Psychiatry</i> , 2022, 91, S177.	1.3	0