

# Venkata S Puli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3388674/publications.pdf>

Version: 2024-02-01

62  
papers

1,985  
citations

201674

27  
h-index

243625

44  
g-index

63  
all docs

63  
docs citations

63  
times ranked

2121  
citing authors

#	ARTICLE	IF	CITATIONS
1	Review on energy storage in lead-free ferroelectric films. Energy Storage, 2023, 5, .	4.3	8
2	Low-Temperature Magnetic and Magnetocaloric Properties of Manganese-Substituted Gd <sub>0.5</sub> Er <sub>0.5</sub> CrO <sub>3</sub> Orthochromites. Crystals, 2022, 12, 263.	2.2	7
3	Enhanced energy storage properties of epitaxial (Ba <sub>0.955</sub> Ca <sub>0.045</sub> )(Zr <sub>0.17x</sub> Ti <sub>0.83</sub> ) <sub>1-x</sub> O <sub>3</sub> ferroelectric thin films. Energy Storage, 2022, 4, .	1.7	0
4	Recent Progress in Synthesis Methods of Shape-Memory Polymer Nanocomposites. , 2022, , 173-212.		6
5	Magnetoelectric and Multiferroic Properties of BaTiO <sub>3</sub> /NiFe <sub>2</sub> O <sub>4</sub> /BaTiO <sub>3</sub> Heterostructured Thin Films Grown by Pulsed Laser Deposition Technique. Crystals, 2021, 11, 1192.	2.2	5
6	Exploring phase transitions and magnetoelectric coupling of epitaxial asymmetric multilayer heterostructures. Journal of Materials Chemistry C, 2020, 8, 12113-12122.	5.5	8
7	Room temperature multiferroicity and magnetodielectric coupling in O <sup>3</sup> composite thin films. Journal of Applied Physics, 2020, 127, .	2.5	16
8	Observation of large enhancement in energy-storage properties of lead-free polycrystalline 0.5BaZr <sub>0.2</sub> Ti <sub>0.8</sub> O <sub>3</sub> ∧0.5Ba <sub>0.7</sub> Ca <sub>0.3</sub> TiO <sub>3</sub> ferroelectric thin films. Journal Physics D: Applied Physics, 2019, 52, 255304.	2.8	27
9	Thin-film growth and structural characterization of a novel layered iridate Ba <sub>7</sub> Ir <sub>3</sub> O <sub>13</sub> . Semiconductor Science and Technology, 2019, 34, 025002.	2.0	0
10	Exploring the Magnetoelectric Coupling at the Composite Interfaces of FE/FM/FE Heterostructures. Scientific Reports, 2018, 8, 17381.	3.3	26
11	Synthesis and structural properties of Ba(1-x)LaxTiO <sub>3</sub> perovskite nanoparticles fabricated by solvothermal synthesis route. AIP Conference Proceedings, 2017, , .	0.4	2
12	Instantaneous photoinitiated synthesis and rapid pulsed photothermal treatment of three-dimensional nanostructured TiO <sub>2</sub> thin films through pulsed light irradiation. Journal of Materials Research, 2017, 32, 1701-1709.	2.6	18
13	Observation of magnetization reversal and magnetocaloric effect in manganese modified EuCrO <sub>3</sub> orthochromites. Physica B: Condensed Matter, 2017, 519, 69-75.	2.7	28
14	Studies on dielectric, optical, magnetic, magnetic domain structure, and resistance switching characteristics of highly c-axis oriented NZFO thin films. Journal of Applied Physics, 2017, 122, 033902.	2.5	13
15	Low temperature sintered giant dielectric permittivity CaCu <sub>3</sub> Ti <sub>4</sub> O <sub>12</sub> sol-gel synthesized nanoparticle capacitors. Journal of Advanced Dielectrics, 2017, 07, 1750017.	2.4	13
16	Electric field induced weak ferroelectricity in Ba <sub>0.70</sub> Sr <sub>0.30</sub> TiO <sub>3</sub> , ceramics capacitors. Ferroelectrics, 2017, 516, 133-139.	0.6	6
17	Correlation of dielectric, electrical and magnetic properties near the magnetic phase transition temperature of cobalt zinc ferrite. Physical Chemistry Chemical Physics, 2017, 19, 210-218.	2.8	96
18	Chemical composition-tailored Li Ti <sub>0.1</sub> Ni <sub>1</sub> ∧O ceramics with enhanced dielectric properties. Materials Chemistry and Physics, 2016, 184, 82-90.	4.0	18

#	ARTICLE	IF	CITATIONS
19	Effect of lead borosilicate glass addition on the crystallization, ferroelectric and dielectric energy storage properties of Ba <sub>0.9995</sub> La <sub>0.0005</sub> TiO <sub>3</sub> ceramics. Journal of Alloys and Compounds, 2016, 688, 721-728.	5.5	21
20	Core-shell like structured barium zirconium titanate-barium calcium titanate "poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf_50 702 T	3.8	29
21	Controlled and enhanced dielectric properties of high-titanium containing Li Ti <sub>0.1</sub> Ni <sub>1</sub> â¿¿O via chemical composition-tailoring. Chemical Physics Letters, 2016, 649, 115-118.	2.6	9
22	Studies of Phase Transitions and Magnetoelectric Coupling in PFN-CZFO Multiferroic Composites. Journal of Physical Chemistry C, 2016, 120, 1936-1944.	3.1	71
23	Electrochemical Properties of Nickel Oxide Nanostructures Grown Using a Low Pressure Chemical Vapor Deposition Process As Anode in Lithium Ion Batteries. ECS Meeting Abstracts, 2016, , .	0.0	0
24	Structural and magnetic studies on praseodymium and transition-metal co-substituted BiFeO <sub>3</sub> ceramics. Multiferroic Materials, 2015, 1, .	0.0	0
25	Nanoscale Ferroelectric Switchable Polarization and Leakage Current Behavior in (Ba <sub>0.50</sub> Sr <sub>0.50</sub> )(Ti <sub>0.80</sub> Sn <sub>0.20</sub> )O <sub>3</sub> Thin Films Prepared Using Chemical Solution Deposition. Journal of Nanomaterials, 2015, 2015, 1-7.	2.7	4
26	Chemical bonding and magnetic properties of gadolinium (Gd) substituted cobalt ferrite. Journal of Alloys and Compounds, 2015, 644, 470-475.	5.5	74
27	Crystal structure, dielectric, ferroelectric and energy storage properties of La-doped BaTiO <sub>3</sub> semiconducting ceramics. Journal of Advanced Dielectrics, 2015, 05, 1550027.	2.4	48
28	Core-shell structured poly(glycidyl methacrylate)/BaTiO <sub>3</sub> nanocomposites prepared by surface-initiated atom transfer radical polymerization: A novel material for high energy density dielectric storage. Journal of Polymer Science Part A, 2015, 53, 719-728.	2.3	45
29	Impedance and Raman Spectroscopic Studies on La-modified BLSF Ceramics. Ferroelectrics, 2015, 474, 29-42.	0.6	9
30	Polymer Nanocomposites for Energy Storage Applications. Materials Today: Proceedings, 2015, 2, 3853-3863.	1.8	42
31	Nanoscale polarisation switching and leakage currents in (Ba <sub>0.955</sub> Ca <sub>0.045</sub> )(Zr <sub>0.17</sub> Ti <sub>0.83</sub> )O <sub>3</sub> epitaxial thin films. Journal Physics D: Applied Physics, 2015, 48, 355502.	2.8	42
32	Polymer-ceramic nanocomposites for high energy density applications. Journal of Sol-Gel Science and Technology, 2015, 73, 641-646.	2.4	31
33	Studies on magnetoelectric coupling in PFN-NZFO composite at room temperature. Journal of Applied Physics, 2014, 115, 194105.	2.5	27
34	Surface modified BaTiO <sub>3</sub> -polystyrene nanocomposites for energy storage. International Journal of Nanotechnology, 2014, 11, 910.	0.2	11
35	Studies of the switchable photovoltaic effect in co-substituted BiFeO <sub>3</sub> thin films. Applied Physics Letters, 2014, 105, .	3.3	35
36	Dielectric Properties of UV Cured Thick Film Polymer Networks through High Power Xenon Flash Lamp Curing. Materials Research Society Symposia Proceedings, 2014, 1630, 1.	0.1	3

#	ARTICLE	IF	CITATIONS
37	Investigations on structure, ferroelectric, piezoelectric and energy storage properties of barium calcium titanate (BCT) ceramics. Journal of Alloys and Compounds, 2014, 584, 369-373.	5.5	109
38	Photovoltaic effect in transition metal modified polycrystalline BiFeO <sub>3</sub> thin films. Journal Physics D: Applied Physics, 2014, 47, 075502.	2.8	54
39	Studies on structural, dielectric, and transport properties of Ni <sub>0.65</sub> Zn <sub>0.35</sub> Fe <sub>2</sub> O <sub>4</sub> . Journal of Applied Physics, 2014, 115, 243904.	2.5	102
40	Structure, Ferroelectric, Dielectric and Energy Storage Studies of Ba <sub>0.70</sub> Ca <sub>0.30</sub> TiO <sub>3</sub> , Ba(Zr <sub>0.20</sub> Ti <sub>0.80</sub> )O <sub>3</sub> Ceramic Capacitors. Integrated Ferroelectrics, 2014, 157, 139-146.	0.7	40
41	Synthesis and characterization of lead-free ternary component BST-BCT-BZT ceramic capacitors. Journal of Advanced Dielectrics, 2014, 04, 1450014.	2.4	36
42	Structural, dielectric and impedance spectroscopy studies in (Bi <sub>0.90</sub> R <sub>0.10</sub> )Fe <sub>0.95</sub> Sc <sub>0.05</sub> O <sub>3</sub> [R=La, Nd] ceramics. Ceramics International, 2014, 40, 9895-9902.	4.8	41
43	Magnetoelectric coupling effect in transition metal modified polycrystalline BiFeO <sub>3</sub> thin films. Journal of Magnetism and Magnetic Materials, 2014, 369, 9-13.	2.3	11
44	PVDF-BaSrTiO <sub>3</sub> nanocomposites for flexible electrical energy storage devices. Emerging Materials Research, 2014, 3, 265-270.	0.7	10
45	High-temperature phase transitions in a quaternary lead based perovskite structured materials with negative temperature coefficient of resistance (NTCR) behavior. Journal of Materials Science: Materials in Electronics, 2013, 24, 2790-2795.	2.2	7
46	Structure, dielectric, ferroelectric, and energy density properties of (1-x)BZT-xBCT ceramic capacitors for energy storage applications. Journal of Materials Science, 2013, 48, 2151-2157.	3.7	175
47	Investigations on electrical and magnetic properties of multiferroic [(1-x)Pb(Fe <sub>0.5</sub> Nb <sub>0.5</sub> )O <sub>3</sub> -xNi <sub>0.65</sub> Zn <sub>0.35</sub> Fe <sub>2</sub> O <sub>4</sub> ] composites. Journal of Applied Physics, 2013, 113, .	2.5	27
48	Structure, dielectric tunability, thermal stability and diffuse phase transition behavior of lead free BZT-BCT ceramic capacitors. Journal of Physics and Chemistry of Solids, 2013, 74, 466-475.	4.0	88
49	Room temperature multiferroic properties of Pb(Fe <sub>0.5</sub> Nb <sub>0.5</sub> )O <sub>3</sub> -Co <sub>0.65</sub> Zn <sub>0.35</sub> Fe <sub>2</sub> O <sub>4</sub> composites. Journal of Applied Physics, 2013, 114, .	2.5	52
50	Dielectric and Magnetic Properties of Pb(Fe <sub>0.5</sub> Nb <sub>0.5</sub> )O <sub>3</sub> - Ni <sub>0.65</sub> Zn <sub>0.35</sub> Fe <sub>2</sub> O <sub>4</sub> Composites. ECS Transactions, 2013, 50, 59-65.	0.5	3
51	Structure and dielectric properties of Ba <sub>0.85</sub> B <sub>0.15</sub> O <sub>3</sub> -ZnO-[(Ba <sub>0.70</sub> Ca <sub>0.30</sub> )TiO <sub>3</sub> ] <sub>0.15</sub> glass-ceramics for energy storage. Journal of Materials Science: Materials in Electronics, 2012, 23, 2005-2009.		13
52	Microwave Assisted Synthesis of ZnO Nano-Sheets and Their Application in UV-Detector. ECS Journal of Solid State Science and Technology, 2012, 1, Q140-Q143.	1.8	27
53	Improved magnetic and piezoresponse behavior of cobalt substituted BiFeO <sub>3</sub> thin film. Thin Solid Films, 2012, 520, 6493-6498.	1.8	28
54	Dielectric breakdown of Ba <sub>0.85</sub> B <sub>0.15</sub> O <sub>3</sub> -ZnO-[(Ba <sub>0.70</sub> Ca <sub>0.30</sub> )TiO <sub>3</sub> ] <sub>0.15</sub> glass-ceramic composites. Journal of Non-Crystalline Solids, 2012, 358, 3510-3516.	3.1	20

#	ARTICLE	IF	CITATIONS
55	Nanoscale piezoresponse and magnetic studies of multiferroic Co and Pr co-substituted BFO thin films. <i>Materials Research Bulletin</i> , 2012, 47, 4240-4245.	5.2	38
56	Structural, morphological and piezoresponse studies of Pr and Sc co-substituted BiFeO <sub>3</sub> ceramics. <i>Journal Physics D: Applied Physics</i> , 2012, 45, 055302.	2.8	71
57	Room temperature structural, morphological, and enhanced ferroelectromagnetic properties of xBa <sub>0.7</sub> Ca <sub>0.3</sub> TiO <sub>3</sub> ·(1-x)BaFe <sub>0.2</sub> Ti <sub>0.8</sub> O <sub>3</sub> multiferroic composites. <i>Journal of Applied Physics</i> , 2012, 111, 102802.	2.5	6
58	Temperature Dependent Magnetic, Dielectric Studies of Sm-Substituted Bulk BiFeO <sub>3</sub> . <i>Journal of Superconductivity and Novel Magnetism</i> , 2012, 25, 1109-1114.	1.8	10
59	Barium zirconate-titanate/barium calcium-titanate ceramics via sol-gel process: novel high-energy-density capacitors. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 395403.	2.8	141
60	Transition metal modified bulk BiFeO <sub>3</sub> with improved magnetization and linear magneto-electric coupling. <i>Journal of Alloys and Compounds</i> , 2011, 509, 8223-8227.	5.5	49
61	A quaternary lead based perovskite structured materials with diffuse phase transition behavior. <i>Materials Research Bulletin</i> , 2011, 46, 2527-2530.	5.2	18
62	Ferroelectric and Piezoelectric Studies on Mo-Substituted SrBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> Ferroelectric Ceramics. <i>Integrated Ferroelectrics</i> , 2011, 124, 1-9.	0.7	9