

Lawrence H Price

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3388892/publications.pdf>

Version: 2024-02-01

31
papers

2,336
citations

430874

18
h-index

477307

29
g-index

32
all docs

32
docs citations

32
times ranked

3894
citing authors

#	ARTICLE	IF	CITATIONS
1	A Randomized Sham-Controlled Trial of Deep Brain Stimulation of the Ventral Capsule/Ventral Striatum for Chronic Treatment-Resistant Depression. <i>Biological Psychiatry</i> , 2015, 78, 240-248.	1.3	415
2	Telomeres and Early-Life Stress: An Overview. <i>Biological Psychiatry</i> , 2013, 73, 15-23.	1.3	308
3	Tryptophan Depletion During Continuous CSF Sampling in Healthy Human Subjects. <i>Neuropsychopharmacology</i> , 1998, 19, 26-35.	5.4	270
4	Alterations of Mitochondrial DNA Copy Number and Telomere Length With Early Adversity and Psychopathology. <i>Biological Psychiatry</i> , 2016, 79, 78-86.	1.3	207
5	Network Mechanisms of Clinical Response to Transcranial Magnetic Stimulation in Posttraumatic Stress Disorder and Major Depressive Disorder. <i>Biological Psychiatry</i> , 2018, 83, 263-272.	1.3	193
6	Depression and telomere length: A meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 191, 237-247.	4.1	191
7	The effects of early life stress on reward processing. <i>Journal of Psychiatric Research</i> , 2018, 101, 80-103.	3.1	129
8	Association of telomere length and mitochondrial DNA copy number in a community sample of healthy adults. <i>Experimental Gerontology</i> , 2015, 66, 17-20.	2.8	97
9	Decreased default network connectivity is associated with early life stress in medication-free healthy adults. <i>European Neuropsychopharmacology</i> , 2013, 23, 24-32.	0.7	79
10	Regional homogeneity and resting state functional connectivity: Associations with exposure to early life stress. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 247-253.	1.8	46
11	Exposure to childhood trauma is associated with altered n-back activation and performance in healthy adults: implications for a commonly used working memory task. <i>Brain Imaging and Behavior</i> , 2016, 10, 124-135.	2.1	45
12	5 Hz Repetitive transcranial magnetic stimulation for posttraumatic stress disorder comorbid with major depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 235, 414-420.	4.1	44
13	Neurobiology of Tryptophan Depletion in Depression: Effects of m-Chlorophenylpiperazine (mCPP). <i>Neuropsychopharmacology</i> , 1997, 17, 342-350.	5.4	42
14	Early life stress predicts thalamic hyperconnectivity: A transdiagnostic study of global connectivity. <i>Journal of Psychiatric Research</i> , 2016, 79, 93-100.	3.1	39
15	Childhood maltreatment, behavioral adjustment, and molecular markers of cellular aging in preschool-aged children: A cohort study. <i>Psychoneuroendocrinology</i> , 2019, 107, 261-269.	2.7	36
16	Early life stress impacts dorsolateral prefrontal cortex functional connectivity in healthy adults: Informing future studies of antidepressant treatments. <i>Journal of Psychiatric Research</i> , 2014, 52, 63-69.	3.1	28
17	5 Hz Repetitive transcranial magnetic stimulation to left prefrontal cortex for major depression. <i>Journal of Affective Disorders</i> , 2015, 186, 13-17.	4.1	22
18	Effects of Antiglucocorticoid Treatment on 5-HT1A Function in Depressed Patients and Healthy Subjects. <i>Neuropsychopharmacology</i> , 1997, 17, 246-257.	5.4	19

#	ARTICLE	IF	CITATIONS
19	Rationale, design and pilot feasibility results of a smartphone-assisted, mindfulness-based intervention for smokers with mood disorders: Project mSMART MIND. <i>Contemporary Clinical Trials</i> , 2018, 66, 36-44.	1.8	19
20	Mechanisms of Perceived Treatment Assignment and Subsequent Expectancy Effects in a Double Blind Placebo Controlled RCT of Major Depression. <i>Frontiers in Psychiatry</i> , 2018, 9, 424.	2.6	18
21	[123 I]²-CIT SPECT imaging of dopamine transporter availability after mazindol administration in human cocaine addicts. <i>Psychopharmacology</i> , 1998, 137, 321-325.	3.1	15
22	Molecular markers of neuroendocrine function and mitochondrial biogenesis associated with early life stress. <i>Psychoneuroendocrinology</i> , 2020, 116, 104632.	2.7	15
23	The role of physical activity enjoyment on the acute mood experience of exercise among smokers with elevated depressive symptoms. <i>Mental Health and Physical Activity</i> , 2017, 12, 37-43.	1.8	14
24	Sustained Care Smoking Cessation Intervention for Individuals Hospitalized for Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 839.	11.0	14
25	Development and preliminary pilot evaluation of a brief tablet computer intervention to motivate tobacco quitline use among smokers in substance use treatment. <i>American Journal on Addictions</i> , 2017, 26, 587-594.	1.4	9
26	Dose increase of S-Adenosyl-Methionine and escitalopram in a randomized clinical trial for major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 262, 118-125.	4.1	8
27	Anxiety sensitivity and daily cigarette smoking in relation to sleep disturbances in treatment-seeking smokers. <i>Cognitive Behaviour Therapy</i> , 2020, 49, 137-148.	3.5	6
28	Time-lagged predictors of daily medication nonadherence beliefs during the month post-hospital discharge in patients with psychoticâ€“spectrum disorders. <i>Psychiatry Research</i> , 2018, 270, 253-256.	3.3	5
29	Do deviations from the 5 sessions per week schedule impact outcomes of transcranial magnetic stimulation for major depressive disorder?. <i>Brain Stimulation</i> , 2020, 13, 1491-1493.	1.6	2
30	Neuroimmune signaling in neuropsychiatric disease. <i>Psychopharmacology</i> , 2019, 236, 2855-2855.	3.1	1
31	SAT-737 Low-Dose Testosterone Augmentation for Treatment-Resistant Depression in Women: An 8-Week, Two-Site, Randomized, Placebo-Controlled Study. <i>Journal of the Endocrine Society</i> , 2020, 4, .	0.2	0