
## **Thijs Reyniers**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3394540/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	International Variation in Place of Death of Older People Who Died From Dementia in 14 European and non-European Countries. Journal of the American Medical Directors Association, 2015, 16, 165-171.	2.5	105
2	Daily and eventâ€driven preâ€exposure prophylaxis for men who have sex with men in Belgium: results of a prospective cohort measuring adherence, sexual behaviour and STI incidence. Journal of the International AIDS Society, 2019, 22, e25407.	3.0	82
3	Choosing Between Daily and Event-Driven Pre-exposure Prophylaxis: Results of a Belgian PrEP Demonstration Project. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 186-194.	2.1	72
4	The acute hospital setting as a place of death and final care: A qualitative study on perspectives of family physicians, nurses and family carers. Health and Place, 2014, 27, 77-83.	3.3	58
5	What justifies a hospital admission at the end of life? A focus group study on perspectives of family physicians and nurses. Palliative Medicine, 2014, 28, 941-948.	3.1	45
6	The current landscape of pre-exposure prophylaxis service delivery models for HIV prevention: a scoping review. BMC Health Services Research, 2020, 20, 704.	2.2	41
7	Antibacterial mouthwash to prevent sexually transmitted infections in men who have sex with men taking HIV pre-exposure prophylaxis (PReGo): a randomised, placebo-controlled, crossover trial. Lancet Infectious Diseases, The, 2021, 21, 657-667.	9.1	29
8	First HIV prevalence estimates of a representative sample of adult sub-Saharan African migrants in a European city. Results of a community-based, cross-sectional study in Antwerp, Belgium. PLoS ONE, 2017, 12, e0174677.	2.5	28
9	Pre-Exposure Prophylaxis (PrEP) as an Additional Tool for HIV Prevention Among Men Who Have Sex With Men in Belgium: The Be-PrEP-ared Study Protocol. JMIR Research Protocols, 2017, 6, e11.	1.0	27
10	The Family Physician's Perceived Role in Preventing and Guiding Hospital Admissions at the End of Life: A Focus Group Study. Annals of Family Medicine, 2014, 12, 441-446.	1.9	21
11	Reasons for End-of-Life Hospital Admissions: Results of a Survey Among Family Physicians. Journal of Pain and Symptom Management, 2016, 52, 498-506.	1.2	21
12	Pre-exposure prophylaxis (PrEP) for men who have sex with men in Europe: review of evidence for a much needed prevention tool. Sexually Transmitted Infections, 2017, 93, 363-367.	1.9	20
13	High uptake of pre-exposure prophylaxis (PrEP) during early roll-out in Belgium: results from surveillance reports. Sexual Health, 2019, 16, 80.	0.9	19
14	Appropriateness and avoidability of terminal hospital admissions: Results of a survey among family physicians. Palliative Medicine, 2017, 31, 456-464.	3.1	17
15	PrEP for African migrants in Europe? A research agenda. Lancet HIV,the, 2016, 3, e505-e507.	4.7	13
16	Choosing eventâ€driven and daily HIV preâ€exposure prophylaxis – data from two European PrEP demonstration projects among men who have sex with men. Journal of the International AIDS Society, 2021, 24, e25768.	3.0	13
17	Worryingly high prevalence of resistance-associated mutations to macrolides and fluoroquinolones in Mycoplasma genitalium among men who have sex with men with recurrent sexually transmitted infections. International Journal of STD and AIDS, 2022, 33, 385-390.	1.1	9
18	The social meanings of PrEP use – A mixedâ€method study of PrEP use disclosure in Antwerp and Amsterdam. Sociology of Health and Illness, 2021, 43, 1311-1327.	2.1	7

Thijs Reyniers

#	Article	IF	CITATIONS
19	Congruence between Hypothetical Willingness to Use Pre-Exposure Prophylaxis (PrEP) and Eligibility: An Online Survey among Belgian Men Having Sex with Men. International Journal of Environmental Research and Public Health, 2019, 16, 4411.	2.6	6
20	Recurrent Sexually Transmitted Infections Among a Cohort of Men Who Have Sex With Men Using Preexposure Prophylaxis in Belgium Are Highly Associated With Sexualized Drug Use. Sexually Transmitted Diseases, 2021, 48, 726-732.	1.7	5
21	From Physical Distancing to Social Loneliness among Gay Men and Other Men Having Sex with Men in Belgium: Examining the Disruption of the Social Network and Social Support Structures. International Journal of Environmental Research and Public Health, 2022, 19, 6873.	2.6	5
22	The Impact of PrEP on the Sex Lives of MSM at High Risk for HIV Infection: Results of a Belgian Cohort. AIDS and Behavior, 2021, 25, 532-541.	2.7	4
23	Evaluation of the 'Colli-Pee', a first-void urine collection device for self-sampling at home for the detection of sexually transmitted infections, versus a routine clinic-based urine collection in a one-to-one comparison study design: efficacy and acceptability among MSM in Belgium. BMJ Open, 2019, 9, e028145.	1.9	3
24	Can We Predict Incorrect PrEP Use in High HIV Risk Situations Among Men Who Have Sex With Men? An Analysis of Be-PrEP-ared, the Belgian PrEP Demonstration Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 88, 36-44.	2.1	1