

Emmanuel Poulet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/339692/publications.pdf>

Version: 2024-02-01

85
papers

7,221
citations

117625

34
h-index

60623

81
g-index

91
all docs

91
docs citations

91
times ranked

7582
citing authors

#	ARTICLE	IF	CITATIONS
1	Evidence-based guidelines on the therapeutic use of repetitive transcranial magnetic stimulation (rTMS). <i>Clinical Neurophysiology</i> , 2014, 125, 2150-2206.	1.5	1,647
2	Evidence-based guidelines on the therapeutic use of transcranial direct current stimulation (tDCS). <i>Clinical Neurophysiology</i> , 2017, 128, 56-92.	1.5	1,213
3	Evidence-based guidelines on the therapeutic use of repetitive transcranial magnetic stimulation (rTMS): An update (2014â€“2018). <i>Clinical Neurophysiology</i> , 2020, 131, 474-528.	1.5	1,017
4	Examining Transcranial Direct-Current Stimulation (tDCS) as a Treatment for Hallucinations in Schizophrenia. <i>American Journal of Psychiatry</i> , 2012, 169, 719-724.	7.2	434
5	Effects of Fronto-Temporal Transcranial Direct Current Stimulation on Auditory Verbal Hallucinations and Resting-State Functional Connectivity of the Left Temporo-Parietal Junction in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016, 42, 318-326.	4.3	170
6	Slow transcranial magnetic stimulation can rapidly reduce resistant auditory hallucinations in schizophrenia. <i>Biological Psychiatry</i> , 2005, 57, 188-191.	1.3	153
7	Sham tDCS: A hidden source of variability? Reflections for further blinded, controlled trials. <i>Brain Stimulation</i> , 2019, 12, 668-673.	1.6	137
8	Low frequency repetitive transcranial magnetic stimulation improves source monitoring deficit in hallucinating patients with schizophrenia. <i>Schizophrenia Research</i> , 2006, 81, 41-45.	2.0	132
9	The Efficacy and Safety of Low Frequency Repetitive Transcranial Magnetic Stimulation for Treatment-resistant Depression: The Results From a Large Multicenter French RCT. <i>Brain Stimulation</i> , 2014, 7, 855-863.	1.6	87
10	Can transcranial direct current stimulation (tDCS) alleviate symptoms and improve cognition in psychiatric disorders?. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 261-275.	2.6	86
11	Suicidal behaviors and ideation during emerging viral disease outbreaks before the COVID-19 pandemic: A systematic rapid review. <i>Preventive Medicine</i> , 2020, 141, 106264.	3.4	85
12	Fronto-temporal transcranial Direct Current Stimulation (tDCS) reduces source-monitoring deficits and auditory hallucinations in patients with schizophrenia. <i>Schizophrenia Research</i> , 2015, 161, 515-516.	2.0	83
13	Resting-State Functional Connectivity of the Nucleus Accumbens in Auditory and Visual Hallucinations in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 291-299.	4.3	82
14	Anterior pallidal deep brain stimulation for Tourette's syndrome: a randomised, double-blind, controlled trial. <i>Lancet Neurology</i> , The, 2017, 16, 610-619.	10.2	82
15	How can cognitive remediation therapy modulate brain activations in schizophrenia?. <i>Psychiatry Research - Neuroimaging</i> , 2011, 192, 160-166.	1.8	75
16	Prefrontal cortex and impulsivity: Interest of noninvasive brain stimulation. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 71, 112-134.	6.1	74
17	Transcranial direct current stimulation in treatment-resistant obsessiveâ€“compulsive disorder: An open-label pilot study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 65, 153-157.	4.8	73
18	Repetitive transcranial magnetic stimulation treatment for depressive disorders. <i>Current Opinion in Psychiatry</i> , 2019, 32, 409-415.	6.3	72

#	ARTICLE	IF	CITATIONS
19	Transcranial Direct Current Stimulation for Obsessive-Compulsive Disorder: A Systematic Review. <i>Brain Sciences</i> , 2018, 8, 37.	2.3	70
20	Source monitoring deficits in hallucinating compared to non-hallucinating patients with schizophrenia. <i>European Psychiatry</i> , 2006, 21, 259-261.	0.2	66
21	Transcranial Direct Current Stimulation for the Treatment of Refractory Symptoms of Schizophrenia. Current Evidence and Future Directions. <i>Current Pharmaceutical Design</i> , 2015, 21, 3373-3383.	1.9	63
22	Impaired verbal source monitoring in schizophrenia: An intermediate trait vulnerability marker?. <i>Schizophrenia Research</i> , 2007, 89, 287-292.	2.0	60
23	Transcranial direct-current stimulation (tDCS) for bipolar depression: A systematic review and meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 78, 123-131.	4.8	57
24	Use of emergency department electronic medical records for automated epidemiological surveillance of suicide attempts: a French pilot study. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, e1522.	2.1	48
25	Efficacy of Cathodal Transcranial Direct Current Stimulation Over the Left Orbitofrontal Cortex in a Patient With Treatment-Resistant Obsessive-Compulsive Disorder. <i>Journal of ECT</i> , 2015, 31, 271-272.	0.6	47
26	Usefulness of the Montreal Cognitive Assessment (MoCA) to monitor cognitive impairments in depressed patients receiving electroconvulsive therapy. <i>Psychiatry Research</i> , 2018, 259, 476-481.	3.3	45
27	Ethnic minority position and migrant status as risk factors for psychotic symptoms in the general population: a meta-analysis. <i>Psychological Medicine</i> , 2019, 49, 545-558.	4.5	45
28	Effects of repeated transcranial direct current stimulation on smoking, craving and brain reactivity to smoking cues. <i>Scientific Reports</i> , 2018, 8, 8724.	3.3	43
29	Efficacy and safety of bifocal tDCS as an interventional treatment for refractory schizophrenia. <i>Brain Stimulation</i> , 2012, 5, 431-432.	1.6	42
30	A case report of cTBS for the treatment of auditory hallucinations in a patient with schizophrenia. <i>Brain Stimulation</i> , 2009, 2, 118-119.	1.6	39
31	Low- vs High-Frequency Repetitive Transcranial Magnetic Stimulation as an Add-On Treatment for Refractory Depression. <i>Frontiers in Psychiatry</i> , 2012, 3, 13.	2.6	38
32	Disrupting Pre-SMA Activity Impairs Facial Happiness Recognition: An Event-Related TMS Study. <i>Cerebral Cortex</i> , 2013, 23, 1517-1525.	2.9	37
33	Nicotine Smoking Prevents the Effects of Frontotemporal Transcranial Direct Current Stimulation (tDCS) in Hallucinating Patients With Schizophrenia. <i>Brain Stimulation</i> , 2015, 8, 1225-1227.	1.6	36
34	Perceived ethnic discrimination as a risk factor for psychotic symptoms: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1077-1089.	4.5	34
35	Maintenance Treatment With Transcranial Magnetic Stimulation in a Patient With Late-Onset Schizophrenia. <i>American Journal of Psychiatry</i> , 2008, 165, 537-538.	7.2	33
36	Duration but not intensity influences transcranial direct current stimulation (tDCS) after-effects on cortical excitability. <i>Neurophysiologie Clinique</i> , 2018, 48, 89-92.	2.2	32

#	ARTICLE	IF	CITATIONS
37	Is rTMS efficient as a maintenance treatment for auditory verbal hallucinations? A case report. <i>Schizophrenia Research</i> , 2006, 84, 183-184.	2.0	31
38	Three repeated sessions of transcranial random noise stimulation (tRNS) leads to long-term effects on reaction time in the Go/No Go task. <i>Neurophysiologie Clinique</i> , 2019, 49, 27-32.	2.2	27
39	Intermittent theta burst stimulation for negative symptoms of schizophrenia – A double-blind, sham-controlled pilot study. <i>NPJ Schizophrenia</i> , 2021, 7, 10.	3.6	26
40	Left temporoparietal transcranial magnetic stimulation in treatment-resistant schizophrenia with verbal hallucinations. <i>Psychiatry Research</i> , 2003, 120, 107-109.	3.3	23
41	Theta burst stimulation in the negative symptoms of schizophrenia and striatal dopamine release.. <i>Schizophrenia Research</i> , 2011, 131, 264-265.	2.0	23
42	Effects of theta burst stimulation on glutamate levels in a patient with negative symptoms of schizophrenia. <i>Schizophrenia Research</i> , 2009, 111, 196-197.	2.0	22
43	Effects of Aripiprazole, Risperidone, and Olanzapine on 5-HT1A Receptors in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 84-89.	1.4	22
44	Efficacy and safety of fronto-temporal transcranial random noise stimulation (tRNS) in drug-free patients with schizophrenia: A case study. <i>Schizophrenia Research</i> , 2014, 159, 251-252.	2.0	22
45	The Psychiatric Neuromodulation Unit. <i>Journal of ECT</i> , 2018, 34, 211-219.	0.6	22
46	Repetitive Transcranial Magnetic Stimulation to Treat Early-Onset Auditory Hallucinations. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012, 51, 947-949.	0.5	21
47	Encountering Patient Suicide During Psychiatric Training: An Integrative, Systematic Review. <i>Harvard Review of Psychiatry</i> , 2019, 27, 141-149.	2.1	21
48	Usefulness of repetitive transcranial magnetic stimulation as a maintenance treatment in patients with major depression. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 74-78.	2.6	20
49	Comparison between the WHO and NIAAA criteria for binge drinking on drinking features and alcohol-related aftermaths: Results from a cross-sectional study among eight emergency wards in France. <i>Drug and Alcohol Dependence</i> , 2017, 175, 92-98.	3.2	19
50	Neural effects of mindfulness-based interventions on patients with major depressive disorder: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 88, 98-105.	6.1	18
51	Anodal tDCS targeting the left temporo-parietal junction disrupts verbal reality-monitoring. <i>Neuropsychologia</i> , 2016, 89, 478-484.	1.6	17
52	An integrative systematic review of online resources and interventions for people bereaved by suicide. <i>Preventive Medicine</i> , 2021, 152, 106583.	3.4	17
53	Potential impact of bifrontal transcranial random noise stimulation (tRNS) on the semantic Stroop effect and its resting-state EEG correlates. <i>Neurophysiologie Clinique</i> , 2019, 49, 243-248.	2.2	16
54	Psychiatric and physical outcomes of long-term use of lithium in older adults with bipolar disorder and major depressive disorder: A cross-sectional multicenter study. <i>Journal of Affective Disorders</i> , 2019, 259, 210-217.	4.1	14

#	ARTICLE	IF	CITATIONS
55	How Much Do Benzodiazepines Matter for Electroconvulsive Therapy in Patients With Major Depression?. <i>Journal of ECT</i> , 2019, 35, 184-188.	0.6	14
56	Antisaccades as a follow-up tool in major depressive disorder therapies: A pilot study. <i>Psychiatry Research</i> , 2012, 200, 1051-1053.	3.3	13
57	Advancing clinical response characterization to frontotemporal transcranial direct current stimulation with electric field distribution in patients with schizophrenia and auditory hallucinations: a pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 85-92.	3.2	13
58	Repetitive transcranial magnetic stimulation (rTMS) for schizophrenia patients treated with clozapine. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 14-26.	2.6	11
59	Moving to accelerated protocols of tDCS in schizophrenia: A case report. <i>Brain Stimulation</i> , 2021, 14, 822-824.	1.6	11
60	Predicting treatment response to 1Hz rTMS using early self-rated clinical changes in major depression. <i>Brain Stimulation</i> , 2020, 13, 1603-1605.	1.6	10
61	Impaired Modulation of Corticospinal Excitability in Drug-Free Patients With Major Depressive Disorder: A Theta-Burst Stimulation Study. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 72.	2.0	9
62	Depression Reappraisal and Treatment Effect: Will Response Shift Help Improve the Estimation of Treatment Efficacy in Trials for Mood Disorders?. <i>Frontiers in Psychiatry</i> , 2019, 10, 420.	2.6	8
63	Attentional bias and response inhibition in severe obesity with food disinhibition: a study of P300 and N200 event-related potential. <i>International Journal of Obesity</i> , 2020, 44, 204-212.	3.4	8
64	The SUPPORT-S Protocol Study: A Postvention Program for Professionals After Patient or User Suicide. <i>Frontiers in Psychology</i> , 2020, 11, 805.	2.1	8
65	Impact of exposure to severe suicidal behaviours in patients during psychiatric training: An online French survey. <i>Microbial Biotechnology</i> , 2021, 15, 149-157.	1.7	8
66	Can seizure therapies and noninvasive brain stimulations prevent suicidality? A systematic review. <i>Brain and Behavior</i> , 2021, 11, e02144.	2.2	8
67	Successful switch to maintenance rTMS after maintenance ECT in refractory bipolar disorder. <i>Brain Stimulation</i> , 2010, 3, 238-239.	1.6	7
68	Recurrent Self-Limited Hyperthermia Following ECT for Catatonia in a Young Man with Cerebral Palsy. <i>Psychosomatics</i> , 2012, 53, 474-477.	2.5	7
69	Discovering the individual brain: brain stimulation in psychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 109-112.	3.2	7
70	Pertinence of Titration and Age-Based Dosing Methods for Electroconvulsive Therapy. <i>Journal of ECT</i> , 2018, 34, 220-226.	0.6	7
71	Examining transcranial random noise stimulation as an add-on treatment for persistent symptoms in schizophrenia (STIM TM Zo): a study protocol for a multicentre, double-blind, randomized sham-controlled clinical trial. <i>Trials</i> , 2021, 22, 964.	1.6	7
72	Identification of biopSychoSocial factors predictive of post-traumatic stress disorder in patients admitted to the Emergency department after a trauma (ISSUE): protocol for a multicenter prospective study. <i>BMC Psychiatry</i> , 2019, 19, 163.	2.6	6

#	ARTICLE	IF	CITATIONS
73	Higher Negative Self-Reference Level in Patients With Personality Disorders and Suicide Attempt(s) History During Biological Treatment for Major Depressive Disorder: Clinical Implications. <i>Frontiers in Psychology</i> , 2021, 12, 631614.	2.1	6
74	Repetitive transcranial magnetic stimulation can alleviate treatment-resistant depression in patients with progressive supranuclear palsy. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 1113-1114.	2.2	5
75	Prevention of post-concussion-like symptoms in patients presenting at the emergency room, early single eye movement desensitization, and reprocessing intervention versus usual care: study protocol for a two-center randomized controlled trial. <i>Trials</i> , 2018, 19, 555.	1.6	5
76	A meta-analysis of craving studies in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020, 222, 49-57.	2.0	5
77	Ten Sessions of 30 Min tDCS over 5 Days to Achieve Remission in Depression: A Randomized Pilot Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 782.	2.4	4
78	Left auditory cortex dysfunction in hallucinating patients with schizophrenia: An MEG study. <i>Clinical Neurophysiology</i> , 2013, 124, 823-824.	1.5	3
79	The association between <i>13 Reasons Why</i> and suicidal ideation and behaviors, mental health symptoms, and help-seeking behaviors in youths: An integrative systematic review. <i>International Journal of Mental Health</i> , 2022, 51, 319-344.	1.3	3
80	Apport de lâ€™imagerie dans le traitement des pathologies psychiatriques par stimulation magnÃ©tique transcrÃ©nienne rÃ©pÃ©tÃ©e (rTMS). <i>Annales Medico-Psychologiques</i> , 2015, 173, 263-266.	0.4	1
81	KÃ©tamine, dÃ©pression et suicide: vers une nouvelle classe dâ€™antidÃ©presseurs? <i>Annales Medico-Psychologiques</i> , 2017, 175, 121-126.	0.4	0
82	Lâ€™Ã©valuation psychiatrique au service dâ€™accueil des urgences: particularitÃ©s sÃ©miologiques. <i>Annales Medico-Psychologiques</i> , 2018, 176, 803-809.	0.4	0
83	DÃ©ficit de control de la fuente en pacientes con esquizofrenia que tienen alucinaciones comparado con los que no las tienen. <i>European Psychiatry (Ed EspaÃ±ola)</i> , 2006, 13, 409-411.	0.0	0
84	The Future of Brain Stimulation to Treat Hallucinations. , 2013, , 513-527.		0
85	Transcranial Direct Current Stimulation for the Treatment of Hallucinations in Patients with Schizophrenia. , 2020, , 239-248.		0