
Yannick Vermeiren

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3397057/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Behavioural and psychological symptoms ofÂdementia in Down syndrome: Early indicators ofÂclinical Alzheimer's disease?. Cortex, 2015, 73, 36-61. | 2.4 | 201 |
| 2 | Rapid Reconfiguration of the Functional Connectome after Chemogenetic Locus Coeruleus Activation. Neuron, 2019, 103, 702-718.e5. | 8.1 | 198 |
| 3 | Distinct amyloid-β and tau-associated microglia profiles in Alzheimer's disease. Acta Neuropathologica, 2021, 141, 681-696. | 7.7 | 167 |
| 4 | Targeting the norepinephrinergic system in Parkinson's disease and related disorders: The locus coeruleus story. Neurochemistry International, 2017, 102, 22-32. | 3.8 | 95 |
| 5 | Age―and diseaseâ€specific changes of the kynurenine pathway in Parkinson's and Alzheimer's disease. Journal of Neurochemistry, 2019, 151, 656-668. | 3.9 | 81 |
| 6 | Monoaminergic neurotransmitter alterations in postmortem brain regions of depressed and aggressive patients with Alzheimer's disease. Neurobiology of Aging, 2014, 35, 2691-2700. | 3.1 | 70 |
| 7 | Prevalence and associated behavioral symptoms of depression in mild cognitive impairment and dementia due to Alzheimer's disease. International Journal of Geriatric Psychiatry, 2013, 28, 947-958. | 2.7 | 58 |
| 8 | Brain Region-Specific Monoaminergic Correlates of Neuropsychiatric Symptoms in Alzheimer's Disease. Journal of Alzheimer's Disease, 2014, 41, 819-833. | 2.6 | 53 |
| 9 | Behavioral symptoms in mild cognitive impairment as compared with Alzheimer's disease and healthy older adults. International Journal of Geriatric Psychiatry, 2013, 28, 265-275. | 2.7 | 50 |
| 10 | Neuropsychiatric Disturbances in Alzheimer's Disease: What Have We Learned from Neuropathological Studies?. Current Alzheimer Research, 2016, 13, 1145-1164. | 1.4 | 50 |
| 11 | The monoaminergic footprint of depression and psychosis in dementia with Lewy bodies compared to Alzheimer's disease. Alzheimer's Research and Therapy, 2015, 7, 7. | 6.2 | 47 |
| 12 | A complete pupillometry toolbox for real-time monitoring of locus coeruleus activity in rodents. Nature Protocols, 2020, 15, 2301-2320. | 12.0 | 46 |
| 13 | The role of serotonin within the microbiota-gut-brain axis in the development of Alzheimer's disease: A narrative review. Ageing Research Reviews, 2022, 75, 101556. | 10.9 | 44 |
| 14 | Neutrophil Gelatinase-Associated Lipocalin and its Receptors in Alzheimer's Disease (AD) Brain Regions: Differential Findings in AD with and without Depression. Journal of Alzheimer's Disease, 2016, 55, 763-776. | 2.6 | 39 |
| 15 | The Behavioral and Psychological Symptoms of Dementia in Down Syndrome (BPSD-DS) Scale: Comprehensive Assessment of Psychopathology in Down Syndrome. Journal of Alzheimer's Disease, 2018, 63, 797-819. | 2.6 | 38 |
| 16 | Behavioral correlates of cerebrospinal fluid amino acid and biogenic amine neurotransmitter alterations in dementia. Alzheimer's and Dementia, 2013, 9, 488-498. | 0.8 | 37 |
| 17 | Novel and sensitive reversed-phase high-pressure liquid chromatography method with electrochemical detection for the simultaneous and fast determination of eight biogenic amines and metabolites in human brain tissue. Journal of Chromatography A, 2014, 1353, 28-39. | 3.7 | 36 |
| 18 | Brain Serotonergic and Noradrenergic Deficiencies in Behavioral Variant Frontotemporal Dementia Compared to Early-Onset Alzheimer's Disease. Journal of Alzheimer's Disease, 2016, 53, 1079-1096. | 2.6 | 33 |

YANNICK VERMEIREN

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Serum MHPG Strongly Predicts Conversion to Alzheimer's Disease in Behaviorally Characterized Subjects with Down Syndrome. Journal of Alzheimer's Disease, 2014, 43, 871-891. | 2.6 | 32 |
| 20 | Serotonergic Dysfunction in Amyotrophic Lateral Sclerosis and Parkinson's Disease: Similar Mechanisms, Dissimilar Outcomes. Frontiers in Neuroscience, 2018, 12, 185. | 2.8 | 32 |
| 21 | Contribution of rare homozygous and compound heterozygous VPS13C missense mutations to dementia with Lewy bodies and Parkinson's disease. Acta Neuropathologica Communications, 2021, 9, 25. | 5.2 | 23 |
| 22 | Associating Alzheimer's disease pathology with its cerebrospinal fluid biomarkers. Brain, 2022, 145, 4056-4064. | 7.6 | 19 |
| 23 | Serum NGAL is Associated with Distinct Plasma Amyloid-β Peptides According to the Clinical Diagnosis of Dementia in Down Syndrome. Journal of Alzheimer's Disease, 2015, 45, 733-743. | 2.6 | 17 |
| 24 | Cerebrospinal fluid and serum MHPG improve Alzheimer's disease versus dementia with Lewy bodies differential diagnosis. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 172-181. | 2.4 | 16 |
| 25 | Aging rather than aneuploidy affects monoamine neurotransmitters in brain regions of Down syndrome mouse models. Neurobiology of Disease, 2017, 105, 235-244. | 4.4 | 14 |
| 26 | Sampling issues of cerebrospinal fluid and plasma monoamines: Investigation of the circadian rhythm and rostrocaudal concentration gradient. Neurochemistry International, 2019, 128, 154-162. | 3.8 | 14 |
| 27 | Neurogranin as biomarker in CSF is non-specific to Alzheimer's disease dementia. Neurobiology of Aging, 2021, 108, 99-109. | 3.1 | 13 |
| 28 | Monoaminergic Markers Across the Cognitive Spectrum of Lewy Body Disease. Journal of Parkinson's Disease, 2018, 8, 71-84. | 2.8 | 12 |
| 29 | Monoaminergic and Kynurenergic Characterization of Frontotemporal Dementia and Amyotrophic Lateral Sclerosis in Cerebrospinal Fluid and Serum. Neurochemical Research, 2020, 45, 1191-1201. | 3.3 | 12 |
| 30 | 5-HT7 receptors in Alzheimer's disease. Neurochemistry International, 2021, 150, 105185. | 3.8 | 12 |
| 31 | Monoaminergic impairment in Down syndrome with Alzheimer's disease compared to earlyâ€onset Alzheimer's disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 99-111. | 2.4 | 9 |
| 32 | Pre-analytical stability of novel cerebrospinal fluid biomarkers. Clinica Chimica Acta, 2019, 497, 204-211. | 1.1 | 9 |
| 33 | iPSC-derived cortical neurons to study sporadic Alzheimer disease: A transcriptome comparison with post-mortem brain samples. Toxicology Letters, 2022, 356, 89-99. | 0.8 | 8 |
| 34 | Biofluid Markers for Prodromal Parkinson's Disease: Evidence From a Catecholaminergic Perspective. Frontiers in Neurology, 2020, 11, 595. | 2.4 | 7 |
| 35 | Hippocampal Sclerosis in Frontotemporal Dementia: When Vascular Pathology Meets Neurodegeneration. Journal of Neuropathology and Experimental Neurology, 2021, 80, 313-324. | 1.7 | 5 |
| 36 | Serum Glutamine Synthetase Has No Value as a Diagnostic Biomarker for Alzheimer's Disease. Neurochemical Research, 2011, 36, 1858-1862. | 3.3 | 3 |

| # | Article | IF | CITATIONS |
|----|--|-------------------|-----------|
| 37 | Chronic adolescent stress increases exploratory behavior but does not appear to change the acute stress response in adult male C57BL/6 mice. Neurobiology of Stress, 2021, 15, 100388. | 4.0 | 3 |
| 38 | Psychiatric Disorders in Dementia. , 2014, , 271-324. | | 1 |
| 39 | Serum Daytime Melatonin Levels Reflect Cerebrospinal Fluid Melatonin Levels in Alzheimer's Disease but Are Not Correlated with Cognitive Decline. Journal of Alzheimer's Disease, 2021, 83, 693-704. | 2.6 | 1 |
| 40 | Rapid Reconfiguration of the Functional Connectome after Chemogenetic Locus Coeruleus Activation. SSRN Electronic Journal, 0, , . | 0.4 | 1 |
| 41 | Plasma 5â€HIAA activity indicative of serotonergic disturbances in cognitively impaired, elderly patients experiencing postoperative delirium. International Journal of Geriatric Psychiatry, 2022, 37, . | 2.7 | 1 |
| 42 | P1-112: MONOAMINERGIC BRAIN TOPOCHEMISTRY IN ALZHEIMER'S DISEASE VERSUS HEALTHY ELDERLY. , 2014 10, P342-P342. | ` 2 | 0 |
| 43 | P2-148: MONOAMINERGIC NEUROTRANSMITTER LEVELS IN POST-MORTEM BRAIN REGIONS OF PATIENTS WITH LEWY BODY AND ALZHEIMER'S DEMENTIA: ASSOCIATION WITH DEPRESSION AND PSYCHOSIS. , 2014, 10, P526-P526. | | 0 |
| 44 | [P4–405]: MONOAMINERGIC CORRELATES OF DISINHIBITED BEHAVIOURS IN THE NOVEL TAU58/4 TRANSGEN MOUSE MODEL FOR TAUOPATHY. Alzheimer's and Dementia, 2017, 13, P1486. | IC _{0.8} | 0 |
| 45 | [P4–473]: BIOLOGICAL FLUID MONOAMINE LEVELS TO EXPLORE THE NEUROCHEMICAL CONTINUUM BETWEEN FRONTOTEMPORAL DEMENTIA AND AMYOTROPHIC LATERAL SCLEROSIS. Alzheimer's and Dementia, 2017, 13, P1514. | 0.8 | 0 |
| 46 | P2â€⊋28: PREâ€ANALYTICAL STABILITY OF NOVEL CEREBROSPINAL FLUID BIOMARKERS FOR DEMENTIA. Alzheimer's and Dementia, 2018, 14, P755. | 0.8 | 0 |
| 47 | ABCA7 PTC mutation carriers present with Alzheimer's disease pathology and cerebral amyloid angiopathy. Alzheimer's and Dementia, 2020, 16, e041513. | 0.8 | 0 |
| | | | |

48 Psychiatric Disorders in Dementia., 2021, , 317-385.

0