

Takayuki Hamano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3401480/publications.pdf>

Version: 2024-02-01

182
papers

6,473
citations

57758

44
h-index

79698

73
g-index

197
all docs

197
docs citations

197
times ranked

6536
citing authors

#	ARTICLE	IF	CITATIONS
1	Biopsy-proven CKD etiology and outcomes: the Chronic Kidney Disease Japan Cohort (CKD-JAC) study. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 384-395.	0.7	4
2	Pre-treatment hematuria and crescents predict estimated glomerular filtration rate trajectory after methylprednisolone pulse therapy with tonsillectomy for IgA nephropathy. <i>Journal of Nephrology</i> , 2022, 35, 441-449.	2.0	6
3	Mean corpuscular hemoglobin concentration: an anemia parameter predicting cardiovascular disease in incident dialysis patients. <i>Journal of Nephrology</i> , 2022, 35, 535-544.	2.0	10
4	Autopsy Findings of Heterozygous Fabry Disease with the Severe Phenotype: A Case Report. <i>Nephron</i> , 2022, 146, 203-208.	1.8	0
5	Relationship between shunt sounds at anastomotic sites and mean brachial artery blood flow and vascular resistance index according to Doppler ultrasound. <i>Nihon Toseki Igakkai Zasshi</i> , 2022, 55, 215-220.	0.1	0
6	A Comparative Study of Serum Phosphate and Related Parameters in Chronic Kidney Disease between the USA and Japan. <i>American Journal of Nephrology</i> , 2022, 53, 226-239.	3.1	3
7	Low-grade proteinuria and atherosclerotic cardiovascular disease: A transition study of patients with diabetic kidney disease. <i>PLoS ONE</i> , 2022, 17, e0264568.	2.5	1
8	POS-294 NEPHROLOGY REFERRAL SLOWS THE PROGRESSION OF CHRONIC KIDNEY DISEASE ESPECIALLY AMONG PATIENTS WITH PROTEINURIA OR ANEMIA: A SINGLE CENTER RETROSPECTIVE STUDY. <i>Kidney International Reports</i> , 2022, 7, S131-S132.	0.8	0
9	Parathyroidectomy vs Cinacalcet Among Patients Undergoing Hemodialysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 2016-2025.	3.6	13
10	Maxacalcitol (22-Oxacalcitriol (OCT)) Retards Progression of Left Ventricular Hypertrophy with Renal Dysfunction Through Inhibition of Calcineurin-NFAT Activity. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 381-397.	2.6	5
11	Combination of once-weekly haemodialysis with peritoneal dialysis is associated with lower mortality compared with peritoneal dialysis alone: a longitudinal study. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1610-1617.	2.9	12
12	Electrocardiogram findings at the initiation of hemodialysis and types of subsequent cardiovascular events. <i>Hypertension Research</i> , 2021, 44, 571-580.	2.7	4
13	Association of kidney transplantation with mortality on hemodialysis after graft failure. <i>Journal of Nephrology</i> , 2021, 34, 521-530.	2.0	0
14	Encapsulating Peritoneal Sclerosis and Mortality Related to Infection in Patients on Combination Once-Weekly Hemodialysis with Peritoneal Dialysis. <i>American Journal of Nephrology</i> , 2021, 52, 336-341.	3.1	2
15	Optimal Phosphate Control Related to Coronary Artery Calcification in Dialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 723-735.	6.1	41
16	Daprodustat Compared with Epoetin Beta Pegol for Anemia in Japanese Patients Not on Dialysis: A 52-Week Randomized Open-Label Phase 3 Trial. <i>American Journal of Nephrology</i> , 2021, 52, 26-35.	3.1	37
17	Pre-dialysis Hyponatremia and Change in Serum Sodium Concentration During a Dialysis Session Are Significant Predictors of Mortality in Patients Undergoing Hemodialysis. <i>Kidney International Reports</i> , 2021, 6, 342-350.	0.8	23
18	The effect of cholecalciferol supplementation on allograft function in incident kidney transplant recipients: A randomized controlled study. <i>American Journal of Transplantation</i> , 2021, 21, 3043-3054.	4.7	7

#	ARTICLE	IF	CITATIONS
19	2018 annual dialysis data report of the JSDT Renal Data Registry: patients with hepatitis. Renal Replacement Therapy, 2021, 7, .	0.7	5
20	MO547ASSOCIATION BETWEEN SERUM INDICES OF IRON METABOLISM AND CARDIOVASCULAR MORBIDITY IN PATIENTS WITH PREDIALYSIS CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2021, 36, .	0.7	0
21	Effect of Treating Hyperphosphatemia With Lanthanum Carbonate vs Calcium Carbonate on Cardiovascular Events in Patients With Chronic Kidney Disease Undergoing Hemodialysis. JAMA - Journal of the American Medical Association, 2021, 325, 1946.	7.4	37
22	Exercise-induced hypercalcemia and vasopressin-mediated bone resorption. Osteoporosis International, 2021, 32, 2533-2541.	3.1	4
23	Controversies in optimal anemia management: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Conference. Kidney International, 2021, 99, 1280-1295.	5.2	103
24	Correcting anemia and native vitamin D supplementation in kidney transplant recipients: a multicenter, 2Â—Â2 factorial, openâ€label, randomized clinical trial. Transplant International, 2021, 34, 1212-1225.	1.6	8
25	New Estimation Formulas for Daily Sodium Intake in Hemodialysis Patients by a Duplicate Portion Method. , 2021, , .		1
26	Annual dialysis data report of the 2018 JSDT Renal Data Registry: dementia, performance status, and exercise habits. Renal Replacement Therapy, 2021, 7, .	0.7	5
27	Variability in estimated glomerular filtration rate and patients' outcomes in a realâ€world heart failure population. ESC Heart Failure, 2021, , .	3.1	3
28	Renoprotection by longâ€term lowâ€dose tolvaptan in patients with heart failure and hyponatremia. ESC Heart Failure, 2021, 8, 4904-4914.	3.1	4
29	Cardiovascular disease history and ð²-blocker prescription patterns among Japanese and American patients with CKD: a cross-sectional study of the CRIC and CKD-JAC studies. Hypertension Research, 2021, 44, 700-710.	2.7	5
30	Association between the use of exchange devices for peritoneal dialysis fluids and peritonitis incidence: A nationwide cohort study. Peritoneal Dialysis International, 2021, , 089686082110515.	2.3	1
31	Prognostic value of hypochloremia versus hyponatremia among patients with chronic kidney diseaseâ€a retrospective cohort study. Nephrology Dialysis Transplantation, 2020, 35, 987-994.	0.7	21
32	Effect of cholecalciferol on serum hepcidin and parameters of anaemia and CKD-MBD among haemodialysis patients: a randomized clinical trial. Scientific Reports, 2020, 10, 15500.	3.3	6
33	International consensus definitions of clinical trial outcomes for kidney failure: 2020. Kidney International, 2020, 98, 849-859.	5.2	65
34	Recurrence of Proliferative Glomerulonephritis with Monoclonal Immunoglobulin G Deposits with a Striated Ultrastructure. Nephron, 2020, 144, 43-48.	1.8	2
35	Annual dialysis data report 2018, JSDT Renal Data Registry: dialysis fluid quality, hemodialysis and hemodiafiltration, peritoneal dialysis, and diabetes. Renal Replacement Therapy, 2020, 6, .	0.7	26
36	Serum phosphate levels modify the impact of parathyroid hormone levels on renal outcomes in kidney transplant recipients. Scientific Reports, 2020, 10, 13766.	3.3	5

#	ARTICLE	IF	CITATIONS
37	Evaluation of Hemodialysis Arteriovenous Bruit by Deep Learning. <i>Sensors</i> , 2020, 20, 4852.	3.8	11
38	Low plantar skin perfusion pressure predicts long-term atherosclerotic vascular events and mortality in maintenance haemodialysis patients. <i>Atherosclerosis</i> , 2020, 312, 66-71.	0.8	1
39	Glycated albumin and hemoglobin A1c levels and cause-specific mortality by patients's conditions among hemodialysis patients with diabetes: a 3-year nationwide cohort study. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001642.	2.8	9
40	Annual dialysis data report for 2018, JSDT Renal Data Registry: survey methods, facility data, incidence, prevalence, and mortality. <i>Renal Replacement Therapy</i> , 2020, 6, .	0.7	103
41	Long-term excess mortality after hip fracture in hemodialysis patients: a nationwide cohort study in Japan. <i>Journal of Bone and Mineral Metabolism</i> , 2020, 38, 718-729.	2.7	9
42	Lithocholic acid increases intestinal phosphate and calcium absorption in a vitamin D receptor dependent but transcellular pathway independent manner. <i>Kidney International</i> , 2020, 97, 1164-1180.	5.2	34
43	Hidden Hypocalcemia as a Risk Factor for Cardiovascular Events and All-Cause Mortality among Patients Undergoing Incident Hemodialysis. <i>Scientific Reports</i> , 2020, 10, 4418.	3.3	25
44	Seasonal variations in cause-specific mortality and transition to renal replacement therapy among patients with end-stage renal disease. <i>Scientific Reports</i> , 2020, 10, 2325.	3.3	9
45	Cholecalciferol Supplementation Attenuates Bone Loss in Incident Kidney Transplant Recipients: A Prespecified Secondary Endpoint Analysis of a Randomized Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2020, 37, 303-311.	2.8	7
46	Performance Status Modifies the Association Between Vitamin D Receptor Activator and Mortality or Fracture: A Prospective Cohort Study on the Japanese Society for Dialysis Therapy (JSDT) Renal Data Registry. <i>Journal of Bone and Mineral Research</i> , 2020, 37, 1489-1499.	2.8	2
47	Proteinuria-associated renal magnesium wasting leads to hypomagnesemia: a common electrolyte abnormality in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1154-1162.	0.7	36
48	Functional impairment attenuates the association between high serum phosphate and mortality in dialysis patients: a nationwide cohort study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1207-1216.	0.7	14
49	Low erythropoietin levels predict faster renal function decline in diabetic patients with anemia: a prospective cohort study. <i>Scientific Reports</i> , 2019, 9, 14871.	3.3	24
50	The association of the difference in hemoglobin levels before and after hemodialysis with the risk of 1-year mortality in patients undergoing hemodialysis. Results from a nationwide cohort study of the Japanese Renal Data Registry. <i>PLoS ONE</i> , 2019, 14, e0210533.	2.5	2
51	A collaborative, individual-level analysis compared longitudinal outcomes across the International Network of Chronic Kidney Disease (iNETCKD) cohorts. <i>Kidney International</i> , 2019, 96, 1217-1233.	5.2	33
52	2017 Kidney Disease: Improving Global Outcomes (KDIGO) Chronic Kidney Disease's Mineral and Bone Disorder (CKD-MBD) Guideline Update Implementation: Asia Summit Conference Report. <i>Kidney International Reports</i> , 2019, 4, 1523-1537.	0.8	29
53	Parathyroid hormone and premature thymus ageing in patients with chronic kidney disease. <i>Scientific Reports</i> , 2019, 9, 813.	3.3	10
54	Quantitative evaluation of visual function in patients with cornea verticillata associated with Fabry disease. <i>Acta Ophthalmologica</i> , 2019, 97, e1098-e1104.	1.1	8

#	ARTICLE	IF	CITATIONS
55	Renal involvement in the pathogenesis of mineral and bone disorder in dystrophin-deficient mdx mouse. <i>Journal of Physiological Sciences</i> , 2019, 69, 661-671.	2.1	3
56	Hemodialysis Product and Hip Fracture in Hemodialysis Patients: A Nationwide Cohort Study in Japan. <i>Therapeutic Apheresis and Dialysis</i> , 2019, 23, 507-517.	0.9	4
57	A Randomized Trial of Magnesium Oxide and Oral Carbon Adsorbent for Coronary Artery Calcification in Predialysis CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1073-1085.	6.1	98
58	Types of Erythropoietin-Stimulating Agents and Mortality among Patients Undergoing Hemodialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1037-1048.	6.1	76
59	Predictors of outcomes in patients on peritoneal dialysis: A 2-year nationwide cohort study. <i>Scientific Reports</i> , 2019, 9, 3967.	3.3	18
60	Glycemic control and survival in peritoneal dialysis patients with diabetes: A 2-year nationwide cohort study. <i>Scientific Reports</i> , 2019, 9, 3320.	3.3	21
61	Dialysis Initiation, modality choice, access, and prescription: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019, 96, 37-47.	5.2	235
62	Predilution online hemodiafiltration is associated with improved survival compared with hemodialysis. <i>Kidney International</i> , 2019, 95, 929-938.	5.2	64
63	Authors' Reply. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1773-1776.	6.1	0
64	Inflammation as a predictor of acute kidney injury and mediator of higher mortality after acute kidney injury in non-cardiac surgery. <i>Scientific Reports</i> , 2019, 9, 20260.	3.3	38
65	Transient Cornea Verticillata of Unknown Etiology: A Case Report. <i>Cornea</i> , 2019, 38, e16-e17.	1.7	1
66	VEGF-A Links Angiolymphoid Hyperplasia With Eosinophilia (ALHE) to THSD7A Membranous Nephropathy: A Report of 2 Cases. <i>American Journal of Kidney Diseases</i> , 2019, 73, 880-885.	1.9	20
67	Low magnesium diet aggravates phosphate-induced kidney injury. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1310-1319.	0.7	19
68	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019, 73, 206-217.	1.9	49
69	Annual dialysis data report 2017, JSDT Renal Data Registry. <i>Renal Replacement Therapy</i> , 2019, 5, .	0.7	85
70	Glycated albumin versus hemoglobin A1c and mortality in diabetic hemodialysis patients: a cohort study. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1150-1158.	0.7	29
71	In response to "benefits and risks of intensive blood pressure lowering in advanced chronic kidney disease". <i>Journal of Internal Medicine</i> , 2018, 283, 607-610.	6.0	1
72	Association of Pre-ESRD Serum Calcium With Post-ESRD Mortality Among Incident ESRD Patients: A Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1027-1036.	2.8	17

#	ARTICLE	IF	CITATIONS
73	Vitamin D and renal outcome: the fourth outcome of CKD-MBD? Oshima Award Address 2015. Clinical and Experimental Nephrology, 2018, 22, 249-256.	1.6	7
74	Annual Dialysis Data Report 2015, JSDT Renal Data Registry. Renal Replacement Therapy, 2018, 4, .	0.7	42
75	Protein carbamylation exacerbates vascular calcification. Kidney International, 2018, 94, 72-90.	5.2	52
76	Rationale, design, and characteristics of a trial to evaluate the new phosphate iron-based binder sucroferric oxyhydroxide in dialysis patients with the goal of advancing the practice of E.B.M. (EPISODE). Clinical and Experimental Nephrology, 2018, 22, 967-972.	1.6	6
77	Estimated glomerular filtration rate and the riskâ€benefit profile of intensive blood pressure control amongst nondiabetic patients: a post hoc analysis of a randomized clinical trial. Journal of Internal Medicine, 2018, 283, 314-327.	6.0	52
78	Tolvaptan promotes urinary excretion of sodium and urea: a retrospective cohort study. Clinical and Experimental Nephrology, 2018, 22, 550-561.	1.6	9
79	Anion Gap as a Determinant of Ionized Fraction of Divalent Cations in Hemodialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 274-281.	4.5	28
80	Magnesium and Risk of Hip Fracture among Patients Undergoing Hemodialysis. Journal of the American Society of Nephrology: JASN, 2018, 29, 991-999.	6.1	55
81	Hip Fracture Trends in Japanese Dialysis Patients, 2008-2013. American Journal of Kidney Diseases, 2018, 71, 173-181.	1.9	22
82	Antioxidant role of autophagy in maintaining the integrity of glomerular capillaries. Autophagy, 2018, 14, 53-65.	9.1	49
83	Annual Dialysis Data Report 2016, JSDT Renal Data Registry. Renal Replacement Therapy, 2018, 4, .	0.7	67
84	FP479EXCHANGE DEVICES FOR PERITONEAL DIALYSIS FLUIDS USE AND PERITONITIS INCIDENCE: A NATIONWIDE COHORT STUDY. Nephrology Dialysis Transplantation, 2018, 33, i198-i198.	0.7	0
85	Kidney Allograft Histology in Recipients with Transplantation Vintage Longer than 10 Years. Transplantation, 2018, 102, S488.	1.0	0
86	Magnesium and Progression of Chronic Kidney Disease: Benefits Beyond Cardiovascular Protection?. Advances in Chronic Kidney Disease, 2018, 25, 274-280.	1.4	36
87	Rate of the â€œburnt-out diabetesâ€phenomenon in patients on peritoneal dialysis. Diabetes Research and Clinical Practice, 2018, 143, 254-262.	2.8	7
88	Magnesium in Hemodialysis Patients: A New Understanding of the Old Problem. Contributions To Nephrology, 2018, 196, 58-63.	1.1	8
89	Higher dialysate calcium concentration is associated with incident myocardial infarction among diabetic patients with low bone turnover: a longitudinal study. Scientific Reports, 2018, 8, 10060.	3.3	9
90	Cardiac hypertrophy elevates serum levels of fibroblast growth factor 23. Kidney International, 2018, 94, 60-71.	5.2	53

#	ARTICLE	IF	CITATIONS
91	Vitamin D and Calcimimetics in Cardiovascular Disease. <i>Seminars in Nephrology</i> , 2018, 38, 251-266.	1.6	16
92	Severe Osteomalacia with Dent Disease Caused by a Novel Intronic Mutation of the <i>CLCN5</i> gene. <i>Internal Medicine</i> , 2018, 57, 3603-3610.	0.7	5
93	Mineral and bone disorders in conventional hemodialysis: Challenges and solutions. <i>Seminars in Dialysis</i> , 2018, 31, 592-598.	1.3	7
94	Red cell distribution width and renal outcome in patients with non-dialysis-dependent chronic kidney disease. <i>PLoS ONE</i> , 2018, 13, e0198825.	2.5	16
95	Vitamin D Receptor Activator Use and Cause-specific Death among dialysis Patients: a Nationwide Cohort Study using Coarsened Exact Matching. <i>Scientific Reports</i> , 2017, 7, 41170.	3.3	15
96	Association of Parameters of Mineral Bone Disorder with Mortality in Patients on Hemodialysis according to Level of Residual Kidney Function. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1118-1127.	4.5	26
97	Is there a “burnt-out diabetes” phenomenon in patients on hemodialysis?. <i>Diabetes Research and Clinical Practice</i> , 2017, 130, 211-220.	2.8	27
98	The Authors Reply. <i>Kidney International</i> , 2017, 91, 989-990.	5.2	0
99	Clinical features of CKD-MBD in Japan: cohort studies and registry. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 9-20.	1.6	7
100	Neglected visual function impairment associated with cornea verticillata due to Fabry disease. <i>Internal Medicine Journal</i> , 2017, 47, 969-971.	0.8	1
101	Lipophagy maintains energy homeostasis in the kidney proximal tubule during prolonged starvation. <i>Autophagy</i> , 2017, 13, 1629-1647.	9.1	47
102	Lymphocyte Cell Ratios and Mortality among Incident Hemodialysis Patients. <i>American Journal of Nephrology</i> , 2017, 46, 408-416.	3.1	53
103	High-Performance Membrane Dialyzers and Mortality in Hemodialysis Patients: A 2-Year Cohort Study from the Annual Survey of the Japanese Renal Data Registry. <i>American Journal of Nephrology</i> , 2017, 46, 82-92.	3.1	32
104	Annual Dialysis Data Report 2014, JSDT Renal Data Registry (JRDR). <i>Renal Replacement Therapy</i> , 2017, 3, .	0.7	41
105	Annual peritoneal dialysis report 2014, the peritoneal dialysis registry. <i>Renal Replacement Therapy</i> , 2017, 3, .	0.7	2
106	SP316HIDDEN HYPOCALCEMIA DIAGNOSED BY IONIZED CALCIUM IS PREVALENT IN EARLY CKD STAGES. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii213-iii214.	0.7	0
107	Effects of Magnesium on the Phosphate Toxicity in Chronic Kidney Disease: Time for Intervention Studies. <i>Nutrients</i> , 2017, 9, 112.	4.1	33
108	Effect of dialyzer membrane materials on survival in chronic hemodialysis patients: Results from the annual survey of the Japanese Nationwide Dialysis Registry. <i>PLoS ONE</i> , 2017, 12, e0184424.	2.5	52

#	ARTICLE	IF	CITATIONS
109	VIII. How to Manage Serum Phosphate Levels in Predialysis Patients with CKD in the Paradigm of CKD-MBD. The Journal of the Japanese Society of Internal Medicine, 2017, 106, 959-965.	0.0	0
110	Peritoneal Dialysis Registry With 2013 Survey Report. Therapeutic Apheresis and Dialysis, 2016, 20, 557-568.	0.9	12
111	Intravenous Vitamin B6 Increases Resistance to Erythropoiesis-Stimulating Agents in Hemodialysis Patients: A Randomized Controlled Trial. , 2016, 26, 380-390.		12
112	An unusual case of acute kidney injury afterÂcolonoscopy. Kidney International, 2016, 90, 711.	5.2	2
113	Azilsartan Improves Salt Sensitivity by Modulating the Proximal Tubular Na+-H+ Exchanger-3 in Mice. PLoS ONE, 2016, 11, e0147786.	2.5	13
114	Association between Density of Coronary Artery Calcification and Serum Magnesium Levels among Patients with Chronic Kidney Disease. PLoS ONE, 2016, 11, e0163673.	2.5	42
115	An Overview of Regular Dialysis Treatment in Japan (As of 31 December 2013). Therapeutic Apheresis and Dialysis, 2015, 19, 540-574.	0.9	275
116	Peritoneal Dialysis Registry With 2012 Survey Report. Therapeutic Apheresis and Dialysis, 2015, 19, 529-539.	0.9	11
117	FP426OSTEOPOROSIS PATIENTS WITH HIGH BONE TURNOVER MARKER ARE MORE LIKELY TO DEVELOP HYPOCALCEMIA AFTER RECEIVING ANTI-RESORPTIVE THERAPY. Nephrology Dialysis Transplantation, 2015, 30, iii212-iii212.	0.7	1
118	Pre- and/or Intra-Operative Prescription of Diuretics, but Not Renin-Angiotensin-System Inhibitors, Is Significantly Associated with Acute Kidney Injury after Non-Cardiac Surgery: A Retrospective Cohort Study. PLoS ONE, 2015, 10, e0132507.	2.5	35
119	Prevalence and Prognostic Implications of Vitamin D Deficiency in Chronic Kidney Disease. Disease Markers, 2015, 2015, 1-9.	1.3	48
120	Excess 25-hydroxyvitamin D3 exacerbates tubulointerstitial injury in mice by modulating macrophage phenotype. Kidney International, 2015, 88, 1013-1029.	5.2	25
121	Magnesium modifies the association between serum phosphate and the risk of progression to end-stage kidney disease in patients with non-diabetic chronic kidney disease. Kidney International, 2015, 88, 833-842.	5.2	56
122	Urine Osmolarity Predicts the Body Weight-Reduction Response to Tolvaptan in Chronic Kidney Disease Patients: A Retrospective, Observational Study. Nephron, 2015, 130, 8-12.	1.8	14
123	Thresholds of iron markers for iron deficiency erythropoiesisâ€”finding of the Japanese nationwide dialysis registry. Kidney International Supplements, 2015, 5, 23-32.	14.2	28
124	Klotho upregulation by rapamycin protects against vascular disease in CKD. Kidney International, 2015, 88, 660-662.	5.2	16
125	Mineral Metabolism Markers Are Associated with Myocardial Infarction and Hemorrhagic Stroke but Not Ischemic Stroke in Hemodialysis Patients: A Longitudinal Study. PLoS ONE, 2014, 9, e114678.	2.5	17
126	Fibroblast Growth Factor-23 and Cardiovascular Events in CKD. Journal of the American Society of Nephrology: JASN, 2014, 25, 349-360.	6.1	380

#	ARTICLE	IF	CITATIONS
127	Multidetector-row computed tomography is useful to evaluate the therapeutic effects of bisphosphonates in glucocorticoid-induced osteoporosis. Journal of Bone and Mineral Metabolism, 2014, 32, 271-280.	2.7	16
128	Vitamin D Deficiency Predicts Decline in Kidney Allograft Function: A Prospective Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 527-535.	3.6	52
129	Dietary L-Lysine Prevents Arterial Calcification in Adenine-Induced Uremic Rats. Journal of the American Society of Nephrology: JASN, 2014, 25, 1954-1965.	6.1	47
130	An Overview of Regular Dialysis Treatment in Japan (as of 31 December 2012). Therapeutic Apheresis and Dialysis, 2014, 18, 535-602.	0.9	115
131	Overview of Regular Dialysis Treatment in Japan (as of 31 December 2011). Therapeutic Apheresis and Dialysis, 2013, 17, 567-611.	0.9	132
132	Urine neutrophil gelatinase-associated lipocalin levels do not improve risk prediction of progressive chronic kidney disease. Kidney International, 2013, 83, 909-914.	5.2	87
133	Protein-energy wasting. Nephrology Dialysis Transplantation, 2013, 28, i487-i497.	0.7	0
134	Fibroblast growth factor 23 is not associated with and does not induce arterial calcification. Kidney International, 2013, 83, 1159-1168.	5.2	291
135	Retention of fetuin-A in renal tubular lumen protects the kidney from nephrocalcinosis in rats. American Journal of Physiology - Renal Physiology, 2013, 304, F751-F760.	2.7	32
136	Combination of Factor H Mutation and Properdin Deficiency Causes Severe C3 Glomerulonephritis. Journal of the American Society of Nephrology: JASN, 2013, 24, 53-65.	6.1	82
137	Serum Phosphate and Calcium Should Be Primarily and Consistently Controlled in Prevalent Hemodialysis Patients. Therapeutic Apheresis and Dialysis, 2013, 17, 221-228.	0.9	133
138	Fibroblast growth factor 23 and 25-hydroxyvitamin D levels are associated with estimated glomerular filtration rate decline. Kidney International Supplements, 2013, 3, 469-475.	14.2	20
139	Clinical epidemiology and CKD 1-5. Nephrology Dialysis Transplantation, 2012, 27, ii18-ii20.	0.7	1
140	Combined Use of Vitamin D Status and FGF23 for Risk Stratification of Renal Outcome. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 810-819.	4.5	110
141	Orally Active Vitamin D for Potential Chemoprevention of Posttransplant Malignancy. Cancer Prevention Research, 2012, 5, 1229-1235.	1.5	17
142	Pathophysiology CKD 5D. Nephrology Dialysis Transplantation, 2012, 27, ii511-ii516.	0.7	4
143	Clinical Nephrology - Epidemiology I. Nephrology Dialysis Transplantation, 2012, 27, ii121-ii132.	0.7	3
144	Intact fibroblast growth factor 23 levels predict incident cardiovascular event before but not after the start of dialysis. Bone, 2012, 50, 1266-1274.	2.9	76

#	ARTICLE	IF	CITATIONS
145	An Overview of Regular Dialysis Treatment in Japan (As of 31 December 2010). Therapeutic Apheresis and Dialysis, 2012, 16, 483-521.	0.9	111
146	Maxacalcitol ameliorates tubulointerstitial fibrosis in obstructed kidneys by recruiting PPM1A/VDR complex to pSmad3. Laboratory Investigation, 2012, 92, 1686-1697.	3.7	37
147	Reply to “FGF23 adds value to risk prediction in patients with chronic kidney disease”. Bone, 2012, 51, 832-833.	2.9	2
148	Dialysis vintage and parathyroid hormone level, not fibroblast growth factor-23, determines chronic-phase phosphate wasting after renal transplantation. Bone, 2012, 51, 729-736.	2.9	21
149	Changes in vitamin D binding protein and vitamin D concentrations associated with liver transplantation. Liver International, 2012, 32, 287-296.	3.9	26
150	Overview of Regular Dialysis Treatment in Japan (as of 31 December 2009). Therapeutic Apheresis and Dialysis, 2012, 16, 11-53.	0.9	83
151	Vitamin D supplementation in renal disease: is calcitriol all that is needed?. Scandinavian Journal of Clinical and Laboratory Investigation, Supplement, 2012, 243, 120-3.	2.7	2
152	Guideline “Practice Gap in the Management of Predialysis Chronic Kidney Disease Mineral Bone Disorder in Japan. Therapeutic Apheresis and Dialysis, 2011, 15, 2-8.	0.9	13
153	Comparison between Whole and Intact Parathyroid Hormone Assays. Therapeutic Apheresis and Dialysis, 2011, 15, 42-49.	0.9	30
154	Overview of Regular Dialysis Treatment in Japan (as of 31 December 2008). Therapeutic Apheresis and Dialysis, 2010, 14, 505-540.	0.9	151
155	Fetuin-Mineral Complex Reflects Extrasosseous Calcification Stress in CKD. Journal of the American Society of Nephrology: JASN, 2010, 21, 1998-2007.	6.1	195
156	Cigarette Smoking and Progression of IgA Nephropathy. American Journal of Kidney Diseases, 2010, 56, 313-324.	1.9	84
157	The CXCL12 (SDF-1)/CXCR4 Axis Is Essential for the Development of Renal Vasculature. Journal of the American Society of Nephrology: JASN, 2009, 20, 1714-1723.	6.1	149
158	Women with a history of preeclampsia should be monitored for the onset and progression of chronic kidney disease. Nature Clinical Practice Nephrology, 2009, 5, 8-9.	2.0	8
159	Active vitamin D and its analogue, 22-oxacalcitriol, ameliorate puromycin aminonucleoside-induced nephrosis in rats. Nephrology Dialysis Transplantation, 2009, 24, 2354-2361.	0.7	53
160	Pharmacokinetics of olmesartan medoxomil in hemodialysis patients: little effect of dialysis upon its pharmacokinetics. Clinical and Experimental Nephrology, 2009, 13, 61-65.	1.6	9
161	An Overview of Regular Dialysis Treatment in Japan (As of 31 December 2007). Therapeutic Apheresis and Dialysis, 2009, 13, 457-504.	0.9	90
162	Serum 25-hydroxyvitamin D as an independent determinant of 1-84 PTH and bone mineral density in non-diabetic predialysis CKD patients. Bone, 2009, 44, 678-683.	2.9	43

#	ARTICLE	IF	CITATIONS
163	Usefulness of bone resorption markers in hemodialysis patients. Bone, 2009, 45, S19-S25.	2.9	16
164	The impact of diabetes mellitus on vitamin D metabolism in predialysis patients. Bone, 2009, 45, 949-955.	2.9	56
165	Fully phosphorylated fetuin-A forms a mineral complex in the serum of rats with adenine-induced renal failure. Kidney International, 2009, 75, 915-928.	5.2	117
166	Response to "Mineral complexes and vascular calcification". Kidney International, 2009, 76, 915-916.	5.2	3
167	Overview of Regular Dialysis Treatment in Japan as of 31 st December 2006. Therapeutic Apheresis and Dialysis, 2008, 12, 428-456.	0.9	63
168	Acute renal failure with severe loin pain after anaerobic exercise (ALPE): detection of patchy renal ischaemia by contrast-enhanced colour Doppler. CKJ: Clinical Kidney Journal, 2008, 1, 120-121.	2.9	2
169	Serum Osteoprotegerin as a Screening Tool for Coronary Artery Calcification Score in Diabetic Pre-Dialysis Patients. Hypertension Research, 2008, 31, 1163-1170.	2.7	62
170	Is calcitriol treatment associated with improved survival in predialysis patients with chronic kidney disease?. Nature Clinical Practice Nephrology, 2008, 4, 416-417.	2.0	0
171	Risedronate, an effective treatment for glucocorticoid-induced bone loss in CKD patients with or without concomitant active vitamin D (PRIUS-CKD). Nephrology Dialysis Transplantation, 2007, 22, 1601-1607.	0.7	27
172	Integrated therapies including erythropoietin decrease the incidence of dialysis: lessons from mapping the incidence of end-stage renal disease in Japan. Nephrology Dialysis Transplantation, 2007, 23, 984-990.	0.7	17
173	Daily versus thrice-weekly hemodialysis for phosphorus control. Nature Clinical Practice Nephrology, 2007, 3, 364-365.	2.0	0
174	Overview of Regular Dialysis Treatment in Japan (as of 31 st December 2005). Therapeutic Apheresis and Dialysis, 2007, 11, 411-441.	0.9	56
175	Serum NTX is a practical marker for assessing antiresorptive therapy for glucocorticoid treated patients with chronic kidney disease. Bone, 2006, 39, 1067-1072.	2.9	11
176	Different Routes Bridging Calcium in Japanese Hemodialysis Patients. Therapeutic Apheresis and Dialysis, 2005, 9, 32-38.	0.9	4
177	Impact of lowering dialysate calcium concentration on serum bone turnover markers in hemodialysis patients. Bone, 2005, 36, 909-916.	2.9	21
178	Activation of the Signal Transducer and Activator of Transcription Signaling Pathway in Renal Proximal Tubular Cells by Albumin. Journal of the American Society of Nephrology: JASN, 2004, 15, 276-285.	6.1	87
179	Induction of Glia Maturation Factor-1 ² in Proximal Tubular Cells Leads to Vulnerability to Oxidative Injury through the p38 Pathway and Changes in Antioxidant Enzyme Activities. Journal of Biological Chemistry, 2003, 278, 33519-33527.	3.4	44
180	Phosphoglycerate kinase deficiency: An adult myopathic form with a novel mutation. Neurology, 2000, 54, 1188-1190.	1.1	33

#	ARTICLE	IF	CITATIONS
181	Amyloid β -protein (A β) Accumulation in the Leptomeninges during Aging and in Alzheimer Disease. Journal of Neuropathology and Experimental Neurology, 1997, 56, 922-932.	1.7	32
182	Vibration-evoked sensory nerve action potentials derived from Pacinian corpuscles. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1993, 89, 278-286.	2.0	8