Yibin Deng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/340393/publications.pdf

Version: 2024-02-01

35	2,289	19	29
papers	citations	h-index	g-index
36	36	36	4519 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Epidermal Fatty Acid‒Binding Protein Mediates Depilatory-Induced Acute Skin Inflammation. Journal of Investigative Dermatology, 2022, 142, 1824-1834.e7.	0.7	4
2	Identifying and treating <i>ROBO1</i> ^{â°ve} / <i>DOCK1</i> ^{+ve} prostate cancer: An aggressive cancer subtype prevalent in African American patients. Prostate, 2020, 80, 1045-1057.	2.3	5
3	A novel terpenoid class for prevention and treatment of <i>KRAS</i> à€driven cancers: Comprehensive analysis using in situ, in vitro, and in vivo model systems. Molecular Carcinogenesis, 2020, 59, 886-896.	2.7	9
4	Visualization of two architectures in class-II CAP-dependent transcription activation. PLoS Biology, 2020, 18, e3000706.	5 . 6	25
5	Characterization of Novel Murine and Human PDAC Cell Models: Identifying the Role of Intestine Specific Homeobox Gene ISX in Hypoxia and Disease Progression. Translational Oncology, 2019, 12, 1056-1071.	3.7	3
6	Vasodilator-stimulated phosphoprotein promotes liver metastasis of gastrointestinal cancer by activating a \hat{l}^21 -integrin-FAK-YAP1/TAZ signaling pathway. Npj Precision Oncology, 2018, 2, 2.	5 . 4	18
7	L3MBTL2 orchestrates ubiquitin signalling by dictating the sequential recruitment of RNF8 and RNF168 after DNA damage. Nature Cell Biology, 2018, 20, 455-464.	10.3	84
8	CPTP: A sphingolipid transfer protein that regulates autophagy and inflammasome activation. Autophagy, 2018, 14, 862-879.	9.1	47
9	Heterozygous deletion of chromosome 17p renders prostate cancer vulnerable to inhibition of RNA polymerase II. Nature Communications, 2018, 9, 4394.	12.8	27
10	<i>BMI1</i> Drives Metastasis of Prostate Cancer in Caucasian and African-American Men and Is A Potential Therapeutic Target: Hypothesis Tested in Race-specific Models. Clinical Cancer Research, 2018, 24, 6421-6432.	7.0	28
11	Abstract 270: Effect of dietary methylseleninic acid and Se-methylselenocysteine on carcinogen-induced, androgen-promoted prostate carcinogenesis in rats. , 2018, , .		1
12	Targeting IRES-Mediated p53 Synthesis for Cancer Diagnosis and Therapeutics. International Journal of Molecular Sciences, 2017, 18, 93.	4.1	21
13	Abstract 1246: Development of a novel KRAS-targeting agent: systematic validation usingin silico, in solution, cell models, PDX and transgenic mouse models. , 2017, , .		0
14	Abstract 1264: Studying senescence in prostate of selenium treated rats undergoing carcinogen-induced, androgen-promoted prostate carcinogenesis., 2017,,.		0
15	Co-targeting hexokinase 2-mediated Warburg effect and ULK1-dependent autophagy suppresses tumor growth of PTEN- and TP53- deficiency-driven castration-resistant prostate cancer. EBioMedicine, 2016, 7, 50-61.	6.1	56
16	Inhibition of glycolytic enzyme hexokinase II (HK2) suppresses lung tumor growth. Cancer Cell International, 2016, 16, 9.	4.1	68
17	Cancer chemoprevention research with selenium in the post-SELECT era: Promises and challenges. Nutrition and Cancer, 2016, 68, 1-17.	2.0	71
18	Methylseleninic Acid Superactivates p53-Senescence Cancer Progression Barrier in Prostate Lesions of <i>Pten</i> -Knockout Mouse. Cancer Prevention Research, 2016, 9, 35-42.	1.5	17

#	Article	IF	Citations
19	A natural small molecule, catechol, induces c-Myc degradation by directly targeting ERK2 in lung cancer. Oncotarget, 2016, 7, 35001-35014.	1.8	32
20	Abstract 1633: Vasodilator-stimulated phosphoprotein promotes \hat{l}^21 -integrin-FAK-YAP1/TAZ signaling axis that is required for liver metastasis of GI cancer. , 2016, , .		0
21	Targeting hexokinase 2 in castration-resistant prostate cancer. Molecular and Cellular Oncology, 2015, 2, e974465.	0.7	20
22	Methylseleninic Acid Suppresses Pancreatic Cancer Growth Involving Multiple Pathways. Nutrition and Cancer, 2014, 66, 295-307.	2.0	16
23	Hexokinase 2-Mediated Warburg Effect Is Required for PTEN- and p53-Deficiency-Driven Prostate Cancer Growth. Cell Reports, 2014, 8, 1461-1474.	6.4	233
24	Destruction of Full-Length Androgen Receptor by Wild-Type SPOP, but Not Prostate-Cancer-Associated Mutants. Cell Reports, 2014, 6, 657-669.	6.4	217
25	BMI1 Polycomb Group Protein Acts as a Master Switch for Growth and Death of Tumor Cells: Regulates TCF4-Transcriptional Factor-Induced BCL2 Signaling. PLoS ONE, 2013, 8, e60664.	2.5	33
26	Epicatechinâ€rich cocoa polyphenol inhibits Krasâ€activated pancreatic ductal carcinoma cell growth ⟨i⟩in vitro⟨ i⟩ and in a mouse model. International Journal of Cancer, 2012, 131, 1720-1731.	5.1	46
27	Abstract 3497: A novel pathway involving Tcf-driven Bcl2 under regulation of Bmi-1 stem cell factor: Role in chemoresistance., 2012,,.		0
28	Role for PKC in Fenretinide-Mediated Apoptosis in Lymphoid Leukemia Cells. Journal of Signal Transduction, 2010, 2010, 1-15.	2.0	16
29	Pot1b Deletion and Telomerase Haploinsufficiency in Mice Initiate an ATR-Dependent DNA Damage Response and Elicit Phenotypes Resembling Dyskeratosis Congenita. Molecular and Cellular Biology, 2009, 29, 229-240.	2.3	89
30	Multiple roles for MRE11 at uncapped telomeres. Nature, 2009, 460, 914-918.	27.8	170
31	Telomere dysfunction and tumour suppression: the senescence connection. Nature Reviews Cancer, 2008, 8, 450-458.	28.4	342
32	Mre11 Nuclease Activity Has Essential Roles in DNA Repair and Genomic Stability Distinct from ATM Activation. Cell, 2008, 135, 85-96.	28.9	291
33	Dysfunctional telomeres activate an ATM-ATR-dependent DNA damage response to suppress tumorigenesis. EMBO Journal, 2007, 26, 4709-4719.	7.8	214
34	Role of telomeres and telomerase in genomic instability, senescence and cancer. Laboratory Investigation, 2007, 87, 1071-1076.	3.7	85
35	Effect of Dietary Methylseleninic Acid and Se-Methylselenocysteine on Carcinogen-Induced, Androgen-Promoted Prostate Carcinogenesis in Rats. Nutrition and Cancer, 0, , 1-8.	2.0	1