## Rebecca Smyth

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3404908/publications.pdf

Version: 2024-02-01

37 papers	3,103 citations	17 h-index	27 g-index
37	37	37	3769
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	The impact of outcome reporting bias in randomised controlled trials on a cohort of systematic reviews. BMJ: British Medical Journal, 2010, 340, c365-c365.	2.4	896
2	Epidural versus non-epidural or no analgesia in labour. The Cochrane Library, 2011, , CD000331.	1.5	505
3	Adverse Drug Reactions in Childrenâ€"A Systematic Review. PLoS ONE, 2012, 7, e24061.	1.1	207
4	Epidural versus non-epidural or no analgesia for pain management in labour. The Cochrane Library, 2018, 2018, CD000331.	1.5	204
5	Epidural versus non-epidural or no analgesia in labour. , 2005, , CD000331.		194
6	Frequency and reasons for outcome reporting bias in clinical trials: interviews with trialists. BMJ: British Medical Journal, 2011, 342, c7153-c7153.	2.4	150
7	The Magpie Trial: a randomised trial comparing magnesium sulphate with placebo for pre-eclampsia. Outcome for children at 18 months. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 114, 289-299.	1.1	111
8	Effect of partogram use on outcomes for women in spontaneous labour at term. The Cochrane Library, 2013, , CD005461.	1.5	103
9	Fetal movement counting for assessment of fetal wellbeing. The Cochrane Library, 2015, 2015, CD004909.	1.5	94
10	Position in the second stage of labour for women without epidural anaesthesia. , 2004, , CD002006.		91
11	The Magpie Trial: a randomised trial comparing magnesium sulphate with placebo for pre-eclampsia. Outcome for women at 2 years. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 114, 300-309.	1.1	67
12	Effect of partogram use on outcomes for women in spontaneous labour at term., 2008, , CD005461.		47
13	Interventions for varicose veins and leg oedema in pregnancy. The Cochrane Library, 2015, , CD001066.	1.5	42
14	Breastfeeding expectationsversusreality: a clusterrandomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 1047-1053.	1.1	41
15	Deciding to join a perinatal randomised controlled trial: Experiences and views of pregnant women enroled in the Magpie Trial. Midwifery, 2012, 28, e538-e545.	1.0	41
16	Effect of partograph use on outcomes for women in spontaneous labour at term and their babies. The Cochrane Library, 2018, 8, CD005461.	1.5	40
17	Fetal vibroacoustic stimulation for facilitation of tests of fetal wellbeing. The Cochrane Library, 2013, , CD002963.	1.5	33
18	Interventions for varicose veins and leg oedema in pregnancy. , 2007, , CD001066.		30

#	Article	IF	CITATIONS
19	Effect of partogram use on outcomes for women in spontaneous labour at term. , 2012, , CD005461.		26
20	The effectiveness of preconception counseling to reduce adverse pregnancy outcome in women with epilepsy: What's the evidence?. Epilepsy and Behavior, 2009, 14, 273-279.	0.9	25
21	The natural history of conducting and reporting clinical trials: interviews with trialists. Trials, 2015, 16, 16.	0.7	24
22	Women's Experiences of Participating in the Magpie Trial: A Postal Survey in the United Kingdom. Birth, 2009, 36, 220-229.	1.1	23
23	ADRIC: Adverse Drug Reactions In Children – a programme of research using mixed methods. Programme Grants for Applied Research, 2014, 2, 1-184.	0.4	17
24	Fetal vibroacoustic stimulation for facilitation of tests of fetal wellbeing., 2001,, CD002963.		16
25	Preconception counselling for women with epilepsy to reduce adverse pregnancy outcome. , 2008, , CD006645.		15
26	Women's and clinicians perspectives of presentation with reduced fetal movements: a qualitative study. BMC Pregnancy and Childbirth, 2016, 16, 280.	0.9	12
27	Amniotomy for shortening spontaneous labour. , 2007, , CD006167.		10
28	Magpie Trial in the UK: methods and additional data for women and children at 2 years following pregnancy complicated by pre-eclampsia. BMC Pregnancy and Childbirth, 2009, 9, 15.	0.9	10
29	Reduced fetal movement intervention Trial-2 (ReMIT-2): protocol for a pilot randomised controlled trial of standard care informed by the result of a placental growth factor (PIGF) blood test versus standard care alone in women presenting with reduced fetal movement at or after 36+ 0 weeks gestation. Trials, 2018, 19, 531.	0.7	9
30	Women's experiences of breastfeeding: A narrative review of qualitative studies. African Journal of Midwifery and Women's Health, 2013, 7, 71-77.	0.3	7
31	Interventions for male involvement in pregnancy and labour: A systematic review. African Journal of Midwifery and Women's Health, 2015, 9, 23-28.	0.3	6
32	A Delphi survey to determine midwifery research priorities among midwives in sub-Saharan Africa. African Journal of Midwifery and Women's Health, 2015, 9, 6-11.	0.3	4
33	Preconception counselling for women with epilepsy. The Cochrane Library, 2014, , .	1.5	1
34	Perspectives on infant and young child feeding: A review of the literature. Journal of Health Visiting, 2016, 4, 616-625.	0.0	1
35	Health visitors' perspectives on infant and young child feeding practices: An exploratory study. Journal of Health Visiting, 2017, 5, 300-306.	0.0	1
36	Editorial. Sexual and Reproductive Healthcare, 2015, 6, 49.	0.5	0

#	Article	IF	CITATIONS
37	Pregnant women and their partners' views and experiences of reduced fetal movements: a narrative literature review. African Journal of Midwifery and Women's Health, 2022, 16, 1-14.	0.3	0