

Hans-Helmut Koenig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/340558/publications.pdf>

Version: 2024-02-01

626
papers

20,830
citations

17440

63
h-index

27406

106
g-index

732
all docs

732
docs citations

732
times ranked

22771
citing authors

#	ARTICLE	IF	CITATIONS
1	Gender Differences in Mental Health, Quality of Life, and Caregiver Burden among Informal Caregivers during the Second Wave of the COVID-19 Pandemic in Germany: A Representative, Population-Based Study. <i>Gerontology</i> , 2023, 69, 149-162.	2.8	15
2	Prevalence and correlates of coronavirus anxiety in Germany: Results of a nationally representative survey. <i>Death Studies</i> , 2023, 47, 287-295.	2.7	13
3	Sexual Orientation and Psychosocial Factors in Terms of Loneliness and Subjective Well-Being in Later Life. <i>Gerontologist</i> , The, 2023, 63, 338-349.	3.9	6
4	Dementia careâ€giving from a family network perspective in Germany: A typology. <i>Health and Social Care in the Community</i> , 2022, 30, 579-591.	1.6	16
5	Cultural Differences in the Intended Use of Long-Term Care Services in the United States: The Role of Family Ties. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2022, 77, 201-211.	3.9	6
6	Predictors of change in depressive symptoms in older and multimorbid patients: a longitudinal analysis of the multicare cohort. <i>Aging and Mental Health</i> , 2022, 26, 818-827.	2.8	4
7	Social Support and Functional Decline in the Oldest Old. <i>Gerontology</i> , 2022, 68, 200-208.	2.8	15
8	Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. <i>Aging and Mental Health</i> , 2022, 26, 1862-1873.	2.8	1
9	Frequency of contact with friends and relatives via internet and psychosocial factors in middleâ€aged and older adults during the COVIDâ€19 pandemic. Findings from the German Ageing Survey. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	2.7	15
10	Informal caregiving during the COVID-19 pandemic: findings from a representative, population-based study during the second wave of the pandemic in Germany. <i>Aging and Mental Health</i> , 2022, 26, 2062-2070.	2.8	11
11	Determinants of psychosocial factors among the oldest oldâ€Evidence from the representative â€Survey on quality of life and subjective wellâ€being of the very old in Northâ€Rhineâ€Westphalia (NRW80+)â€. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	2.7	8
12	Cost-Effectiveness of a Group vs Individually Delivered Exercise Program in Community-Dwelling Persons Aged â‰¥70 Years. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 736-742.e6.	2.5	7
13	Frequency and correlates of use of applications for monitoring and increasing health and well-being in middle-aged and older adults. Findings from the German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2022, 98, 104571.	3.0	1
14	Regular childhood dental visits, health-related factors and quality of life in later life. <i>Archives of Gerontology and Geriatrics</i> , 2022, 99, 104585.	3.0	1
15	Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. <i>Gerontology</i> , 2022, 68, 894-902.	2.8	6
16	Reference Values and Correlates of Grip Strength in the Oldest Old: Evidence From the Representative NRW80+ (Germany). <i>Journal of the American Medical Directors Association</i> , 2022, 23, 898-899.	2.5	1
17	Prevalence and determinants of probable depression and anxiety during the COVID-19 pandemic in seven countries: Longitudinal evidence from the European Covid Survey (ECOS). <i>Journal of Affective Disorders</i> , 2022, 299, 517-524.	4.1	51
18	Prevalence and determinants of depression and anxiety measured by the PHQ-4 among homeless individuals during the COVID-19 pandemic. Evidence from the Hamburg survey of homeless individuals. <i>Psychiatry Research</i> , 2022, 308, 114350.	3.3	2

#	ARTICLE	IF	CITATIONS
19	The longitudinal association of symptom-related and psychological factors with health-related quality of life in patients with chronic pelvic pain syndrome. <i>Journal of Psychosomatic Research</i> , 2022, 153, 110707.	2.6	5
20	Religious Denomination, Religiosity, Religious Attendance, and Cancer Prevention. A Systematic Review. <i>Risk Management and Healthcare Policy</i> , 2022, Volume 15, 45-58.	2.5	3
21	Oral health-related quality of life, probable depression and probable anxiety: evidence from a representative survey in Germany. <i>BMC Oral Health</i> , 2022, 22, 9.	2.3	17
22	Use of and Satisfaction with Telemedicine Services during the Pandemic: Findings from the COVID-19 Snapshot Monitoring in Germany (COSMO). <i>Healthcare (Switzerland)</i> , 2022, 10, 92.	2.0	1
23	Interdisciplinary, internet-based trans health care (iÂ²TransHealth): study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e045980.	1.9	1
24	The onset of falls and its effects on perceived social exclusion and loneliness. Evidence from a nationally representative longitudinal study. <i>Archives of Gerontology and Geriatrics</i> , 2022, 100, 104622.	3.0	4
25	Effect of an osteoporotic fracture prevention program on fracture incidence in routine care: a cluster-randomized trial. <i>BMC Medicine</i> , 2022, 20, 49.	5.5	4
26	A multifactorial interdisciplinary intervention to prevent functional and mobility decline for more participation in (pre-)frail community-dwelling older adults (PromeTheus): study protocol for a multicenter randomized controlled trial. <i>BMC Geriatrics</i> , 2022, 22, 124.	2.7	3
27	Economic evaluations of musculoskeletal physiotherapy: protocol of a systematic review. <i>BMJ Open</i> , 2022, 12, e058143.	1.9	0
28	Level and correlates of empathy and altruism during the Covid-19 pandemic. Evidence from a representative survey in Germany. <i>PLoS ONE</i> , 2022, 17, e0265544.	2.5	9
29	Physical Activity Determinants in Older German Adults at Increased Dementia Risk with Multimorbidity: Baseline Results of the AgeWell.de Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3164.	2.6	6
30	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. <i>Frontiers in Medicine</i> , 2022, 9, 815419.	2.6	3
31	Willingness to pay for SARS-CoV-2 rapid antigen tests during the COVID-19 pandemic: evidence from the general adult population. <i>Public Health</i> , 2022, 207, 19-23.	2.9	2
32	Gender Specifics of Healthy Ageing in Older Age as Seen by Women and Men (70+): A Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3137.	2.6	5
33	Does grandchild care affect ageing satisfaction? Findings based on a nationally representative longitudinal study. <i>PLoS ONE</i> , 2022, 17, e0265600.	2.5	0
34	Prevalence and correlates of obesity among the oldest old. A systematic review, meta-analysis and meta-regression. <i>Geriatrics and Gerontology International</i> , 2022, 22, 373-383.	1.5	2
35	Frequency and Correlates of Online Consultations With Doctors or Therapists in Middle-Aged and Older Adults: Nationally Representative Cross-sectional Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e29781.	4.3	0
36	The role of migration status in the link between ADL/IADL and informal as well as formal care in Germany: Findings of the Survey of Health, Aging and Retirement in Europe. <i>Archives of Gerontology and Geriatrics</i> , 2022, 101, 104669.	3.0	4

#	ARTICLE	IF	CITATIONS
37	The Big Five personality traits and regularity of lifetime dental visit attendance: evidence of the Survey of Health, Ageing, and Retirement in Europe (SHARE). <i>Aging Clinical and Experimental Research</i> , 2022, 34, 1439-1445.	2.9	5
38	Outcomes and costs of ureteroscopy, extracorporeal shockwave lithotripsy, and percutaneous nephrolithotomy for the treatment of urolithiasis: an analysis based on health insurance claims data in Germany. <i>World Journal of Urology</i> , 2022, 40, 781-788.	2.2	3
39	Associations between starting and stopping volunteering and physical activity among older adults - longitudinal evidence from the German Ageing Survey. <i>BMC Public Health</i> , 2022, 22, 578.	2.9	1
40	Are self-managed online interventions for depression effective in improving behavioral activation? A secondary analysis of a cluster-randomized controlled trial. <i>Journal of Affective Disorders</i> , 2022, 308, 413-420.	4.1	5
41	Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 308, 494-501.	4.1	2
42	Prevalence of Prefrailty and Frailty Among Older Adults in Germany: A Systematic Review, Meta-Analysis and Meta-Regression. <i>Frontiers in Medicine</i> , 2022, 9, 870714.	2.6	3
43	Prevalence and correlates of loneliness, perceived and objective social isolation during the COVID-19 pandemic. Evidence from a representative survey in Germany. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1969-1978.	3.1	20
44	Determinants of Outpatient Physician Visits in the General Adult German Population during Later Stages of the COVID-19 Pandemic. <i>Healthcare (Switzerland)</i> , 2022, 10, 1025.	2.0	2
45	The association between the number of life births and certain frailty dimensions. <i>Archives of Gerontology and Geriatrics</i> , 2022, , 104759.	3.0	1
46	Association between purpose in life and healthcare use among women and men in Germany: cross-sectional analysis of the nationally representative German Socio-Economic Panel (GSOEP) study. <i>BMJ Open</i> , 2022, 12, e061525.	1.9	2
47	Political Party Affinity and Fear of Conventional and Nuclear War in Germany. <i>Psychiatry International</i> , 2022, 3, 212-220.	1.0	3
48	Pet ownership, loneliness, and social isolation: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1935-1957.	3.1	19
49	Asymmetric effects of obesity on loneliness among older Germans. Longitudinal findings from the Survey of Health, Ageing and Retirement in Europe. <i>Aging and Mental Health</i> , 2021, 25, 2293-2297.	2.8	10
50	Extending understanding of grandchild care on feelings of loneliness and isolation in later life. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2021, 54, 513-516.	1.8	3
51	Associations and correlates of general versus specific successful ageing components. <i>European Journal of Ageing</i> , 2021, 18, 549-563.	2.8	9
52	Flexible goal adjustment moderates the link between self-rated health and subjective well-being. Findings from the general population. <i>Aging and Mental Health</i> , 2021, 25, 1345-1350.	2.8	9
53	Do postponed dental visits for financial reasons reduce quality of life? Evidence from the Survey of Health, Ageing and Retirement in Europe. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 437-442.	2.9	5
54	Does the beginning and the end of income poverty affect psychosocial factors among middle-aged and older adults? Findings based on nationally representative longitudinal data. <i>Aging and Mental Health</i> , 2021, 25, 906-912.	2.8	15

#	ARTICLE	IF	CITATIONS
55	Association of vision problems with psychosocial factors among middle-aged and older individuals: findings from a nationally representative study. <i>Aging and Mental Health</i> , 2021, 25, 946-953.	2.8	9
56	What are the social consequences of beginning or ceasing to care for grandchildren? Evidence from an asymmetric fixed effects analysis of community dwelling adults in Germany. <i>Aging and Mental Health</i> , 2021, 25, 969-975.	2.8	11
57	Help-seeking for psychological distress and its association with anxiety in the oldest old – results from the AgeQualiDe cohort study. <i>Aging and Mental Health</i> , 2021, 25, 923-929.	2.8	7
58	Sexual satisfaction of middle-aged and older adults: longitudinal findings from a nationally representative sample. <i>Age and Ageing</i> , 2021, 50, 559-564.	1.6	19
59	Determinants of dental treatment avoidance: findings from a nationally representative study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1337-1343.	2.9	2
60	Social Isolation and Loneliness of Older Adults in Times of the COVID-19 Pandemic: Can Use of Online Social Media Sites and Video Chats Assist in Mitigating Social Isolation and Loneliness?. <i>Gerontology</i> , 2021, 67, 121-124.	2.8	86
61	Depression Partially Mediates the Association of Adverse Childhood Experiences with Pain Intensity in Patients with Chronic Pelvic Pain Syndrome: Results from a Cross-Sectional Patient Survey. <i>Pain Medicine</i> , 2021, 22, 1174-1184.	1.9	9
62	Depressive Symptoms and Frailty Among the Oldest Old: Evidence From a Multicenter Prospective Study. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 577-582.e2.	2.5	4
63	The importance of familiarity with caregiving for public caregiver stigma: Evidence from a cross-sectional study in Germany. <i>Archives of Gerontology and Geriatrics</i> , 2021, 93, 104301.	3.0	0
64	Reliability, Validity and Responsiveness of the EQ-5D-5L in Assessing and Valuing Health Status in Adolescents and Young Adults with Posttraumatic Stress Disorder: a Randomized Controlled Trial. <i>Psychiatric Quarterly</i> , 2021, 92, 459-471.	2.1	10
65	Planning to move into a nursing home in old age: does sexual orientation matter?. <i>Age and Ageing</i> , 2021, 50, 974-979.	1.6	9
66	Effects of APOE $\epsilon 4$ allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 152-162.	2.7	4
67	Dementia care-giving and employment: a mixed-studies review on a presumed conflict. <i>Ageing and Society</i> , 2021, 41, 1094-1125.	1.7	10
68	Non-random relations in drug use expressed as patterns comprising prescription and over-the-counter drugs in multimorbid elderly patients in primary care: Data of the exploratory analysis of the multicentre, observational cohort study MultiCare. <i>European Journal of General Practice</i> , 2021, 27, 119-129.	2.0	1
69	Postponed Dental Appointments Due to Costs Are Associated with Increased Loneliness – Evidence from the Survey of Health, Ageing and Retirement in Europe. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 336.	2.6	4
70	Recruitment and Baseline Characteristics of Participants in the AgeWell.de Study – A Pragmatic Cluster-Randomized Controlled Lifestyle Trial against Cognitive Decline. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 408.	2.6	15
71	German tariffs for the ICECAP-Supportive Care Measure (ICECAP-SCM) for use in economic evaluations at the end of life. <i>European Journal of Health Economics</i> , 2021, 22, 365-380.	2.8	2
72	Postponed Dental Visits during the COVID-19 Pandemic and their Correlates. Evidence from the Nationally Representative COVID-19 Snapshot Monitoring in Germany (COSMO). <i>Healthcare (Switzerland)</i> , 2021, 9, 50.	2.0	25

#	ARTICLE	IF	CITATIONS
73	A Self-Help App for Syrian Refugees With Posttraumatic Stress (Sanadak): Randomized Controlled Trial. JMIR MHealth and UHealth, 2021, 9, e24807.	3.7	41
74	GPS™ awareness of car driving among oldest patients: exploratory results from a primary care cohort. BJGP Open, 2021, 5, BJGP.O.2020.0145.	1.8	1
75	Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). Journal of Alzheimer's Disease, 2021, 79, 1589-1599.	2.6	1
76	Spousal care and its effect on partnership characteristics – a longitudinal analysis of spousal caregiving and care receipt in Germany. Scandinavian Journal of Caring Sciences, 2021, , .	2.1	3
77	Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. Gerontology, 2021, 67, 591-598.	2.8	3
78	The Excess Costs of Depression and the Influence of Sociodemographic and Socioeconomic Factors: Results from the German Health Interview and Examination Survey for Adults (DEGS). Pharmacoeconomics, 2021, 39, 667-680.	3.3	9
79	Determinants of Frequent Attendance in Primary Care. A Systematic Review of Longitudinal Studies. Frontiers in Medicine, 2021, 8, 595674.	2.6	10
80	Loneliness among Homeless Individuals during the First Wave of the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 3035.	2.6	16
81	Factors Associated with Dental Service Use Based on the Andersen Model: A Systematic Review. International Journal of Environmental Research and Public Health, 2021, 18, 2491.	2.6	27
82	Do self-reported hearing and visual impairments predict longitudinal dementia in older adults?. Journal of the American Geriatrics Society, 2021, 69, 1519-1528.	2.6	8
83	Anticholinergic drug burden according to the anticholinergic drug scale and the German anticholinergic burden and their impact on cognitive function in multimorbid elderly German people: a multicentre observational study. BMJ Open, 2021, 11, e044230.	1.9	7
84	The Onset of Falls Reduces Subjective Well-Being. Findings of a Nationally Representative Longitudinal Study. Frontiers in Psychiatry, 2021, 12, 599905.	2.6	0
85	Health Care Services Utilization and Health-Related Quality of Life of Syrian Refugees with Post-Traumatic Stress Symptoms in Germany (the Sanadak Trial). International Journal of Environmental Research and Public Health, 2021, 18, 3408.	2.6	7
86	Traumatized Syrian Refugees with Ambiguous Loss: Predictors of Mental Distress. International Journal of Environmental Research and Public Health, 2021, 18, 3865.	2.6	11
87	Determinants of health care use among homeless individuals: evidence from the Hamburg survey of homeless individuals. BMC Health Services Research, 2021, 21, 317.	2.2	5
88	Excess costs of type 2 diabetes and their sociodemographic and clinical determinants: a cross-sectional study using data from the German Health Interview and Examination Survey for Adults (DEGS1). BMJ Open, 2021, 11, e043944.	1.9	3
89	Health-Related Quality of Life of Persons with Direct, Indirect and No Migration Background in Germany: A Cross-Sectional Study Based on the German Socio-Economic Panel (SOEP). International Journal of Environmental Research and Public Health, 2021, 18, 3665.	2.6	4
90	Health-economic evaluation of collaborative orthogeriatric care for patients with a hip fracture in Germany: a retrospective cohort study using health and long-term care insurance claims data. European Journal of Health Economics, 2021, 22, 873-885.	2.8	2

#	ARTICLE	IF	CITATIONS
91	Balancing care demands and personal needs: A typology on the reconciliation of informal dementia care with personal life based on narrative interviews. <i>Dementia</i> , 2021, 20, 147130122110083.	2.0	0
92	Using a brief web-based 5A intervention to improve weight management in primary care: results of a cluster-randomized controlled trial. <i>BMC Family Practice</i> , 2021, 22, 61.	2.9	9
93	Correlates of institutionalization among the oldest old – Evidence from the multicenter AgeCoDe – AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1095-1102.	2.7	13
94	Informal caregiving for adults, loneliness and social isolation: a study protocol for a systematic review. <i>BMJ Open</i> , 2021, 11, e044902.	1.9	6
95	Do lonely and socially isolated individuals think they die earlier? The link between loneliness, social isolation and expectations of longevity based on a nationally representative sample. <i>Psychogeriatrics</i> , 2021, 21, 571-576.	1.2	10
96	Factors associated with postponed health checkups during the COVID-19 pandemic in Germany. <i>Public Health</i> , 2021, 194, 36-41.	2.9	22
97	The moderating effects of social support and depressive symptoms on pain among elderly multimorbid patients – data from the multicentre, prospective, observational cohort study MultiCare. <i>Aging and Mental Health</i> , 2021, , 1-7.	2.8	0
98	Determinants of healthcare use based on the Andersen model: a study protocol for a systematic review of longitudinal studies. <i>BMJ Open</i> , 2021, 11, e044435.	1.9	3
99	Needs and Healthcare Costs in Old Age. , 2021, , 91-96.		0
100	Health-related quality of life of refugees: a systematic review of studies using the WHOQOL-Bref instrument in general and clinical refugee populations in the community setting. <i>Conflict and Health</i> , 2021, 15, 44.	2.7	15
101	The Association Between Obesity and Social Isolation as Well as Loneliness in the Adult Population: A Systematic Review. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021, Volume 14, 2765-2773.	2.4	25
102	A longitudinal perspective on inter vivos transfers between children and their parents in need of long-term care. <i>Journal of the Economics of Ageing</i> , 2021, 19, 100324.	1.3	1
103	Prevalence and Factors Associated with Fear of COVID-19 Among Homeless Individuals During the COVID-19 Pandemic: Evidence from the Hamburg Survey of Homeless Individuals. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 2689-2695.	2.5	7
104	The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6986.	2.6	16
105	The empty nest, depressive symptoms and loneliness of older parents: Prospective findings from the German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104425.	3.0	8
106	Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7959.	2.6	4
107	Cost-Effectiveness of Magnetic Resonance Imaging-Guided Thrombolysis for Patients With Stroke With Unknown Time of Onset. <i>Value in Health</i> , 2021, 24, 1620-1627.	0.3	2
108	Health-related quality of life and ego integrity among the oldest old – Evidence from the multicenter AgeCoDe – AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104408.	3.0	2

#	ARTICLE	IF	CITATIONS
109	Determinants of Postponed Cancer Screening During the COVID-19 Pandemic: Evidence from the Nationally Representative COVID-19 Snapshot Monitoring in Germany (COSMO). Risk Management and Healthcare Policy, 2021, Volume 14, 3003-3011.	2.5	13
110	Does obesity lead to loneliness and perceived social isolation in the second half of life? Findings from a nationally representative study in Germany. Geriatrics and Gerontology International, 2021, 21, 836-841.	1.5	4
111	Mental Health Self-Stigma of Syrian Refugees With Posttraumatic Stress Symptoms: Investigating Sociodemographic and Psychopathological Correlates. Frontiers in Psychiatry, 2021, 12, 642618.	2.6	10
112	Predictors of psychological distress in Syrian refugees with posttraumatic stress in Germany. PLoS ONE, 2021, 16, e0254406.	2.5	24
113	Personality and functional impairment. Evidence from the Survey of Health, Ageing and Retirement in Europe. Psychogeriatrics, 2021, 21, 861-868.	1.2	2
114	The Excess Costs of Dementia: A Systematic Review and Meta-Analysis. Journal of Alzheimer's Disease, 2021, 83, 333-354.	2.6	12
115	Do Loneliness and Perceived Social Isolation Reduce Expected Longevity and Increase the Frequency of Dealing with Death and Dying? Longitudinal Findings based on a Nationally Representative Sample. Journal of the American Medical Directors Association, 2021, 22, 1720-1725.e5.	2.5	16
116	Personality and Falls: Findings Based on the Survey of Health, Aging, and Retirement in Europe. Journal of the American Medical Directors Association, 2021, 22, 2605-2607.	2.5	1
117	Willingness to bear economic costs of measures against SARS-CoV-2 in Germany. BMC Public Health, 2021, 21, 1698.	2.9	2
118	The efficacy of automated feedback after internet-based depression screening: Study protocol of the German, three-armed, randomised controlled trial DISCOVER. Internet Interventions, 2021, 25, 100435.	2.7	4
119	Lifestyle-integrated functional exercise to prevent falls and promote physical activity: Results from the LiFE-is-LiFE randomized non-inferiority trial. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 115.	4.6	20
120	1428 Factors leading to institutionalization among the oldest old. Longitudinal findings from the AgeCoDe-AgeQualiDe study. International Journal of Epidemiology, 2021, 50, .	1.9	0
121	Comparison of FORTA, PRISCUS and EU(7)-PIM lists on identifying potentially inappropriate medication and its impact on cognitive function in multimorbid elderly German people in primary care: a multicentre observational study. BMJ Open, 2021, 11, e050344.	1.9	18
122	Excess costs of dementia in old age (85+) in Germany: Results from the AgeCoDe-AgeQualiDe study. Journal of the Economics of Ageing, 2021, 20, 100346.	1.3	3
123	The association of childhood maltreatment, somatization and health-related quality of life in adult age: Results from a population-based cohort study. Child Abuse and Neglect, 2021, 120, 105226.	2.6	12
124	Relationship between personality factors and frailty. A systematic review. Archives of Gerontology and Geriatrics, 2021, 97, 104508.	3.0	8
125	Do Informal Caregivers Expect to Die Earlier? A Longitudinal Study with a Population-Based Sample on Subjective Life Expectancy of Informal Caregivers. Gerontology, 2021, 67, 467-481.	2.8	6
126	Determinants of Healthcare Use Based on the Andersen Model: A Systematic Review of Longitudinal Studies. Healthcare (Switzerland), 2021, 9, 1354.	2.0	9

#	ARTICLE	IF	CITATIONS
127	Are informal family caregivers stigmatized differently based on their gender or employment status?: a German study on public stigma towards informal long-term caregivers of older individuals. BMC Public Health, 2021, 21, 1868.	2.9	5
128	Association between onset and disappearance of pain and changes in physical activity among older adults – longitudinal evidence from the German Ageing Survey. Psychogeriatrics, 2021, , .	1.2	1
129	Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe–AgeQualiDe prospective cohort study. Aging Clinical and Experimental Research, 2021, 33, 3109-3115.	2.9	8
130	Health Care Services Utilization of Persons with Direct, Indirect and without Migration Background in Germany: A Longitudinal Study Based on the German Socio-Economic Panel (SOEP). International Journal of Environmental Research and Public Health, 2021, 18, 11640.	2.6	4
131	Attitudes towards the economic costs associated with measures against the spread of COVID-19: Population perceptions from repeated cross-sectional data of the nationally representative COVID-19 Snapshot Monitoring in Germany (COSMO). PLoS ONE, 2021, 16, e0259451.	2.5	3
132	Informal Caregiving, Loneliness and Social Isolation: A Systematic Review. International Journal of Environmental Research and Public Health, 2021, 18, 12101.	2.6	30
133	Anxiety, Depression and Quality of Life – A Systematic Review of Evidence from Longitudinal Observational Studies. International Journal of Environmental Research and Public Health, 2021, 18, 12022.	2.6	64
134	The Prevalence and Correlates of Probable Major Depressive Disorder and Probable Generalized Anxiety Disorder during the COVID-19 Pandemic. Results of a Nationally Representative Survey in Germany. International Journal of Environmental Research and Public Health, 2021, 18, 12302.	2.6	9
135	The Relationship between Income and Morbidity – Longitudinal Findings from the German Ageing Survey. International Journal of Environmental Research and Public Health, 2021, 18, 12365.	2.6	1
136	Objective Job Demands of Oneself and One’s Partner, and Depressive Symptoms. Evidence from a Nationally Representative Longitudinal Study. International Journal of Environmental Research and Public Health, 2021, 18, 12688.	2.6	0
137	Religion and cancer prevention: study protocol for a systematic review. BMJ Open, 2021, 11, e046126.	1.9	1
138	Incidence of Anxiety in Latest Life and Risk Factors. Results of the AgeCoDe/AgeQualiDe Study. International Journal of Environmental Research and Public Health, 2021, 18, 12786.	2.6	7
139	Association of mental demands in the workplace with cognitive function in older adults at increased risk for dementia. BMC Geriatrics, 2021, 21, 688.	2.7	1
140	The Association between Oral Health-Related Quality of Life, Loneliness, Perceived and Objective Social Isolation – Results of a Nationally Representative Survey. International Journal of Environmental Research and Public Health, 2021, 18, 12886.	2.6	7
141	Social support and health-related quality of life among the oldest old – longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. Quality of Life Research, 2021, , 1.	3.1	6
142	Health-related quality of life of individuals sharing a household with persons with dementia. Quality of Life Research, 2021, , 1.	3.1	0
143	Late-Life Depressive Symptoms Are Associated With Functional Impairment Cross-sectionally and Over Time: Results of the AgeMooDe Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2020, 75, 811-820.	3.9	6
144	The impact of receiving informal care on self-esteem and its moderation by social class. Aging and Mental Health, 2020, 24, 1736-1745.	2.8	2

#	ARTICLE	IF	CITATIONS
145	Impact of stroke on affective well-being: findings from a large longitudinal nationally representative study. <i>Aging and Mental Health</i> , 2020, 24, 2006-2013.	2.8	1
146	Needs and health care costs in old age: a longitudinal perspective: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2020, 24, 1763-1768.	2.8	8
147	Correlates of hospitalization among the oldest old: results of the AgeCoDe/“AgeQualiDe prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1295-1301.	2.9	14
148	How do cat owners, dog owners and individuals without pets differ in terms of psychosocial outcomes among individuals in old age without a partner?. <i>Aging and Mental Health</i> , 2020, 24, 1613-1619.	2.8	29
149	Rationale and Design of the Hamburg City Health Study. <i>European Journal of Epidemiology</i> , 2020, 35, 169-181.	5.7	85
150	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/“AgeQualiDe study. <i>International Psychogeriatrics</i> , 2020, 32, 645-659.	1.0	9
151	Syrian refugees in Germany: Perspectives on mental health and coping strategies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109906.	2.6	48
152	Perceived social isolation and cognitive functioning. Longitudinal findings based on the German Ageing Survey. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 276-281.	2.7	15
153	Mediating factors on the association between fear of falling and health-related quality of life in community-dwelling German older people: a cross-sectional study. <i>BMC Geriatrics</i> , 2020, 20, 401.	2.7	11
154	Prevalence Of, and Factors Associated with, Obesity among the Oldest Old. A Study Protocol for a Systematic Review. <i>Healthcare (Switzerland)</i> , 2020, 8, 319.	2.0	1
155	Dual sensory impairment and psychosocial factors. Findings based on a nationally representative sample. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104234.	3.0	15
156	Multimorbidity, Loneliness, and Social Isolation. A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8688.	2.6	54
157	Religious Attendance and Cancer Screening Behavior. <i>Frontiers in Oncology</i> , 2020, 10, 583925.	2.8	8
158	Health-Related Quality of Life of Asylum Seekers and Refugees in Germany: a Cross-Sectional Study with Data from the German Socio-Economic Panel. <i>Applied Research in Quality of Life</i> , 2020, , 1.	2.4	11
159	Effects of strategies to improve general practitioner-nurse collaboration and communication in regard to hospital admissions of nursing home residents (interprof ACT): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2020, 21, 913.	1.6	9
160	Psychometric Properties of the EQ-5D for the Assessment of Health-Related Quality of Life in the Population of Middle-Old and Oldest-Old Persons: Study Protocol for a Systematic Review. <i>Frontiers in Public Health</i> , 2020, 8, 578073.	2.7	3
161	Feeling too old? Consequences for subjective well-being. Longitudinal findings from the German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2020, 90, 104127.	3.0	10
162	Determinants of Dental Service Use Based on the Andersen Model: A Study Protocol for a Systematic Review. <i>Healthcare (Switzerland)</i> , 2020, 8, 333.	2.0	6

#	ARTICLE	IF	CITATIONS
163	Psychosocial consequences of transitioning into informal caregiving in male and female caregivers: Findings from a population-based panel study. <i>Social Science and Medicine</i> , 2020, 264, 113281.	3.8	41
164	Prevalence and Correlates of Individuals Screening Positive for Depression and Anxiety on the PHQ-4 in the German General Population: Findings from the Nationally Representative German Socio-Economic Panel (GSOEP). <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7865.	2.6	23
165	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035973.	1.9	10
166	Health-Related Quality of Life and Costs of Posttraumatic Stress Disorder in Adolescents and Young Adults in Germany. <i>Frontiers in Psychiatry</i> , 2020, 11, 697.	2.6	15
167	Determinants of Willingness to Pay for Health Insurance in Germany—Results of the Population-Based Health Study of the Leipzig Research Centre for Civilization Diseases (LIFE-Adult-Study). <i>Frontiers in Public Health</i> , 2020, 8, 456.	2.7	7
168	Differences in Self-Esteem Between Cat Owners, Dog Owners, and Individuals Without Pets. <i>Frontiers in Veterinary Science</i> , 2020, 7, 552.	2.2	12
169	Personality, Health Care Use, and Costs: A Study Protocol for a Systematic Review. <i>Healthcare (Switzerland)</i> , 2020, 8, 263.	2.0	2
170	EQ-5D-3L health status and health state utilities of the oldest-old (85+%) in Germany: results from the AgeCoDe-AgeQualiDe study. <i>Quality of Life Research</i> , 2020, 29, 3223-3232.	3.1	9
171	Cost-effectiveness of guideline-based stepped and collaborative care versus treatment as usual for patients with depression – a cluster-randomized trial. <i>BMC Psychiatry</i> , 2020, 20, 427.	2.6	7
172	Internet-Based Cognitive Behavior Therapy Only for the Young? A Secondary Analysis of a Randomized Controlled Trial of Depression Treatment. <i>Frontiers in Psychiatry</i> , 2020, 11, 735.	2.6	8
173	Personality, Healthcare Use and Costs—A Systematic Review. <i>Healthcare (Switzerland)</i> , 2020, 8, 329.	2.0	12
174	Exploring the identification, validation, and categorization of costs and benefits of education in mental health: The PECUNIA project. <i>International Journal of Technology Assessment in Health Care</i> , 2020, 36, 325-331.	0.5	13
175	Long-Term Care Preferences and Sexual Orientation: Protocol for a Systematic Review. <i>Healthcare (Switzerland)</i> , 2020, 8, 572.	2.0	2
176	How does beginning or ceasing of informal caregiving of individuals in poor health influence sleep quality? Findings from a nationally representative longitudinal study. <i>Aging and Mental Health</i> , 2020, , 1-6.	2.8	7
177	Depression treatment in Germany – using claims data to compare a collaborative mental health care program to the general practitioner program and usual care in terms of guideline adherence and need-oriented access to psychotherapy. <i>BMC Psychiatry</i> , 2020, 20, 591.	2.6	5
178	The Association of Post-Materialism with Health Care Use. Findings of a General Population Survey in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8869.	2.6	3
179	Perceptions of Health Care Use in Germany during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9351.	2.6	25
180	Risk for disorientation: Longitudinal evidence from three old-age cohorts in Germany (AgeDifferent.de). <i>Alzheimer's and Dementia</i> , 2020, 16, e039676.	0.8	0

#	ARTICLE	IF	CITATIONS
181	AgeWell.de (Germany). <i>Alzheimer's and Dementia</i> , 2020, 16, e046950.	0.8	0
182	Impact of morbidity on care need increase and mortality in nursing homes: a retrospective longitudinal study using administrative claims data. <i>BMC Geriatrics</i> , 2020, 20, 439.	2.7	8
183	Recruitment and Baseline Characteristics of Participants in the "Sanadak" Trial: A Self-Help App for Syrian Refugees with Post-traumatic Stress. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7578.	2.6	7
184	Unmet care needs in the oldest old with social loss experiences: results of a representative survey. <i>BMC Geriatrics</i> , 2020, 20, 416.	2.7	8
185	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, 1745-1749.	0.8	14
186	Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. <i>Frontiers in Psychiatry</i> , 2020, 11, 330.	2.6	25
187	What are the psychosocial consequences when fear of falling starts or ends? Evidence from an asymmetric fixed effects analysis based on longitudinal data from the general population. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1028-1035.	2.7	9
188	Osteoporotic hip fracture prediction from risk factors available in administrative claims data – A machine learning approach. <i>PLoS ONE</i> , 2020, 15, e0232969.	2.5	25
189	Study protocol for a randomised controlled trial evaluating an evidence-based, stepped and coordinated care service model for mental disorders (RECOVER). <i>BMJ Open</i> , 2020, 10, e036021.	1.9	15
190	Fear of Dementia in the General Population: Findings from the German Socio-Economic Panel (GSOEP). <i>Journal of Alzheimer's Disease</i> , 2020, 75, 1135-1140.	2.6	15
191	Economic evaluations and cost analyses in posttraumatic stress disorder: a systematic review. <i>HÃ¶gre Utbildning</i> , 2020, 11, 1753940.	3.0	36
192	The association between informal caregiving and behavioral risk factors: a cross-sectional study. <i>International Journal of Public Health</i> , 2020, 65, 911-921.	2.3	19
193	Cost-effectiveness of Practice Team-Supported Exposure Training for Panic Disorder and Agoraphobia in Primary Care: a Cluster-Randomized Trial. <i>Journal of General Internal Medicine</i> , 2020, 35, 1120-1126.	2.6	4
194	The onset of falls reduces perceived autonomy among middle aged and older adults. Results from a longitudinal nationally representative sample. <i>Archives of Gerontology and Geriatrics</i> , 2020, 90, 104115.	3.0	7
195	Telephone health coaching with exercise monitoring using wearable activity trackers (TeGeCoach) for improving walking impairment in peripheral artery disease: study protocol for a randomised controlled trial and economic evaluation. <i>BMJ Open</i> , 2020, 10, e032146.	1.9	7
196	Determinants of Perceived Own Risk for Developing Dementia and the Perception That Memory Deterioration Is Preventable. Findings From the General Adult Population in Germany. <i>Frontiers in Medicine</i> , 2020, 7, 203.	2.6	3
197	Association between Subjective Well-Being and Frequent Dental Visits in the German Ageing Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3207.	2.6	5
198	How does the integration of collaborative care elements in a gatekeeping system affect the costs for mental health care in Germany?. <i>European Journal of Health Economics</i> , 2020, 21, 751-761.	2.8	3

#	ARTICLE	IF	CITATIONS
199	Uptake of an exercise class and use of bone density measurement after advice by the health insurance fund: results from the osteoporotic fracture prevention program in rural areas (OFRA). Aging Clinical and Experimental Research, 2020, 32, 1255-1262.	2.9	2
200	Self-perceptions of ageing, GP visits and frequent attendance. Longitudinal findings from the German Ageing Survey. Aging and Mental Health, 2020, 25, 1-6.	2.8	7
201	Regional variation of care dependency after hip fracture in Germany: A retrospective cohort study using health insurance claims data. PLoS ONE, 2020, 15, e0230648.	2.5	7
202	Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. Journal of Alzheimer's Disease, 2020, 74, 151-161.	2.6	7
203	The moderating role of flexible goal adjustment in the link between pain and depressive symptoms: findings based on a nationally representative sample of older adults. Psychogeriatrics, 2020, 20, 602-607.	1.2	6
204	Reductions in cognitive functioning are associated with decreases in satisfaction with aging. Longitudinal findings based on a nationally representative sample. Archives of Gerontology and Geriatrics, 2020, 89, 104072.	3.0	1
205	Determinants of Frequent Attendance in Primary Care. Study Protocol for a Systematic Review of Longitudinal Studies. International Journal of Environmental Research and Public Health, 2020, 17, 3710.	2.6	2
206	Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. Gerontology, 2020, 66, 460-466.	2.8	9
207	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. Aging Clinical and Experimental Research, 2020, 32, 2629-2638.	2.9	10
208	Patient-Centered Placement Matching of Alcohol-Dependent Patients Based on a Standardized Intake Assessment: Primary Outcomes of an Exploratory Randomized Controlled Trial. European Addiction Research, 2020, 26, 109-121.	2.4	6
209	Mild cognitive impairment and quality of life in the oldest old: a closer look. Quality of Life Research, 2020, 29, 1675-1683.	3.1	53
210	How does the onset of incontinence affect satisfaction with life among older women and men? Findings from a nationally representative longitudinal study (German Ageing Survey). Health and Quality of Life Outcomes, 2020, 18, 16.	2.4	3
211	Personality Factors and Sick Leave Days. Evidence from a Nationally Representative Longitudinal Study in Germany.. International Journal of Environmental Research and Public Health, 2020, 17, 1089.	2.6	5
212	The link between falls, social isolation and loneliness: A systematic review. Archives of Gerontology and Geriatrics, 2020, 88, 104020.	3.0	70
213	Prevalence and factors associated with obesity among the oldest old. Archives of Gerontology and Geriatrics, 2020, 89, 104069.	3.0	12
214	Dual sensory impairment and healthcare use: Findings from a nationally representative sample. Geriatrics and Gerontology International, 2020, 20, 602-606.	1.5	12
215	Which factors contribute to loneliness among older Europeans? Findings from the Survey of Health, Ageing and Retirement in Europe. Archives of Gerontology and Geriatrics, 2020, 89, 104080.	3.0	42
216	Stepped, Collaborative, Coordinated Care for Somatic Symptom and Related Disorders (Sofu-Net). Zeitschrift Fur Psychologie / Journal of Psychology, 2020, 228, 119-129.	1.0	3

#	ARTICLE	IF	CITATIONS
217	Personality and the use of cancer screenings. A systematic review. PLoS ONE, 2020, 15, e0244655.	2.5	8
218	Internet Use in Old Age: Results of a German Population-Representative Survey. Journal of Medical Internet Research, 2020, 22, e15543.	4.3	50
219	The Association Between Orthogeriatric Co-Management and Mortality Following Hip Fracture. Deutsches Ärztblatt International, 2020, 117, 53-59.	0.9	44
220	Beyond symptoms: why do patients see the doctor?. BJGP Open, 2020, 4, bjgpopen20X101088.	1.8	14
221	Trauma-focused psychodynamic therapy and STAIR Narrative Therapy of post-traumatic stress disorder related to childhood maltreatment: trial protocol of a multicentre randomised controlled trial assessing psychological, neurobiological and health economic outcomes (ENHANCE). BMJ Open, 2020, 10, e040123.	1.9	0
222	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. Gerontologist, The, 2019, 59, 738-748.	3.9	30
223	AgeWell.de â€“ study protocol of a pragmatic multi-center cluster-randomized controlled prevention trial against cognitive decline in older primary care patients. BMC Geriatrics, 2019, 19, 203.	2.7	34
224	Falls Are Associated With Decreased Autonomy, and Self-Efficacy Moderates This Relation: Results From a National Study. Frontiers in Psychiatry, 2019, 10, 447.	2.6	12
225	Income, Self-Rated Health, and Morbidity. A Systematic Review of Longitudinal Studies.. International Journal of Environmental Research and Public Health, 2019, 16, 2884.	2.6	21
226	Not Getting What You Want? The Impact of Income Comparisons on Subjective Well-Beingâ€™ Findings of a Population-Based Longitudinal Study in Germany. International Journal of Environmental Research and Public Health, 2019, 16, 2655.	2.6	4
227	Personality Traits and Obesity. International Journal of Environmental Research and Public Health, 2019, 16, 2675.	2.6	11
228	The link between sexual satisfaction and subjective well-being: a longitudinal perspective based on the German Ageing Survey. Quality of Life Research, 2019, 28, 3025-3035.	3.1	29
229	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). Journal of Affective Disorders, 2019, 256, 650-657.	4.1	23
230	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. Geriatrics and Gerontology International, 2019, 19, 705-710.	1.5	5
231	Osteoporosis, Fear of Falling, and Restrictions in Daily Living. Evidence From a Nationally Representative Sample of Community-Dwelling Older Adults. Frontiers in Endocrinology, 2019, 10, 646.	3.5	12
232	How Politico-Economic Systems Shape Individualsâ€™ Value of Elderly Care: Evidence From the German Reunification. Gerontologist, The, 2019, 60, 350-358.	3.9	2
233	Life satisfaction of informal care recipients: Findings from the German Ageing Survey. British Journal of Health Psychology, 2019, 24, 859-875.	3.5	7
234	The association of multimorbidity, loneliness, social exclusion and network size: findings from the population-based German Ageing Survey. BMC Public Health, 2019, 19, 1383.	2.9	34

#	ARTICLE	IF	CITATIONS
235	Are perceived bad working conditions and perceived workplace bullying associated with doctor visits? Results of the nationally representative German General Social Survey. BMC Health Services Research, 2019, 19, 697.	2.2	5
236	Longitudinal association between panic disorder and health care costs in older adults. Depression and Anxiety, 2019, 36, 1135-1142.	4.1	1
237	Determinants of Postponed Dental Visits Due to Costs: Evidence from the Survey of Health, Ageing, and Retirement in Germany. International Journal of Environmental Research and Public Health, 2019, 16, 3344.	2.6	7
238	Psychometric properties of the Patient Assessment of Chronic Illness Care measure (PACIC-5A) among patients with obesity. BMC Health Services Research, 2019, 19, 61.	2.2	4
239	The association between use of online social networks sites and perceived social isolation among individuals in the second half of life: results based on a nationally representative sample in Germany. BMC Public Health, 2019, 19, 40.	2.9	46
240	Cost-effectiveness analysis of collaborative treatment of late-life depression in primary care (GermanIMPACT). European Psychiatry, 2019, 57, 10-18.	0.2	10
241	The allocation of resources in the care for patients with panic disorder in Germany: an excess cost analysis informing policy and science. Cost Effectiveness and Resource Allocation, 2019, 17, 9.	1.5	11
242	Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. Frontiers in Psychiatry, 2019, 10, 285.	2.6	22
243	The longitudinal association of multimorbidity on loneliness and network size: Findings from a population-based study. International Journal of Geriatric Psychiatry, 2019, 34, 1490-1497.	2.7	17
244	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. Journal of Alzheimer's Disease, 2019, 69, 857-869.	2.6	17
245	Self-Rated Health and Social Exclusion: Does Gardening Moderate This Relation? Evidence from the German Ageing Survey. International Journal of Environmental Research and Public Health, 2019, 16, 1834.	2.6	5
246	Determinants of health-care costs in the oldest-old in Germany. Journal of the Economics of Ageing, 2019, 14, 100200.	1.3	7
247	Symptom trajectories in patients with panic disorder in a primary care intervention: Results from a randomized controlled trial (PARADISE). Scientific Reports, 2019, 9, 7170.	3.3	4
248	Determinants of Frequent Attendance of Outpatient Physicians: A Longitudinal Analysis Using the German Socio-Economic Panel (GSOEP). International Journal of Environmental Research and Public Health, 2019, 16, 1553.	2.6	12
249	HELP@APP: development and evaluation of a self-help app for traumatized Syrian refugees in Germany – a study protocol of a randomized controlled trial. BMC Psychiatry, 2019, 19, 131.	2.6	36
250	Health-related quality of life measured with the EQ-5D-5L: estimation of normative index values based on a representative German population sample and value set. European Journal of Health Economics, 2019, 20, 933-944.	2.8	94
251	Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. Journal of Alzheimer's Disease, 2019, 68, 1469-1478.	2.6	28
252	Association between anxiety, depression and quality of life: study protocol for a systematic review of evidence from longitudinal studies. BMJ Open, 2019, 9, e027218.	1.9	20

#	ARTICLE	IF	CITATIONS
253	Cost Comparison of Surgical Clipping and Endovascular Coiling of Unruptured Intracranial Aneurysms: A Systematic Review. <i>World Neurosurgery</i> , 2019, 125, 461-468.	1.3	8
254	Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 245-250.	3.0	11
255	The role of optimism, self-esteem, and self-efficacy in moderating the relation between health comparisons and subjective well-being: Results of a nationally representative longitudinal study among older adults. <i>British Journal of Health Psychology</i> , 2019, 24, 547-570.	3.5	49
256	Somatic and psychosocial determinants of symptom severity and quality of life in male and female patients with chronic pelvic pain syndrome. <i>Journal of Psychosomatic Research</i> , 2019, 120, 1-7.	2.6	28
257	Association of anxiety symptoms with health care use and costs in people aged 85 and over. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 765-776.	2.7	4
258	The association between voluntary work and health care use among older adults in Germany. <i>BMC Health Services Research</i> , 2019, 19, 39.	2.2	8
259	Association between caring for grandchildren and feelings of loneliness, social isolation and social network size: a cross-sectional study of community dwelling adults in Germany. <i>BMJ Open</i> , 2019, 9, e029605.	1.9	20
260	HOW POLITICO-ECONOMIC SYSTEMS CAN SHAPE THE ATTITUDE TOWARD ELDERLY CARE: LESSONS FROM THE GERMAN REUNIFICATION. <i>Innovation in Aging</i> , 2019, 3, S675-S676.	0.1	0
261	Study protocol for the COMET study: a cluster-randomised, prospective, parallel-group, superiority trial to compare the effectiveness of a collaborative and stepped care model versus treatment as usual in patients with mental disorders in primary care. <i>BMJ Open</i> , 2019, 9, e032408.	1.9	11
262	The value of the GP's clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. <i>British Journal of General Practice</i> , 2019, 69, e786-e793.	1.4	5
263	Meaning in life and health care use: findings from a nationally representative study of older adults in Germany. <i>BMC Geriatrics</i> , 2019, 19, 368.	2.7	32
264	<p>Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients – A Longitudinal Cohort Study</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1881-1888.	2.9	2
265	eHealth-supported case management for patients with panic disorder or depression in primary care: Study protocol for a cRCT (PRÉMA). <i>Trials</i> , 2019, 20, 662.	1.6	5
266	Health behaviour, social support, socio-economic status and the 5-year progression of multimorbidity: Results from the MultiCare Cohort Study. <i>Journal of Comorbidity</i> , 2019, 9, 2235042X1988356.	3.9	9
267	Caring for the elderly: A person-centered segmentation approach for exploring the association between health care needs, mental health care use, and costs in Germany. <i>PLoS ONE</i> , 2019, 14, e0226510.	2.5	9
268	Does Loneliness Predict Subsequent Use of Flu Vaccination? Findings from a Nationally Representative Study of Older Adults in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4978.	2.6	5
269	Predictors of Seeking Psychotherapy in Primary Care Patients with High Somatic Symptom Burden. <i>Behavioral Medicine</i> , 2019, 45, 231-239.	1.9	5
270	Association of generalized anxiety symptoms and panic with health care costs in older age – Results from the ESTHER cohort study. <i>Journal of Affective Disorders</i> , 2019, 245, 978-986.	4.1	9

#	ARTICLE	IF	CITATIONS
271	Patient Characteristics as Indicator for Care Dependence after Hip Fracture: A Retrospective Cohort Study Using Health Insurance Claims Data From Germany. Journal of the American Medical Directors Association, 2019, 20, 451-455.e3.	2.5	12
272	Unmet health care needs in old age and their association with depression – results of a population-representative survey. Journal of Affective Disorders, 2019, 245, 998-1006.	4.1	28
273	Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline?. International Journal of Geriatric Psychiatry, 2019, 34, 193-203.	2.7	41
274	Out-of-pocket-payments and the financial burden of 502 cancer patients of working age in Germany: results from a longitudinal study. Supportive Care in Cancer, 2019, 27, 2221-2228.	2.2	46
275	Impact of informal caregiving on loneliness and satisfaction with leisure-time activities. Findings of a population-based longitudinal study in Germany. Aging and Mental Health, 2019, 23, 1539-1545.	2.8	21
276	Obesity and loneliness. Findings from a longitudinal population-based study in the second half of life in Germany. Psychogeriatrics, 2019, 19, 135-140.	1.2	17
277	Stated preferences for long-term care: a literature review. Ageing and Society, 2019, 39, 1873-1913.	1.7	72
278	Population norms for the EQ-5D-3L: a cross-country analysis of population surveys for 20 countries. European Journal of Health Economics, 2019, 20, 205-216.	2.8	189
279	Panic Disorder in Primary Care: The Effects of a Team-Based Intervention. Deutsches Arzteblatt International, 2019, 116, 159-166.	0.9	12
280	Seeking the balance between caregiving in dementia, family and employment: study protocol for a mixed methods study in Northern Germany. BMJ Open, 2018, 8, e019444.	1.9	5
281	A systematic review of the association of anxiety with health care utilization and costs in people aged 65 years and older. Journal of Affective Disorders, 2018, 232, 163-176.	4.1	42
282	Somatoform disorder in primary care: The influence of comorbidity with anxiety and depression on health care utilization. Journal of Evaluation in Clinical Practice, 2018, 24, 892-900.	1.8	15
283	The Impact of Informal Caregiving on the Cognitive Function of Older Caregivers: Evidence From A Longitudinal, Population-Based Study. American Journal of Geriatric Psychiatry, 2018, 26, S151-S152.	1.2	0
284	Preferences for home- and community-based long-term care services in Germany: a discrete choice experiment. European Journal of Health Economics, 2018, 19, 1213-1223.	2.8	23
285	Does informal caregiving affect self-esteem? Results from a population-based study of individuals aged 40 and over in Germany from 2002 to 2014. Scandinavian Journal of Caring Sciences, 2018, 32, 1047-1055.	2.1	3
286	The relation between personality, informal caregiving, life satisfaction and health-related quality of life: evidence of a longitudinal study. Quality of Life Research, 2018, 27, 1249-1256.	3.1	17
287	Development of a risk assessment tool for osteoporotic fracture prevention: A claims data approach. Bone, 2018, 110, 170-176.	2.9	16
288	Economic evaluation of cognitive behavioral therapy and Internet-based guided self-help for binge-eating disorder. International Journal of Eating Disorders, 2018, 51, 155-164.	4.0	36

#	ARTICLE	IF	CITATIONS
289	Cost-utility of collaborative nurse-led self-management support for primary care patients with anxiety, depressive or somatic symptoms: A cluster-randomized controlled trial (the SMADS trial). <i>International Journal of Nursing Studies</i> , 2018, 80, 67-75.	5.6	5
290	Psychological correlates of fear of falling: Findings from the German Aging Survey. <i>Geriatrics and Gerontology International</i> , 2018, 18, 396-406.	1.5	21
291	The Longitudinal Association between Psychological Factors and Health Care Use. <i>Health Services Research</i> , 2018, 53, 1065-1091.	2.0	24
292	Unmet needs in the depressed primary care elderly and their relation to severity of depression: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2018, 22, 1038-1045.	2.8	6
293	Frailty and healthcare costs—longitudinal results of a prospective cohort study. <i>Age and Ageing</i> , 2018, 47, 233-241.	1.6	145
294	The use of routine health check-ups and psychological factors—a neglected link. Evidence from a population-based study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 137-144.	1.6	6
295	Categorical and dimensional perspectives on depression in elderly primary care patients — Results of the AgeMooDe study. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	2.1	5
296	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. <i>Journal of Affective Disorders</i> , 2018, 226, 28-35.	4.1	22
297	Costs of informal nursing care for patients with neurologic disorders. <i>Neurology</i> , 2018, 90, 28-34.	1.1	7
298	The Association Between Self-Regulation and Daily Sports Activities in a Nationally Representative Sample of Older Adults. Findings From the German Ageing Survey. <i>Frontiers in Physiology</i> , 2018, 9, 1763.	2.8	0
299	Excess costs of alcohol-dependent patients in German psychiatric care compared with matched non-alcohol-dependent individuals from the general population: a secondary analysis of two datasets. <i>BMJ Open</i> , 2018, 8, e020563.	1.9	6
300	11 .Versorgung. , 2018, , 565-590.		0
301	Comparison of a group-delivered and individually delivered lifestyle-integrated functional exercise (LiFE) program in older persons: a randomized noninferiority trial. <i>BMC Geriatrics</i> , 2018, 18, 267.	2.7	24
302	Diagnosis of somatoform disorders in primary care: diagnostic agreement, predictors, and comparisons with depression and anxiety. <i>BMC Psychiatry</i> , 2018, 18, 361.	2.6	14
303	Cost-effectiveness analyses and cost analyses in castration-resistant prostate cancer: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0208063.	2.5	24
304	Long-term evaluation of the implementation of a large fall and fracture prevention program in long-term care facilities. <i>BMC Geriatrics</i> , 2018, 18, 233.	2.7	10
305	Do Individuals in Old Age Prepare for the Risk of Long-Term Care? Results of A Population-Based Survey in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2189.	2.6	10
306	Collaborative mental health care program versus a general practitioner program and usual care for treatment of patients with mental or neurological disorders in Germany: protocol of a multiperspective evaluation study. <i>BMC Psychiatry</i> , 2018, 18, 347.	2.6	9

#	ARTICLE	IF	CITATIONS
307	The association between obesity and social exclusion in middle-aged and older adults: findings from a nationally representative study in Germany. <i>BMC Geriatrics</i> , 2018, 18, 258.	2.7	16
308	Leadership position and physician visits – results of a nationally representative longitudinal study in Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2018, 13, 33.	2.2	2
309	Informal caregiving and personality: Results of a population-based longitudinal study in Germany. <i>PLoS ONE</i> , 2018, 13, e0203586.	2.5	6
310	Which factors lead to frequent attendance in the outpatient sector among individuals in the second half of life? Evidence from a population-based longitudinal study in Germany. <i>BMC Health Services Research</i> , 2018, 18, 673.	2.2	12
311	Obesity and sickness absence: results from a longitudinal nationally representative sample from Germany. <i>BMJ Open</i> , 2018, 8, e019839.	1.9	15
312	Correlates of preferences for autonomy in long-term care: results of a population-based survey among older individuals in Germany. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 71-78.	1.8	3
313	Effect of a combined brief narrative exposure therapy with case management versus treatment as usual in primary care for patients with traumatic stress sequelae following intensive care medicine: study protocol for a multicenter randomized controlled trial (PICTURE). <i>Trials</i> , 2018, 19, 480.	1.6	8
314	Longitudinal Analysis of Outpatient Physician Visits in the Oldest Old: Results of the AgeQualiDe Prospective Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 689-694.	3.3	9
315	Prediction of Drug-Related Risks Using Clinical Context Information in Longitudinal Claims Data. <i>Value in Health</i> , 2018, 21, 1390-1398.	0.3	8
316	Consequences of different types of informal caregiving for mental, self-rated, and physical health: longitudinal findings from the German Ageing Survey. <i>Quality of Life Research</i> , 2018, 27, 2667-2679.	3.1	30
317	Guideline-based stepped and collaborative care for patients with depression in a cluster-randomised trial. <i>Scientific Reports</i> , 2018, 8, 9389.	3.3	48
318	Loss experiences in old age and their impact on the social network and depression – results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Journal of Affective Disorders</i> , 2018, 241, 94-102.	4.1	24
319	The impact of potentially inappropriate medication on the development of health care costs and its moderation by the number of prescribed substances. Results of a retrospective matched cohort study. <i>PLoS ONE</i> , 2018, 13, e0198004.	2.5	20
320	Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1383-1388.	2.7	13
321	Cross-cultural validation of the German version of the Four-Dimensional Symptom Questionnaire (4DSQ) in multimorbid elderly people. <i>Quality of Life Research</i> , 2018, 27, 2691-2697.	3.1	7
322	Prospective Associations between Single Foods, Alzheimer’s Dementia and Memory Decline in the Elderly. <i>Nutrients</i> , 2018, 10, 852.	4.1	57
323	Five A’s counseling in weight management of obese patients in primary care: a cluster-randomized controlled trial (INTERACT). <i>BMC Family Practice</i> , 2018, 19, 97.	2.9	13
324	Are changes in body-mass-index associated with changes in depressive symptoms? Findings of a population-based longitudinal study among older Germans. <i>BMC Psychiatry</i> , 2018, 18, 182.	2.6	9

#	ARTICLE	IF	CITATIONS
325	A qualitative study on older primary care patientsâ€™ perspectives on depression and its treatments - potential barriers to and opportunities for managing depression. BMC Family Practice, 2018, 19, 2.	2.9	26
326	Physician emigration from Germany: insights from a survey in Saxony, Germany. BMC Health Services Research, 2018, 18, 341.	2.2	24
327	Impact of Incident Parkinson's Disease on Satisfaction With Life. Frontiers in Neurology, 2018, 9, 589.	2.4	14
328	The role of optimism in the relationship between job stress and depressive symptoms. Longitudinal findings from the German Ageing Survey. Journal of Affective Disorders, 2018, 241, 249-255.	4.1	21
329	The impact of different types of informal caregiving on cognitive functioning of older caregivers: Evidence from a longitudinal, population-based study in Germany. Social Science and Medicine, 2018, 214, 12-19.	3.8	26
330	Prevalence of pain and its associated factors among the oldest-olds in different care settings â€“ results of the AgeQualiDe study. BMC Family Practice, 2018, 19, 85.	2.9	14
331	Social Network Types in Old Age and Incident Dementia. Journal of Geriatric Psychiatry and Neurology, 2018, 31, 163-170.	2.3	16
332	Computerized cognitive behavior therapy for patients with mild to moderately severe depression in primary care: A pragmatic cluster randomized controlled trial (@ktiv). Journal of Affective Disorders, 2018, 238, 317-326.	4.1	53
333	Coordinated Treatment of Depression in Elderly People in Primary Care. Deutsches Ärztblatt International, 2018, 115, 741-747.	0.9	10
334	Cost-effectiveness Analysis of a Stepped, Collaborative and Coordinated Health Care Network for Patients with Somatoform Disorders (Sofu-Net). Journal of Mental Health Policy and Economics, 2018, 21, 59-69.	0.6	1
335	Analysis of Health Care Costs in Elderly Patients with Multiple Chronic Conditions Using a Finite Mixture of Generalized Linear Models. Health Economics (United Kingdom), 2017, 26, 582-599.	1.7	14
336	A Longitudinal Investigation of Willingness to Pay for Health Insurance in Germany. Health Services Research, 2017, 52, 1099-1117.	2.0	9
337	Depression screening with patient-targeted feedback in cardiology: DEPSCREEN-INFO randomised clinical trial. British Journal of Psychiatry, 2017, 210, 132-139.	2.8	27
338	Disentangling the complex relation of disability and depressive symptoms in old age â€“ findings of a multicenter prospective cohort study in Germany. International Psychogeriatrics, 2017, 29, 885-895.	1.0	30
339	Impact of coronary heart disease on cognitive decline in Alzheimerâ€™s disease: a prospective longitudinal cohort study in primary care. British Journal of General Practice, 2017, 67, e111-e117.	1.4	33
340	Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. Journal of the American Geriatrics Society, 2017, 65, 738-746.	2.6	11
341	Health Service Use, Costs, and Adverse Events Associated with Potentially Inappropriate Medication in Old Age in Germany: Retrospective Matched Cohort Study. Drugs and Aging, 2017, 34, 289-301.	2.7	48
342	Factors affecting functional impairment among elderly Germans â€“ Results of a longitudinal study. Journal of Nutrition, Health and Aging, 2017, 21, 299-306.	3.3	18

#	ARTICLE	IF	CITATIONS
343	Excess costs of social anxiety disorder in Germany. <i>Journal of Affective Disorders</i> , 2017, 213, 23-29.	4.1	29
344	Factors associated with preferences for long-term care settings in old age: evidence from a population-based survey in Germany. <i>BMC Health Services Research</i> , 2017, 17, 156.	2.2	41
345	The "no problems" problem: an empirical analysis of ceiling effects on the EQ-5D 5L. <i>Quality of Life Research</i> , 2017, 26, 2079-2084.	3.1	22
346	Understanding Mortality of Femoral Fractures Following Low-Impact Trauma in Persons With and Without Care Need. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 221-226.	2.5	7
347	Investigating the Additive Interaction of QT-Prolonging Drugs in Older People Using Claims Data. <i>Drug Safety</i> , 2017, 40, 133-144.	3.2	29
348	Effectiveness of a Stepped, Collaborative, and Coordinated Health Care Network for Somatoform Disorders (Sofu-Net): A Controlled Cluster Cohort Study. <i>Psychosomatic Medicine</i> , 2017, 79, 1016-1024.	2.0	25
349	Economic evaluation of vitamin D and calcium food fortification for fracture prevention in Germany. <i>Public Health Nutrition</i> , 2017, 20, 1874-1883.	2.2	24
350	Long-Term Effectiveness of a Multifactorial Fall and Fracture Prevention Program in Bavarian Nursing Homes: An Analysis Based on Health Insurance Claims Data. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 552.e7-552.e17.	2.5	11
351	Locus of control and frequency of physician visits: Results of a population-based longitudinal study in Germany. <i>British Journal of Health Psychology</i> , 2017, 22, 414-428.	3.5	12
352	Treatment preferences for depression in the elderly. <i>International Psychogeriatrics</i> , 2017, 29, 389-398.	1.0	34
353	How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. <i>Age and Ageing</i> , 2017, 46, 813-820.	1.6	23
354	The role of self-efficacy, self-esteem and optimism for using routine health check-ups in a population-based sample. A longitudinal perspective. <i>Preventive Medicine</i> , 2017, 105, 47-51.	3.4	12
355	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. <i>International Psychogeriatrics</i> , 2017, 29, 1939-1950.	1.0	35
356	Falls and subjective well-being. Results of the population-based German Ageing Survey. <i>Archives of Gerontology and Geriatrics</i> , 2017, 72, 181-186.	3.0	8
357	Excess costs from functional somatic syndromes in Germany – An analysis using entropy balancing. <i>Journal of Psychosomatic Research</i> , 2017, 97, 52-57.	2.6	6
358	The longitudinal association between informal caregiving and body mass index in the second half of life: findings of the German Ageing Survey. <i>Public Health</i> , 2017, 151, 81-86.	2.9	4
359	Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 44, 71-83.	1.5	19
360	The role of general psychosocial factors for the use of cancer screening – Findings of a population-based observational study among older adults in Germany. <i>Cancer Medicine</i> , 2017, 6, 3025-3039.	2.8	16

#	ARTICLE	IF	CITATIONS
361	Association of general psychological factors with frequent attendance in primary care: a population-based cross-sectional observational study. BMC Family Practice, 2017, 18, 48.	2.9	25
362	Advance directives and power of attorney for health care in the oldest-old – results of the AgeQualiDe study. BMC Geriatrics, 2017, 17, 85.	2.7	19
363	Which factors affect health care use among older Germans? Results of the German ageing survey. BMC Health Services Research, 2017, 17, 30.	2.2	42
364	The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study. American Journal of Geriatric Psychiatry, 2017, 25, 131-141.	1.2	22
365	Does visual impairment affect social ties in late life? Findings of a multicenter prospective cohort study in Germany. Journal of Nutrition, Health and Aging, 2017, 21, 692-698.	3.3	13
366	Fracture risk in people with developmental disabilities: results of a large claims data analysis. Osteoporosis International, 2017, 28, 369-375.	3.1	20
367	The role of flexible goal adjustment in the effect of informal caregiving on depressive symptoms: Evidence of a large population-based longitudinal study in Germany from 2002 to 2011. Quality of Life Research, 2017, 26, 419-427.	3.1	10
368	Which types of mental work demands may be associated with reduced risk of dementia?. Alzheimer's and Dementia, 2017, 13, 431-440.	0.8	33
369	[P3488]: THE IMPACT OF CARING FOR A RELATIVE WITH DEMENTIA ON INFORMAL CAREGIVERS' EMPLOYMENT: A SYSTEMATIC, MIXED STUDIES REVIEW. Alzheimer's and Dementia, 2017, 13, P1162.	0.8	0
370	The Curvilinear Effect of BMI on Functional Health - Evidence of the Long-Running German Ageing Survey. Obesity Facts, 2017, 10, 252-260.	3.4	6
371	Depression screening with patient-targeted feedback in cardiology: The cost-effectiveness of DEPSCREEN-INFO. PLoS ONE, 2017, 12, e0181021.	2.5	7
372	The role of personality in health care use: Results of a population-based longitudinal study in Germany. PLoS ONE, 2017, 12, e0181716.	2.5	49
373	Choosing the right rehabilitation setting after herniated disc surgery: Motives, motivations and expectations from the patients' perspective. PLoS ONE, 2017, 12, e0183698.	2.5	1
374	Psychosocial correlates of unintentional weight loss in the second half of life in the German general population. PLoS ONE, 2017, 12, e0185749.	2.5	6
375	Frequent attenders in late life in primary care: a systematic review of European studies. BMC Family Practice, 2017, 18, 104.	2.9	37
376	Correlates of alcohol consumption among Germans in the second half of life. Results of a population-based observational study. BMC Geriatrics, 2017, 17, 207.	2.7	16
377	Psychological determinants of influenza vaccination. BMC Geriatrics, 2017, 17, 194.	2.7	20
378	The association of falls with loneliness and social exclusion: evidence from the DEAS German Ageing Survey. BMC Geriatrics, 2017, 17, 204.	2.7	48

#	ARTICLE	IF	CITATIONS
379	Association of informal caregiving with body mass index and frequency of sporting activities: evidence of a population-based study in Germany. BMC Public Health, 2017, 17, 755.	2.9	8
380	The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. Health and Quality of Life Outcomes, 2017, 15, 140.	2.4	48
381	Self-efficacy moderates the relationship between health comparisons and social exclusion: results of the German ageing survey. Health and Quality of Life Outcomes, 2017, 15, 252.	2.4	6
382	Who should take care of me? Preferences of old age individuals for characteristics of professional long-term caregivers: an observational cross-sectional study. BMC Research Notes, 2017, 10, 382.	1.4	7
383	Effectiveness and cost-effectiveness of telephone-based cognitive-behavioural therapy in primary care: study protocol of TIDe â€“ telephone intervention for depression. BMC Psychiatry, 2017, 17, 263.	2.6	16
384	Risk Factors for Postoperative Pain Intensity in Patients Undergoing Lumbar Disc Surgery: A Systematic Review. PLoS ONE, 2017, 12, e0170303.	2.5	35
385	10. dggÄr Jahrestagung â€“ Ahoi in Hamburg. Gesundheitsökonomie Und Qualitätsmanagement, 2017, 22, 184-184.	0.0	0
386	Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly â€“ Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). PLoS ONE, 2016, 11, e0147050.	2.5	20
387	The Effect of Intra- and Intergenerational Caregiving on Subjective Well-Being â€“ Evidence of a Population Based Longitudinal Study among Older Adults in Germany. PLoS ONE, 2016, 11, e0148916.	2.5	23
388	Effect of Health Comparisons on Functional Health and Depressive Symptoms - Results of a Population-Based Longitudinal Study of Older Adults in Germany. PLoS ONE, 2016, 11, e0156235.	2.5	4
389	Effectiveness of Telephone-Based Health Coaching for Patients with Chronic Conditions: A Randomised Controlled Trial. PLoS ONE, 2016, 11, e0161269.	2.5	48
390	Negative Health Comparisons Decrease Affective and Cognitive Well-Being in Older Adults. Evidence from a Population-Based Longitudinal Study in Germany. Frontiers in Psychology, 2016, 7, 999.	2.1	18
391	Unmet care needs of the oldest old with late-life depression: A comparison of patient, caring relative and general practitioner perceptions â€“ Results of the AgeMooDe study. Journal of Affective Disorders, 2016, 205, 182-189.	4.1	10
392	Correlates of health related quality of life in anorexia nervosa. International Journal of Eating Disorders, 2016, 49, 630-634.	4.0	26
393	Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. Journal of Alzheimer's Disease, 2016, 54, 185-199.	2.6	23
394	Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. Journal of Alzheimer's Disease, 2016, 54, 1135-1146.	2.6	70
395	Cost-effectiveness of focal psychodynamic therapy and enhanced cognitive-behavioural therapy in out-patients with anorexia nervosa. Psychological Medicine, 2016, 46, 3291-3301.	4.5	21
396	Cost-utility of a specific collaborative group intervention for patients with functional somatic syndromes. Journal of Psychosomatic Research, 2016, 90, 43-50.	2.6	7

#	ARTICLE	IF	CITATIONS
397	Comparative evaluation of methods approximating drug prescription durations in claims data: modeling, simulation, and application to real data. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1434-1442.	1.9	14
398	The osteoporotic fracture prevention program in rural areas (OFRA): a protocol for a cluster-randomized health care fund driven intervention in a routine health care setting. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 458.	1.9	17
399	Excess Costs of Panic Disorder with or without Agoraphobia in Germany - The Application of Entropy Balancing to Multiple Imputed Datasets. <i>Value in Health</i> , 2016, 19, A523-A524.	0.3	0
400	The impact of preventive measures on the burden of femoral fractures – a modelling approach to estimating the impact of fall prevention exercises and oral bisphosphonate treatment for the years 2014 and 2025. <i>BMC Geriatrics</i> , 2016, 16, 75.	2.7	15
401	The Risk of Hospital Admission Due to Traumatic Brain Injury Is Increased in Older Persons With Severe Functional Limitations. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 609-612.	2.5	11
402	Excess health care costs of late-life depression – Results of the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 199, 139-147.	4.1	40
403	Obesity and discrimination – a systematic review and meta-analysis of observational studies. <i>Obesity Reviews</i> , 2016, 17, 43-55.	6.5	251
404	The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. <i>Journal of Affective Disorders</i> , 2016, 204, 247-254.	4.1	6
405	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2311-2316.	2.6	33
406	Long-term cost-effectiveness of cognitive behavioral therapy versus psychodynamic therapy in social anxiety disorder. <i>Depression and Anxiety</i> , 2016, 33, 1114-1122.	4.1	13
407	Job satisfaction of foreign-national physicians working in patient care: a cross-sectional study in Saxony, Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2016, 11, 41.	2.2	31
408	Äœbergewicht und Adipositas als Public Health-Problem. <i>Public Health Forum</i> , 2016, 24, 135-138.	0.2	3
409	Burnout among young physicians and its association with physicians' wishes to leave: results of a survey in Saxony, Germany. <i>Journal of Occupational Medicine and Toxicology</i> , 2016, 11, 2.	2.2	73
410	Association between multimorbidity patterns and chronic pain in elderly primary care patients: a cross-sectional observational study. <i>BMC Family Practice</i> , 2016, 17, 68.	2.9	65
411	Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 607-616.	3.1	46
412	Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. <i>Quality of Life Research</i> , 2016, 25, 1159-1168.	3.1	61
413	Stigma and Knowledge as Determinants of Recommendation and Referral Behavior of General Practitioners and Internists. <i>Obesity Surgery</i> , 2016, 26, 2393-2401.	2.1	30
414	Predictors of frailty in old age – results of a longitudinal study. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 952-957.	3.3	66

#	ARTICLE	IF	CITATIONS
415	Associations of frailty with health care costs – results of the ESTHER cohort study. BMC Health Services Research, 2016, 16, 128.	2.2	181
416	Longitudinal evaluation of medication underuse in older outpatients and its association with quality of life. European Journal of Clinical Pharmacology, 2016, 72, 877-885.	1.9	19
417	Willingness to pay for health insurance among the elderly population in Germany. European Journal of Health Economics, 2016, 17, 149-158.	2.8	14
418	Informal Caregiving and Subjective Well-Being: Evidence of a Population-Based Longitudinal Study of Older Adults in Germany. Journal of the American Medical Directors Association, 2016, 17, 300-305.	2.5	52
419	Health care utilisation and costs in the general population in Germany. Health Policy, 2016, 120, 159-169.	3.0	16
420	The assessment of met and unmet care needs in the oldest old with and without depression using the Camberwell Assessment of Need for the Elderly (CANE): Results of the AgeMooDe study. Journal of Affective Disorders, 2016, 193, 309-317.	4.1	49
421	Longitudinal Predictors of Functional Impairment in Older Adults in Europe – Evidence from the Survey of Health, Ageing and Retirement in Europe. PLoS ONE, 2016, 11, e0146967.	2.5	60
422	The Course of Pain Intensity in Patients Undergoing Herniated Disc Surgery: A 5-Year Longitudinal Observational Study. PLoS ONE, 2016, 11, e0156647.	2.5	8
423	Mapping the Beck Depression Inventory to the EQ-5D-3L in Patients with Depressive Disorders. Journal of Mental Health Policy and Economics, 2016, 19, 79-89.	0.6	3
424	The German version of the Camberwell Assessment of Need for the Elderly (CANE): evaluation of content validity and adaptation to the German-speaking context. International Psychogeriatrics, 2015, 27, 1919-1926.	1.0	19
425	Determinants of health-related quality of life in older primary care patients: results of the longitudinal observational AgeCoDe Study. British Journal of General Practice, 2015, 65, e716-e723.	1.4	59
426	Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe).. Psychological Assessment, 2015, 27, 895-904.	1.5	9
427	Elevated HbA1c is Associated with Increased Risk of Incident Dementia in Primary Care Patients. Journal of Alzheimer's Disease, 2015, 44, 1203-1212.	2.6	52
428	Evaluating a collaborative smoking cessation intervention in primary care (ENTER): study protocol for a cluster-randomized controlled trial. Trials, 2015, 16, 447.	1.6	4
429	The responsiveness of the EQ-5D and time trade-off scores in schizophrenia, affective disorders, and alcohol addiction. Health and Quality of Life Outcomes, 2015, 13, 114.	2.4	9
430	Mild Depressive Symptoms Predict Mortality from Heart Failure in Elderly Men but Not Women. Journal of the American Geriatrics Society, 2015, 63, 2408-2410.	2.6	2
431	Mortality in incident dementia – results from the German Study on Aging, Cognition, and Dementia in Primary Care Patients. Acta Psychiatrica Scandinavica, 2015, 132, 257-269.	4.5	25
432	Medication Underuse in Aging Outpatients with Cardiovascular Disease: Prevalence, Determinants, and Outcomes in a Prospective Cohort Study. PLoS ONE, 2015, 10, e0136339.	2.5	31

#	ARTICLE	IF	CITATIONS
433	Self-efficacy in multimorbid elderly patients with osteoarthritis in primary care—“influence on pain-related disability. <i>Clinical Rheumatology</i> , 2015, 34, 1761-1767.	2.2	11
434	Cost-Utility Analyses of Cognitive-Behavioural Therapy of Depression: A Systematic Review. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 6-21.	8.8	33
435	Cognitive performance before and after the onset of subjective cognitive decline in old age. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 194-205.	2.4	110
436	Risk of dementia in elderly patients with the use of proton pump inhibitors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 419-428.	3.2	184
437	Health burden and costs of obesity and overweight in Germany: an update. <i>European Journal of Health Economics</i> , 2015, 16, 957-967.	2.8	59
438	Determinants of direct and indirect costs in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2015, 48, 139-146.	4.0	47
439	Health service use and costs associated with excess weight in older adults in Germany. <i>Age and Ageing</i> , 2015, 44, 616-623.	1.6	22
440	Short-term cost-effectiveness of psychodynamic therapy and cognitive-behavioral therapy in social anxiety disorder: Results from the SOPHO-NET trial. <i>Journal of Affective Disorders</i> , 2015, 180, 21-28.	4.1	21
441	Risk of osteoporotic fractures following stroke in older persons. <i>Osteoporosis International</i> , 2015, 26, 1341-1349.	3.1	35
442	Cost-utility analysis of a preventive home visit program for older adults in Germany. <i>BMC Health Services Research</i> , 2015, 15, 141.	2.2	22
443	Social inequalities in patient-reported outcomes among older multimorbid patients —“ results of the MultiCare cohort study. <i>International Journal for Equity in Health</i> , 2015, 14, 17.	3.5	25
444	Differential effects of enriched environment at work on cognitive decline in old age. <i>Neurology</i> , 2015, 84, 2169-2176.	1.1	47
445	Complex coevolution of depression and health-related quality of life in old age. <i>Quality of Life Research</i> , 2015, 24, 2713-2722.	3.1	20
446	Prevalence and determinants of overweight and obesity in old age in Germany. <i>BMC Geriatrics</i> , 2015, 15, 83.	2.7	41
447	Risk of Nursing Home Admission After Femoral Fracture Compared With Stroke, Myocardial Infarction, and Pneumonia. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 715.e7-715.e12.	2.5	40
448	Cost-Effectiveness of Collaborative Care for the Treatment of Depressive Disorders in Primary Care: A Systematic Review. <i>PLoS ONE</i> , 2015, 10, e0123078.	2.5	51
449	Longitudinal Predictors of Institutionalization in Old Age. <i>PLoS ONE</i> , 2015, 10, e0144203.	2.5	128
450	Inpatient or Outpatient Rehabilitation after Herniated Disc Surgery? —“ Setting-Specific Preferences, Participation and Outcome of Rehabilitation. <i>PLoS ONE</i> , 2014, 9, e89200.	2.5	5

#	ARTICLE	IF	CITATIONS
451	Impact of Depression on Health Care Utilization and Costs among Multimorbid Patients â€” Results from the MultiCare Cohort Study. PLoS ONE, 2014, 9, e91973.	2.5	88
452	Risk for Femoral Fractures in Parkinsonâ€™s Disease Patients with and without Severe Functional Impairment. PLoS ONE, 2014, 9, e97073.	2.5	33
453	Obesity and Associated Lifestyle in a Large Sample of Multi-Morbid German Primary Care Attendees. PLoS ONE, 2014, 9, e102587.	2.5	19
454	A Systematic Review of Economic Evaluations of Treatments for Borderline Personality Disorder. PLoS ONE, 2014, 9, e107748.	2.5	29
455	Collaborative treatment of late-life depression in primary care (GermanIMPACT): study protocol of a cluster-randomized controlled trial. Trials, 2014, 15, 351.	1.6	25
456	Prognosis of Mild Cognitive Impairment in General Practice: Results of the German AgeCoDe Study. Annals of Family Medicine, 2014, 12, 158-165.	1.9	63
457	School-based prevention programs for depression and anxiety in adolescence: a systematic review. Health Promotion International, 2014, 29, 427-441.	1.8	101
458	Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. Dementia and Geriatric Cognitive Disorders Extra, 2014, 4, 481-493.	1.3	19
459	A hierarchy of predictors for dementiaâ€™free survival in oldâ€™age: results of the AgeCoDe study. Acta Psychiatrica Scandinavica, 2014, 129, 63-72.	4.5	29
460	Social relations and depression in late lifeâ€™”A systematic review. International Journal of Geriatric Psychiatry, 2014, 29, 1-21.	2.7	203
461	Early retirement in cancer patients with or without comorbid mental health conditions: A prospective cohort study. Cancer, 2014, 120, 2199-2206.	4.1	22
462	Assessing met and unmet needs in the oldest-old and psychometric properties of the German version of the Camberwell Assessment of Need for the Elderly (CANE) â€” a pilot study. International Psychogeriatrics, 2014, 26, 285-295.	1.0	25
463	Self-rated health in multimorbid older general practice patients: a cross-sectional study in Germany. BMC Family Practice, 2014, 15, 1.	2.9	139
464	Placement matching of alcohol-dependent patients based on a standardized intake assessment: rationale and design of a randomized controlled trial. BMC Psychiatry, 2014, 14, 286.	2.6	10
465	Sick Leave Days and Costs Associated With Overweight and Obesity in Germany. Journal of Occupational and Environmental Medicine, 2014, 56, 20-27.	1.7	29
466	Significance and Costs of Complex Biopsychosocial Health Care Needs in Elderly People. Psychosomatic Medicine, 2014, 76, 497-502.	2.0	31
467	Apolipoprotein E epsilon 4 genotype and a physically active lifestyle in late life: analysis of geneâ€™environment interaction for the risk of dementia and Alzheimer's disease dementia. Psychological Medicine, 2014, 44, 1319-1329.	4.5	71
468	The role of spousal loss in the development of depressive symptoms in the elderly â€” Implications for diagnostic systems. Journal of Affective Disorders, 2014, 161, 97-103.	4.1	41

#	ARTICLE	IF	CITATIONS
469	Inequalities in out-of-pocket payments for health care services among elderly Germans â€“ results of a population-based cross-sectional study. <i>International Journal for Equity in Health</i> , 2014, 13, 3.	3.5	32
470	Health care costs in the elderly in Germany: an analysis applying Andersenâ€™s behavioral model of health care utilization. <i>BMC Health Services Research</i> , 2014, 14, 71.	2.2	65
471	Cost-Utility Analysis of Preventive Home Visits in Older Adults. <i>Value in Health</i> , 2014, 17, A511.	0.3	1
472	A comparison of GP and GDS diagnosis of depression in late life among multimorbid patients â€“ Results of the MultiCare study. <i>Journal of Affective Disorders</i> , 2014, 168, 276-283.	4.1	12
473	Expected lifetime numbers and costs of fractures in postmenopausal women with and without osteoporosis in Germany: a discrete event simulation model. <i>BMC Health Services Research</i> , 2014, 14, 284.	2.2	35
474	Implementation of chronic illness care in German primary care practices â€“ how do multimorbid older patients view routine care? A cross-sectional study using multilevel hierarchical modeling. <i>BMC Health Services Research</i> , 2014, 14, 336.	2.2	16
475	Effectiveness and cost-effectiveness of a guideline-based stepped care model for patients with depression: study protocol of a cluster-randomized controlled trial in routine care. <i>BMC Psychiatry</i> , 2014, 14, 230.	2.6	30
476	Agreement between self-reported and general practitioner-reported chronic conditions among multimorbid patients in primary care - results of the MultiCare Cohort Study. <i>BMC Family Practice</i> , 2014, 15, 39.	2.9	74
477	Depressive mood mediates the influence of social support on health-related quality of life in elderly, multimorbid patients. <i>BMC Family Practice</i> , 2014, 15, 62.	2.9	33
478	Evaluation of a practice team-supported exposure training for patients with panic disorder with or without agoraphobia in primary care - study protocol of a cluster randomised controlled superiority trial. <i>Trials</i> , 2014, 15, 112.	1.6	14
479	Developmentally adapted cognitive processing therapy for adolescents and young adults with PTSD symptoms after physical and sexual abuse: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 195.	1.6	31
480	The Costs of Dementia From the Societal Perspective: Is Care Provided in the Community Really Cheaper than Nursing Home Care?. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 117-126.	2.5	35
481	Predictors of Serious Consequences of Falls in Residential Aged Care: Analysis of More Than 70,000 Falls From Residents of Bavarian Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 559-563.	2.5	58
482	The costs of social anxiety disorder: The role of symptom severity and comorbidities. <i>Journal of Affective Disorders</i> , 2014, 165, 87-94.	4.1	45
483	Measuring Negative Attitudes towards Overweight and Obesity in the German Population â€“ Psychometric Properties and Reference Values for the German Short Version of the Fat Phobia Scale (FPS). <i>PLoS ONE</i> , 2014, 9, e114641.	2.5	21
484	Cost measurement of mental disorders in Germany. <i>Journal of Mental Health Policy and Economics</i> , 2014, 17, 3-8.	0.6	19
485	Cost-effectiveness of a multifactorial fall prevention program in nursing homes. <i>Osteoporosis International</i> , 2013, 24, 1215-1223.	3.1	22
486	The health burden and costs of incident fractures attributable to osteoporosis from 2010 to 2050 in Germanyâ€”a demographic simulation model. <i>Osteoporosis International</i> , 2013, 24, 835-847.	3.1	78

#	ARTICLE	IF	CITATIONS
487	Effects of multiple chronic conditions on health care costs: an analysis based on an advanced tree-based regression model. BMC Health Services Research, 2013, 13, 219.	2.2	40
488	Telephone-based health coaching for chronically ill patients: study protocol for a randomized controlled trial. Trials, 2013, 14, 337.	1.6	34
489	Reliability, validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with social phobia. Health and Quality of Life Outcomes, 2013, 11, 215.	2.4	19
490	The Estimation of Utility Weights in Cost-Utility Analysis for Mental Disorders: A Systematic Review. Pharmacoeconomics, 2013, 31, 1131-1154.	3.3	16
491	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 137-149.	3.1	44
492	Economic costs of overweight and obesity. Best Practice and Research in Clinical Endocrinology and Metabolism, 2013, 27, 105-115.	4.7	214
493	Association of costs with somatic symptom severity in patients with medically unexplained symptoms. Journal of Psychosomatic Research, 2013, 75, 370-375.	2.6	68
494	Validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with somatoform disorders. Health and Quality of Life Outcomes, 2013, 11, 3.	2.4	35
495	Depression, non-fatal stroke and all-cause mortality in old age: A prospective cohort study of primary care patients. Journal of Affective Disorders, 2013, 150, 63-69.	4.1	18
496	Attitudes Towards Bariatric Surgery in the General Public. Obesity Surgery, 2013, 23, 338-345.	2.1	30
497	Co-morbid mental health conditions in cancer patients at working age – prevalence, risk profiles, and care uptake. Psycho-Oncology, 2013, 22, 2291-2297.	2.3	55
498	Femoral fracture rates after discharge from the hospital to the community. Journal of Bone and Mineral Research, 2013, 28, 821-827.	2.8	4
499	Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). Psychological Medicine, 2013, 43, 1597-1610.	4.5	91
500	Attitudes of Health Care Professionals towards Female Obese Patients. Obesity Facts, 2013, 6, 512-522.	3.4	48
501	Direct costs associated with depressive symptoms in late life: a 4.5-year prospective study. International Psychogeriatrics, 2013, 25, 292-302.	1.0	33
502	Effectiveness of preventive home visits in reducing the risk of falls in old age: a randomized controlled trial. Clinical Interventions in Aging, 2013, 8, 697.	2.9	29
503	Relative Impact of Multimorbid Chronic Conditions on Health-Related Quality of Life – Results from the MultiCare Cohort Study. PLoS ONE, 2013, 8, e66742.	2.5	120
504	Predictors of Costs in Dementia in a Longitudinal Perspective. PLoS ONE, 2013, 8, e70018.	2.5	51

#	ARTICLE	IF	CITATIONS
505	Enriched Environment at Work and the Incidence of Dementia: Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). PLoS ONE, 2013, 8, e70906.	2.5	36
506	Cost-effectiveness of depression case management in small practices. British Journal of Psychiatry, 2013, 202, 441-446.	2.8	22
507	Femoral fracture rates in people with and without disability. Age and Ageing, 2012, 41, 653-658.	1.6	41
508	Perception of overweight and obesity from different angles: A qualitative study. Scandinavian Journal of Public Health, 2012, 40, 271-277.	2.3	24
509	Economics of Medically Unexplained Symptoms: A Systematic Review of the Literature. Psychotherapy and Psychosomatics, 2012, 81, 265-275.	8.8	154
510	The Assessment of Changes in Cognitive Functioning in the Elderly: Age- and Education-Specific Reliable Change Indices for the SIDAM. Dementia and Geriatric Cognitive Disorders, 2012, 33, 73-83.	1.5	11
511	Predictors of Institutionalisation in Incident Dementia – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe Study). Dementia and Geriatric Cognitive Disorders, 2012, 33, 282-288.	1.5	39
512	Health Service Utilization and Costs of Depressive Symptoms in Late Life - A Systematic Review. Current Pharmaceutical Design, 2012, 18, 5936-5957.	1.9	89
513	Assessing cognitive changes in the elderly: Reliable Change Indices for the Mini-Mental State Examination. Acta Psychiatrica Scandinavica, 2012, 126, 208-218.	4.5	50
514	Prediction of Incident Dementia: Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment – Results From the German Study on Ageing, Cognition, and Dementia in Primary Care Patients. American Journal of Geriatric Psychiatry, 2012, 20, 943-954.	1.2	52
515	The Assessment of Changes in Cognitive Functioning: Age-, Education-, and Gender-Specific Reliable Change Indices for Older Adults Tested on the CERAD-NP Battery: Results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). American Journal of Geriatric Psychiatry, 2012, 20, 84-97.	1.2	29
516	Natural course of depressive symptoms in late life. An 8-year population-based prospective study. Journal of Affective Disorders, 2012, 142, 166-171.	4.1	48
517	Primärprävention von sturzbedingten Hüftfrakturen bei Bewohnern von Pflegeheimen in Bayern. Public Health Forum, 2012, 20, 34-36.	0.2	0
518	The course of depression and anxiety in patients undergoing disc surgery: A longitudinal observational study. Journal of Psychosomatic Research, 2012, 72, 185-194.	2.6	26
519	Influence of social support on cognitive change and mortality in old age: results from the prospective multicentre cohort study AgeCoDe. BMC Geriatrics, 2012, 12, 9.	2.7	41
520	Psychiatric comorbidity as predictor of costs in back pain patients undergoing disc surgery: a longitudinal observational study. BMC Musculoskeletal Disorders, 2012, 13, 165.	1.9	12
521	A prospective study of health care resource utilisation and selected costs of schizophrenia in France. BMC Health Services Research, 2012, 12, 269-76.	2.2	21
522	The influence of age, gender and socio-economic status on multimorbidity patterns in primary care. first results from the multicare cohort study. BMC Health Services Research, 2012, 12, 89.	2.2	242

#	ARTICLE	IF	CITATIONS
523	The Performance of a Value Set for the EQ-5D Based on Experienced Health States in Patients with Inflammatory Bowel Disease. <i>Value in Health</i> , 2012, 15, 151-157.	0.3	16
524	Epidemiology of Falls in Residential Aged Care: Analysis of More Than 70,000 Falls From Residents of Bavarian Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 187.e1-187.e6.	2.5	165
525	Rationale and content of psychenet: the Hamburg Network for Mental Health. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 57-63.	3.2	64
526	Obese Children, Adults and Senior Citizens in the Eyes of the General Public: Results of a Representative Study on Stigma and Causation of Obesity. <i>PLoS ONE</i> , 2012, 7, e46924.	2.5	80
527	Medical Students's Attitudes towards Overweight and Obesity. <i>PLoS ONE</i> , 2012, 7, e48113.	2.5	51
528	Attitudes of the German General Population toward Early Diagnosis of Dementia – Results of a Representative Telephone Survey. <i>PLoS ONE</i> , 2012, 7, e50792.	2.5	44
529	Does GP training in depression care affect patient outcome? - A systematic review and meta-analysis. <i>BMC Health Services Research</i> , 2012, 12, 10.	2.2	63
530	Age- and gender-specific prevalence of depression in latest-life – Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2012, 136, 212-221.	4.1	613
531	Effect of Cardiovascular and Metabolic Disease on Cognitive Test Performance and Cognitive Change in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1286-1291.	2.6	15
532	The long-term cost-effectiveness of obesity prevention interventions: systematic literature review. <i>Obesity Reviews</i> , 2012, 13, 537-553.	6.5	84
533	Cost-of-illness studies and cost-effectiveness analyses in eating disorders: A systematic review. <i>International Journal of Eating Disorders</i> , 2012, 45, 476-491.	4.0	141
534	Prevalence and risk factors of depressive symptoms in latest life – results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 286-295.	2.7	51
535	Age-related predictors of institutionalization: results of the German study on ageing, cognition and dementia in primary care patients (AgeCoDe). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 263-270.	3.1	49
536	Public Attitudes towards Prevention of Obesity. <i>PLoS ONE</i> , 2012, 7, e39325.	2.5	27
537	Review: Health Care Utilization and Costs of Elderly Persons With Multiple Chronic Conditions. <i>Medical Care Research and Review</i> , 2011, 68, 387-420.	2.1	572
538	Service Use and Costs of Incident Femoral Fractures in Nursing Home Residents in Germany: The Bavarian Fall and Fracture Prevention Project (BF2P2). <i>Journal of the American Medical Directors Association</i> , 2011, 12, 459-466.	2.5	26
539	PGI33 Predictors of Direct Medical Costs of Crohn'S Disease and Ulcerative Colitis. <i>Value in Health</i> , 2011, 14, A397-A398.	0.3	0
540	Effects of psychiatric comorbidity on costs in patients undergoing disc surgery: a cross-sectional study. <i>Spine Journal</i> , 2011, 11, 601-609.	1.3	12

#	ARTICLE	IF	CITATIONS
541	Accuracy of self-reports of mental health care utilization and calculated costs compared to hospital records. <i>Psychiatry Research</i> , 2011, 185, 261-268.	3.3	28
542	P1-222 Predictors of institutionalisation in individuals with and without dementia: results from the Leipzig longitudinal study of the aged (LEILA75+). <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A128-A128.	3.7	0
543	P1-223 Mild cognitive impairment: incidence and risk factors: results of the Leipzig longitudinal study of the aged (LEILA75+). <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A128-A128.	3.7	0
544	P1-224 Impact of impairment in instrumental activities of daily living and mild cognitive impairment on time to incident dementia: results of the Leipzig longitudinal study of the aged (LEILA75+). <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A128-A128.	3.7	0
545	P1-221 Epidemiology of depression in old age: results of the Leipzig longitudinal study of the aged (LEILA 75+). <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A127-A127.	3.7	1
546	Clock Drawing Test – screening utility for mild cognitive impairment according to different scoring systems: results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>International Psychogeriatrics</i> , 2011, 23, 1592-1601.	1.0	40
547	Net costs of dementia by disease stage. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 384-395.	4.5	109
548	The Impact of Psychiatric Comorbidity on the Return to Work in Patients Undergoing Herniated Disc Surgery. <i>Journal of Occupational Rehabilitation</i> , 2011, 21, 54-65.	2.2	19
549	Health burden and costs of obesity and overweight in Germany. <i>European Journal of Health Economics</i> , 2011, 12, 345-352.	2.8	90
550	Affective, anxiety, and substance-related disorders in patients undergoing herniated disc surgery. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1181-1190.	3.1	9
551	Availability and use of hip protectors in residents of nursing homes. <i>Osteoporosis International</i> , 2011, 22, 1593-1598.	3.1	10
552	The stigma of obesity in the general public and its implications for public health - a systematic review. <i>BMC Public Health</i> , 2011, 11, 661.	2.9	124
553	Measuring use of services for mental health problems in epidemiological surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 182-191.	2.1	8
554	Cost-effectiveness of fall prevention programs based on home visits for seniors aged over 65 years: a systematic review. <i>International Psychogeriatrics</i> , 2011, 23, 711-723.	1.0	12
555	Impact of impairment in instrumental activities of daily living and mild cognitive impairment on time to incident dementia: results of the Leipzig Longitudinal Study of the Aged. <i>Psychological Medicine</i> , 2011, 41, 1087-1097.	4.5	56
556	Malperformance in Verbal Fluency and Delayed Recall as Cognitive Risk Factors for Impairment in Instrumental Activities of Daily Living. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 81-88.	1.5	31
557	Does the Clock Drawing Test Predict Dementia Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 89-97.	1.5	15
558	Reduction of Femoral Fractures in Long-Term Care Facilities: The Bavarian Fracture Prevention Study. <i>PLoS ONE</i> , 2011, 6, e24311.	2.5	32

#	ARTICLE	IF	CITATIONS
559	Mental health care and out-of-pocket expenditures in Europe: results from the ESEMeD project. <i>Journal of Mental Health Policy and Economics</i> , 2011, 14, 95-105.	0.6	5
560	Is the Clock Drawing Test a screening tool for the diagnosis of mild cognitive impairment? A systematic review. <i>International Psychogeriatrics</i> , 2010, 22, 56-63.	1.0	75
561	Cost of falls in old age: a systematic review. <i>Osteoporosis International</i> , 2010, 21, 891-902.	3.1	413
562	Excess mortality after pelvic fractures in institutionalized older people. <i>Osteoporosis International</i> , 2010, 21, 1835-1839.	3.1	34
563	Predictors of nursing home admission of individuals without a dementia diagnosis before admission - results from the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>BMC Health Services Research</i> , 2010, 10, 186.	2.2	72
564	Validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with anxiety disorders. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 47.	2.4	86
565	Validity, reliability, and responsiveness of the EQ-5D in inflammatory bowel disease in Germany. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 42-51.	1.9	83
566	Income-, education- and gender-related inequalities in out-of-pocket health-care payments for 65+ patients - a systematic review. <i>International Journal for Equity in Health</i> , 2010, 9, 20.	3.5	22
567	Cognitive behavioural therapy versus supportive therapy for persistent positive symptoms in psychotic disorders: The POSITIVE Study, a multicenter, prospective, single-blind, randomised controlled clinical trial. <i>Trials</i> , 2010, 11, 123.	1.6	26
568	Mild Cognitive Impairment: Incidence and Risk Factors: Results of the Leipzig Longitudinal Study of the Aged. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1903-1910.	2.6	82
569	The Role of Monetary and Nonmonetary Incentives on the Choice of Practice Establishment: A Stated Preference Study of Young Physicians in Germany. <i>Health Services Research</i> , 2010, 45, 212-229.	2.0	54
570	Cost of illness studies of dementia: a systematic review focusing on stage dependency of costs. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 243-259.	4.5	121
571	The Assessment of Changes in Cognitive Functioning: Reliable Change Indices for Neuropsychological Instruments in the Elderly – A Systematic Review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 275-286.	1.5	53
572	Health status of the advanced elderly in six european countries: results from a representative survey using EQ-5D and SF-12. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 143.	2.4	98
573	Prediction of institutionalization in the elderly. A systematic review. <i>Age and Ageing</i> , 2010, 39, 31-38.	1.6	690
574	Is the Clock Drawing Test Appropriate for Screening for Mild Cognitive Impairment? – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 365-372.	1.5	26
575	The Social Phobia Psychotherapy Research Network. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 35-41.	8.8	58
576	The German MultiCare-study: Patterns of multimorbidity in primary health care – protocol of a prospective cohort study. <i>BMC Health Services Research</i> , 2009, 9, 145.	2.2	64

#	ARTICLE	IF	CITATIONS
577	Cost-of-illness studies and cost-effectiveness analyses in anxiety disorders: A systematic review. <i>Journal of Affective Disorders</i> , 2009, 114, 14-31.	4.1	143
578	The health and economic consequences of osteopenia- and osteoporosis-attributable hip fractures in Germany: estimation for 2002 and projection until 2050. <i>Osteoporosis International</i> , 2009, 20, 1117-1129.	3.1	81
579	Fractures after nursing home admission: incidence and potential consequences. <i>Osteoporosis International</i> , 2009, 20, 1775-1783.	3.1	34
580	The Health and Economic Consequences of Moderate Alcohol Consumption in Germany 2002. <i>Value in Health</i> , 2009, 12, 253-261.	0.3	15
581	Comparison of Different Valuation Methods for Population Health Status Measured by the EQ-5D in Three European Countries. <i>Value in Health</i> , 2009, 12, 750-758.	0.3	78
582	Cost-effectiveness of a primary care model for anxiety disorders. <i>British Journal of Psychiatry</i> , 2009, 195, 308-317.	2.8	38
583	Utility Assessment in Patients with Mental Disorders. <i>Pharmacoeconomics</i> , 2009, 27, 405-419.	3.3	20
584	Direct medical mental health care costs of schizophrenia in France, Germany and the United Kingdom – Findings from the European Schizophrenia Cohort (EuroSC). <i>European Psychiatry</i> , 2009, 24, 216-224.	0.2	27
585	Comparison of Population Health Status in Six European Countries. <i>Medical Care</i> , 2009, 47, 255-261.	2.4	191
586	Gender differences in predictors of nursing home placement in the elderly: a systematic review. <i>International Psychogeriatrics</i> , 2009, 21, 1015-1025.	1.0	51
587	Direct costs associated with mild cognitive impairment in primary care. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 963-971.	2.7	33
588	Service Utilization and Health-Care Costs in the Advanced Elderly. <i>Value in Health</i> , 2008, 11, 611-620.	0.3	46
589	Recurrent costs of HIV/AIDS-related health services in Rwanda: implications for financing. <i>Tropical Medicine and International Health</i> , 2008, 13, 1245-1256.	2.3	8
590	The responsiveness of EQ-5D utility scores in patients with depression: A comparison with instruments measuring quality of life, psychopathology and social functioning. <i>Journal of Affective Disorders</i> , 2008, 105, 81-91.	4.1	50
591	Direct costs associated with depression in old age in Germany. <i>Journal of Affective Disorders</i> , 2008, 105, 195-204.	4.1	82
592	Responsiveness of EQ-5D utility indices in alcohol-dependent patients. <i>Drug and Alcohol Dependence</i> , 2008, 92, 291-295.	3.2	20
593	Cost Effectiveness of Ibandronate for the Prevention of Fractures in Inflammatory Bowel Disease-Related Osteoporosis. <i>Pharmacoeconomics</i> , 2008, 26, 311-328.	3.3	11
594	Quality of life several years after myocardial infarction: comparing the MONICA/KORA registry to the general population. <i>European Heart Journal</i> , 2008, 30, 436-443.	2.2	107

#	ARTICLE	IF	CITATIONS
595	Cost effectiveness of the determination of autoantibodies against cyclic citrullinated peptide in the early diagnosis of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 1399-1405.	0.9	6
596	Prediction of Institutionalisation in Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 26, 65-78.	1.5	249
597	Time until Institutionalization in Incident Dementia Cases – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Neuroepidemiology</i> , 2008, 31, 100-108.	2.3	33
598	Healthcare costs associated with recognized and unrecognized depression in old age. <i>International Psychogeriatrics</i> , 2008, 20, 1219.	1.0	27
599	The EQ-5D in alcohol dependent patients: Relationships among health-related quality of life, psychopathology and social functioning. <i>Drug and Alcohol Dependence</i> , 2007, 86, 253-264.	3.2	46
600	Validity of the EQ-5D in assessing and valuing health status in patients with schizophrenic, schizotypal or delusional disorders. <i>European Psychiatry</i> , 2007, 22, 177-187.	0.2	70
601	Direct and Indirect Costs Attributable to Alcohol Consumption in Germany. <i>Pharmacoeconomics</i> , 2007, 25, 605-618.	3.3	52
602	Mitomycin C and Vinorelbine for second-line chemotherapy in NSCLC – a phase II trial. <i>British Journal of Cancer</i> , 2007, 96, 1052-1056.	6.4	17
603	Cost-of-illness studies of depression. <i>Journal of Affective Disorders</i> , 2007, 98, 29-43.	4.1	296
604	Advertising bans as a means of tobacco control policy: a systematic literature review of time-series analyses. <i>International Journal of Public Health</i> , 2007, 52, 295-307.	2.6	34
605	Costs of Inflammatory Bowel Disease in Germany. <i>Pharmacoeconomics</i> , 2006, 24, 797-814.	3.3	110
606	Decision makers' and scientists' opinion about contingent valuation and choice experiments for measuring willingness to pay in health care: Results from a survey in Germany. <i>International Journal of Technology Assessment in Health Care</i> , 2006, 22, 351-361.	0.5	5
607	Mortality, morbidity and costs attributable to smoking in Germany: update and a 10-year comparison. <i>Tobacco Control</i> , 2006, 15, 464-471.	3.2	121
608	Cost effectiveness of treatment for amblyopia: an analysis based on a probabilistic Markov model. <i>British Journal of Ophthalmology</i> , 2004, 88, 606-612.	3.9	51
609	Cost of outpatient care in patients with inflammatory bowel disease in a German University Hospital. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, 192-199.	2.8	42
610	The impact of ageing on hospital care and long-term care – the example of Germany. <i>Health Policy</i> , 2004, 67, 57-74.	3.0	91
611	Cost-Utility Analysis of Orthoptic Screening in Kindergarten: A Markov Model Based on Data From Germany. <i>Pediatrics</i> , 2004, 113, e95-e108.	2.1	27
612	F-18 NaF PET for Detection of Bone Metastases in Lung Cancer: Accuracy, Cost-Effectiveness, and Impact on Patient Management. <i>Journal of Bone and Mineral Research</i> , 2003, 18, 2206-2214.	2.8	155

#	ARTICLE	IF	CITATIONS
613	Cost Effectiveness of Adding Folinic Acid to Fluorouracil Plus Levamisole as Adjuvant Chemotherapy in Patients with Colon Cancer in Germany. <i>Pharmacoeconomics</i> , 2003, 21, 709-719.	3.3	8
614	Test characteristics of orthoptic screening examination in 3 year old kindergarten children. <i>British Journal of Ophthalmology</i> , 2003, 87, 909-916.	3.9	35
615	Economic Evaluation of Different Methods of Screening for Amblyopia in Kindergarten. <i>Pediatrics</i> , 2002, 109, e59-e59.	2.1	26
616	Validation of the EuroQol questionnaire in patients with inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2002, 14, 1205-1215.	1.6	104
617	Economic evaluation of orthoptic screening: results of a field study in 121 German kindergartens. <i>Investigative Ophthalmology and Visual Science</i> , 2002, 43, 3209-15.	3.3	11
618	Non-cycloplegic screening for amblyopia via refractive findings with the Nikon Retinomax hand held autorefractor in 3 year old kindergarten children. <i>British Journal of Ophthalmology</i> , 2001, 85, 1179-1182.	3.9	28
619	Cost-effectiveness of orthoptic screening in kindergarten: a decision-analytic model. <i>Strabismus</i> , 2000, 8, 79-90.	0.7	2
620	Prognostic significance of soluble interleukin-2 receptor- β in adenocarcinoma of the pancreas. <i>Cancer Letters</i> , 1998, 134, 193-199.	7.2	10
621	Managed Competition und Managed Care. <i>Public Health Forum</i> , 1997, 5, 12-12.	0.2	1
622	Epidemiologische und gesundheitsökonomische Aspekte. , 0, , 2-9.		0
623	Health-Related Quality of Life of Individuals Living In Households with Depression: Evidence from the German Socio-Economic Panel (SOEP). <i>Applied Research in Quality of Life</i> , 0, , 1.	2.4	0
624	Excess costs of mental disorders by level of severity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 0, , .	3.1	1
625	Social Isolation and Incident Dementia in the Oldest-Old—A Competing Risk Analysis. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	1
626	Psychometric evaluation of the German version of the Recovering Quality of Life (ReQoL) measures in patients with affective disorders. <i>European Journal of Health Economics</i> , 0, , .	2.8	3