
Mia M Bengtsson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3408556/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Desiccation time and rainfall control gaseous carbon fluxes in an intermittent stream. Biogeochemistry, 2021, 155, 381-400.	3.5	12
2	Tissue- and Population-Level Microbiome Analysis of the Wasp Spider Argiope bruennichi Identified a Novel Dominant Bacterial Symbiont. Microorganisms, 2020, 8, 8.	3.6	26
3	Long-Term Rewetting of Three Formerly Drained Peatlands Drives Congruent Compositional Changes in Pro- and Eukaryotic Soil Microbiomes through Environmental Filtering. Microorganisms, 2020, 8, 550.	3.6	25
4	Light availability impacts structure and function of phototrophic stream biofilms across domains and trophic levels. Molecular Ecology, 2018, 27, 2913-2925.	3.9	35
5	Chronic Helminth Infection Perturbs the Gut-Brain Axis, Promotes Neuropathology, and Alters Behavior. Journal of Infectious Diseases, 2018, 218, 1511-1516.	4.0	6
6	Drying and Rainfall Shape the Structure and Functioning of Nitrifying Microbial Communities in Riverbed Sediments. Frontiers in Microbiology, 2018, 9, 2794.	3.5	37
7	Holistic Assessment of Rumen Microbiome Dynamics through Quantitative Metatranscriptomics Reveals Multifunctional Redundancy during Key Steps of Anaerobic Feed Degradation. MSystems, 2018, 3, .	3.8	74
8	Interactive effects on organic matter processing from soils to the ocean: are priming effects relevant in aquatic ecosystems?. Hydrobiologia, 2018, 822, 1-17.	2.0	86
9	High light intensity mediates a shift from allochthonous to autochthonous carbon use in phototrophic stream biofilms. Journal of Geophysical Research G: Biogeosciences, 2017, 122, 1806-1820.	3.0	48
10	Eelgrass Leaf Surface Microbiomes Are Locally Variable and Highly Correlated with Epibiotic Eukaryotes. Frontiers in Microbiology, 2017, 8, 1312.	3.5	72
11	The ecology and biogeochemistry of stream biofilms. Nature Reviews Microbiology, 2016, 14, 251-263.	28.6	746
12	Light availability affects stream biofilm bacterial community composition and function, but not diversity. Environmental Microbiology, 2015, 17, 5036-5047.	3.8	44
13	Functional and Structural Responses of Hyporheic Biofilms to Varying Sources of Dissolved Organic Matter. Applied and Environmental Microbiology, 2014, 80, 6004-6012.	3.1	38
14	No evidence of aquatic priming effects in hyporheic zone microcosms. Scientific Reports, 2014, 4, 5187.	3.3	66
15	Bacterial diversity in relation to secondary production and succession on surfaces of the kelp <i>Laminaria hyperborea</i> . ISME Journal, 2012, 6, 2188-2198.	9.8	157
16	Exploring the composition and diversity of microbial communities at the Jan Mayen hydrothermal vent field using RNA and DNA. FEMS Microbiology Ecology, 2011, 77, 577-589.	2.7	98
17	Utilization of kelp-derived carbon sources by kelp surface-associated bacteria. Aquatic Microbial Ecology, 2011, 62, 191-199.	1.8	80
18	Planctomycetes dominate biofilms on surfaces of the kelp Laminaria hyperborea. BMC Microbiology, 2010, 10, 261.	3.3	221

#	Article	IF	CITATIONS
19	Seasonal dynamics of bacterial biofilms on the kelp Laminaria hyperborea. Aquatic Microbial Ecology, 2010, 60, 71-83.	1.8	141
20	New derivatives of reducing oligosaccharides and their use in enzymatic reactions: efficient synthesis of sialyl Lewis a and sialyl dimeric Lewis x glycoconjugates. Carbohydrate Research, 2000, 328, 525-531.	2.3	21