

Isabella Kardys

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3408587/publications.pdf>

Version: 2024-02-01

135
papers

2,847
citations

186265
28
h-index

206112
48
g-index

136
all docs

136
docs citations

136
times ranked

4979
citing authors

#	ARTICLE	IF	CITATIONS
1	Aortic dilation and growth in women with Turner syndrome. <i>Heart</i> , 2023, 109, 102-110.	2.9	7
2	Impact of Baseline and Newly Acquired Conduction Disorders on Need for Permanent Pacemakers With 3 Consecutive Generations of Self-Expanding Transcatheter Aortic Heart Valves. <i>Cardiovascular Revascularization Medicine</i> , 2022, 34, 40-45.	0.8	4
3	Relative conditional survival analysis provides additional insights into the prognosis of heart failure patients. <i>European Journal of Preventive Cardiology</i> , 2022, 29, e72-e73.	1.8	0
4	Clinical consequences of consecutive self-expanding transcatheter heart valve iterations. <i>Netherlands Heart Journal</i> , 2022, 30, 140-148.	0.8	2
5	Transcatheter Edge-to-Edge Repair in Proportionate Versus Disproportionate Functional Mitral Regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2022, 35, 105-115.e8.	2.8	13
6	Endovascular renal sympathetic denervation to improve heart failure with reduced ejection fraction: the IMPROVE-HF-I study. <i>Netherlands Heart Journal</i> , 2022, 30, 149-159.	0.8	4
7	Variability in lipid measurements can have major impact on treatment during secondary prevention. <i>European Journal of Preventive Cardiology</i> , 2022, 28, e4-e5.	1.8	0
8	Cardiovascular Biomarker Profiles in Obesity and Relation to Normalization of Subclinical Cardiac Dysfunction after Bariatric Surgery. <i>Cells</i> , 2022, 11, 422.	4.1	4
9	Relation of Iron Status to Prognosis After Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2022, 168, 22-30.	1.6	6
10	Persistently elevated levels of sST2 after acute coronary syndrome are associated with recurrent cardiac events. <i>Biomarkers</i> , 2022, 27, 264-269.	1.9	3
11	Dynamic personalized risk prediction in chronic heart failure patients: a longitudinal, clinical investigation of 92 biomarkers (Bio-SHIFT study). <i>Scientific Reports</i> , 2022, 12, 2795.	3.3	9
12	Diagnostic Accuracy of Coronary Angiography-Based Vessel Fractional Flow Reserve (vFFR) Virtual Stenting. <i>Journal of Clinical Medicine</i> , 2022, 11, 1397.	2.4	4
13	Effect of next generation pulsatile mechanical circulatory support on cardiac mechanics - The PULSE trial. <i>Cardiovascular Revascularization Medicine</i> , 2022, , .	0.8	0
14	Prognostic value of post-percutaneous coronary intervention diastolic pressure ratio. <i>Netherlands Heart Journal</i> , 2022, , 1.	0.8	1
15	Comparison of diagnostic accuracy measures of novel 3D quantitative coronary angiography based software and diastolic pressure ratio for fractional flow Reserve. A single center pooled analysis of FAST EXTEND and FAST II studies. <i>IJC Heart and Vasculature</i> , 2022, 39, 100986.	1.1	1
16	Prognostic value of left atrial strain in patients with congenital aortic stenosis. <i>European Heart Journal Open</i> , 2022, 2, .	2.3	8
17	Three-dimensional QCA-based vessel fractional flow reserve (vFFR) in Heart Team decision-making: a multicentre, retrospective, cohort study. <i>BMJ Open</i> , 2022, 12, e054202.	1.9	2
18	Tissue characterisation and primary percutaneous coronary intervention guidance using intravascular ultrasound: rationale and design of the SPECTRUM study. <i>Open Heart</i> , 2022, 9, e001955.	2.3	4

#	ARTICLE	IF	CITATIONS
19	Near-infrared spectroscopy to predict plaque progression in plaque-free artery regions. <i>EuroIntervention</i> , 2022, 18, 253-261.	3.2	4
20	Coronary lithotripsy for the treatment of underexpanded stents: the international multicentre CRUNCH registry. <i>EuroIntervention</i> , 2022, 18, 574-581.	3.2	28
21	Long-term follow-up of patients undergoing renal sympathetic denervation. <i>Clinical Research in Cardiology</i> , 2022, 111, 1256-1268.	3.3	7
22	Impact of membranous septum length on pacemaker need with different transcatheter aortic valve replacement systems: The INTERSECT registry. <i>Journal of Cardiovascular Computed Tomography</i> , 2022, 16, 524-530.	1.3	17
23	Correlation between 3Dâ€œQCA based FFR and quantitative lumen assessment by IVUS for left main coronary artery stenoses. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E495-E501.	1.7	11
24	Pairwise estimation of multivariate longitudinal outcomes in a Bayesian setting with extensions to the joint model. <i>Statistical Modelling</i> , 2021, 21, 115-136.	1.1	2
25	Improvement of late gadolinium enhancement image quality using a deep learningâ€œbased reconstruction algorithm and its influence on myocardial scar quantification. <i>European Radiology</i> , 2021, 31, 3846-3855.	4.5	31
26	Personalized screening intervals for kidney function in patients with chronic heart failure: a modeling study. <i>Journal of Nephrology</i> , 2021, 34, 1421-1427.	2.0	1
27	Real-time handling of missing predictors. <i>European Heart Journal Digital Health</i> , 2021, 2, 152-153.	1.7	0
28	Associations of serially measured PCSK9, LDLR and MPO with clinical outcomes in heart failure. <i>Biomarkers in Medicine</i> , 2021, 15, 247-255.	1.4	2
29	The legacy of HOPE-3. <i>European Heart Journal</i> , 2021, 42, 3008-3010.	2.2	2
30	Impact of Interventricular membranous septum length on pacemaker need with different Transcatheter aortic valve implantation systems. <i>International Journal of Cardiology</i> , 2021, 333, 152-158.	1.7	13
31	Sex-specific temporal evolution of circulating biomarkers in patients with chronic heart failure with reduced ejection fraction. <i>International Journal of Cardiology</i> , 2021, 334, 126-134.	1.7	6
32	The genomics of heart failure: design and rationale of the HERMES consortium. <i>ESC Heart Failure</i> , 2021, 8, 5531-5541.	3.1	11
33	Biomarker profiles in obesity patients and their relation to cardiac dysfunction. <i>Biomarkers in Medicine</i> , 2021, 15, 1211-1221.	1.4	2
34	Personalized screening intervals for measurement of N-terminal pro-B-type natriuretic peptide improve efficiency of prognostication in patients with chronic heart failure. <i>European Journal of Preventive Cardiology</i> , 2021, 28, e11-e14.	1.8	4
35	IGF-1 is not related to long-term outcome in hyperglycemic acute coronary syndrome patients. <i>Diabetes and Vascular Disease Research</i> , 2021, 18, 147916412110474.	2.0	1
36	Detection of Subclinical Cardiovascular Disease by Cardiovascular Magnetic Resonance in Lymphoma Survivors. <i>JACC: CardioOncology</i> , 2021, 3, 695-706.	4.0	11

#	ARTICLE	IF	CITATIONS
37	Renal sympathetic denervation in patients with vasospastic angina. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 2202-2209.	2.1	3
38	Growth of the thoracic aorta in the smoking population: The Danish Lung Cancer Screening Trial. <i>International Journal of Cardiology</i> , 2020, 299, 276-281.	1.7	7
39	Evolution of renal function and predictive value of serial renal assessments among patients with acute coronary syndrome: BIOMArCS study. <i>International Journal of Cardiology</i> , 2020, 299, 12-19.	1.7	3
40	Longitudinal patterns of N-terminal pro B-type natriuretic peptide, troponin T, and C-reactive protein in relation to the dynamics of echocardiographic parameters in heart failure patients. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 1005-1012.	1.2	7
41	Vascular Complications after Transfemoral Transcatheter Aortic Valve Implantation: A Systematic Review and Meta-Analysis. <i>Structural Heart</i> , 2020, 4, 62-71.	0.6	3
42	The Association Between Cytomegalovirus Infection and Cardiac Allograft Vasculopathy in the Era of Antiviral Valganciclovir Prophylaxis. <i>Transplantation</i> , 2020, 104, 1508-1518.	1.0	16
43	P1825 Myocardial bridging and coronary artery disease in hypertrophic cardiomyopathy: a matched case control study. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, .	1.2	0
44	Effect of renal denervation on catecholamines and the renin-angiotensin-aldosterone system. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2020, 21, 147032032094309.	1.7	9
45	Young@Heart: empowering the next generation of cardiovascular researchers. <i>Netherlands Heart Journal</i> , 2020, 28, 25-30.	0.8	1
46	Serially Measured Cytokines and Cytokine Receptors in Relation to Clinical Outcome in Patients With Stable Heart Failure. <i>Canadian Journal of Cardiology</i> , 2020, 36, 1587-1591.	1.7	2
47	Contact feedback improves 1-year outcomes of remote magnetic navigation-guided ischemic ventricular tachycardia ablation. <i>International Journal of Cardiology</i> , 2020, 315, 36-44.	1.7	8
48	Joint models with multiple longitudinal outcomes and a time-to-event outcome: a corrected two-stage approach. <i>Statistics and Computing</i> , 2020, 30, 999-1014.	1.5	24
49	Temporal patterns of macrophage- and neutrophil-related markers are associated with clinical outcome in heart failure patients. <i>ESC Heart Failure</i> , 2020, 7, 1190-1200.	3.1	17
50	Impact of machine-learning CT-derived fractional flow reserve for the diagnosis and management of coronary artery disease in the randomized CRESCENT trials. <i>European Radiology</i> , 2020, 30, 3692-3701.	4.5	15
51	Optimized electrocardiographic criteria for the detection of left ventricular hypertrophy in obesity patients. <i>Clinical Cardiology</i> , 2020, 43, 483-490.	1.8	10
52	Frequency and Significance of Coronary Artery Disease and Myocardial Bridging in Patients With Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , 2020, 125, 1404-1412.	1.6	19
53	Predictors for Clinical Outcome of Untreated Stent Edge Dissections as Detected by Optical Coherence Tomography. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008685.	3.9	12
54	Incidence of end-stage renal disease after heart transplantation and effect of its treatment on survival. <i>ESC Heart Failure</i> , 2020, 7, 533-541.	3.1	29

#	ARTICLE	IF	CITATIONS
55	A value-based healthcare approach: Health-related quality of life and psychosocial functioning in women with Turner syndrome. <i>Clinical Endocrinology</i> , 2020, 92, 434-442.	2.4	20
56	Renal tubular damage and worsening renal function in chronic heart failure: Clinical determinants and relation to prognosis (Bio-SHiFT study). <i>Clinical Cardiology</i> , 2020, 43, 630-638.	1.8	9
57	The effect of the walk-bike on quality of life and exercise capacity in patients with idiopathic pulmonary fibrosis: a feasibility study. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2020, 37, 192-202.	0.2	3
58	Serially measured cytokines and cytokine receptors in relation to clinical outcome in patients with stable heart failure. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
59	Intermodality variation of aortic dimensions: How, where and when to measure the ascending aorta. <i>International Journal of Cardiology</i> , 2019, 276, 230-235.	1.7	31
60	Utility of temporal profiles of new cardio-renal and pulmonary candidate biomarkers in chronic heart failure. <i>International Journal of Cardiology</i> , 2019, 276, 157-165.	1.7	22
61	Myocardial Injury Post Transcatheter Aortic Valve Implantation Comparing Mechanically Expanded Versus Self-Expandable Versus Balloon-Expandable Valves. <i>Structural Heart</i> , 2019, 3, 431-437.	0.6	3
62	Repeated Echocardiograms Do Not Provide Incremental Prognostic Value to Single Echocardiographic Assessment in Minimally Symptomatic Patients with Chronic Heart Failure: Results of the Bio-SHiFT Study. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 1000-1009.	2.8	7
63	Anti-Oxidized LDL Antibodies and Coronary Artery Disease: A Systematic Review. <i>Antioxidants</i> , 2019, 8, 484.	5.1	35
64	P1640 Longitudinal patterns of NT-proBNP, troponin T and CRP in relation to the dynamics of echocardiographic parameters in heart failure patients. <i>European Heart Journal</i> , 2019, 40, .	2.2	0
65	Response: Serial blood biomarker measurements for elucidation of the pathophysiology of heart failure. <i>International Journal of Cardiology</i> , 2019, 278, 266.	1.7	0
66	Response to Letter to the Editor: "Cardiometabolic Biomarkers and Their Temporal Patterns Predict Poor Outcome in Chronic Heart Failure (Bio-SHiFT Study)". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 736-737.	3.6	1
67	Understanding of interaction (subgroup) analysis in clinical trials. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13145.	3.4	50
68	Temporal evolution of myeloperoxidase and galectin 3 during 1 year after acute coronary syndrome admission. <i>American Heart Journal</i> , 2019, 216, 143-146.	2.7	3
69	5948 Circulating biomarkers of cell adhesion in relation to clinical outcomes in patients with chronic heart failure: the Bio-SHiFT study. <i>European Heart Journal</i> , 2019, 40, .	2.2	0
70	P1644 Personalized screening intervals for measurement of n-terminal pro-b-type natriuretic peptide improve efficiency of prognostication in patients with chronic heart failure. <i>European Heart Journal</i> , 2019, 40, .	2.2	0
71	Evaluation of atrial septal defects with 4D flow MRI – multilevel and inter-reader reproducibility for quantification of shunt severity. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2019, 32, 269-279.	2.0	34
72	Atrial fibrillation reduction by renal sympathetic denervation: 12 months™ results of the AFFORD study. <i>Clinical Research in Cardiology</i> , 2019, 108, 634-642.	3.3	38

#	ARTICLE	IF	CITATIONS
73	The temporal pattern of immune and inflammatory proteins prior to a recurrent coronary event in post-acute coronary syndrome patients. <i>Biomarkers</i> , 2019, 24, 199-205.	1.9	5
74	Genetics, Clinical Features, and Long-Term Outcome of Noncompaction Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2018, 71, 711-722.	2.8	242
75	Toward personalized risk assessment in patients with chronic heart failure: Detailed temporal patterns of NT-proBNP, troponin T, and CRP in the Bio-SHIFT study. <i>American Heart Journal</i> , 2018, 196, 36-48.	2.7	40
76	Near-infrared spectroscopy-derived lipid core burden index predicts adverse cardiovascular outcome in patients with coronary artery disease during long-term follow-up. <i>European Heart Journal</i> , 2018, 39, 295-302.	2.2	96
77	Development and validation of a risk model for long-term mortality after percutaneous coronary intervention: The IDEAS-BIO Study. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 91, 686-695.	1.7	3
78	Serially measured circulating microRNAs and adverse clinical outcomes in patients with acute heart failure. <i>European Journal of Heart Failure</i> , 2018, 20, 89-96.	7.1	48
79	Patient-specific evolution of renal function in chronic heart failure patients dynamically predicts clinical outcome in the Bio-SHIFT study. <i>Kidney International</i> , 2018, 93, 952-960.	5.2	26
80	Real-Life Use of Neurohormonal Antagonists and Loop Diuretics in Chronic Heart Failure: Analysis of Serial Biomarker Measurements and Clinical Outcome. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 346-355.	4.7	2
81	P2724 Washout and long-term stabilization of cholesterol after acute coronary syndrome. <i>European Heart Journal</i> , 2018, 39, .	2.2	0
82	P4198 The predictive value of Pd/pa and resting diastolic pressure ratio (DPR) on 1-year adverse cardiovascular event following contemporary percutaneous coronary intervention. <i>European Heart Journal</i> , 2018, 39, .	2.2	0
83	P1558 The time course of immuno- and inflammo-proteomics prior to a recurrent coronary event in post-acute coronary syndrome patients. <i>European Heart Journal</i> , 2018, 39, .	2.2	0
84	P5665 Coagulation biomarkers and clinical outcomes in patients with chronic heart failure - The bio-shift study. <i>European Heart Journal</i> , 2018, 39, .	2.2	0
85	e-Transmission of ECGs for expert consultation results in improved triage and treatment of patients with acute ischaemic chest pain by ambulance paramedics. <i>Netherlands Heart Journal</i> , 2018, 26, 562-571.	0.8	9
86	Validation of Resting Diastolic Pressure Ratio Calculated by a Novel Algorithm and Its Correlation With Distal Coronary Artery Pressure to Aortic Pressure, Instantaneous Wave-Free Ratio, and Fractional Flow Reserve. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e006911.	3.9	39
87	P6245 High frequency metabolite profiling and the incidence of recurrent coronary events in post-acute coronary syndrome patients. <i>European Heart Journal</i> , 2018, 39, .	2.2	0
88	Prognostic Value of Intravascular Ultrasound in Patients With Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2018, 72, 2003-2011.	2.8	38
89	Associations of 26 Circulating Inflammatory and Renal Biomarkers with Near-Infrared Spectroscopy and Long-term Cardiovascular Outcome in Patients Undergoing Coronary Angiography (ATHEREMO-NIRS Substudy). <i>Current Atherosclerosis Reports</i> , 2018, 20, 52.	4.8	9
90	Effect of Gender and Genetic Mutations on Outcomes in Patients With Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , 2018, 122, 1947-1954.	1.6	27

#	ARTICLE	IF	CITATIONS
91	IgM anti-malondialdehyde low density lipoprotein antibody levels indicate coronary heart disease and necrotic core characteristics in the Nordic Diltiazem (NORDIL) study and the Integrated Imaging and Biomarker Study 3 (IBIS-3). <i>EBioMedicine</i> , 2018, 36, 63-72.	6.1	22
92	Personalized dynamic risk assessment in nephrology is a next step in prognostic research. <i>Kidney International</i> , 2018, 94, 214-217.	5.2	17
93	Plasma concentrations of molecular lipid species predict long-term clinical outcome in coronary artery disease patients. <i>Journal of Lipid Research</i> , 2018, 59, 1729-1737.	4.2	105
94	SYNTAX score II predicts long-term mortality in patients with one- or two-vessel disease. <i>PLoS ONE</i> , 2018, 13, e0200076.	2.5	9
95	Addition of routinely measured blood biomarkers significantly improves GRACE risk stratification in patients with myocardial infarction. <i>International Journal of Cardiology</i> , 2018, 273, 237-242.	1.7	15
96	Cardiometabolic Biomarkers and Their Temporal Patterns Predict Poor Outcome in Chronic Heart Failure (Bio-SHIFT Study). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3954-3964.	3.6	27
97	Adiponectin in Relation to Coronary Plaque Characteristics on Radiofrequency Intravascular Ultrasound and Cardiovascular Outcome. <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 111, 345-353.	0.8	3
98	Serially measured circulating miR-22-3p is a biomarker for adverse clinical outcome in patients with chronic heart failure: The Bio-SHIFT study. <i>International Journal of Cardiology</i> , 2017, 235, 124-132.	1.7	36
99	Impact of Relative Conditional Survival Estimates on Patient Prognosis After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017, 10, .	2.2	6
100	Current MitraClip experience, safety and feasibility in the Netherlands. <i>Netherlands Heart Journal</i> , 2017, 25, 394-400.	0.8	10
101	Effect of Age and Renal Function on Survival After Left Ventricular Assist Device Implantation. <i>American Journal of Cardiology</i> , 2017, 120, 2221-2225.	1.6	16
102	P660Associations of 26 circulating inflammatory and renal biomarkers with near-infrared spectroscopy and long term cardiovascular outcome in patients undergoing coronary angiography [ATHEROREMO study]. <i>European Heart Journal</i> , 2017, 38, .	2.2	0
103	P3653Evolution of renal function after acute coronary syndrome and prognostic impact of serial renal assessments in patients with normal-to-moderately reduced glomerular filtration rates: BIOMArCS study. <i>European Heart Journal</i> , 2017, 38, .	2.2	0
104	In search of an efficient strategy to monitor disease status of chronic heart failure outpatients: added value of blood biomarkers to clinical assessment. <i>Netherlands Heart Journal</i> , 2017, 25, 634-642.	0.8	6
105	P3648Detailed temporal patterns of high-sensitivity-cardiac troponin I and T during long-term follow-up after acute coronary syndrome. <i>European Heart Journal</i> , 2017, 38, .	2.2	0
106	Long-Term Follow-Up of the Randomized (BIOMArCS-2) Glucose Trial. <i>Circulation</i> , 2016, 134, 984-986.	1.6	2
107	Haptoglobin polymorphism in relation to coronary plaque characteristics on radiofrequency intravascular ultrasound and near-infrared spectroscopy in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2016, 221, 682-687.	1.7	1
108	Plasma cystatin C and neutrophil gelatinase-associated lipocalin in relation to coronary atherosclerosis on intravascular ultrasound and cardiovascular outcome: Impact of kidney function (ATHEROREMO-IVUS study). <i>Atherosclerosis</i> , 2016, 254, 20-27.	0.8	10

#	ARTICLE	IF	CITATIONS
109	A simple risk chart for initial risk assessment of 30-day mortality in patients with cardiogenic shock from ST-elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 101-107.	1.0	25
110	PCSK9 in relation to coronary plaque inflammation: Results of the ATHEROREMO-IVUS study. <i>Atherosclerosis</i> , 2016, 248, 117-122.	0.8	137
111	Release of growth-differentiation factor 15 and associations with cardiac function in adult patients with congenital heart disease. <i>International Journal of Cardiology</i> , 2016, 202, 246-251.	1.7	16
112	Smoking in Relation to Coronary Atherosclerotic Plaque Burden, Volume and Composition on Intravascular Ultrasound. <i>PLoS ONE</i> , 2015, 10, e0141093.	2.5	14
113	Plasma concentrations of molecular lipid species in relation to coronary plaque characteristics and cardiovascular outcome: Results of the ATHEROREMO-IVUS study. <i>Atherosclerosis</i> , 2015, 243, 560-566.	0.8	120
114	High-sensitive troponin-T in adult congenital heart disease. <i>International Journal of Cardiology</i> , 2015, 184, 405-411.	1.7	28
115	Evaluation of 42 cytokines, chemokines and growth factors for prediction of cardiovascular outcome in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2015, 184, 724-727.	1.7	1
116	Tools and Techniques – Statistical: A brief non-statistician’s guide for choosing the appropriate regression analysis, with special attention to correlated data and repeated measurements. <i>EuroIntervention</i> , 2015, 11, 957-962.	3.2	4
117	Circulating acute phase proteins in relation to extent and composition of coronary atherosclerosis and cardiovascular outcome: Results from the ATHEROREMO-IVUS study. <i>International Journal of Cardiology</i> , 2014, 177, 847-853.	1.7	16
118	Relation of C-Reactive Protein to Coronary Plaque Characteristics on Grayscale, Radiofrequency Intravascular Ultrasound, and Cardiovascular Outcome in Patients With Acute Coronary Syndrome or Stable Angina Pectoris (from the ATHEROREMO-IVUS Study). <i>American Journal of Cardiology</i> , 2014, 114, 1497-1503.	1.6	44
119	Antibodies to periodontal pathogens are associated with coronary plaque remodeling but not with vulnerability or burden. <i>Atherosclerosis</i> , 2014, 237, 84-91.	0.8	46
120	Circulating cytokines in relation to the extent and composition of coronary atherosclerosis: Results from the ATHEROREMO-IVUS study. <i>Atherosclerosis</i> , 2014, 236, 18-24.	0.8	35
121	Tools and Techniques - Statistics: Analysis of continuous data using the t-test and ANOVA. <i>EuroIntervention</i> , 2013, 9, 765-767.	3.2	2
122	Lipoprotein(a), Interleukin-10, C-reactive Protein, and 8-Year Outcome After Percutaneous Coronary Intervention. <i>Clinical Cardiology</i> , 2012, 35, 482-489.	1.8	33
123	Distribution of echocardiographic parameters and their associations with cardiovascular risk factors in the Rotterdam Study. <i>European Journal of Epidemiology</i> , 2010, 25, 481-490.	5.7	21
124	Haplotypes of the <i>NR4A2/NURR1</i> gene and cardiovascular disease: The Rotterdam Study. <i>Human Mutation</i> , 2009, 30, 417-423.	2.5	13
125	Echocardiographic parameters and all-cause mortality: The Rotterdam Study. <i>International Journal of Cardiology</i> , 2009, 133, 198-204.	1.7	40
126	Plasma Concentration of Heat Shock Protein 27 and Risk of Cardiovascular Disease: A Prospective, Nested Case-Control Study. <i>Clinical Chemistry</i> , 2008, 54, 139-146.	3.2	38

#	ARTICLE	IF	CITATIONS
127	The Female Advantage in Cardiovascular Disease: Do Vascular Beds Contribute Equally?. American Journal of Epidemiology, 2007, 166, 403-412.	3.4	82
128	Lipoprotein-associated phospholipase A2 and coronary calcification. Atherosclerosis, 2007, 191, 377-383.	0.8	29
129	Usefulness of Combining Complement Factor H and C-Reactive Protein Genetic Profiles for Predicting Myocardial Infarction (from the Rotterdam Study). American Journal of Cardiology, 2007, 100, 646-648.	1.6	10
130	Fibrinogen gene haplotypes in relation to risk of coronary events and coronary and extracoronary atherosclerosis: the Rotterdam Study. Thrombosis and Haemostasis, 2007, 97, 288-95.	3.4	5
131	C-reactive protein gene haplotypes and risk of coronary heart disease: the Rotterdam Study. European Heart Journal, 2006, 27, 1331-1337.	2.2	81
132	A Common Polymorphism in the Complement Factor H Gene Is Associated With Increased Risk of Myocardial Infarction. Journal of the American College of Cardiology, 2006, 47, 1568-1575.	2.8	83
133	C-reactive protein and risk of heart failure. The Rotterdam Study. American Heart Journal, 2006, 152, 514-520.	2.7	102
134	Lipoprotein-Associated Phospholipase A2 and Measures of Extracoronary Atherosclerosis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2006, 26, 631-636.	2.4	60
135	Spatial QRS-T angle predicts cardiac death in a general population. European Heart Journal, 2003, 24, 1357-1364.	2.2	226