

Mohamed Haouas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3417169/publications.pdf>

Version: 2024-02-01

132
papers

5,672
citations

66343

42
h-index

88630

70
g-index

145
all docs

145
docs citations

145
times ranked

5618
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening of biological properties of MoV ₂ O ₂ S ₂ - and MoV ₂ O ₄ -based coordination complexes: Investigation of antibacterial, antifungal, antioxidative and antitumoral activities versus growing of <i>Spirulina platensis</i> biomass. <i>Journal of Inorganic Biochemistry</i> , 2022, 226, 111627.	3.5	6
2	Improvement of the Hydrolytic Stability of the Keggin Molybdo- and Tungsto-Phosphate Anions by Cyclodextrins. <i>Inorganic Chemistry</i> , 2022, 61, 4193-4203.	4.0	13
3	Chaotropic Effect as an Assembly Motif to Construct Supramolecular Cyclodextrin-Polyoxometalate-Based Frameworks. <i>Journal of the American Chemical Society</i> , 2022, 144, 4469-4477.	13.7	38
4	Revisiting the Three Vanadium Sandwich-Type Polyoxometalates: Structures, Solution Behavior, and Redox Properties. <i>Inorganic Chemistry</i> , 2022, 61, 8309-8319.	4.0	1
5	Ion-Pairs in Aluminosilicate-Alkali Synthesis Liquids Determine the Aluminum Content and Topology of Crystallizing Zeolites. <i>Chemistry of Materials</i> , 2022, 34, 7150-7158.	6.7	13
6	Discovery and Supramolecular Interactions of Neutral Palladium-Oxo Clusters Pd ₁₆ and Pd ₂₄ . <i>Angewandte Chemie</i> , 2021, 133, 3676-3683.	2.0	9
7	Discovery and Supramolecular Interactions of Neutral Palladium-Oxo Clusters Pd ₁₆ and Pd ₂₄ . <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3632-3639.	13.8	24
8	Hofmeister effect in the Keggin-type polyoxotungstate series. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 12-25.	6.0	35
9	A decatungstate-based ionic liquid exhibiting a very low dielectric constant suitable for acting as a solvent and a catalyst for the oxidation of organic substrates. <i>New Journal of Chemistry</i> , 2021, 45, 9751-9755.	2.8	4
10	Host-Guest in Host-Supramolecular Core-Shell Type Systems Based on Giant Ring-Shaped Polyoxometalates. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 14146-14153.	13.8	41
11	Host-Guest in Host-Supramolecular Core-Shell Type Systems Based on Giant Ring-Shaped Polyoxometalates. <i>Angewandte Chemie</i> , 2021, 133, 14265-14272.	2.0	5
12	Redox-Responsive Host-Guest Association between β -Cyclodextrin and Mixed-Metal Keggin-Type Polyoxometalates. <i>Inorganic Chemistry</i> , 2021, 60, 7433-7441.	4.0	16
13	Supramolecular Association between β -Cyclodextrin and Preyssler-Type Polyoxotungstate. <i>Molecules</i> , 2021, 26, 5126.	3.8	8
14	Host-Guest Complexation Between Cyclodextrins and Hybrid Hexavanadates: What are the Driving Forces?. <i>Chemistry - A European Journal</i> , 2021, 27, 15516-15527.	3.3	13
15	Time-Resolved Spectroscopy and High-Efficiency Light-Driven Hydrogen Evolution of a {Mo ₃ S ₄ } ³⁻ -Containing Polyoxometalate-Based System. <i>Chemistry - A European Journal</i> , 2021, 27, 17094-17103.	3.3	7
16	Coordination capacity of Keggin anions as polytopic ligands: case study of [Vn ₁₂ O ₄₀] ⁿ⁻ . <i>Dalton Transactions</i> , 2021, 50, 7078-7084.	3.3	5
17	Discovery of a Neutral 40-Pd ^{II} -Oxo Molecular Disk, [Pd ₄₀ O ₂₄ (OH) ₁₆]{(CH ₃) ₂ AsO ₂ } ₁₆ : Synthesis, Structural Characterization, and Catalytic Studies. <i>Inorganic Chemistry</i> , 2021, 60, 17339-17347.	4.0	16
18	Cyclodextrin-Assisted Hierarchical Aggregation of Dawson-type Polyoxometalate in the Presence of {Re ₆ Se ₈ } Based Clusters. <i>Inorganic Chemistry</i> , 2020, 59, 11396-11406.	4.0	18

#	ARTICLE	IF	CITATIONS
19	Bis-3,5-Diamino-1,2,4-Triazolyl-1,2,4,5-Tetrazine: From Insensitive High Energy Density Materials to Small Molecule Organic Semiconductors. <i>Crystal Growth and Design</i> , 2020, 20, 6510-6518.	3.0	3
20	Co-immobilization of a Rh Catalyst and a Keggin Polyoxometalate in the UiO-67 Zr-Based Metal-Organic Framework: In Depth Structural Characterization and Photocatalytic Properties for CO ₂ Reduction. <i>Journal of the American Chemical Society</i> , 2020, 142, 9428-9438.	13.7	138
21	From Specific $\text{[Nb}_6\text{Cl}_{12}(\text{H}_2\text{O})_6]^{2+}$ Recognition to Biological Activity Tuning. <i>Chemistry - A European Journal</i> , 2020, 26, 7479-7485.	3.3	8
22	Unprecedented coupling reaction between two anionic species of a <i>closo</i> -decahydrodecaborate cluster and an Anderson-type polyoxometalate. <i>Dalton Transactions</i> , 2020, 49, 4685-4689.	3.3	11
23	Self-organization of silicates on different length scales exemplified by amorphous mesoporous silica and mesoporous zeolite beta using multiammonium surfactants. <i>RSC Advances</i> , 2020, 10, 20928-20938.	3.6	4
24	From supramolecular to solid state chemistry: crystal engineering of luminescent materials by trapping molecular clusters in an aluminium-based host matrix. <i>Materials Horizons</i> , 2020, 7, 2399-2406.	12.2	17
25	Structure-directing role of immobilized polyoxometalates in the synthesis of porphyrinic Zr-based metal-organic frameworks. <i>Chemical Communications</i> , 2020, 56, 10143-10146.	4.1	14
26	Photoactive Polyoxometalate/DASA Covalent Hybrids for Photopolymerization in the Visible Range. <i>Chemistry - A European Journal</i> , 2019, 25, 14349-14357.	3.3	8
27	Encapsulation of Chaotropic <i>closo</i> -Decahydrodecaborate Clusters Within Cyclodextrins: Synthesis, Solution Studies, and DFT Calculations. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 3373-3382.	2.0	14
28	Tuning the chaotropic effect as an assembly motif through one-electron transfer in a rhenium cluster. <i>Chemical Communications</i> , 2019, 55, 9951-9954.	4.1	25
29	Size-Exclusion Mechanism Driving Host-Guest Interactions between Octahedral Rhenium Clusters and Cyclodextrins. <i>Inorganic Chemistry</i> , 2019, 58, 13184-13194.	4.0	24
30	Electrochemical properties of the $[\text{SiW}_{10}\text{O}_{36}(\text{M}_2\text{O}_2\text{E}_2)]_6^{6-}$ polyoxometalate series (M = Mo(v) or W(v)); <i>Tj ETQq0.0 0 rgBT /Overlock</i>	2.8	12
31	Molecular and Material Engineering of Photocathodes Derivatized with Polyoxometalate-Supported $\{\text{Mo}_3\text{S}_4\}$ HER Catalysts. <i>Journal of the American Chemical Society</i> , 2019, 141, 11954-11962.	13.7	34
32	Fluorescent Zr(IV) Metal-Organic Frameworks Based on an Excited-State Intramolecular Proton Transfer-Type Ligand. <i>Inorganic Chemistry</i> , 2019, 58, 6918-6926.	4.0	13
33	Thin Films of Fully Noble Metal-Free POM@MOF for Photocatalytic Water Oxidation. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 47837-47845.	8.0	58
34	Evolution of the crystal growth mechanism of zeolite W (MER) with temperature. <i>Microporous and Mesoporous Materials</i> , 2019, 274, 379-384.	4.4	23
35	Single-Crystal-to-Single-Crystal Postsynthetic Modification of a Metal-Organic Framework via Ozonolysis. <i>Journal of the American Chemical Society</i> , 2018, 140, 2028-2031.	13.7	51
36	Unraveling Direct Formation of Hierarchical Zeolite Beta by Dynamic Light Scattering, Small Angle X-ray Scattering, and Liquid and Solid-State NMR: Insights at the Supramolecular Level. <i>Chemistry of Materials</i> , 2018, 30, 2676-2686.	6.7	15

#	ARTICLE	IF	CITATIONS
37	Supramolecular Adduct of β -Cyclodextrin and $[\{Re_6Q_8\}(H_2O)_6]^{2+}$ (Q=S, Se). <i>Journal of Cluster Science</i> , 2018, 29, 9-13.	3.3	12
38	pH-Controlled One Pot Syntheses of Giant $Mo_2O_2S_2$ -Containing Seleno-Tungstate Architectures. <i>Inorganic Chemistry</i> , 2018, 57, 56-63.	4.0	7
39	Cyclodextrin-Driven Formation of Double Six-Ring (D6R) Silicate Cage: NMR Spectroscopic Characterization from Solution to Crystals. <i>Crystals</i> , 2018, 8, 457.	2.2	6
40	$MgTi(cat)_3$, a promising precursor for the preparation of Ti-MOFs?. <i>Polyhedron</i> , 2018, 156, 111-115.	2.2	3
41	Nuclear Magnetic Resonance Spectroscopy for In Situ Monitoring of Porous Materials Formation under Hydrothermal Conditions. <i>Materials</i> , 2018, 11, 1416.	2.9	20
42	Probing Dynamic Library of Metal-Oxo Building Blocks with β -Cyclodextrin. <i>Journal of the American Chemical Society</i> , 2018, 140, 11198-11201.	13.7	72
43	Host-Guest Binding Hierarchy within Redox- and Luminescence-Responsive Supramolecular Self-Assembly Based on Chalcogenide Clusters and β -Cyclodextrin. <i>Chemistry - A European Journal</i> , 2018, 24, 13382-13382.	3.3	1
44	The primary stages of polyoxomolybdate catalyzed cyclohexanone oxidation by hydrogen peroxide as investigated by in situ NMR. Substrate activation and evolution of the working catalyst. <i>Applied Catalysis A: General</i> , 2018, 561, 104-116.	4.3	17
45	Bicapped Keggin polyoxomolybdates: discrete species and experimental and theoretical investigations on the electronic delocalization in a chain compound. <i>Dalton Transactions</i> , 2018, 47, 10636-10645.	3.3	7
46	Host-Guest Binding Hierarchy within Redox- and Luminescence-Responsive Supramolecular Self-Assembly Based on Chalcogenide Clusters and β -Cyclodextrin. <i>Chemistry - A European Journal</i> , 2018, 24, 13467-13478.	3.3	43
47	MIL-101(Cr) MOF as a Support for Reactive Polyoxometalates (POMs) Clusters. Principles of POMs Encapsulation and Chemistry of POMs Inside MIL-101 Cavities. <i>Current Inorganic Chemistry</i> , 2018, 7, 145-156.	0.2	3
48	High-field ^{95}Mo and ^{183}W static and MAS NMR study of polyoxometalates. <i>Magnetic Resonance in Chemistry</i> , 2017, 55, 902-908.	1.9	8
49	Investigation of the protonation state of the macrocyclic $\{H_nP_8W_{48}O_{184}\}$ anion by modeling ^{183}W NMR chemical shifts. <i>New Journal of Chemistry</i> , 2017, 41, 6112-6119.	2.8	3
50	Synthesis and Characterizations of Keplerate Nanocapsules Incorporating L- and D-Tartrate Ligands. <i>Journal of Cluster Science</i> , 2017, 28, 799-812.	3.3	7
51	Impact of Amino Acids on the Isomerization of the Aluminum Tridecamer Al_{13} . <i>Inorganic Chemistry</i> , 2017, 56, 12401-12409.	4.0	10
52	Nonconventional Three-Component Hierarchical Host-Guest Assembly Based on Mo-Blue Ring-Shaped Giant Anion, β -Cyclodextrin, and Dawson-type Polyoxometalate. <i>Journal of the American Chemical Society</i> , 2017, 139, 14376-14379.	13.7	81
53	Polyoxometalate, Cationic Cluster, and β -Cyclodextrin: From Primary Interactions to Supramolecular Hybrid Materials. <i>Journal of the American Chemical Society</i> , 2017, 139, 12793-12803.	13.7	137
54	Self-assembly of $[PNb_xW_{12-x}O_{40}]^{n-}$ Keggin anions: a simple way to mixed Nb-W polyoxometalates. <i>New Journal of Chemistry</i> , 2017, 41, 256-262.	2.8	13

#	ARTICLE	IF	CITATIONS
55	Tetrapropylammonium Occlusion in Nanoaggregates of Precursor of Silicalite-1 Zeolite Studied by ^1H and ^{13}C NMR. <i>Inorganics</i> , 2016, 4, 18.	2.7	4
56	Zeolite Beta Formation from Clear Sols: Silicate Speciation, Particle Formation and Crystallization Monitored by Complementary Analysis Methods. <i>Chemistry - A European Journal</i> , 2016, 22, 15307-15319.	3.3	21
57	Two Compartmentalized Inner Receptors for the Tetramethylammonium Guest within a Keplerate-Type Capsule. <i>Inorganic Chemistry</i> , 2016, 55, 9368-9376.	4.0	12
58	Recent advances in application of ^{27}Al NMR spectroscopy to materials science. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2016, 94-95, 11-36.	7.5	192
59	Covalent Attachment of Thiophene Groups to Polyoxomolybdates or Polyoxotungstates for the Formation of Hybrid Films. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 4775-4782.	2.0	8
60	Catalyst Design by NH_4OH Treatment of USY Zeolite. <i>Advanced Functional Materials</i> , 2015, 25, 7130-7144.	14.9	76
61	Tunable Keplerate Type κ -Cluster Mo_{132} -Cavity with Dicarboxylate Anions. <i>Chemistry - A European Journal</i> , 2015, 21, 13311-13320.	3.3	32
62	Polyoxomolybdate Bisphosphonate Heterometallic Complexes: Synthesis, Structure, and Activity on a Breast Cancer Cell Line. <i>Chemistry - A European Journal</i> , 2015, 21, 10537-10547.	3.3	43
63	Synthesis and Characterisation of the Europium (III) Dimolybdo-Enneatungsto-Silicate Dimer, $[\text{Eu}(\mu_2\text{-SiW}_9\text{Mo}_2\text{O}_{39})_2]^{13-}$. <i>Inorganics</i> , 2015, 3, 341-354.	2.7	8
64	Crystal chemistry of aluminium carboxylates: From molecular species towards porous infinite three-dimensional networks. <i>Comptes Rendus Chimie</i> , 2015, 18, 1350-1369.	0.5	56
65	Immobilization of polyoxometalates in the Zr-based metal organic framework UiO-67. <i>Chemical Communications</i> , 2015, 51, 2972-2975.	4.1	96
66	Hydrophobic Effect as a Driving Force for Host-Guest Chemistry of a Multi-Receptor Keplerate-Type Capsule. <i>Journal of the American Chemical Society</i> , 2015, 137, 5845-5851.	13.7	42
67	Zeolite synthesis in hydrated silicate ionic liquids. <i>Faraday Discussions</i> , 2015, 179, 437-449.	3.2	34
68	Synthesis, characterization, and tuning of the liquid crystal properties of ionic materials based on the cyclic polyoxothiometalate $[\{\text{Mo}_4\text{O}_4\text{S}_4(\text{H}_2\text{O})_3(\text{OH})_2\}]_2(\text{P}_8)$. <i>Soft Matter</i> , 2015, 11, 1087-1099.	2.7	15
69	Nanoporous Solids: How Do They Form? An In Situ Approach. <i>Chemistry of Materials</i> , 2014, 26, 299-309.	6.7	80
70	Tracking κ -Apolar NMe_4^+ Ions within Two Polyoxothiomolybdates that Have the Same Pores: Smaller Clathrate and Larger Highly Porous Clusters in Action. <i>Chemistry - A European Journal</i> , 2014, 20, 3097-3105.	3.3	14
71	Improved Synthesis, Structure, and Solution Characterization of the Cyclic 48-Tungsto-8-Arsenate(V), $[\text{H}_4\text{As}_8\text{W}_48\text{O}_{184}]^{36-}$. <i>Journal of Cluster Science</i> , 2014, 25, 277-285.	3.3	12
72	Hierarchization of USY Zeolite by NH_4OH . A Postsynthetic Process Investigated by NMR and XRD. <i>Journal of Physical Chemistry C</i> , 2014, 118, 22573-22582.	3.1	81

#	ARTICLE	IF	CITATIONS
73	Silicate ionic liquid synthesis of zeolite merlinoite: Crystal size control from crystalline nanoaggregates to micron-sized single-crystals. <i>Microporous and Mesoporous Materials</i> , 2014, 198, 35-44.	4.4	21
74	Immobilization of Co-containing polyoxometalates in MIL-101(Cr): structural integrity versus chemical transformation. <i>Dalton Transactions</i> , 2014, 43, 12698-12705.	3.3	36
75	183W INADEQUATE 2D NMR Spectroscopy of Hetero Arsenato ³⁻ Phosphato ³⁻ Tungstate PV/AsV Substitution in Dawson-Type $[As_xP_{2-x}W_{18}O_{62}]^{6-}$ ($x = 0-2$) and $[H_4As_yP_{1-y}W_{18}O_{62}]^{7-}$ ($y = 0, 1$). <i>Inorganic Chemistry</i> , 2014, 53, 5568-5574.		7
76	Activation energy of hydride transfer between isobutane molecules on USY zeolite. First direct experimental measurement by in situ MAS NMR using mixtures of isotopomers. <i>Journal of Catalysis</i> , 2013, 305, 130-134.	6.2	14
77	Properties of a Tunable Multinuclear Nickel Polyoxotungstate Platform. <i>Chemistry - A European Journal</i> , 2013, 19, 6753-6765.	3.3	37
78	NMR and SAXS Analysis of Connectivity of Aluminum and Silicon Atoms in the Clear Sol Precursor of SSZ-13 Zeolite. <i>Chemistry of Materials</i> , 2012, 24, 571-578.	6.7	51
79	Cubic Box versus Spheroidal Capsule Built from Defect and Intact Pentagonal Units. <i>Journal of the American Chemical Society</i> , 2012, 134, 19342-19345.	13.7	59
80	Syntheses, characterizations and properties of [Mo ₂ O ₂ S ₂]-based oxothiomolybdenum wheels incorporating bisphosphonate ligands. <i>Dalton Transactions</i> , 2012, 41, 9955.	3.3	23
81	Oxothiomolybdenum Derivatives of the Superlacunary Crown Heteropolyanion {P ₈ W ₄₈ }: Structure of [K ₄ {Mo ₄ O ₄ S ₄ (H ₂ O) ₃ (OH) ₂ } ₂] and Studies in Solution. <i>Inorganic Chemistry</i> , 2012, 51, 2349-2358.	4.0	32
82	Mechanisms of Quick Zeolite Beta Crystallization. <i>Chemistry of Materials</i> , 2012, 24, 3621-3632.	6.7	36
83	In Situ NMR, Ex Situ XRD and SEM Study of the Hydrothermal Crystallization of Nanoporous Aluminum Trimesates MIL-96, MIL-100, and MIL-110. <i>Chemistry of Materials</i> , 2012, 24, 2462-2471.	6.7	107
84	A Stable Hybrid Bisphosphonate Polyoxometalate Single-Molecule Magnet. <i>Chemistry - A European Journal</i> , 2012, 18, 3845-3849.	3.3	70
85	Polyoxometalates Paneling through {Mo ₂ O ₂ S ₂ } Coordination: Cation-Directed Conformations and Chemistry of a Supramolecular Hexameric Scaffold. <i>Journal of the American Chemical Society</i> , 2012, 134, 1724-1737.	13.7	67
86	Monitoring the Activation Process of the Giant Pore MIL-100(Al) by Solid State NMR. <i>Journal of Physical Chemistry C</i> , 2011, 115, 17934-17944.	3.1	70
87	Selective conversion of {Mo ₁₃₂ } Keglerate ion into 4-electron reduced crown-capped Keggin derivative [Te ₅ Mo ₁₅ O ₅₇] ⁸⁻ . A key intermediate to single-phase M1 multielement MoVTeO light-alkanes oxidation catalyst. <i>Chemical Communications</i> , 2011, 47, 6413.	4.1	32
88	Synthesis and characterization of a series of porous lanthanide tricarboxylates. <i>Microporous and Mesoporous Materials</i> , 2011, 140, 25-33.	4.4	50
89	Synthesis, structure and solid state NMR analysis of a new templated titanium(III/IV) fluorophosphate. <i>Comptes Rendus Chimie</i> , 2010, 13, 336-342.	0.5	4
90	Investigation of the Mechanism of Colloidal Silicalite-1 Crystallization by Using DLS, SAXS, and ²⁹ Si NMR Spectroscopy. <i>Chemistry - A European Journal</i> , 2010, 16, 2764-2774.	3.3	60

#	ARTICLE	IF	CITATIONS
91	Low-Temperature Alkane C-H Bond Activation by Zeolites: An In Situ Solid-State NMR H/D Exchange Study for a Carbenium Concerto. <i>Chemistry - A European Journal</i> , 2010, 16, 9034-9039.	3.3	14
92	High-Throughput Aided Synthesis of the Porous Metal-Organic Framework-Type Aluminum Pyromellitate, MIL-121, with Extra Carboxylic Acid Functionalization. <i>Inorganic Chemistry</i> , 2010, 49, 9852-9862.	4.0	139
93	Capture of the [Mo ₃ S ₄] ⁴⁺ Cluster within a {Mo ₁₈ } Macrocyclic Yielding a Supramolecular Assembly Stabilized by a Dynamic H-Bond Network. <i>Journal of the American Chemical Society</i> , 2010, 132, 2069-2077.	13.7	53
94	Influence of [Mo ₆ Br ₈ F ₆] ²⁺ Cluster Unit Inclusion within the Mesoporous Solid MIL-101 on Hydrogen Storage Performance. <i>Langmuir</i> , 2010, 26, 11283-11290.	3.5	59
95	The Extra-Framework Sub-Lattice of the Metal-Organic Framework MIL-10: A Solid-State NMR Investigation. <i>Chemistry - A European Journal</i> , 2009, 15, 3139-3146.	3.3	51
96	Synthesis, Single-Crystal X-ray Microdiffraction, and NMR Characterizations of the Giant Pore Metal-Organic Framework Aluminum Trimesate MIL-100. <i>Chemistry of Materials</i> , 2009, 21, 5695-5697.	6.7	290
97	Structural Transitions and Flexibility during Dehydration-Rehydration Process in the MOF-type Aluminum Pyromellitate Al ₂ (OH) ₂ [C ₁₀ O ₈ H ₂] (MIL-118). <i>Crystal Growth and Design</i> , 2009, 9, 2927-2936.	3.0	87
98	Connectivity Analysis of the Clear Sol Precursor of Silicalite: Are Nanoparticles Aggregated Oligomers or Silica Particles?. <i>Journal of Physical Chemistry C</i> , 2009, 113, 20827-20836.	3.1	51
99	²⁹ Si NMR Relaxation of Silicated Nanoparticles in Tetraethoxysilane-Tetrapropylammonium Hydroxide-Water System (TEOS-TPAOH-H ₂ O). <i>Journal of Physical Chemistry C</i> , 2009, 113, 10838-10841.	3.1	25
100	Occurrence of Uncommon Infinite Chains Consisting of Edge-Sharing Octahedra in a Porous Metal-Organic Framework-Type Aluminum Pyromellitate Al ₄ (OH) ₈ [C ₁₀ O ₈ H ₂] (MIL-120): Synthesis, Structure, and Gas Sorption Properties. <i>Chemistry of Materials</i> , 2009, 21, 5783-5791.	6.7	102
101	Slow-Proton Dynamics within a Zirconium-Containing Sandwich-Like Complex Based on the Trivalent Anion [SiW ₉ O ₃₄] ¹⁰⁻ . Synthesis, Structure and NMR Spectroscopy. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 4920-4926.	2.0	18
102	The Kagomé Topology of the Gallium and Indium Metal-Organic Framework Types with a MIL-68 Structure: Synthesis, XRD, Solid-State NMR Characterizations, and Hydrogen Adsorption. <i>Inorganic Chemistry</i> , 2008, 47, 11892-11901.	4.0	270
103	The use of aluminium and other p elements (gallium, indium) for the generation of MOF-type materials. <i>Studies in Surface Science and Catalysis</i> , 2008, , 447-450.	1.5	3
104	Combined MS and NMR: attractive route to future understanding of the first stages of nucleation of nanoporous materials. <i>Studies in Surface Science and Catalysis</i> , 2008, , 941-944.	1.5	4
105	Changing the Oxothiomolybdate Ring from an Anionic to a Cationic Receptor. <i>Inorganic Chemistry</i> , 2007, 46, 9516-9518.	4.0	6
106	Combined NMR, SAXS, and DLS Study of Concentrated Clear Solutions Used in Silicalite-1 Zeolite Synthesis. <i>Chemistry of Materials</i> , 2007, 19, 3448-3454.	6.7	82
107	Solid state NMR characterization of formation of poly(ϵ -caprolactone)/magnite nanocomposites by <i>in situ</i> polymerization. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2007, 45, 3060-3068.	2.1	11
108	A microdiffraction set-up for nanoporous metal-organic-framework-type solids. <i>Nature Materials</i> , 2007, 6, 760-764.	27.5	154

#	ARTICLE	IF	CITATIONS
109	Revisiting the Identification of Structural Units in Aqueous Silicate Solutions by Two-Dimensional Silicon-29 INADEQUATE. <i>Journal of Physical Chemistry B</i> , 2006, 110, 3007-3014.	2.6	53
110	Synthesis, Structure and Properties of Related Microporous N,N'-Piperazinebismethylenephosphonates of Aluminum and Titanium. <i>Chemistry of Materials</i> , 2006, 18, 1451-1457.	6.7	173
111	MIL-96, a Porous Aluminum Trimesate 3D Structure Constructed from a Hexagonal Network of 18-Membered Rings and $1/3$ -Oxo-Centered Trinuclear Units. <i>Journal of the American Chemical Society</i> , 2006, 128, 10223-10230.	13.7	386
112	Step-by-Step Assembly of Trivacant Tungstosilicates: Synthesis and Characterization of Tetrameric Anions. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 139-142.	13.8	42
113	Synthesis and structural characterization of a new open-framework zinc terephthalate $Zn_3(OH)_2(bdc)_2 \cdot 2DEF$, with infinite $Zn \rightarrow (1/3-OH) \rightarrow Zn$ chains. <i>Journal of Solid State Chemistry</i> , 2005, 178, 621-628.	2.9	57
114	Hydrothermal synthesis and crystal structure of a new three-dimensional aluminum-organic framework MIL-69 with 2,6-naphthalenedicarboxylate (ndc), $Al(OH)(ndc) \cdot H_2O$. <i>Comptes Rendus Chimie</i> , 2005, 8, 765-772.	0.5	145
115	Hydrothermal synthesis and structural characterization of a gallium pyromellitate $Ga(OH)(btec) \cdot 0.5H_2O$, with infinite Ga(-OH)-Ga chains (MIL-61). <i>Solid State Sciences</i> , 2005, 7, 603-609.	3.2	45
116	A Ladderlike Chain Aluminum Fluoride $([Al_2F_8]_2)_n$ with Edge-Sharing AlF_6 Octahedra. <i>ChemInform</i> , 2005, 36, no.	0.0	0
117	A Ladderlike Chain Aluminum Fluoride $([Al_2F_8]_2)_n$ with Edge-Sharing AlF_6 Octahedra. <i>Inorganic Chemistry</i> , 2005, 44, 2920-2925.	4.0	20
118	H/D isotope exchange between methane and magic acid ($HSO_3F \rightarrow SbF_5$): an in situ NMR study. <i>New Journal of Chemistry</i> , 2004, 28, 266-269.	2.8	10
119	Structural Analysis of F/OH Distribution in a Hybrid Open-Framework Fluorinated Gallium Oxalate-Phosphate Templated by 1,3-Diaminopropane (MIL-90). <i>Chemistry of Materials</i> , 2004, 16, 5318-5326.	6.7	25
120	The Initial Stages of Solid Acid-Catalyzed Reactions of Adsorbed Propane. A Mechanistic Study by in Situ MAS NMR. <i>Journal of the American Chemical Society</i> , 2004, 126, 599-606.	13.7	62
121	Regioselective H/D isotope exchange and skeletal rearrangement reactions of propane over strong solid acids. <i>Journal of Catalysis</i> , 2003, 215, 122-128.	6.2	33
122	Grafting of aluminium on dealuminated H-BEA using alkoxides. <i>Studies in Surface Science and Catalysis</i> , 2002, 142, 31-38.	1.5	2
123	Chemical modification of high-quality large-pore M41S materials. <i>Journal of Materials Chemistry</i> , 2002, 12, 528-533.	6.7	24
124	An NMR study of the nitration of toluene over zeolites by $HNO_3 \rightarrow Ac_2O$. <i>Physical Chemistry Chemical Physics</i> , 2001, 3, 5067-5075.	2.8	31
125	Realumination of dealuminated HZSM-5 zeolites by acid treatment: a reexamination. <i>Microporous and Mesoporous Materials</i> , 2001, 46, 177-184.	4.4	46
126	NMR quantification in hydrothermal in situ syntheses. <i>Magnetic Resonance in Chemistry</i> , 2000, 38, 429-435.	1.9	38

#	ARTICLE	IF	CITATIONS
127	Fluorine-19 NMR from retrosynthesis to NMR crystallography. Journal of Fluorine Chemistry, 2000, 101, 269-272.	1.7	6
128	NMR of microporous compounds. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1999, 158, 299-311.	4.7	91
129	In Situ pH Probing of Hydrothermal Solutions by NMR. Chemistry of Materials, 1999, 11, 1285-1292.	6.7	43
130	Isomerization of the Prenucleation Building Unit during Crystallization of AlPO ₄ -CJ ₂ : An MQMAS, CP-MQMAS, and HETCOR NMR Study. Journal of the American Chemical Society, 1999, 121, 12148-12153.	13.7	102
131	Coordination-driven supramolecular syntheses of new homo- and hetero-polymetallic Cu(i) assemblies: solid-state and solution characterization. Inorganic Chemistry Frontiers, 0, , .	6.0	4
132	Synthesis, Structures, and Solution Studies of a New Class of [Mo ₂ O ₂ S ₂]-Based Thiosemicarbazone Coordination Complexes. ACS Omega, 0, , .	3.5	5