Farshad Pourmalek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3417338/publications.pdf

Version: 2024-02-01

66343 95266 76,257 72 42 citations h-index papers

68 g-index 75 75 75 114537 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | CovidVisualized: Visualized compilation of international updated models' estimates of COVID-19 pandemic at global and country levels. BMC Research Notes, 2022, 15, 136. | 1.4 | O |
| 2 | Rapid review of COVID-19 epidemic estimation studies for Iran. BMC Public Health, 2021, 21, 257. | 2.9 | 20 |
| 3 | Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017. JAMA Pediatrics, 2019, 173, e190337. | 6.2 | 140 |
| 4 | Acute aseptic arthritis: Case definition & guidelines for data collection, analysis, and presentation of immunisation safety data. Vaccine, 2019, 37, 384-391. | 3.8 | 3 |
| 5 | Arthritis and arthralgia as an adverse event following immunization: A systematic literature review. Vaccine, 2019, 37, 372-383. | 3.8 | 8 |
| 6 | The Burden of Cardiovascular Diseases Among US States, 1990-2016. JAMA Cardiology, 2018, 3, 375. | 6.1 | 271 |
| 7 | Burden of obesity in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 165-176. | 2.3 | 50 |
| 8 | The global burden of tuberculosis: results from the Global Burden of Disease Study 2015. Lancet Infectious Diseases, The, 2018, 18, 261-284. | 9.1 | 246 |
| 9 | Burden of lower respiratory infections in the Eastern Mediterranean Region between 1990 and 2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 97-108. | 2.3 | 23 |
| 10 | Danger ahead: the burden of diseases, injuries, and risk factors in the Eastern Mediterranean Region, 1990–2015. International Journal of Public Health, 2018, 63, 11-23. | 2.3 | 21 |
| 11 | Intentional injuries in the Eastern Mediterranean Region, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 39-46. | 2.3 | 27 |
| 12 | Burden of vision loss in the Eastern Mediterranean region, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 199-210. | 2.3 | 17 |
| 13 | Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437. | 27.0 | 959 |
| 14 | Setting research priorities to achieve long-term health targets in Iran. Journal of Global Health, 2018, 8, 020702. | 2.7 | 19 |
| 15 | Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2016. JAMA Oncology, 2018, 4, 1553. | 7.1 | 1,260 |
| 16 | Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792. | 7.4 | 189 |
| 17 | Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015. JAMA - Journal of the American Medical Association, 2017, 317, 165. | 7.4 | 1,492 |
| 18 | Burden of musculoskeletal disorders in the Eastern Mediterranean Region, 1990–2013: findings from the Global Burden of Disease Study 2013. Annals of the Rheumatic Diseases, 2017, 76, 1365-1373. | 0.9 | 81 |

| # | Article | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015. JAMA Oncology, 2017, 3, 524. | 7.1 | 4,254 |
| 20 | Health Effects of Overweight and Obesity in 195 Countries over 25 Years. New England Journal of Medicine, 2017, 377, 13-27. | 27.0 | 5,014 |
| 21 | Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573. | 6.2 | 306 |
| 22 | The Burden of Primary Liver Cancer and Underlying Etiologies From 1990 to 2015 at the Global, Regional, and National Level. JAMA Oncology, 2017, 3, 1683. | 7.1 | 1,448 |
| 23 | Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150. | 13.7 | 573 |
| 24 | Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210. | 13.7 | 3,565 |
| 25 | Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259. | 13.7 | 5,578 |
| 26 | Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897. | 10.2 | 1,521 |
| 27 | Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459. | 13.7 | 284 |
| 28 | The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. PLoS ONE, 2017, 12, e0169575. | 2.5 | 102 |
| 29 | Prevalence and Years Lived with Disability of 310 Diseases and Injuries in Iran and its Neighboring Countries, 1990-2015: Findings from Global Burden of Disease Study 2015. Archives of Iranian Medicine, 2017, 20, 392-402. | 0.6 | 9 |
| 30 | Trend of Socio-Demographic Index and Mortality Estimates in Iran and its Neighbors, 1990-2015; Findings of the Global Burden of Diseases 2015 Study. Archives of Iranian Medicine, 2017, 20, 419-428. | 0.6 | 10 |
| 31 | Burden of Skin and Subcutaneous Diseases in Iran and Neighboring Countries: Results from the Global Burden of Disease Study 2015. Archives of Iranian Medicine, 2017, 20, 429-440. | 0.6 | 5 |
| 32 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724. | 13.7 | 4,203 |
| 33 | Health in times of uncertainty in the eastern Mediterranean region, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. The Lancet Global Health, 2016, 4, e704-e713. | 6.3 | 147 |
| 34 | Maternal death: Case definition and guidelines for data collection, analysis, and presentation of immunization safety data. Vaccine, 2016, 34, 6077-6083. | 3.8 | 18 |
| 35 | Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387. | 4.7 | 461 |
| 36 | Neonatal death: Case definition & Samp; guidelines for data collection, analysis, and presentation of immunization safety data. Vaccine, 2016, 34, 6027-6037. | 3.8 | 63 |

| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Burden of Diarrhea in the Eastern Mediterranean Region, 1990–2013: Findings from the Global Burden of Disease Study 2013. American Journal of Tropical Medicine and Hygiene, 2016, 95, 1319-1329. | 1.4 | 27 |
| 38 | Monitoring Social Well-Being in Iran. Social Indicators Research, 2016, 129, 1-12. | 2.7 | 16 |
| 39 | Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267. | 6.2 | 479 |
| 40 | The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. Injury Prevention, 2016, 22, 3-18. | 2.4 | 898 |
| 41 | Re: Daniel P. Nguyen, Bashir Al Hussein Al Awamlh, Xian Wu, et al. Recurrence Patterns After Open and Robot-assisted Radical Cystectomy for Bladder Cancer. Eur Urol 2015;68:399–405. European Urology, 2016, 69, e35. | 1.9 | 5 |
| 42 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800. | 13.7 | 4,951 |
| 43 | The Global Burden of Cancer 2013. JAMA Oncology, 2015, 1, 505. | 7.1 | 2,269 |
| 44 | Multiparametric Magnetic Resonance Imaging Enhances Detection of Significant Tumor in Patients on Active Surveillance for Prostate Cancer. Urology, 2015, 85, 423-429. | 1.0 | 50 |
| 45 | Multiparametric magnetic resonance imaging–targeted biopsy for the detection of prostate cancer in patients with prior negative biopsy results. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 165.e1-165.e7. | 1.6 | 34 |
| 46 | Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171. | 13.7 | 5,847 |
| 47 | MP67-12 MRI TARGETED BIOPSY FOR THE DETECTION OF PROSTATE CANCER IN PATIENTS AFTER PRIOR NEGATIVE BIOPSIES Journal of Urology, 2014, 191, . | 0.4 | 0 |
| 48 | Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 957-979. | 13.7 | 609 |
| 49 | Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070. | 13.7 | 786 |
| 50 | Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004. | 13.7 | 1,230 |
| 51 | MP61-02 BALANCING ONCOLOGIC BENEFIT WITH RISK OF COMPLICATIONS: THE EXTENT PELVIC LYMPH NODE DISSECTION DURING RADICAL CYSTECTOMY Journal of Urology, 2014, 191, . | 0.4 | O |
| 52 | MP51-20 MULTI-PARAMETRIC MRI ENHANCES DETECTION OF SIGNIFICANT TUMOR IN PATIENTS ON ACTIVE SURVEILLANCE FOR PROSTATE CANCER. Journal of Urology, 2014, 191, . | 0.4 | 0 |
| 53 | Deadly rural road traffic injury: a rising public health concern in I.R. Iran. International Journal of Preventive Medicine, 2014, 5, 241-4. | 0.4 | 10 |
| 54 | Frequency of exclusive breastfeeding and its affecting factors in Tehran, 2011. Acta Medica Iranica, 2014, 52, 552-6. | 0.8 | 5 |

| # | Article | IF | Citations |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 55 | Evaluating causes of death and morbidity in Iran, global burden of diseases, injuries, and risk factors study 2010. Archives of Iranian Medicine, 2014, 17, 304-20. | 0.6 | 129 |
| 56 | Health transition in Iran toward chronic diseases based on results of Global Burden of Disease 2010. Archives of Iranian Medicine, 2014, 17, 321-35. | 0.6 | 54 |
| 57 | Population health and burden of disease profile of Iran among 20 countries in the region: from Afghanistan to Qatar and Lebanon. Archives of Iranian Medicine, 2014, 17, 336-42. | 0.6 | 33 |
| 58 | Inequality in household catastrophic health care expenditure in a low-income society of Iran. Health Policy and Planning, 2012, 27, 613-623. | 2.7 | 151 |
| 59 | Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2129-2143. | 13.7 | 1,013 |
| 60 | Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223. | 13.7 | 7,061 |
| 61 | Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2095-2128. | 13.7 | 11,038 |
| 62 | Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196. | 13.7 | 6,376 |
| 63 | Older people's needs following major disasters: a qualitative study of Iranian elders' experiences of the Bam earthquake. Ageing and Society, 2010, 30, 11-23. | 1.7 | 40 |
| 64 | The burden of injuries in Iranian children in 2005. Population Health Metrics, 2010, 8, 5. | 2.7 | 20 |
| 65 | Algorithms for enhancing public health utility of national causes-of-death data. Population Health Metrics, 2010, 8, 9. | 2.7 | 310 |
| 66 | Estimating Blood Transfusion Requirements in Preparation for a Major Earthquake: The Tehran, Iran Study. Prehospital and Disaster Medicine, 2010, 25, 246-252. | 1.3 | 19 |
| 67 | The burden of disease and injury in Iran 2003. Population Health Metrics, 2009, 7, 9. | 2.7 | 259 |
| 68 | Adverse health outcomes of road traffic injuries in Iran after rapid motorization. Archives of Iranian Medicine, 2009, 12, 284-94. | 0.6 | 66 |
| 69 | Morning report: a survey of Iranian senior faculty attitudes. Internal and Emergency Medicine, 2008, 3, 17-24. | 2.0 | 8 |
| 70 | Knowledge and attitude toward Crimean–Congo haemorrhagic fever in occupationally at-risk Iranian healthcare workers. Journal of Hospital Infection, 2008, 69, 77-85. | 2.9 | 28 |
| 71 | A conditional probability approach to surveillance system sensitivity assessment. Public Health, 2008, 122, 53-60. | 2.9 | 5 |
| 72 | CRIMEAN-CONGO HEMORRHAGIC FEVER AMONG HEALTH CARE WORKERS IN IRAN: A SEROPREVALENCE STUDY IN TWO ENDEMIC REGIONS. American Journal of Tropical Medicine and Hygiene, 2007, 76, 443-445. | 1.4 | 44 |