List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3417502/publications.pdf Version: 2024-02-01

		16451	22166
314	16,121	64	113
papers	citations	h-index	g-index
321	321	321	18110
521	521	521	10110
all docs	docs citations	times ranked	citing authors

RAMIN MOITABAL

#	Article	IF	CITATIONS
1	National Trends in the Prevalence and Treatment of Depression in Adolescents and Young Adults. Pediatrics, 2016, 138, .	2.1	947
2	Barriers to mental health treatment: results from the National Comorbidity Survey Replication. Psychological Medicine, 2011, 41, 1751-1761.	4.5	709
3	Psychometric properties of a Persian-language version of the Beck Depression Inventory - Second edition: BDI-II-PERSIAN. Depression and Anxiety, 2005, 21, 185-192.	4.1	559
4	Perceived Need and Help-Seeking in Adults With Mood, Anxiety, or Substance Use Disorders. Archives of General Psychiatry, 2002, 59, 77.	12.3	557
5	Neuropsychological Function and Dysfunction in Schizophrenia and Psychotic Affective Disorders. Schizophrenia Bulletin, 2009, 35, 1022-1029.	4.3	427
6	National Trends in Psychotropic Medication Polypharmacy in Office-Based Psychiatry. Archives of General Psychiatry, 2010, 67, 26.	12.3	407
7	Has increased provision of treatment reduced the prevalence of common mental disorders? Review of the evidence from four countries. World Psychiatry, 2017, 16, 90-99.	10.4	352
8	Association between public views of mental illness and self-stigma among individuals with mental illness in 14 European countries. Psychological Medicine, 2012, 42, 1741-1752.	4.5	325
9	The American Psychiatric Association Practice Guideline for the Treatment of Patients With Schizophrenia. American Journal of Psychiatry, 2020, 177, 868-872.	7.2	313
10	Medication Costs, Adherence, And Health Outcomes Among Medicare Beneficiaries. Health Affairs, 2003, 22, 220-229.	5.2	252
11	National Trends in Psychotherapy by Office-Based Psychiatrists. Archives of General Psychiatry, 2008, 65, 962.	12.3	248
12	National Trends in Child and Adolescent Psychotropic Polypharmacy in Office-Based Practice, 1996-2007. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 1001-1010.	0.5	228
13	Americans' Attitudes Toward Mental Health Treatment Seeking: 1990–2003. Psychiatric Services, 2007, 58, 642-651.	2.0	221
14	Body mass index and serum folate in childbearing age women. European Journal of Epidemiology, 2004, 19, 1029-1036.	5.7	207
15	Major depression in community-dwelling middle-aged and older adults: prevalence and 2- and 4-year follow-up symptoms. Psychological Medicine, 2004, 34, 623-634.	4.5	197
16	Associations Between Time Spent Using Social Media and Internalizing and Externalizing Problems Among US Youth. JAMA Psychiatry, 2019, 76, 1266.	11.0	189
17	Proportion Of Antidepressants Prescribed Without A Psychiatric Diagnosis Is Growing. Health Affairs, 2011, 30, 1434-1442.	5.2	187
18	National Trends in Long-Term Use of Antidepressant Medications. Journal of Clinical Psychiatry, 2014, 75, 169-177.	2.2	184

#	Article	IF	CITATIONS
19	Epidemiology of illicit drug use disorders in Iran: prevalence, correlates, comorbidity and service utilization results from the Iranian Mental Health Survey. Addiction, 2016, 111, 1836-1847.	3.3	179
20	Accuracy of Reports of Lifetime Mental and Physical Disorders. JAMA Psychiatry, 2014, 71, 273.	11.0	178
21	Mental illness stigma and willingness to seek mental health care in the European Union. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 705-712.	3.1	175
22	National Patterns in Antidepressant Treatment by Psychiatrists and General Medical Providers. Journal of Clinical Psychiatry, 2008, 69, 1064-1074.	2.2	164
23	Role of Psychosocial Treatments in Management of Schizophrenia: A Meta-Analytic Review of Controlled Outcome Studies. Schizophrenia Bulletin, 1998, 24, 569-587.	4.3	162
24	Unmet Need for Treatment of Major Depression in the United States. Psychiatric Services, 2009, 60, 297-305.	2.0	152
25	The Mental Health Consequences of the Recession: Economic Hardship and Employment of People with Mental Health Problems in 27 European Countries. PLoS ONE, 2013, 8, e69792.	2.5	151
26	Long-term effects of mental disorders on educational attainment in the National Comorbidity Survey ten-year follow-up. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1577-1591.	3.1	142
27	A Prospective Assessment of Reports of Drinking to Self-medicate Mood Symptoms With the Incidence and Persistence of Alcohol Dependence. JAMA Psychiatry, 2013, 70, 718.	11.0	141
28	Unmet Need for Mental Health Care in Schizophrenia: An Overview of Literature and New Data From a First-Admission Study. Schizophrenia Bulletin, 2009, 35, 679-695.	4.3	136
29	Medication Treatment For Opioid Use Disorders In Substance Use Treatment Facilities. Health Affairs, 2019, 38, 14-23.	5.2	126
30	Neuropsychological Differences Between First-Admission Schizophrenia and Psychotic Affective Disorders. American Journal of Psychiatry, 2000, 157, 1453-1460.	7.2	115
31	Trends in psychological distress, depressive episodes and mental health treatment-seeking in the United States: 2001–2012. Journal of Affective Disorders, 2015, 174, 556-561.	4.1	112
32	Age at Onset, Childhood Psychopathology, and 2-Year Outcome in Psychotic Bipolar Disorder. American Journal of Psychiatry, 2002, 159, 307-309.	7.2	106
33	Schizophrenia in the Internalizing-Externalizing Framework: A Third Dimension?. Schizophrenia Bulletin, 2011, 37, 1168-1178.	4.3	105
34	Dropout From Outpatient Mental Health Care in the United States. Psychiatric Services, 2009, 60, 898-907.	2.0	105
35	Antidepressant use in 27 European countries: Associations with sociodemographic, cultural and economic factors. British Journal of Psychiatry, 2015, 207, 221-226.	2.8	102
36	Service Use and Barriers to Mental Health Care Among Adults With Major Depression and Comorbid Substance Dependence. Psychiatric Services, 2013, 64, 863-870.	2.0	101

#	Article	IF	CITATIONS
37	Collective levels of stigma and national suicide rates in 25 European countries. Epidemiology and Psychiatric Sciences, 2015, 24, 166-171.	3.9	96
38	Opioid agonist treatment and fatal overdose risk in a stateâ€wide US population receiving opioid use disorder services. Addiction, 2020, 115, 1683-1694.	3.3	95
39	Gender Differences in Substance Abuse Treatment and Barriers to Care Among Persons With Substance Use Disorders With and Without Comorbid Major Depression. Journal of Addiction Medicine, 2013, 7, 325-334.	2.6	94
40	Bereavement-Related Depressive Episodes. Archives of General Psychiatry, 2011, 68, 920.	12.3	93
41	Perceived Trauma During Hospitalization and Treatment Participation Among Individuals With Psychotic Disorders. Psychiatric Services, 2014, 65, 266-269.	2.0	93
42	Trends in Contacts With Mental Health Professionals and Cost Barriers to Mental Health Care Among Adults With Significant Psychological Distress in the United States: 1997–2002. American Journal of Public Health, 2005, 95, 2009-2014.	2.7	91
43	The association of psychiatric comorbidity with treatment completion among clients admitted to substance use treatment programs in a U.S. national sample. Drug and Alcohol Dependence, 2017, 175, 157-163.	3.2	91
44	Perceived unmet need for alcohol and drug use treatments and future use of services: Results from a longitudinal study. Drug and Alcohol Dependence, 2013, 127, 59-64.	3.2	90
45	Reliability of the Life Chart Schedule for assessment of the long-term course of schizophrenia. Schizophrenia Research, 2000, 42, 67-77.	2.0	87
46	National trends in longâ€ŧerm use of prescription opioids. Pharmacoepidemiology and Drug Safety, 2018, 27, 526-534.	1.9	87
47	BEHAVIORAL THERAPY AND SEROTONIN REUPTAKE INHIBITOR PHARMACOTHERAPY IN THE TREATMENT OF OBSESSIVE-COMPULSIVE DISORDER: A SYSTEMATIC REVIEW AND META-ANALYSIS OF HEAD-TO-HEAD RANDOMIZED CONTROLLED TRIALS. Depression and Anxiety, 2014, 31, 641-652.	4.1	86
48	Increase in Antidepressant Medication in the US Adult Population between 1990 and 2003. Psychotherapy and Psychosomatics, 2008, 77, 83-92.	8.8	85
49	Trends in prescribing of sedativeâ€hypnotic medications in the USA: 1993–2010. Pharmacoepidemiology and Drug Safety, 2016, 25, 637-645.	1.9	85
50	Panic as an Independent Risk Factor for Suicide Attempt in Depressive Illness. Journal of Clinical Psychiatry, 2011, 72, 1628-1635.	2.2	84
51	Long-term course of acute brief psychosis in a developing country setting. British Journal of Psychiatry, 1998, 173, 226-230.	2.8	83
52	Clinician-Identified Depression in Community Settings: Concordance with Structured-Interview Diagnoses. Psychotherapy and Psychosomatics, 2013, 82, 161-169.	8.8	83
53	National Trends in Mental Health Care for US Adolescents. JAMA Psychiatry, 2020, 77, 703.	11.0	83
54	Comparing barriers to mental health treatment and substance use disorder treatment among individuals with comorbid major depression and substance use disorders. Journal of Substance Abuse Treatment, 2014, 46, 268-273.	2.8	81

#	Article	IF	CITATIONS
55	Long-term effects of mental disorders on employment in the National Comorbidity Survey ten-year follow-up. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1657-1668.	3.1	80
56	Use of specialty substance abuse and mental health services in adults with substance use disorders in the community. Drug and Alcohol Dependence, 2005, 78, 345-354.	3.2	78
57	Cigarette Smoking and Onset of Mood and Anxiety Disorders. American Journal of Public Health, 2013, 103, 1656-1665.	2.7	78
58	Duration of remitting psychoses with acute onset. British Journal of Psychiatry, 2000, 176, 576-580.	2.8	77
59	Group support psychotherapy for depression treatment in people with HIV/AIDS in northern Uganda: a single-centre randomised controlled trial. Lancet HIV,the, 2015, 2, e190-e199.	4.7	74
60	National Trends in the Antipsychotic Treatment of Psychiatric Outpatients With Anxiety Disorders. American Journal of Psychiatry, 2011, 168, 1057-1065.	7.2	73
61	Racial/Ethnic Differences in Insomnia Trajectories Among U.S. Older Adults. American Journal of Geriatric Psychiatry, 2016, 24, 575-584.	1.2	73
62	Attitudes Toward Mental Health Help Seeking as Predictors of Future Help-Seeking Behavior and Use of Mental Health Treatments. Psychiatric Services, 2016, 67, 650-657.	2.0	73
63	Psychotic-like experiences and interpersonal violence in the general population. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 183-190.	3.1	71
64	Psychotic experiences and risk of death in the general population: 24–27 year follow-up of the Epidemiologic Catchment Area study. British Journal of Psychiatry, 2015, 207, 30-36.	2.8	71
65	Mental Health Problems and Initiation of E-cigarette and Combustible Cigarette Use. Pediatrics, 2019, 144, .	2.1	70
66	A Longitudinal Investigation of the Role of Self-Medication in the Development of Comorbid Mood and Drug Use Disorders. Journal of Clinical Psychiatry, 2012, 73, e588-e593.	2.2	69
67	Perceived Barriers to Treatment for Alcohol Problems: A Latent Class Analysis. Psychiatric Services, 2015, 66, 1221-1228.	2.0	66
68	Gender and race/ethnicity differences for initiation of alcohol-related service use among persons with alcohol dependence. Drug and Alcohol Dependence, 2014, 140, 48-55.	3.2	63
69	Reduction of plasma glutathione in psychosis associated with schizophrenia and bipolar disorder in translational psychiatry. Translational Psychiatry, 2017, 7, e1215-e1215.	4.8	63
70	Treatment Seeking for Depression in Canada and the United States. Psychiatric Services, 2006, 57, 631-639.	2.0	62
71	Impairment in major depression: Implications for diagnosis. Comprehensive Psychiatry, 2001, 42, 206-212.	3.1	61
72	REPORTS OF DRINKING TO SELF-MEDICATE ANXIETY SYMPTOMS: LONGITUDINAL ASSESSMENT FOR SUBGROUPS OF INDIVIDUALS WITH ALCOHOL DEPENDENCE. Depression and Anxiety, 2013, 30, 174-183.	4.1	61

#	Article	IF	CITATIONS
73	Insomnia and Health Services Utilization in Middle-Aged and Older Adults: Results From the Health and Retirement Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1512-1517.	3.6	59
74	Prescriptions, Nonmedical Use, and Emergency Department Visits Involving Prescription Stimulants. Journal of Clinical Psychiatry, 2016, 77, e297-e304.	2.2	59
75	Gender and racial/ethnic differences in binge eating symptoms in a nationally representative sample of adolescents in the United States. Eating Behaviors, 2016, 22, 27-33.	2.0	59
76	Impact Of Medicaid Expansion On Coverage And Treatment Of Low-Income Adults With Substance Use Disorders. Health Affairs, 2018, 37, 1208-1215.	5.2	58
77	Gambling and the Onset of Comorbid Mental Disorders. Journal of Psychiatric Practice, 2014, 20, 207-219.	0.7	57
78	Long-Term Use of Benzodiazepines and Nonbenzodiazepine Hypnotics, 1999–2014. Psychiatric Services, 2018, 69, 235-238.	2.0	57
79	Boundaries of Schizoaffective Disorder. JAMA Psychiatry, 2013, 70, 1276.	11.0	56
80	Fever and acute brief psychosis in urban and rural settings in north India. British Journal of Psychiatry, 1999, 174, 520-524.	2.8	55
81	Residual Symptoms and Impairment in Major Depression in the Community. American Journal of Psychiatry, 2001, 158, 1645-1651.	7.2	54
82	Symptoms of Obsessive-Compulsive Disorder in a Sample of Iranian Patients. International Journal of Social Psychiatry, 2002, 48, 20-28.	3.1	53
83	Effectiveness and Cost-effectiveness of Four Treatment Modalities for Substance Disorders: A Propensity Score Analysis. Health Services Research, 2003, 38, 233-259.	2.0	53
84	Gaps in Use of Antipsychotics After Discharge by First-Admission Patients With Schizophrenia, 1989 to 1996. Psychiatric Services, 2002, 53, 337-339.	2.0	52
85	Americans' Attitudes Toward Psychiatric Medications: 1998–2006. Psychiatric Services, 2009, 60, 1015-1023.	2.0	50
86	Urban–Rural Differences in Suicide in the State of Maryland: The Role of Firearms. American Journal of Public Health, 2017, 107, 1548-1553.	2.7	50
87	Neighborhood physical disorder, social cohesion, and insomnia: results from participants over age 50 in the Health and Retirement Study. International Psychogeriatrics, 2015, 27, 289-296.	1.0	49
88	Antidepressant Use in the Absence of Common Mental Disorders in the General Population. Journal of Clinical Psychiatry, 2011, 72, 494-501.	2.2	49
89	Assessing sample representativeness in randomized controlled trials: application to the National Institute of Drug Abuse Clinical Trials Network. Addiction, 2016, 111, 1226-1234.	3.3	48
90	Telepsychiatry Use in U.S. Mental Health Facilities, 2010–2017. Psychiatric Services, 2020, 71, 121-127.	2.0	47

#	Article	IF	CITATIONS
91	Long-term effects of mental disorders on marital outcomes in the National Comorbidity Survey ten-year follow-up. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1217-1226.	3.1	46
92	Time to remission and relapse after the first hospital admission in severe bipolar disorder. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 106-113.	3.1	45
93	National Trends in Mental Health Disability, 1997–2009. American Journal of Public Health, 2011, 101, 2156-2163.	2.7	45
94	Alcohol use disorders in Iran: Prevalence, symptoms, correlates, and comorbidity. Drug and Alcohol Dependence, 2017, 176, 48-54.	3.2	45
95	Developing a culturally sensitive group support intervention for depression among HIV infected and non-infected Ugandan adults: A qualitative study. Journal of Affective Disorders, 2014, 163, 10-17.	4.1	44
96	Factors affecting relapse in patients discharged from a public hospital: results from survival analysis. Psychiatric Quarterly, 1997, 68, 117-129.	2.1	42
97	Diagnosing Depression in Older Adults in Primary Care. New England Journal of Medicine, 2014, 370, 1180-1182.	27.0	42
98	Use of Mobile Phones, Computers and Internet Among Clients of an Inner-City Community Psychiatric Clinic. Journal of Psychiatric Practice, 2014, 20, 94-103.	0.7	42
99	Binge drinking and insomnia in middle-aged and older adults: the Health and Retirement Study. International Journal of Geriatric Psychiatry, 2015, 30, 284-291.	2.7	42
100	Correlates of nonmedical use of stimulants and methamphetamine use in a national sample. Addictive Behaviors, 2014, 39, 829-836.	3.0	41
101	Quality of Prescribing by Physicians, Nurse Practitioners, and Physician Assistants in the United States. Pharmacotherapy, 2018, 38, 417-427.	2.6	41
102	U.S. adults with opioid use disorder living with children: Treatment use and barriers to care. Journal of Substance Abuse Treatment, 2018, 93, 31-37.	2.8	41
103	Effectiveness and cost-effectiveness of group support psychotherapy delivered by trained lay health workers for depression treatment among people with HIV in Uganda: a cluster-randomised trial. The Lancet Global Health, 2020, 8, e387-e398.	6.3	41
104	Generalizability of findings from randomized controlled trials: application to the National Institute of Drug Abuse Clinical Trials Network. Addiction, 2017, 112, 1210-1219.	3.3	40
105	Trends in insurance coverage and treatment among persons with opioid use disorders following the Affordable Care Act. Drug and Alcohol Dependence, 2017, 179, 271-274.	3.2	40
106	Trends in the prevalence of psychological distress and the use of mental health services from 2007 to 2016 in Japan. Journal of Affective Disorders, 2018, 239, 208-213.	4.1	40
107	The effects of becoming an entrepreneur on the use of psychotropics among entrepreneurs and their spouses. Scandinavian Journal of Public Health, 2010, 38, 857-863.	2.3	39
108	Antidepressant Self-Discontinuation: Results From the Collaborative Psychiatric Epidemiology Surveys. Psychiatric Services, 2015, 66, 455-462.	2.0	39

#	Article	IF	CITATIONS
109	Treatment seeking and barriers to treatment for alcohol use in persons with alcohol use disorders and comorbid mood or anxiety disorders. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1489-1499.	3.1	38
110	Contraceptive use by disability status: new national estimates from the National Survey of Family Growth. Contraception, 2018, 97, 552-558.	1.5	38
111	Parental Detection of Youth's Selfâ€Harm Behavior. Suicide and Life-Threatening Behavior, 2008, 38, 60-73.	1.9	37
112	Perceived Reasons for Loss of Housing and Continued Homelessness Among Homeless Persons With Mental Illness. Psychiatric Services, 2005, 56, 172-178.	2.0	36
113	Racial/Ethnic Disparities in Binge Eating: Disorder Prevalence, Symptom Presentation, and Help-Seeking Among Asian Americans and Non-Latino Whites. American Journal of Public Health, 2014, 104, 1263-1265.	2.7	35
114	Reexamining associations between mania, depression, anxiety and substance use disorders: results from a prospective national cohort. Molecular Psychiatry, 2017, 22, 235-241.	7.9	35
115	Disparities in receipt of family planning services by disability status: New estimates from the National Survey of Family Growth. Disability and Health Journal, 2017, 10, 394-399.	2.8	35
116	Limitations of the symptom-oriented approach to psychiatric research. British Journal of Psychiatry, 1998, 173, 198-202.	2.8	34
117	Stigma and Difficulty Accessing Medical Care in a Sample of Adults with Serious Mental Illness. Journal of Health Care for the Poor and Underserved, 2014, 25, 1956-1965.	0.8	34
118	Antidepressant Use and Lifetime History of Mental Disorders in a Community Sample. Journal of Clinical Psychiatry, 2015, 76, 40-44.	2.2	34
119	Outcomes, feasibility and acceptability of a group support psychotherapeutic intervention for depressed HIV affected Ugandan adults: A pilot study. Journal of Affective Disorders, 2014, 166, 144-150.	4.1	33
120	Clinical Characteristics, 4-Year Course, and DSM-IV Classification of Patients With Nonaffective Acute Remitting Psychosis. American Journal of Psychiatry, 2003, 160, 2108-2115.	7.2	32
121	Atypical Antipsychotics in First Admission Schizophrenia: Medication Continuation and Outcomes. Schizophrenia Bulletin, 2003, 29, 519-530.	4.3	32
122	FEAR OF DYING IN PANIC ATTACKS PREDICTS SUICIDE ATTEMPT IN COMORBID DEPRESSIVE ILLNESS: PROSPECTIVE EVIDENCE FROM THE NATIONAL EPIDEMIOLOGICAL SURVEY ON ALCOHOL AND RELATED CONDITIONS. Depression and Anxiety, 2012, 30, n/a-n/a.	4.1	32
123	Global Scientific Production on Illicit Drug Addiction: A Two-Decade Analysis. European Addiction Research, 2018, 24, 60-70.	2.4	32
124	Tramadol use and public health consequences in Iran: a systematic review and metaâ€analysis. Addiction, 2020, 115, 2213-2242.	3.3	32
125	Adaptation and validation of short scales for assessment of psychological distress in <scp>l</scp> ran: The <scp>P</scp> ersian <scp>K10</scp> and <scp>K6</scp> . International Journal of Methods in Psychiatric Research, 2018, 27, e1726.	2.1	31
126	Lifetime depressive disorders and adherence to anti-retroviral therapy in HIV-infected Ugandan adults: A case-control study. Journal of Affective Disorders, 2013, 145, 221-226.	4.1	30

#	Article	IF	CITATIONS
127	The Affordable Care Act and Opioid Agonist Therapy for Opioid Use Disorder. Psychiatric Services, 2019, 70, 617-620.	2.0	30
128	Fregoli Syndrome. Australian and New Zealand Journal of Psychiatry, 1994, 28, 458-462.	2.3	29
129	Childhood abuse and neglect and transitions in stages of alcohol involvement among women: A latent transition analysis approach. Drug and Alcohol Dependence, 2013, 132, 491-498.	3.2	29
130	Distinguishing between first-admission schizophreniform disorder and schizophrenia. Schizophrenia Research, 2003, 62, 51-58.	2.0	28
131	Cross-cultural adaptation and validation of the self-reporting questionnaire among HIV+ individuals in a rural ART program in southern Uganda. HIV/AIDS - Research and Palliative Care, 2012, 4, 51.	0.8	28
132	Victimization of Lesbian, Gay, and Bisexual People in Childhood: Associations with Attempted Suicide. Suicide and Life-Threatening Behavior, 2016, 46, 457-470.	1.9	28
133	Mortality and long-term course in schizophrenia with a poor 2-year course. British Journal of Psychiatry, 2001, 178, 71-75.	2.8	27
134	Height, weight and body mass index (BMI) in psychiatrically ill US Armed Forces personnel. Psychological Medicine, 2003, 33, 363-368.	4.5	27
135	Which Substance Abuse Treatment Facilities Offer Dual Diagnosis Programs?. American Journal of Drug and Alcohol Abuse, 2004, 30, 525-536.	2.1	27
136	Comorbid Alcohol Dependence and Anxiety Disorders: A National Survey. Journal of Dual Diagnosis, 2013, 9, 271-280.	1.2	26
137	Social network, recovery attitudes and internal stigma among those with serious mental illness. International Journal of Social Psychiatry, 2017, 63, 448-458.	3.1	25
138	Opioid overdose death following criminal justice involvement: Linking statewide corrections and hospital databases to detect individuals at highest risk. Drug and Alcohol Dependence, 2020, 213, 107997.	3.2	25
139	Legal Challenges for Substance Abuse Treatment During Disasters. Psychiatric Services, 2012, 63, 1-9.	2.0	24
140	The Association of Alcohol Use Disorders with Suicidal Ideation and Suicide Attempts in a Population-Based Sample with Mood Symptoms. Archives of Suicide Research, 2016, 20, 219-232.	2.3	24
141	Medication use patterns and 2-year outcome in first-admission bipolar disorder with psychotic features. Bipolar Disorders, 2004, 6, 406-415.	1.9	23
142	Serious Emotional and Behavioral Problems and Mental Health Contacts in American and British Children and Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 1215-1223.	0.5	23
143	Telemedicine and Office-Based Care for Behavioral and Psychiatric Conditions During the COVID-19 Pandemic in the United States. Annals of Internal Medicine, 2021, 174, 428-430.	3.9	23
144	Are there racial differences in the way patients with psychotic disorders are treated at their first hospitalization?. Psychological Medicine, 2004, 34, 705-718.	4.5	22

#	Article	IF	CITATIONS
145	Lifetime manic spectrum episodes and all-cause mortality: 26-year follow-up of the NIMH epidemiologic catchment area study. Journal of Affective Disorders, 2013, 151, 337-342.	4.1	22
146	SEX DIFFERENCES IN HELP SEEKING FOR MOOD AND ANXIETY DISORDERS IN THE NATIONAL COMORBIDITY SURVEY-REPLICATION. Depression and Anxiety, 2015, 32, 853-860.	4.1	22
147	Continuing Versus New Prescriptions for Sedative-Hypnotic Medications: United States, 2005–2012. American Journal of Public Health, 2016, 106, 2019-2025.	2.7	22
148	Misuse of prescribed opioids in the <scp>U</scp> nited <scp>S</scp> tates. Pharmacoepidemiology and Drug Safety, 2019, 28, 345-353.	1.9	22
149	Duration of illness and structure of symptoms in schizophrenia. Psychological Medicine, 1999, 29, 915-924.	4.5	21
150	Cognitive Deficits and the Course of Major Depression in a Cohort of Middle-Aged and Older Community-Dwelling Adults. Journal of the American Geriatrics Society, 2004, 52, 1060-1069.	2.6	21
151	Reasons for Not Seeking General Medical Care Among Individuals With Serious Mental Illness. Psychiatric Services, 2014, 65, 818-821.	2.0	21
152	Heterogeneity of cycloid psychoses: a latent class analysis. Psychological Medicine, 2000, 30, 721-726.	4.5	20
153	Social comparison of distress and mental health help-seeking in the US general population. Social Science and Medicine, 2008, 67, 1944-1950.	3.8	20
154	Nonaffective Acute Psychoses: Uncertainties on the Way to DSM-V and ICD-11. Current Psychiatry Reports, 2011, 13, 203-210.	4.5	20
155	Antidepressant use and glycemic control. Psychopharmacology, 2013, 227, 467-477.	3.1	20
156	Mental Health of Protective Services Workers: Results From the National Epidemiologic Survey on Alcohol and Related Conditions. Disaster Medicine and Public Health Preparedness, 2013, 7, 36-45.	1.3	20
157	Patterns of concurrent substance use among nonmedical ADHD stimulant users: Results from the National Survey on Drug Use and Health. Drug and Alcohol Dependence, 2014, 142, 86-90.	3.2	20
158	Universal Depression Screening to Improve Depression Outcomes in Primary Care: Sounds Good, but Where Is the Evidence?. Psychiatric Services, 2017, 68, 724-726.	2.0	20
159	Implementing statistical methods for generalizing randomized trial findings to a target population. Addictive Behaviors, 2019, 94, 124-132.	3.0	20
160	Trends in prescriptions of lithium and other medications for patients with bipolar disorder in office-based practices in the United States: 1996–2015. Journal of Affective Disorders, 2020, 276, 883-889.	4.1	20
161	The Concept of Population Prevention: Application to Schizophrenia. Schizophrenia Bulletin, 2003, 29, 791-801.	4.3	19
162	Differences in patients' perceived helpfulness of depression treatment provided by general medical providers and specialty mental health providers. General Hospital Psychiatry, 2015, 37, 340-346	2.4	19

#	Article	IF	CITATIONS
163	Nonremission and time to remission among remitters in major depressive disorder: Revisiting STAR*D. Depression and Anxiety, 2017, 34, 1123-1133.	4.1	19
164	The Role of Screening in Depression Diagnosis and Treatment in a Representative Sample of US Primary Care Visits. Journal of General Internal Medicine, 2020, 35, 12-20.	2.6	19
165	Datapoints: Use of Information Technology by Psychiatrists and Other Medical Providers. Psychiatric Services, 2007, 58, 1261-1261.	2.0	18
166	Eâ€cigarette use and sleepâ€related complaints among youth. Journal of Adolescence, 2019, 76, 48-54.	2.4	18
167	The Patient Assessment Questionnaire: Initial validation of a measure of treatment effectiveness for patients with schizophrenia and schizoaffective disorder. Psychiatry Research, 2012, 200, 857-866.	3.3	17
168	Child and Adolescent Mental Health Care in Iran: Current Status and Future Directions. Archives of Iranian Medicine, 2016, 19, 797-804.	0.6	17
169	Diagnosing depression and prescribing antidepressants by primary care physicians: the impact of practice style variations. Administration and Policy in Mental Health and Mental Health Services Research, 2002, 4, 109-118.	2.3	16
170	Service Use and Outcomes of First-Admission Patients With Psychotic Disorders in the Suffolk County Mental Health Project. American Journal of Psychiatry, 2005, 162, 1291-1298.	7.2	16
171	Psychometric Properties of a Persian-Language Version of the Automatic Thoughts Questionnaire: ATQ-Persian. International Journal of Social Psychiatry, 2006, 52, 127-137.	3.1	16
172	The public health impact of antidepressants: An instrumental variable analysis. Journal of Affective Disorders, 2011, 134, 188-197.	4.1	16
173	Sources of nonmedically used prescription stimulants: Differences in onset, recency and severity of misuse in a population-based study. Drug and Alcohol Dependence, 2014, 145, 106-112.	3.2	16
174	Patterns of concurrent substance use among adolescent nonmedical ADHD stimulant users. Addictive Behaviors, 2015, 49, 1-6.	3.0	16
175	Residential mobility and risk of major depressive episode among adolescents in the National Survey on Drug Use and Health. Journal of Public Health, 2016, 38, 432-440.	1.8	16
176	Emergency department visits involving benzodiazepines and non-benzodiazepine receptor agonists. American Journal of Emergency Medicine, 2017, 35, 1414-1419.	1.6	16
177	Perceived Marital Support and Incident Mental Illness: Evidence from the National Comorbidity Survey. Journal of Marital and Family Therapy, 2019, 45, 668-683.	1.1	16
178	The Effect of Group Support Psychotherapy Delivered by Trained Lay Health Workers for Depression Treatment Among People with HIV in Uganda: Protocol of a Pragmatic, Cluster Randomized Trial. JMIR Research Protocols, 2017, 6, e250.	1.0	16
179	Sleep Problems, Psychiatric Hospitalization, and Emergency Department Use Among Psychiatric Patients With Medicaid. Psychiatric Services, 2011, 62, 1101-1105.	2.0	15
180	Public attitudes towards psychiatric medication: a comparison between United States and Germany. World Psychiatry, 2014, 13, 320-321.	10.4	15

#	Article	IF	CITATIONS
181	Impact of Medicare Annual Wellness Visits on Uptake of Depression Screening. Psychiatric Services, 2015, 66, 1207-1212.	2.0	15
182	Classifying substance use disorder treatment facilities with co-located mental health services: A latent class analysis approach. Drug and Alcohol Dependence, 2016, 163, 108-115.	3.2	15
183	Process Evaluation of a Randomized Controlled Trial of Group Support Psychotherapy for Depression Treatment Among People with HIV/AIDS in Northern Uganda. Community Mental Health Journal, 2017, 53, 991-1004.	2.0	15
184	Job strain and cognitive change: the Baltimore Epidemiologic Catchment Area follow-up study. Occupational and Environmental Medicine, 2018, 75, 856-862.	2.8	15
185	Distribution and Correlates of Assertive Community Treatment (ACT) and ACT-Like Programs: Results From the 2015 N-MHSS. Psychiatric Services, 2019, 70, 271-278.	2.0	15
186	Universal screening may not prevent suicide. General Hospital Psychiatry, 2020, 63, 14-15.	2.4	15
187	Trends in Receipt of Mental Health Treatments Among Adults in the United States, 2008–2013. Journal of Clinical Psychiatry, 2016, 77, 1365-1371.	2.2	15
188	Delusion as error: the history of a metaphor. History of Psychiatry, 2000, 11, 003-14.	0.3	14
189	Use of VA Aftercare Following Military Discharge Among Patients With Serious Mental Disorders. Psychiatric Services, 2003, 54, 383-388.	2.0	14
190	Evidence for an increase in cannabis use in Iran – A systematic review and trend analysis. PLoS ONE, 2021, 16, e0256563.	2.5	14
191	Model-Robust Inference for Clinical Trials that Improve Precision by Stratified Randomization and Covariate Adjustment. Journal of the American Statistical Association, 2023, 118, 1152-1163.	3.1	14
192	Depression care among adults with co-occurring major depressive episodes and substance use disorders in the United States. Journal of Psychiatric Research, 2017, 91, 47-56.	3.1	13
193	National Trends In Specialty Outpatient Mental Health Care Among Adults. Health Affairs, 2017, 36, 2062-2068.	5.2	13
194	Effects of the Affordable Care Act on Private Insurance Coverage and Treatment of Behavioral Health Conditions in Young Adults. American Journal of Public Health, 2018, 108, 1352-1354.	2.7	13
195	Co-Occurring Opioid Use and Depressive Disorders: Patient Characteristics and Co-Occurring Health Conditions. Journal of Dual Diagnosis, 2021, 17, 296-303.	1.2	13
196	Adolescents' Concerns About School Violence or Shootings and Association With Depressive, Anxiety, and Panic Symptoms. JAMA Network Open, 2021, 4, e2132131.	5.9	13
197	First psychiatric hospitalizations in the US military: the National Collaborative Study of Early Psychosis and Suicide (NCSEPS). Psychological Medicine, 2006, 36, 1405-1415.	4.5	12
198	Medicaid Expansion Initiative in Massachusetts: Enrollment Among Substance-Abusing Homeless Adults. American Journal of Public Health, 2013, 103, 2007-2013.	2.7	12

#	Article	IF	CITATIONS
199	Integrated dual diagnosis treatment among United States mental health treatment facilities: 2010 to 2018. Drug and Alcohol Dependence, 2020, 213, 108074.	3.2	12
200	Trends in sleep problems and patterns among Japanese adolescents: 2004 to 2017. The Lancet Regional Health - Western Pacific, 2021, 9, 100107.	2.9	12
201	Sleep Problems, Psychiatric Hospitalization, and Emergency Department Use Among Psychiatric Patients With Medicaid. Psychiatric Services, 2011, 62, 1101-5.	2.0	12
202	Identifying Misidentifications:A Phenomenol ogical Study. Psychopathology, 1998, 31, 90-95.	1.5	11
203	Risk of Hospitalization Due to Medication Nonadherence Identified Through EMRs of Patients With Psychosis. Psychiatric Services, 2017, 68, 847-850.	2.0	11
204	Insomnia as a predictor of job exit among middle-aged and older adults: results from the Health and Retirement Study. Journal of Epidemiology and Community Health, 2017, 71, 750-757.	3.7	11
205	Transitions through stages of alcohol involvement: The potential role of mood disorders. Drug and Alcohol Dependence, 2018, 189, 116-124.	3.2	11
206	Trends of Polypharmacy and Prescription Patterns of Antidepressants in Asia. Journal of Clinical Psychopharmacology, 2018, 38, 598-603.	1.4	11
207	Bipolar features in major depressive disorder: Results from the Iranian mental health survey (IranMHS). Journal of Affective Disorders, 2018, 241, 319-324.	4.1	11
208	Availability of Assertive Community Treatment in the United States: 2010 to 2016. Psychiatric Services, 2019, 70, 948-951.	2.0	11
209	Health insurance coverage is associated with access to substance use treatment among individuals with injection drug use: Evidence from a 12-year prospective study. Journal of Substance Abuse Treatment, 2019, 96, 75-81.	2.8	11
210	Changes in Buprenorphine Treatment After Medicaid Expansion. Psychiatric Services, 2021, 72, 633-640.	2.0	11
211	Depressed Mood in Middle-Aged and Older Adults in Europe and the United States. Journal of Aging and Health, 2016, 28, 95-117.	1.7	10
212	Prescription opioid use among individuals with serious mental illness. Psychiatry Research, 2018, 267, 85-87.	3.3	10
213	Clean indoor air laws, cigarette excise taxes, and smoking: Results from the current population survey-tobacco use supplement, 2003–2011. Preventive Medicine, 2019, 126, 105744.	3.4	10
214	The Effects of Marijuana Use on Transitions through Stages of Alcohol Involvement for Men and Women in the NESARC I and II. Substance Use and Misuse, 2019, 54, 2167-2176.	1.4	10
215	Financial hardship among individuals with serious mental illness. Psychiatry Research, 2019, 282, 112632.	3.3	10
216	Weekend Prescribing Practices and Subsequent Seclusion and Restraint in a Psychiatric Inpatient Setting. Psychiatric Services, 2010, 61, 193-195.	2.0	9

#	Article	IF	CITATIONS
217	Adverse childhood experiences (ACEs) and transitions in stages of alcohol involvement among US adults: Progression and regression. Child Abuse and Neglect, 2020, 107, 104624.	2.6	9
218	Medicaid Expansion and Low-Income Adults with Substance Use Disorders. Journal of Behavioral Health Services and Research, 2021, 48, 477-486.	1.4	9
219	Data management in substance use disorder treatment research: Implications from data harmonization of National Institute on Drug Abuse-funded randomized controlled trials. Clinical Trials, 2021, 18, 215-225.	1.6	9
220	Opioid agonist treatment is highly protective against overdose death among a U.S. statewide population of justice-involved adults. American Journal of Drug and Alcohol Abuse, 2021, 47, 117-126.	2.1	9
221	U.S. Health Care Reform and Enduring Barriers to Mental Health Care Among Low-Income Adults With Psychological Distress. Psychiatric Services, 2021, 72, 338-342.	2.0	9
222	Remission and Treatment Augmentation of Depression in the United States. Journal of Clinical Psychiatry, 2021, 82, .	2.2	9
223	Datapoints: Prescription Patterns for Mood and Anxiety Disorders in a Community Population. Psychiatric Services, 1999, 50, 1557-1557.	2.0	8
224	Parental Psychopathology and Childhood Atopic Disorders in the Community. Psychosomatic Medicine, 2005, 67, 448-453.	2.0	8
225	Implications of Co-Occurring Alcohol Abuse for Role Impairment, Health Problems, Treatment Seeking, and Early Course of Alcohol Dependence. American Journal on Addictions, 2007, 16, 300-309.	1.4	8
226	Does Depression Screening Have an Effect on the Diagnosis and Treatment of Mood Disorders in General Medical Settings? An Instrumental Variable Analysis of the National Ambulatory Medical Care Survey. Medical Care Research and Review, 2011, 68, 462-489.	2.1	8
227	Receipt of Depression Treatment From General Medical Providers and Specialty Mental Health Providers. Psychiatric Services, 2016, 67, 758-765.	2.0	8
228	Delays in Seeking General Medical Services and Measurable Abnormalities Among Individuals With Serious Mental Illness. Psychiatric Services, 2018, 69, 479-482.	2.0	8
229	Insurance Loss in the Era of the Affordable Care Act. Medical Care, 2019, 57, 567-573.	2.4	8
230	Electronic health record adoption among US substance use disorder and other mental health treatment facilities. Drug and Alcohol Dependence, 2021, 220, 108515.	3.2	8
231	Neuropsychological and Neurological Deficits in Obsessive-Compulsive Disorder: The Role of Comorbid Depression. International Journal of Clinical Medicine, 2012, 03, 200-210.	0.2	8
232	The impact of child psychiatric conditions on future educational outcomes among a community cohort in Brazil. Epidemiology and Psychiatric Sciences, 2021, 30, .	3.9	8
233	Clinically unintended medication switches and inability to prescribe preferred medications under Medicare Part D. Journal of Psychopharmacology, 2012, 26, 784-793.	4.0	7
234	Association of Comorbid Generalized Anxiety Disorder and Alcohol Use Disorder Symptoms with Health-Related Quality of Life. Journal of Addiction Medicine, 2013, 7, 394-400.	2.6	7

#	Article	IF	CITATIONS
235	Availability of Mental Health Services Prior to Health Care Reform Insurance Expansions. Psychiatric Services, 2016, 67, 983-989.	2.0	7
236	Comparing pharmacological treatments for cocaine dependence: Incorporation of methods for enhancing generalizability in metaâ€analytic studies. International Journal of Methods in Psychiatric Research, 2018, 27, e1609.	2.1	7
237	Sex and Age Differences in Risk Factors of Marijuana Involvement During Adolescence. Addictive Disorders and Their Treatment, 2018, 17, 29-39.	0.5	7
238	A National Survey of Trends in Health Insurance Coverage of Low-Income Adults Following Medicaid Expansion. Journal of General Internal Medicine, 2020, 35, 1911-1913.	2.6	7
239	Private health insurance coverage of drug use disorder treatment: 2005–2018. PLoS ONE, 2020, 15, e0240298.	2.5	7
240	The Cost Savings of Expanding Medicaid Eligibility to Include Currently Uninsured Homeless Adults with Substance Use Disorders. Journal of Behavioral Health Services and Research, 2014, 41, 110-124.	1.4	6
241	Interrater Reliability of the Modified Monitoring of Side Effects Scale for Assessment of Adverse Effects of Psychiatric Medication in Clinical and Research Settings. Journal of Clinical Psychopharmacology, 2015, 35, 324-328.	1.4	6
242	Scaling-up of treatment of depression and anxiety. Lancet Psychiatry,the, 2016, 3, 603.	7.4	6
243	Referral of Research Participants for Ancillary Care in Community-Based Public Health Intervention Research: A Guiding Framework. Public Health Ethics, 2016, 9, 104-120.	1.0	6
244	Depression care among depressed adults with and without comorbid substance use disorders in the United States. Depression and Anxiety, 2017, 34, 291-300.	4.1	6
245	Exposure to Direct-to-Consumer Pharmaceutical Advertising and Medication Nonadherence Among Patients With Serious Mental Illness. Psychiatric Services, 2017, 68, 1299-1302.	2.0	6
246	Beyond Social Media: A Cross-Sectional Survey of Other Internet and Mobile Phone Applications in a Community Psychiatry Population. Journal of Psychiatric Practice, 2018, 24, 127-135.	0.7	6
247	Evaluating the role of Section 1115 waivers on Medicaid coverage and utilization of opioid agonist therapy among substance use treatment admissions. Health Services Research, 2020, 55, 232-238.	2.0	6
248	Children and Adolescents' Mental Health in Iran's Primary Care: Perspectives of General Practitioners, School Staff, and Help Seekers. Global Social Welfare, 2021, 8, 1-10.	1.9	6
249	Estimating the prevalence of schizophrenia in the United States using the multiplier method. Schizophrenia Research, 2021, 230, 48-49.	2.0	6
250	Recruitment and Baseline Characteristics of Participants in the Social, Emotional, and Economic Empowerment Through Knowledge of Group Support Psychotherapy Study (SEEK-GSP): Cluster Randomized Controlled Trial. JMIR Research Protocols, 2019, 8, e11560.	1.0	6
251	Public health risks associated with methadone in Iran: A systematic review and meta-analysis. International Journal of Drug Policy, 2022, 100, 103529.	3.3	6
252	Misidentification phenomena in German psychiatry: a historical review and comparison with the French/English approach. History of Psychiatry, 1996, 7, 137-158.	0.3	5

#	Article	IF	CITATIONS
253	Compliance with Mental Health and Other Specialty Care Referrals among Medicare/Medicaid Dual Enrollees. Community Mental Health Journal, 2005, 41, 339-344.	2.0	5
254	Chronic Disease Management for Depression in US Medical Practices. Medical Care, 2011, 49, 634-640.	2.4	5
255	Generalizability of the findings from a randomized controlled trial of a webâ€based substance use disorder intervention. American Journal on Addictions, 2018, 27, 231-237.	1.4	5
256	State variations in Medicaid enrollment and utilization of substance use services: Results from a National Longitudinal Study. Journal of Substance Abuse Treatment, 2018, 89, 75-86.	2.8	5
257	Developing Texting for Relapse Prevention: A Scalable mHealth Program for People With Schizophrenia and Schizoaffective Disorder. Journal of Nervous and Mental Disease, 2019, 207, 854-862.	1.0	5
258	Alcohol Use Disorders Identification Test (AUDIT): Validation of the Persian version in an Iranian population. Alcohol, 2020, 83, 127-133.	1.7	5
259	Clinical outcomes from the texting for relapse prevention (T4RP) in schizophrenia and schizoaffective disorder study. Psychiatry Research, 2020, 292, 113346.	3.3	5
260	Florida's Opioid Crackdown and Mortality From Drug Overdose, Motor Vehicle Crashes, and Suicide: A Bayesian Interrupted Time-Series Analysis. American Journal of Epidemiology, 2020, 189, 885-893.	3.4	5
261	Validation of Addiction Severity Index (ASI) for Assessment of Psychiatric Comorbidity in Multi-Site Randomized Controlled Trials. Journal of Dual Diagnosis, 2020, 16, 312-321.	1.2	5
262	Diagnoses and Treatment After Depression Screening in Primary Care Among Youth. American Journal of Preventive Medicine, 2022, 62, 511-518.	3.0	5
263	COVID-19 Vaccination and Mental Health Distress. Journal of General Internal Medicine, 2022, 37, 1020-1021.	2.6	5
264	Planning Patient-Centered Health Homes for Medicaid Psychiatric Patients at Greatest Risk for Intensive Service Use. Community Mental Health Journal, 2015, 51, 513-522.	2.0	4
265	Examining contradictory evidence on racial/ethnic differences in perceived need for behavioral health treatment. International Journal of Methods in Psychiatric Research, 2018, 27, e1743.	2.1	4
266	Collaborative care for child and youth mental health problems in a middle-income country: study protocol for a randomized controlled trial training general practitioners. Trials, 2019, 20, 405.	1.6	4
267	Cigarette excise taxes, clean indoor air laws, and use of smoking cessation treatments: A mediation analysis. Preventive Medicine, 2020, 136, 106098.	3.4	4
268	Tobacco control policies and smoking cessation treatment utilization: A moderated mediation analysis. PLoS ONE, 2021, 16, e0241512.	2.5	4
269	Buprenorphine abuse and health risks in Iran: A systematic review. Drug and Alcohol Dependence, 2021, 226, 108871.	3.2	4
270	Stressful life events and transitions in problematic alcohol use involvement among US adults. Substance Use and Misuse, 2021, 56, 2171-2180.	1.4	4

#	Article	IF	CITATIONS
271	Distinguishing Bereavement from Depression in DSM-5 : Evidence from Longitudinal Epidemiologic Surveys. Psychiatric Annals, 2013, 43, 276-282.	0.1	4
272	Datapoints: Perceived Benefits of Substance Abuse Treatments. Psychiatric Services, 2003, 54, 780-780.	2.0	3
273	Current tobacco use, nicotine dependence, and transitions across stages of alcohol involvement: A latent transition analysis approach. International Journal of Methods in Psychiatric Research, 2019, 28, e1789.	2.1	3
274	Is There an Association Between Social Media Use and Mental Health? The Timing of Confounding Measurement Matters—Reply. JAMA Psychiatry, 2020, 77, 438.	11.0	3
275	Effects of the ACA on Health Care Coverage for Adults With Substance Use Disorders. Psychiatric Services, 2021, 72, 905-911.	2.0	3
276	Acceptability of Texting 4 Relapse Prevention, Text Messaging-Based Relapse Prevention Program for People With Schizophrenia and Schizoaffective Disorder. Journal of Nervous and Mental Disease, 2022, 210, 123-128.	1.0	3
277	Mortality and negative outcomes of opioid use and opioid use disorder: a 6â€year followâ€up study. Addiction, 2022, , .	3.3	3
278	Risk Factors for Viral Non-Suppression among People Living with HIV and Major Depressive Disorder in Uganda. World Journal of AIDS, 2022, 12, 43-54.	0.3	3
279	To the Editor. Psychological Medicine, 2002, 32, 1479-1485.	4.5	2
280	Datapoints: Antidepressant Use in the European Union: Perceived Indications and Patterns. Psychiatric Services, 2013, 64, 208-208.	2.0	2
281	Are Psychiatrists Ready for Health Care Reform? Findings From the Study of Psychiatric Practice Under Health Care Reform. Psychiatric Services, 2016, 67, 1292-1299.	2.0	2
282	Assessment of Response to Providing Health-related Information in a Community Psychiatry Outpatient Setting. Journal of Psychiatric Practice, 2016, 22, 344-347.	0.7	2
283	Baseline Insurance Status and Risk of Common Mental Disorders: A Propensity-Based Analysis of a Longitudinal U.S. Sample. Psychiatric Services, 2016, 67, 62-70.	2.0	2
284	Generalizability of Findings from a Randomized Controlled Trial of Fish Oil Supplementation for Attenuating Posttraumatic Stress Symptoms among Rescue Workers in Japan. Psychotherapy and Psychosomatics, 2018, 87, 114-115.	8.8	2
285	Management of Common Medical Conditions by Office-Based Psychiatrists. Psychiatric Services, 2018, 69, 410-423.	2.0	2
286	Prospective Association of Digital Media Use with Alcohol Use Initiation and Progression Among Adolescents. Alcoholism: Clinical and Experimental Research, 2021, 45, 877-885.	2.4	2
287	Patterns of reduced use and abstinence in multi-site randomized controlled trials of pharmacotherapies for cocaine and methamphetamine use disorders. Drug and Alcohol Dependence, 2021, 226, 108904.	3.2	2
288	Trends in parent-rated emotional symptoms, conduct problems, and hyperactivity/inattention among U.S. children and adolescents, 2004–2019. Journal of Affective Disorders, 2022, 299, 294-297.	4.1	2

#	Article	IF	CITATIONS
289	Declining trend in use of medications for sleep disturbance in the United States from 2013 to 2018. Journal of Clinical Sleep Medicine, 2022, 18, 2459-2465.	2.6	2
290	The role of mood disorders in the progression of and recovery from alcohol and drug use problems: A latent transition analysis. Drug and Alcohol Dependence, 2022, 238, 109566.	3.2	2
291	Does Self-medication Predict the Persistence or Rather the Recurrence of Alcohol Dependence?—Reply. JAMA Psychiatry, 2014, 71, 205.	11.0	1
292	Conformance to Depression Process Measures of Medicare Part B Beneficiaries in Primary Care Settings. Journal of the American Geriatrics Society, 2015, 63, 1338-1345.	2.6	1
293	Major Depression and Sedative-Hypnotic Use Disorder: a Review. Current Addiction Reports, 2018, 5, 330-335.	3.4	1
294	Caring for Depression—Progress and Lingering Questions. Psychiatric Services, 2020, 71, 535-535.	2.0	1
295	Symptom Severity and Care Delay among Patients with Serious Mental Illness. Journal of Health Care for the Poor and Underserved, 2021, 32, 1312-1319.	0.8	1
296	Validity of selfâ€reports of medication treatment of depression in general population surveys. Pharmacoepidemiology and Drug Safety, 2022, 31, 461-466.	1.9	1
297	Healthcare coverage and service access for low-income adults with substance use disorders. Journal of Substance Abuse Treatment, 2021, , 108710.	2.8	1
298	Adverse childhood experiences and comorbidity in a cohort of people who have injected drugs. BMC Public Health, 2022, 22, 986.	2.9	1
299	Availability of Trauma-Specific Services in US Substance Use Disorder and Other Mental Health Treatment Facilities: 2015–2019. Psychiatric Quarterly, 2022, 93, 703-715.	2.1	1
300	<i>Measuring the Mind: Conceptual Issues in Contemporary Psychometrics</i> . By D. Borsboom. (Pp.) Tj ETQqO 2006, 36, 131-133.	0 0 rgBT /( 4.5	Overlock 10 T O
301	MOJTABAI RESPONDS. American Journal of Public Health, 2006, 96, 954-a-955.	2.7	0
302	Learning disabilities are the most commonly diagnosed emotional, developmental or behavioural problem of US children. Evidence-Based Mental Health, 2007, 10, 29-29.	4.5	0
303	Use of the Persian language version of the Automatic Thoughts Questionnaire (ATQ) in depressed Iranian women. Depression and Anxiety, 2008, 25, E35-E38.	4.1	0
304	Medication And Substance Abuse: The Authors Reply. Health Affairs, 2019, 38, 695-695.	5.2	0
305	0400 Cannabis and National Trends of Sedative-Hypnotic Medication Use in the United States. Sleep, 2019, 42, A162-A162.	1.1	0
306	The relationship between social and environmental factors and symptom severity in the seriously mentally ill population. International Journal of Social Psychiatry, 2022, 68, 171-176.	3.1	0

#	Article	IF	CITATIONS
307	Feder et al. Respond to "Opioids, Economic Factors, and Misclassification― American Journal of Epidemiology, 2020, 189, 898-899.	3.4	0
308	Symptom severity and medication-assisted treatment for individuals with serious mental illness and a history of heroin use. Psychiatry Research, 2021, 296, 113671.	3.3	0
309	Comment: Inference after covariate-adaptive randomisation: aspects of methodology and theory. Statistical Theory and Related Fields, 2021, 5, 190-191.	0.4	0
310	Assessing risk behaviours in the Iranian general population: results from the Iranian Mental Health Survey. Eastern Mediterranean Health Journal, 2021, 27, 953-961.	0.8	0
311	Assessing Self-reported Recovery in a Community Psychiatry Setting. Journal of Psychiatric Practice, 2021, 27, 466-471.	0.7	0
312	Impact of early, weekly drinking on latent classes of alcohol involvement progression and recovery: Evidence from the NESARC Waves 1 and 2. Addictive Behaviors Reports, 2022, 15, 100410.	1.9	0
313	Declining Trend in Use of Sleep Medications Among Older Adults in the United States. Innovation in Aging, 2021, 5, 1030-1030.	0.1	0
314	Emergency health services use and medically-treated suicidal behaviors following depression screening among adolescents: A longitudinal cohort study. Preventive Medicine, 2022, 161, 107148.	3.4	0