

Carl Lombard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3418592/publications.pdf>

Version: 2024-02-01

234
papers

8,494
citations

36303

51
h-index

69250

77
g-index

241
all docs

241
docs citations

241
times ranked

9668
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Task shifting of antiretroviral treatment from doctors to primary-care nurses in South Africa (STRETCH): a pragmatic, parallel, cluster-randomised trial. <i>Lancet, The</i> , 2012, 380, 889-898. | 13.7 | 243 |
| 2 | A Refined Symptom-Based Approach to Diagnose Pulmonary Tuberculosis in Children. <i>Pediatrics</i> , 2006, 118, e1350-e1359. | 2.1 | 235 |
| 3 | Exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa (PROMISE-EBF): a cluster-randomised trial. <i>Lancet, The</i> , 2011, 378, 420-427. | 13.7 | 219 |
| 4 | Bullying, violence, and risk behavior in South African school students. <i>Child Abuse and Neglect</i> , 2007, 31, 161-171. | 2.6 | 213 |
| 5 | Effect on mortality of point-of-care, urine-based lipoarabinomannan testing to guide tuberculosis treatment initiation in HIV-positive hospital inpatients: a pragmatic, parallel-group, multicountry, open-label, randomised controlled trial. <i>Lancet, The</i> , 2016, 387, 1187-1197. | 13.7 | 211 |
| 6 | Associations among adolescent risk behaviours and self-esteem in six domains. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2004, 45, 1454-1467. | 5.2 | 162 |
| 7 | Rising Diabetes Prevalence among Urban-Dwelling Black South Africans. <i>PLoS ONE</i> , 2012, 7, e43336. | 2.5 | 150 |
| 8 | Parenting for Lifelong Health: a pragmatic cluster randomised controlled trial of a non-commercialised parenting programme for adolescents and their families in South Africa. <i>BMJ Global Health</i> , 2018, 3, e000539. | 4.7 | 139 |
| 9 | Suicidal ideation and attempts in adolescents: associations with depression and six domains of self-esteem. <i>Journal of Adolescence</i> , 2004, 27, 611-624. | 2.4 | 134 |
| 10 | Effect of educational outreach to nurses on tuberculosis case detection and primary care of respiratory illness: pragmatic cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2005, 331, 750-754. | 2.3 | 133 |
| 11 | Mortality of Women From Intimate Partner Violence in South Africa: A National Epidemiological Study. <i>Violence and Victims</i> , 2009, 24, 546-556. | 0.7 | 133 |
| 12 | School-based interventions for preventing HIV, sexually transmitted infections, and pregnancy in adolescents. <i>The Cochrane Library</i> , 2016, 2016, CD006417. | 2.8 | 108 |
| 13 | Substance use by adolescents in cape town: prevalence and correlates*1. <i>Journal of Adolescent Health</i> , 2003, 32, 58-65. | 2.5 | 107 |
| 14 | Intimate Partner Femicide in South Africa in 1999 and 2009. <i>PLoS Medicine</i> , 2013, 10, e1001412. | 8.4 | 107 |
| 15 | Impact of Maternal HIV Seroconversion during Pregnancy on Early Mother to Child Transmission of HIV (MTCT) Measured at 4-8 Weeks Postpartum in South Africa 2011-2012: A National Population-Based Evaluation. <i>PLoS ONE</i> , 2015, 10, e0125525. | 2.5 | 99 |
| 16 | Associations among adolescent risk behaviours and self-esteem in six domains. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2004, 45, 1454-1467. | 5.2 | 93 |
| 17 | Methamphetamine use, aggressive behavior and other mental health issues among high-school students in Cape Town, South Africa. <i>Drug and Alcohol Dependence</i> , 2010, 109, 14-19. | 3.2 | 92 |
| 18 | Injury-related mortality in South Africa: a retrospective descriptive study of postmortem investigations. <i>Bulletin of the World Health Organization</i> , 2015, 93, 303-313. | 3.3 | 92 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Effectiveness of a group diabetes education programme in under-served communities in South Africa: a pragmatic cluster randomized controlled trial. <i>Diabetic Medicine</i> , 2014, 31, 987-993. | 2.3 | 90 |
| 20 | HIV Prevalence and Risk Practices Among Men Who Have Sex With Men in Two South African Cities. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, 69-76. | 2.1 | 88 |
| 21 | Brief report: Test-retest reliability of self-reported adolescent risk behaviour. <i>Journal of Adolescence</i> , 2004, 27, 207-212. | 2.4 | 84 |
| 22 | First population-level effectiveness evaluation of a national programme to prevent HIV transmission from mother to child, South Africa. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 240-248. | 3.7 | 82 |
| 23 | No decrease in annual risk of tuberculosis infection in endemic area in Cape Town, South Africa. <i>Tropical Medicine and International Health</i> , 2009, 14, 136-142. | 2.3 | 81 |
| 24 | Psychological distress among men suffering from couple infertility in South Africa: a quantitative assessment. <i>Human Reproduction</i> , 2009, 24, 2821-2826. | 0.9 | 79 |
| 25 | Well-quantified tuberculosis exposure is a reliable surrogate measure of tuberculosis infection. <i>International Journal of Tuberculosis and Lung Disease</i> , 2012, 16, 1033-1039. | 1.2 | 78 |
| 26 | Early cessation of breastfeeding amongst women in South Africa: an area needing urgent attention to improve child health. <i>BMC Pediatrics</i> , 2012, 12, 105. | 1.7 | 78 |
| 27 | Respiratory atopic disease, <i>Ascaris</i> immunoglobulin E and tuberculin testing in urban South African children. <i>Clinical and Experimental Allergy</i> , 2006, 36, 640-648. | 2.9 | 77 |
| 28 | Hypothalamic-Pituitary-Adrenal Axis Suppression in Asthmatic School Children. <i>Pediatrics</i> , 2012, 130, e1512-e1519. | 2.1 | 77 |
| 29 | Effect of home based HIV counselling and testing intervention in rural South Africa: cluster randomised trial. <i>BMJ, The</i> , 2013, 346, f3481-f3481. | 6.0 | 76 |
| 30 | The epidemiology of child homicides in South Africa. <i>Bulletin of the World Health Organization</i> , 2013, 91, 562-568. | 3.3 | 75 |
| 31 | Goodstart: a cluster randomised effectiveness trial of an integrated, community-based package for maternal and newborn care, with prevention of mother-to-child transmission of HIV in a South African township. <i>Tropical Medicine and International Health</i> , 2014, 19, 256-266. | 2.3 | 74 |
| 32 | Educational Outreach with an Integrated Clinical Tool for Nurse-Led Non-communicable Chronic Disease Management in Primary Care in South Africa: A Pragmatic Cluster Randomised Controlled Trial. <i>PLoS Medicine</i> , 2016, 13, e1002178. | 8.4 | 74 |
| 33 | Comparison of symptoms and treatment outcomes between actively and passively detected tuberculosis cases: the additional value of active case finding. <i>Epidemiology and Infection</i> , 2008, 136, 1342-1349. | 2.1 | 72 |
| 34 | Molecular epidemiology and transmission dynamics of <i>Mycobacterium tuberculosis</i> in rural Africa. <i>Tropical Medicine and International Health</i> , 1997, 2, 747-753. | 2.3 | 70 |
| 35 | A High Burden of Hypertension in the Urban Black Population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) Study. <i>PLoS ONE</i> , 2013, 8, e78567. | 2.5 | 70 |
| 36 | High Prevalence of Tuberculosis in Previously Treated Patients, Cape Town, South Africa. <i>Emerging Infectious Diseases</i> , 2007, 13, 1189-1194. | 4.3 | 69 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Extended pre-exposure prophylaxis with lopinavirâ€“ritonavir versus lamivudine to prevent HIV-1 transmission through breastfeeding up to 50 weeks in infants in Africa (ANRS 12174): a randomised controlled trial. <i>Lancet, The</i> , 2016, 387, 566-573. | 13.7 | 69 |
| 38 | Tenofovir 1% vaginal gel for prevention of HIV-1 infection in women in South Africa (FACTS-001): a phase 3, randomised, double-blind, placebo-controlled trial. <i>Lancet Infectious Diseases, The</i> , 2018, 18, 1241-1250. | 9.1 | 68 |
| 39 | Leisure boredom and high school dropout in Cape Town, South Africa. <i>Journal of Adolescence</i> , 2008, 31, 421-431. | 2.4 | 67 |
| 40 | Tuberculosis in Healthcare Workers and Infection Control Measures at Primary Healthcare Facilities in South Africa. <i>PLoS ONE</i> , 2013, 8, e76272. | 2.5 | 67 |
| 41 | Critical incident exposure in South African emergency services personnel: prevalence and associated mental health issues. <i>Emergency Medicine Journal</i> , 2006, 23, 226-231. | 1.0 | 65 |
| 42 | The Relationship between Bullying Behaviours and High School Dropout in Cape Town, South Africa. <i>South African Journal of Psychology</i> , 2008, 38, 21-32. | 2.0 | 64 |
| 43 | Missed Opportunities along the Prevention of Mother-to-Child Transmission Services Cascade in South Africa: Uptake, Determinants, and Attributable Risk (the SAPMTCTE). <i>PLoS ONE</i> , 2015, 10, e0132425. | 2.5 | 64 |
| 44 | Outreach education for integration of HIV/AIDS care, antiretroviral treatment, and tuberculosis care in primary care clinics in South Africa: PALSA PLUS pragmatic cluster randomised trial. <i>BMJ: British Medical Journal</i> , 2011, 342, d2022-d2022. | 2.3 | 63 |
| 45 | Low intake of calcium and vitamin D, but not zinc, iron or vitamin A, is associated with stunting in 2- to 5-year-old children. <i>Nutrition</i> , 2015, 31, 841-846. | 2.4 | 63 |
| 46 | Emotional Intelligence Scores Predict Team Sports Performance in a National Cricket Competition. <i>International Journal of Sports Science and Coaching</i> , 2009, 4, 209-224. | 1.4 | 61 |
| 47 | Alcohol and Other Drug Use during Pregnancy among Women Attending Midwife Obstetric Units in the Cape Metropole, South Africa. <i>Advances in Preventive Medicine</i> , 2014, 2014, 1-10. | 2.7 | 60 |
| 48 | They think they know but do they? Misalignment of perceptions of lifestyle modification knowledge among health professionals. <i>Public Health Nutrition</i> , 2011, 14, 1429-1438. | 2.2 | 58 |
| 49 | Association Between Passive Smoking and Infection With Mycobacterium tuberculosis in Children. <i>Pediatrics</i> , 2007, 119, 734-739. | 2.1 | 57 |
| 50 | The effect of vitamin A and zinc supplementation on treatment outcomes in pulmonary tuberculosis: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 93-100. | 4.7 | 56 |
| 51 | The impact of provider-initiated (opt-out) HIV testing and counseling of patients with sexually transmitted infection in Cape Town, South Africa: a controlled trial. <i>Implementation Science</i> , 2010, 5, 8. | 6.9 | 55 |
| 52 | Intimate femicide-suicide in South Africa: a cross-sectional study. <i>Bulletin of the World Health Organization</i> , 2008, 86, 552-558. | 3.3 | 54 |
| 53 | Adolescent methamphetamine use and sexual risk behaviour in secondary school students in Cape Town, South Africa. <i>Drug and Alcohol Review</i> , 2008, 27, 687-692. | 2.1 | 51 |
| 54 | A Comparison of Multidrug-Resistant Tuberculosis Treatment Commencement Times in MDRTBPlus Line Probe Assay and XpertA® MTB/RIF-Based Algorithms in a Routine Operational Setting in Cape Town. <i>PLoS ONE</i> , 2014, 9, e103328. | 2.5 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A food-based dietary strategy lowers blood pressure in a low socio-economic setting: a randomised study in South Africa. <i>Public Health Nutrition</i> , 2008, 11, 1397-1406. | 2.2 | 49 |
| 56 | The effect of the biochemical marker soluble human leukocyte antigen G on pregnancy outcome in assisted reproductive technology—a multicenter study. <i>Fertility and Sterility</i> , 2013, 100, 1303-1309. | 1.0 | 48 |
| 57 | Comparing dedicated and designated models of integrating mental health into chronic disease care: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2018, 19, 185. | 1.6 | 47 |
| 58 | Leisure Boredom and Substance Use Among High School Students in South Africa. <i>Journal of Leisure Research</i> , 2006, 38, 249-266. | 1.4 | 46 |
| 59 | In Utero ART Exposure and Birth and Early Growth Outcomes Among HIV-Exposed Uninfected Infants Attending Immunization Services: Results From National PMTCT Surveillance, South Africa. <i>Open Forum Infectious Diseases</i> , 2017, 4, ofx187. | 0.9 | 46 |
| 60 | Effect of small-quantity lipid-based nutrient supplements on growth, psychomotor development, iron status, and morbidity among 6- to 12-mo-old infants in South Africa: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 55-68. | 4.7 | 46 |
| 61 | The impact of isoniazid preventive therapy and antiretroviral therapy on tuberculosis in children infected with HIV in a high tuberculosis incidence setting. <i>Thorax</i> , 2011, 66, 496-501. | 5.6 | 45 |
| 62 | Multimorbidity, control and treatment of non-communicable diseases among primary healthcare attenders in the Western Cape, South Africa. <i>South African Medical Journal</i> , 2015, 105, 642. | 0.6 | 45 |
| 63 | Economic support to improve tuberculosis treatment outcomes in South Africa: a pragmatic cluster-randomized controlled trial. <i>Trials</i> , 2013, 14, 154. | 1.6 | 43 |
| 64 | Knowledge of HIV status prior to a community HIV counseling and testing intervention in a rural district of south Africa: results of a community based survey. <i>BMC Infectious Diseases</i> , 2012, 12, 73. | 2.9 | 42 |
| 65 | Community health worker-delivered counselling for common mental disorders among chronic disease patients in South Africa: a feasibility study. <i>BMJ Open</i> , 2019, 9, e024277. | 1.9 | 42 |
| 66 | Impact on perinatal mortality of missed opportunities to treat maternal syphilis in rural South Africa: baseline results from a clinic randomized controlled trial. <i>Tropical Medicine and International Health</i> , 2000, 5, 800-804. | 2.3 | 41 |
| 67 | Prevalence and correlates of partner violence among South African adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2007, 48, 619-627. | 5.2 | 41 |
| 68 | Tuberculosis patients in primary care do not start treatment. What role do health system delays play?. <i>International Journal of Tuberculosis and Lung Disease</i> , 2013, 17, 603-607. | 1.2 | 41 |
| 69 | Did HealthKick, a randomised controlled trial primary school nutrition intervention improve dietary quality of children in low-income settings in South Africa?. <i>BMC Public Health</i> , 2015, 15, 948. | 2.9 | 41 |
| 70 | High prevalence of metabolic syndrome in the Black population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1036-1042. | 1.8 | 39 |
| 71 | Evaluation of a Mass-Media Campaign to Increase the Awareness of the Need to Reduce Discretionary Salt Use in the South African Population. <i>Nutrients</i> , 2017, 9, 1238. | 4.1 | 39 |
| 72 | The prevalence of religiosity and association between religiosity and alcohol use, other drug use, and risky sexual behaviours among grade 8-10 learners in Western Cape, South Africa. <i>PLoS ONE</i> , 2019, 14, e0211322. | 2.5 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The epidemiology and the pathology of suspected rape homicide in South Africa. <i>Forensic Science International</i> , 2008, 178, 132-138. | 2.2 | 38 |
| 74 | Cost-effectiveness of educational outreach to primary care nurses to increase tuberculosis case detection and improve respiratory care: economic evaluation alongside a randomised trial. <i>Tropical Medicine and International Health</i> , 2010, 15, 277-286. | 2.3 | 38 |
| 75 | Increasing Emotional Intelligence in Cricketers: An Intervention Study. <i>International Journal of Sports Science and Coaching</i> , 2011, 6, 69-86. | 1.4 | 38 |
| 76 | An effectiveness study of an integrated, community-based package for maternal, newborn, child and HIV care in South Africa: study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 236. | 1.6 | 38 |
| 77 | An All-Oral 6-Month Regimen for Multidrug-Resistant Tuberculosis: A Multicenter, Randomized Controlled Clinical Trial (the NExT Study). <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 205, 1214-1227. | 5.6 | 38 |
| 78 | Primary School Children's Nutrition Knowledge, Self-Efficacy, and Behavior, after a Three-Year Healthy Lifestyle Intervention (HealthKick). <i>Ethnicity and Disease</i> , 2016, 26, 171. | 2.3 | 37 |
| 79 | The effectiveness of adapted, best practice guidelines for smoking cessation counseling with disadvantaged, pregnant smokers attending public sector antenatal clinics in Cape Town, South Africa. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 478-489. | 2.8 | 36 |
| 80 | Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. <i>Trials</i> , 2018, 19, 193. | 1.6 | 36 |
| 81 | Hypertension and diabetes: poor care for patients at community health centres. <i>South African Medical Journal</i> , 2008, 98, 618-22. | 0.6 | 36 |
| 82 | Diagnostic accuracy of an integrated respiratory guideline in identifying patients with respiratory symptoms requiring screening for pulmonary tuberculosis: a cross-sectional study. <i>BMC Pulmonary Medicine</i> , 2006, 6, 22. | 2.0 | 34 |
| 83 | Why we will remain pragmatists: four problems with the impractical mechanistic framework and a better solution. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 485-488. | 5.0 | 34 |
| 84 | Implementation of national guidelines, incorporated within structured diabetes and hypertension records at primary level care in Cape Town, South Africa: a randomised controlled trial. <i>Global Health Action</i> , 2013, 6, 20796. | 1.9 | 34 |
| 85 | Increased risk of dysglycaemia in South Africans with HIV; especially those on protease inhibitors. <i>Diabetes Research and Clinical Practice</i> , 2016, 119, 41-47. | 2.8 | 34 |
| 86 | The effect of morphine and naloxone administration on plasma oxytocin concentrations in the first stage of labour. <i>Clinical Endocrinology</i> , 1992, 37, 349-353. | 2.4 | 33 |
| 87 | Impact of telephonic psycho-social support on adherence to post-exposure prophylaxis (PEP) after rape. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 1173-1181. | 1.2 | 33 |
| 88 | Growth effects of exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa: the cluster-randomised PROMISE EBF trial. <i>BMC Public Health</i> , 2014, 14, 633. | 2.9 | 33 |
| 89 | A parenting programme to prevent abuse of adolescents in South Africa: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 328. | 1.6 | 33 |
| 90 | A randomised comparison of bolus phenylephrine and ephedrine for the management of spinal hypotension in patients with severe preeclampsia and fetal compromise. <i>International Journal of Obstetric Anesthesia</i> , 2018, 33, 23-31. | 0.4 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Reducing Deaths from Severe Pneumonia in Children in Malawi by Improving Delivery of Pneumonia Case Management. PLoS ONE, 2014, 9, e102955. | 2.5 | 32 |
| 92 | Point-of-Care Ultrasound Abnormalities in Late-Onset Severe Preeclampsia: Prevalence and Association With Serum Albumin and Brain Natriuretic Peptide. Anesthesia and Analgesia, 2019, 128, 1208-1216. | 2.2 | 31 |
| 93 | Comparison between pulse waveform analysis and thermodilution cardiac output determination in patients with severe pre-eclampsia. British Journal of Anaesthesia, 2011, 106, 77-81. | 3.4 | 30 |
| 94 | Smoking in Cape Town: Community Influences on Adolescent Tobacco Use. Preventive Medicine, 2003, 36, 114-123. | 3.4 | 29 |
| 95 | Task shifting and integration of HIV care into primary care in South Africa: The development and content of the streamlining tasks and roles to expand treatment and care for HIV (STRETCH) intervention. Implementation Science, 2011, 6, 86. | 6.9 | 29 |
| 96 | The relationship between substance use and delinquency among high-school students in Cape Town, South Africa. Journal of Adolescence, 2013, 36, 447-455. | 2.4 | 29 |
| 97 | Hypertension and diabetes: Poor care for patients at community health centres. Journal of Endocrinology Metabolism and Diabetes of South Africa, 2008, 13, 64-70. | 0.2 | 28 |
| 98 | Alcohol Use and Its Role in Female Homicides in the Western Cape, South Africa. Journal of Studies on Alcohol and Drugs, 2009, 70, 321-327. | 1.0 | 28 |
| 99 | Gender Differences in Homicide of Neonates, Infants, and Children under 5 y in South Africa: Results from the Cross-Sectional 2009 National Child Homicide Study. PLoS Medicine, 2016, 13, e1002003. | 8.4 | 28 |
| 100 | Adolescent Access to Care and Risk of Early Mother-to-Child HIV Transmission. Journal of Adolescent Health, 2018, 62, 434-443. | 2.5 | 27 |
| 101 | HIV Infection, Viral Load, Low Birth Weight, and Nevirapine Are Independent Influences on Growth Velocity in HIV-Exposed South African Infants. Journal of Nutrition, 2014, 144, 42-48. | 2.9 | 26 |
| 102 | Viral suppression and factors associated with failure to achieve viral suppression among pregnant women in South Africa. Aids, 2020, 34, 589-597. | 2.2 | 26 |
| 103 | G-protein-coupled receptor kinase 4 polymorphisms predict blood pressure response to dietary modification in Black patients with mild-to-moderate hypertension. Journal of Human Hypertension, 2012, 26, 334-339. | 2.2 | 25 |
| 104 | Divergent spatial patterns in the prevalence of the human immunodeficiency virus (HIV) and syphilis in South African pregnant women. Geospatial Health, 2012, 6, 221. | 0.8 | 25 |
| 105 | Cost-effectiveness of nurse-led versus doctor-led antiretroviral treatment in South Africa: pragmatic cluster randomised trial. Tropical Medicine and International Health, 2013, 18, 769-777. | 2.3 | 25 |
| 106 | Population structure analyses of Staphylococcus aureus at Tygerberg Hospital, South Africa, reveals a diverse population, a high prevalence of Pantónâ€“Valentine leukocidin genes, and unique local methicillin-resistant S. aureus clones. Clinical Microbiology and Infection, 2014, 20, 652-659. | 6.0 | 25 |
| 107 | Heavy drinking and contextual risk factors among adults in South Africa: findings from the International Alcohol Control study. Substance Abuse Treatment, Prevention, and Policy, 2018, 13, 43. | 2.2 | 25 |
| 108 | Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. Trials, 2018, 19, 192. | 1.6 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Longitudinal adherence to maternal antiretroviral therapy and infant Nevirapine prophylaxis from 6â€‰weeks to 18â€‰months postpartum amongst a cohort of mothers and infants in South Africa. <i>BMC Infectious Diseases</i> , 2019, 19, 789. | 2.9 | 25 |
| 110 | Foetal alcohol syndrome: a cephalometric analysis of patients and controls. <i>European Journal of Orthodontics</i> , 2005, 28, 254-261. | 2.4 | 24 |
| 111 | Hypothalamic-pituitary-adrenal axis suppression in asthmatic children on inhaled and nasal corticosteroids â€“ more common than expected?. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011, 24, 529-34. | 0.9 | 24 |
| 112 | Recent HIV infection among pregnant women in the 2017 antenatal sentinel crossâ€‰sectional survey, South Africa: Assayâ€‰based incidence measurement. <i>PLoS ONE</i> , 2021, 16, e0249953. | 2.5 | 24 |
| 113 | Sexual Partners in a Rural South African Setting ¹ . <i>AIDS and Behavior</i> , 2006, 10, 399-404. | 2.7 | 23 |
| 114 | Consulting private health care providers aggravates treatment delay in urban South African tuberculosis patients. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011, 15, 1069-1076. | 1.2 | 23 |
| 115 | Implementation of the HealthKick intervention in primary schools in low-income settings in the Western Cape Province, South Africa: a process evaluation. <i>BMC Public Health</i> , 2015, 15, 818. | 2.9 | 23 |
| 116 | Maternal cardiac output response to colloid preload and vasopressor therapy during spinal anaesthesia for caesarean section in patients with severe preâ€‰eclampsia: a randomised, controlled trial. <i>Anaesthesia</i> , 2018, 73, 23-31. | 3.8 | 23 |
| 117 | Weighing the Evidence of Efficacy of Oral PrEP for HIV Prevention in Women in Southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 645-656. | 1.1 | 23 |
| 118 | Traditional Home-Brewed Beer Consumption and Iron Status in Patients With Esophageal Cancer and Healthy Control Subjects From Transkei, South Africa. <i>Nutrition and Cancer</i> , 2006, 56, 67-73. | 2.0 | 22 |
| 119 | The prevalence of unintended pregnancy and its association with HIV status among pregnant women in South Africa, a national antenatal survey, 2019. <i>Scientific Reports</i> , 2021, 11, 23740. | 3.3 | 22 |
| 120 | Teaching chest X-ray reading for child tuberculosis suspects. <i>International Journal of Tuberculosis and Lung Disease</i> , 2014, 18, 763-769. | 1.2 | 21 |
| 121 | Sex differences in insulin sensitivity and insulin response with increasing age in black South African men and women. <i>Diabetes Research and Clinical Practice</i> , 2016, 122, 207-214. | 2.8 | 21 |
| 122 | Alcohol marketing and adolescent alcohol consumption: Results from the International Alcohol Control study (South Africa). <i>South African Medical Journal</i> , 2018, 108, 782. | 0.6 | 21 |
| 123 | The incidence of melanoma in South Africa: An exploratory analysis of National Cancer Registry data from 2005 to 2013 with a specific focus on melanoma in black Africans. <i>South African Medical Journal</i> , 2019, 109, 246. | 0.6 | 21 |
| 124 | Substance Abuse, Suicidality, and Self-Esteem in South African Adolescents. <i>Journal of Drug Education</i> , 2004, 34, 1-17. | 0.8 | 20 |
| 125 | Capture-recapture to estimate completeness of tuberculosis surveillance in two communities in South Africa. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011, 15, 1038-1043. | 1.2 | 20 |
| 126 | Characteristics of clients who access mobile compared to clinic HIV counselling and testing services: a matched study from Cape Town, South Africa. <i>BMC Health Services Research</i> , 2014, 14, 658. | 2.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Study protocol for a longitudinal study evaluating the impact of rape on women's health and their use of health services in South Africa. <i>BMJ Open</i> , 2017, 7, e017296. | 1.9 | 20 |
| 128 | Core Temperature Monitoring in Obstetric Spinal Anesthesia Using an Ingestible Telemetric Sensor. <i>Anesthesia and Analgesia</i> , 2018, 126, 190-195. | 2.2 | 20 |
| 129 | Impact of maternal ART on mother-to-child transmission (MTCT) of HIV at six weeks postpartum in Rwanda. <i>BMC Public Health</i> , 2018, 18, 1248. | 2.9 | 20 |
| 130 | <sc>HIV</sc> DNA decay is faster in children who initiate <sc>ART</sc> shortly after birth than later. <i>Journal of the International AIDS Society</i> , 2019, 22, e25368. | 3.0 | 20 |
| 131 | Predictors of poor adherence among people on antiretroviral treatment in Cape Town, South Africa: a case-control study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015, 27, 342-349. | 1.2 | 19 |
| 132 | Effects of an exclusive breastfeeding intervention for six months on growth patterns of 4-5 year old children in Uganda: the cluster-randomised PROMISE EBF trial. <i>BMC Public Health</i> , 2016, 16, 555. | 2.9 | 19 |
| 133 | Comparing Tuberculosis Diagnostic Yield in Smear/Culture and Xpert® MTB/RIF-Based Algorithms Using a Non-Randomised Stepped-Wedge Design. <i>PLoS ONE</i> , 2016, 11, e0150487. | 2.5 | 19 |
| 134 | Educational outreach to general practitioners reduces children's asthma symptoms: a cluster randomised controlled trial. <i>Implementation Science</i> , 2007, 2, 30. | 6.9 | 18 |
| 135 | Bullying at Rural High Schools in the Eastern Cape Province, South Africa: Prevalence, and Risk and Protective Factors at School and in the Family. <i>Journal of Psychology in Africa</i> , 2008, 18, 261-267. | 0.6 | 18 |
| 136 | A comparison of linkage to HIV care after provider-initiated HIV testing and counselling (PITC) versus voluntary HIV counselling and testing (VCT) for patients with sexually transmitted infections in Cape Town, South Africa. <i>BMC Health Services Research</i> , 2014, 14, 350. | 2.2 | 18 |
| 137 | Isoniazid preventive therapy in HIV-infected children on antiretroviral therapy: a pilot study. <i>International Journal of Tuberculosis and Lung Disease</i> , 2014, 18, 322-327. | 1.2 | 18 |
| 138 | Sexual homicides in South Africa: A national cross-sectional epidemiological study of adult women and children. <i>PLoS ONE</i> , 2017, 12, e0186432. | 2.5 | 18 |
| 139 | Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial. <i>Journal of Affective Disorders</i> , 2021, 282, 112-121. | 4.1 | 18 |
| 140 | Reliability of the Beck Depression Inventory and the Self-Rating Anxiety Scale in a sample of South African adolescents. <i>Journal of Child and Adolescent Mental Health</i> , 2003, 15, 73-75. | 1.7 | 17 |
| 141 | Playing Demands of Sevens Rugby during the 2005 Rugby World Cup Sevens Tournament. <i>International Journal of Performance Analysis in Sport</i> , 2008, 8, 114-123. | 1.1 | 17 |
| 142 | Evaluating the equivalence of clomiphene citrate with and without metformin in ovulation induction in PCOS patients. <i>Journal of Assisted Reproduction and Genetics</i> , 2009, 26, 165-171. | 2.5 | 17 |
| 143 | A pragmatic resolution. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 495-498. | 5.0 | 17 |
| 144 | Integration of TB and ART services fails to improve TB treatment outcomes: Comparison of ART/TB primary healthcare services in Cape Town, South Africa. <i>South African Medical Journal</i> , 2014, 104, 204. | 0.6 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Alarming rise in prevalence of atherogenic dyslipidaemia in the black population of Cape Town: the Cardiovascular Risk in Black South Africans (CRIBSA) study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1549-1556. | 1.8 | 17 |
| 146 | Dietary Intake of the Urban Black Population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) Study. <i>Nutrients</i> , 2016, 8, 285. | 4.1 | 17 |
| 147 | Trauma trends during <sc>COVID</sc>â€19 alcohol prohibition at a South African regional hospital. <i>Drug and Alcohol Review</i> , 2022, 41, 13-19. | 2.1 | 17 |
| 148 | Foetal alcohol syndrome: a dental and skeletal age analysis of patients and controls. <i>European Journal of Orthodontics</i> , 2005, 28, 247-253. | 2.4 | 16 |
| 149 | Integration of HIV Care into Primary Care in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, e94-e100. | 2.1 | 16 |
| 150 | Specimen Pooling as a Diagnostic Strategy for Microbiologic Confirmation in Children with Intrathoracic Tuberculosis. <i>Pediatric Infectious Disease Journal</i> , 2019, 38, e128-e131. | 2.0 | 16 |
| 151 | Complications, outcomes, and management strategies of non-missile penetrating head injuries. <i>Journal of Neurosurgery</i> , 2021, 134, 1658-1666. | 1.6 | 16 |
| 152 | Injury Patterns of Female Homicide Victims in South Africa. <i>Journal of Trauma</i> , 2009, 67, 168-172. | 2.3 | 15 |
| 153 | Serum retinol in 1â€6-year-old children from a low socio-economic South African community with a high intake of liver: implications for blanket vitamin A supplementation. <i>Public Health Nutrition</i> , 2012, 15, 716-724. | 2.2 | 15 |
| 154 | Chest radiographic abnormalities in HIV-infected African children: a longitudinal study. <i>Thorax</i> , 2015, 70, 840-846. | 5.6 | 15 |
| 155 | Increase in HIV incidence in women exposed to rape. <i>Aids</i> , 2021, 35, 633-642. | 2.2 | 15 |
| 156 | Differing Patterns of Overweight and Obesity among Black Men and Women in Cape Town: The CRIBSA Study. <i>PLoS ONE</i> , 2014, 9, e107471. | 2.5 | 14 |
| 157 | Low Rates of Hepatotoxicity in HIV-infected Children on Anti-retroviral Therapy with and without Isoniazid Prophylaxis. <i>Journal of Tropical Pediatrics</i> , 2010, 56, 159-165. | 1.5 | 13 |
| 158 | Safety of long-term isoniazid preventive therapy in children with HIV: a comparison of two dosing schedules. <i>International Journal of Tuberculosis and Lung Disease</i> , 2013, 17, 26-31. | 1.2 | 13 |
| 159 | Effects of early feeding on growth velocity and overweight/obesity in a cohort of HIV unexposed South African infants and children. <i>International Breastfeeding Journal</i> , 2015, 10, 14. | 2.6 | 13 |
| 160 | RCT evaluation of Skhokho: A holistic school intervention to prevent gender-based violence among South African Grade 8s. <i>PLoS ONE</i> , 2019, 14, e0223562. | 2.5 | 13 |
| 161 | Assessment of readiness to transition from antenatal HIV surveillance surveys to PMTCT programme data-based HIV surveillance in South Africa: The 2017 Antenatal Sentinel HIV Survey. <i>International Journal of Infectious Diseases</i> , 2020, 91, 50-56. | 3.3 | 13 |
| 162 | Curcumin pre-treatment may protect against mitochondrial damage in LRRK2-mutant Parkinson's disease and healthy control fibroblasts. <i>Biochemistry and Biophysics Reports</i> , 2021, 27, 101035. | 1.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Community-based differentiated service delivery models incorporating multi-month dispensing of antiretroviral treatment for newly stable people living with HIV receiving single annual clinical visits: a pooled analysis of two cluster-randomized trials in southern Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25819. | 3.0 | 13 |
| 164 | Hypothalamic-pituitary-adrenal axis suppression in asthmatic children on inhaled and nasal corticosteroids: is the early-morning serum adrenocorticotropic hormone (ACTH) a useful screening test?. <i>Pediatric Allergy and Immunology</i> , 2011, 22, 614-620. | 2.6 | 12 |
| 165 | Comparability of total cardiovascular disease risk estimates using laboratory and non-laboratory based assessments in urban-dwelling South Africans: The CRIBSA study. <i>South African Medical Journal</i> , 2014, 104, 691. | 0.6 | 12 |
| 166 | Clinical and immunological correlates of chest X-ray abnormalities in HIV-infected South African children with limited access to anti-retroviral therapy. <i>Pediatric Pulmonology</i> , 2014, 49, 581-588. | 2.0 | 12 |
| 167 | Liver intake in 24-59-month-old children from an impoverished South African community provides enough vitamin A to meet requirements. <i>Public Health Nutrition</i> , 2014, 17, 2798-2805. | 2.2 | 12 |
| 168 | The use of phenylephrine to obtund oxytocin-induced hypotension and tachycardia during caesarean section. <i>International Journal of Obstetric Anesthesia</i> , 2015, 24, 297-302. | 0.4 | 12 |
| 169 | Support for alcohol policies from drinkers in the City of Tshwane, South Africa: Data from the International Alcohol Control study. <i>Drug and Alcohol Review</i> , 2018, 37, S210-S217. | 2.1 | 12 |
| 170 | The prevalence of risk for mental health problems among high school students in the Western Cape Province, South Africa. <i>South African Journal of Psychology</i> , 2014, 44, 30-35. | 2.0 | 11 |
| 171 | Rising alcohol consumption and a high prevalence of problem drinking in black men and women in Cape Town: the CRIBSA study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 446-452. | 3.7 | 11 |
| 172 | Breastfeeding patterns and its determinants among mothers living with Human Immuno-deficiency Virus -1 in four African countries participating in the ANRS 12174 trial. <i>International Breastfeeding Journal</i> , 2016, 12, 22. | 2.6 | 11 |
| 173 | Integrating primary care of chronic respiratory disease, cardiovascular disease and diabetes in Brazil: Practical Approach to Care Kit (PACK Brazil): study protocol for randomised controlled trials. <i>Journal of Thoracic Disease</i> , 2018, 10, 4667-4677. | 1.4 | 11 |
| 174 | Why do families still not receive the child support grant in South Africa? A longitudinal analysis of a cohort of families across South Africa. <i>BMC International Health and Human Rights</i> , 2012, 12, 24. | 2.5 | 10 |
| 175 | The complex relationship between human immunodeficiency virus infection and death in adults being treated for tuberculosis in Cape Town, South Africa. <i>BMC Public Health</i> , 2015, 15, 556. | 2.9 | 10 |
| 176 | Effects of PACK guide training on the management of asthma and chronic obstructive pulmonary disease by primary care clinicians: a pragmatic cluster randomised controlled trial in Florianópolis, Brazil. <i>BMJ Global Health</i> , 2019, 4, e001921. | 4.7 | 10 |
| 177 | Rape survivors in South Africa: analysis of the baseline socio-demographic and health characteristics of a rape cohort. <i>Global Health Action</i> , 2020, 13, 1834769. | 1.9 | 10 |
| 178 | Early Sexual Debut and the Effects on Well-Being among South African Adolescent Girls and Young Women Aged 15 to 24 Years. <i>International Journal of Sexual Health</i> , 2022, 34, 242-253. | 2.3 | 10 |
| 179 | Risk and protective factors affecting the symptom trajectory of posttraumatic stress disorder post-rape. <i>Journal of Affective Disorders</i> , 2022, 309, 151-164. | 4.1 | 10 |
| 180 | Methamphetamine Use and Sexual Risk Behavior among High School Students in Cape Town, South Africa. <i>Journal of Child and Adolescent Substance Abuse</i> , 2012, 21, 181-191. | 0.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Prevalence of HIV-1 drug resistance amongst newly diagnosed HIV-infected infants age 4–8 weeks, enrolled in three nationally representative PMTCT effectiveness surveys, South Africa: 2010, 2011–12 and 2012–13. <i>BMC Infectious Diseases</i> , 2019, 19, 787. | 2.9 | 9 |
| 182 | Reliability of the Leisure Boredom Scale for Use with High School Learners in Cape Town, South Africa. <i>Journal of Leisure Research</i> , 2002, 34, 340-350. | 1.4 | 8 |
| 183 | Comparison of an interactive with a didactic educational intervention for improving the evidence-based practice knowledge of occupational therapists in the public health sector in South Africa: a randomised controlled trial. <i>Trials</i> , 2014, 15, 216. | 1.6 | 8 |
| 184 | Uptake and predictors of early postnatal follow-up care amongst mother-baby pairs in South Africa: Results from three population-based surveys, 2010–2013. <i>Journal of Global Health</i> , 2017, 7, 021001. | 2.7 | 8 |
| 185 | Changes in rates of early exclusive breast feeding in South Africa from 2010 to 2013: data from three national surveys before and during implementation of a change in national breastfeeding policy. <i>BMJ Open</i> , 2019, 9, e028095. | 1.9 | 8 |
| 186 | Associations of glycated albumin and fructosamine with glycaemic status in urban black South Africans. <i>Clinica Chimica Acta</i> , 2021, 519, 291-297. | 1.1 | 8 |
| 187 | A randomized controlled trial of intermittent compared with daily cotrimoxazole preventive therapy in HIV-infected children. <i>Aids</i> , 2010, 24, 2225-2232. | 2.2 | 7 |
| 188 | Severe events in the first 6 months of life in a cohort of HIV-unexposed infants from South Africa: effects of low birthweight and breastfeeding status. <i>Tropical Medicine and International Health</i> , 2014, 19, 1162-1169. | 2.3 | 7 |
| 189 | Homicide pattern among adolescents: A national epidemiological study of child homicide in South Africa. <i>PLoS ONE</i> , 2019, 14, e0221415. | 2.5 | 7 |
| 190 | Waist-to-height ratio is a useful indicator of cardio-metabolic risk in South Africa. <i>Family Practice</i> , 2019, 37, 36-42. | 1.9 | 7 |
| 191 | Impact of breastfeeding, maternal antiretroviral treatment and health service factors on 18-month vertical transmission of HIV and HIV-free survival: results from a nationally representative HIV-exposed infant cohort, South Africa. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213453. | 3.7 | 7 |
| 192 | Awareness of HIV-positive status and linkage to treatment prior to pregnancy in the test and treat era: A national antenatal sentinel survey, 2017, South Africa. <i>PLoS ONE</i> , 2020, 15, e0229874. | 2.5 | 7 |
| 193 | Genome-wide differentially methylated genes associated with posttraumatic stress disorder and longitudinal change in methylation in rape survivors. <i>Translational Psychiatry</i> , 2021, 11, 594. | 4.8 | 7 |
| 194 | Stages of substance use among adolescents in Cape Town, South Africa. <i>Journal of Substance Use</i> , 2002, 7, 162-167. | 0.7 | 6 |
| 195 | Development of a performance-rating scale for a nutrition knowledge test developed for adolescents. <i>Public Health Nutrition</i> , 2009, 12, 1839-1845. | 2.2 | 6 |
| 196 | Bacteremia in Human Immunodeficiency Virus-infected Children in Cape Town, South Africa. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 904-906. | 2.0 | 6 |
| 197 | Scanty smears associated with initial loss to follow-up in South African tuberculosis patients. <i>International Journal of Tuberculosis and Lung Disease</i> , 2017, 21, 196-201. | 1.2 | 6 |
| 198 | The role of tertiary neurosurgical intervention in non-missile penetrating injuries of the spine. <i>European Spine Journal</i> , 2021, 30, 1397-1401. | 2.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Prevalence, concordance and associations of chronic kidney disease by five estimators in South Africa. <i>BMC Nephrology</i> , 2020, 21, 372. | 1.8 | 6 |
| 200 | Reliability of last menstrual period recall, an early ultrasound and a Smartphone App in predicting date of delivery and classification of preterm and post-term births. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 493. | 2.4 | 6 |
| 201 | The A142V Polymorphism of the G Protein Coupled Receptor Kinase 4 Gene Predicts Natriuretic Response to Saline Challenge in Young Normotensive Lean Black and White South African Men. <i>Nephrology Research & Reviews</i> , 2011, 3, 49-53. | 0.2 | 5 |
| 202 | Isoniazid Prophylaxis against Tuberculosis in Children. <i>New England Journal of Medicine</i> , 2011, 365, 1543-1544. | 27.0 | 5 |
| 203 | In vitro characterization of representative clinical South African <i>Staphylococcus aureus</i> isolates from various clonal lineages. <i>New Microbes and New Infections</i> , 2014, 2, 115-122. | 1.6 | 5 |
| 204 | A high burden of adverse life events and poor coping mechanisms experienced by urban-dwelling black South Africans. <i>PLoS ONE</i> , 2020, 15, e0238320. | 2.5 | 5 |
| 205 | Coverage of maternal viral load monitoring during pregnancy in South Africa: Results from the 2019 national Antenatal HIV Sentinel Survey. <i>HIV Medicine</i> , 2021, 22, 805-815. | 2.2 | 5 |
| 206 | Factors Associated With the Use of the Contraceptive Implant Among Women Attending a Primary Health Clinic in Cape Town, South Africa. <i>Frontiers in Global Women S Health</i> , 2021, 2, 672365. | 2.3 | 5 |
| 207 | Interscallop separations of the posterior mitral valve leaflet: a solution to the "borderline RHD" conundrum?. <i>Open Heart</i> , 2020, 7, e001452. | 2.3 | 5 |
| 208 | A Linear Karyotypic Association between PB-I, PB-II and Blastomere Using Sequentially Performed Comparative Genome Hybridization with No Association Established between Karyotype, Morphologic, Biochemical (sHLA-G Expression) Characteristics, Blastocyst Formation and Subsequent Pregnancy Outcome. <i>Gynecologic and Obstetric Investigation</i> , 2012, 74, 304-312. | 1.6 | 4 |
| 209 | Differential Patterns of Tobacco Use Among Black Men and Women in Cape Town: The Cardiovascular Risk in Black South Africans Study. <i>Nicotine and Tobacco Research</i> , 2014, 16, 1104-1111. | 2.6 | 4 |
| 210 | Protocol for development and validation of a context-appropriate tool for assessing organisational readiness for change in primary health clinics in South Africa. <i>BMJ Open</i> , 2018, 8, e020539. | 1.9 | 4 |
| 211 | Cardiac Structure and Function in Morbidly Obese Parturients: An Echocardiographic Study. <i>Anesthesia and Analgesia</i> , 2019, 129, 444-449. | 2.2 | 4 |
| 212 | Bioreactance Cardiac Output Trending Ability in Preterm Infants: A Single Centre, Longitudinal Study. <i>Neonatology</i> , 2021, 118, 600-608. | 2.0 | 3 |
| 213 | Out-of-Facility Multimonth Dispensing of Antiretroviral Treatment: A Pooled Analysis Using Individual Patient Data From Cluster-Randomized Trials in Southern Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 88, 477-486. | 2.1 | 3 |
| 214 | Strengthening health systems' capacity for pre-exposure prophylaxis for adolescent girls and young women and adolescent boys and young men in South Africa (SHeS-Cap-PrEP): Protocol for a mixed methods study in KwaZulu-Natal, South Africa. <i>PLoS ONE</i> , 2022, 17, e0264808. | 2.5 | 3 |
| 215 | Associations between maternal closeness, suicidal ideation, and risk behaviors in Cape Town. <i>European Child and Adolescent Psychiatry</i> , 2009, 18, 174-179. | 4.7 | 2 |
| 216 | Bias in a binary risk behaviour model subject to inconsistent reports and dropout in a South African high school cohort study. <i>Statistics in Medicine</i> , 2009, 28, 494-509. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Extended Pre-exposure Prophylaxis With Lopinavir-Ritonavir Versus Lamivudine to Prevent HIV-1 Transmission Through Breastfeeding Up to 50 Weeks in Infants in Africa (ANRS 12174). <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 326-328. | 0.4 | 2 |
| 218 | The Role of the Integrated Digital Radiology System in Assessing the Impact of Patient Load on Emergency Computed Tomography (CT) Efficiency. <i>Journal of Digital Imaging</i> , 2019, 32, 396-400. | 2.9 | 2 |
| 219 | Infrastructural and human-resource factors associated with return of infant HIV test results to caregivers: secondary analysis of a nationally representative situational assessment, South Africa, 2010. <i>BMC Infectious Diseases</i> , 2019, 19, 785. | 2.9 | 2 |
| 220 | Identifying Alcohol Problems and Selected Individual and Contextual Risk Factors Among Adults in South Africa: Findings from the International Alcohol Control Study. <i>International Journal of Mental Health and Addiction</i> , 2019, 17, 56-72. | 7.4 | 2 |
| 221 | Has universal screening with Xpert [®] MTB/RIF increased the proportion of multidrug-resistant tuberculosis cases diagnosed in a routine operational setting?. <i>PLoS ONE</i> , 2017, 12, e0172143. | 2.5 | 2 |
| 222 | Cardiometabolic profile and leukocyte telomere length in a Black South African population. <i>Scientific Reports</i> , 2022, 12, 3323. | 3.3 | 2 |
| 223 | The Associations of Intimate Partner Violence and Non-Partner Sexual Violence with Hypertension in South African Women. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4026. | 2.6 | 2 |
| 224 | Factors associated with non-attendance at scheduled infant follow-up visits in an observational cohort of HIV-exposed infants in South Africa, 2012–2014. <i>BMC Infectious Diseases</i> , 2019, 19, 788. | 2.9 | 1 |
| 225 | Stages of substance use among adolescents in Cape Town, South Africa. <i>Journal of Substance Use</i> , 2002, 7, 162-167. | 0.7 | 1 |
| 226 | HIV Incidence Among Pregnant and Nonpregnant Women in the FACTS-001 Trial: Implications for HIV Prevention, Especially PrEP Use. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 88, 376-383. | 2.1 | 1 |
| 227 | A food-based dietary strategy lowers blood pressure in a low socio-economic setting: a randomized study in South Africa – Corrigendum. <i>Public Health Nutrition</i> , 2009, 12, 284-284. | 2.2 | 0 |
| 228 | Trial size, HIV pre-exposure prophylaxis, and breastfeeding – Authors' reply. <i>Lancet</i> , The, 2016, 387, 2091. | 13.7 | 0 |
| 229 | Observation of the pulse oximeter trace to estimate systolic blood pressure during spinal anaesthesia for Caesarean section: the effect of body mass index. <i>Southern African Journal of Anaesthesia and Analgesia</i> , 2017, 23, 84-89. | 0.3 | 0 |
| 230 | Risk-Stratification of Children Presenting to Ambulatory Paediatrics with First-Onset Seizures: Should We Order an Urgent CT Brain?. <i>Journal of Tropical Pediatrics</i> , 2020, 66, 299-314. | 1.5 | 0 |
| 231 | 5E.005 – Injury Mortality in South Africa: 2009 vs 2017. , 2021, , . | | 0 |
| 232 | Nutritional status and psychomotor development in 12–18-month-old children in a post-intervention study. <i>South African Journal of Clinical Nutrition</i> , 2022, 35, 69-77. | 0.7 | 0 |
| 233 | Intrapartum human immunodeficiency virus transmission rate in a central hospital in the Western Cape province after universal antiretroviral therapy roll-out. <i>Southern African Journal of Infectious Diseases</i> , 2020, 35, 192. | 0.5 | 0 |
| 234 | Cross-sectional study of acral melanoma awareness in a group of South African final phase medical students. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2022, . | 0.6 | 0 |