

Carl Lombard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3418592/publications.pdf>

Version: 2024-02-01

234
papers

8,494
citations

36303

51
h-index

69250

77
g-index

241
all docs

241
docs citations

241
times ranked

9668
citing authors

#	ARTICLE	IF	CITATIONS
1	Trauma trends during COVID-19 alcohol prohibition at a South African regional hospital. <i>Drug and Alcohol Review</i> , 2022, 41, 13-19.	2.1	17
2	Nutritional status and psychomotor development in 12-18-month-old children in a post-intervention study. <i>South African Journal of Clinical Nutrition</i> , 2022, 35, 69-77.	0.7	0
3	Early Sexual Debut and the Effects on Well-Being among South African Adolescent Girls and Young Women Aged 15 to 24 Years. <i>International Journal of Sexual Health</i> , 2022, 34, 242-253.	2.3	10
4	Cardiometabolic profile and leukocyte telomere length in a Black South African population. <i>Scientific Reports</i> , 2022, 12, 3323.	3.3	2
5	An All-Oral 6-Month Regimen for Multidrug-Resistant Tuberculosis: A Multicenter, Randomized Controlled Clinical Trial (the NEXt Study). <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 205, 1214-1227.	5.6	38
6	Strengthening health systems' capacity for pre-exposure prophylaxis for adolescent girls and young women and adolescent boys and young men in South Africa (SHESCAP-PrEP): Protocol for a mixed methods study in KwaZulu-Natal, South Africa. <i>PLoS ONE</i> , 2022, 17, e0264808.	2.5	3
7	The Associations of Intimate Partner Violence and Non-Partner Sexual Violence with Hypertension in South African Women. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4026.	2.6	2
8	Cross-sectional study of acral melanoma awareness in a group of South African final phase medical students. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2022, .	0.6	0
9	Risk and protective factors affecting the symptom trajectory of posttraumatic stress disorder post-rape. <i>Journal of Affective Disorders</i> , 2022, 309, 151-164.	4.1	10
10	The role of tertiary neurosurgical intervention in non-missile penetrating injuries of the spine. <i>European Spine Journal</i> , 2021, 30, 1397-1401.	2.2	6
11	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial. <i>Journal of Affective Disorders</i> , 2021, 282, 112-121.	4.1	18
12	5E.005...Injury Mortality in South Africa: 2009 vs 2017. , 2021, , .		0
13	Recent HIV infection among pregnant women in the 2017 antenatal sentinel cross-sectional survey, South Africa: Assay-based incidence measurement. <i>PLoS ONE</i> , 2021, 16, e0249953.	2.5	24
14	Associations of glycated albumin and fructosamine with glycaemic status in urban black South Africans. <i>Clinica Chimica Acta</i> , 2021, 519, 291-297.	1.1	8
15	Complications, outcomes, and management strategies of non-missile penetrating head injuries. <i>Journal of Neurosurgery</i> , 2021, 134, 1658-1666.	1.6	16
16	Coverage of maternal viral load monitoring during pregnancy in South Africa: Results from the 2019 national Antenatal HIV Sentinel Survey. <i>HIV Medicine</i> , 2021, 22, 805-815.	2.2	5
17	Reliability of last menstrual period recall, an early ultrasound and a Smartphone App in predicting date of delivery and classification of preterm and post-term births. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 493.	2.4	6
18	Factors Associated With the Use of the Contraceptive Implant Among Women Attending a Primary Health Clinic in Cape Town, South Africa. <i>Frontiers in Global Women S Health</i> , 2021, 2, 672365.	2.3	5

#	ARTICLE	IF	CITATIONS
19	Curcumin pre-treatment may protect against mitochondrial damage in LRRK2-mutant Parkinson's disease and healthy control fibroblasts. <i>Biochemistry and Biophysics Reports</i> , 2021, 27, 101035.	1.3	13
20	Bioreactance Cardiac Output Trending Ability in Preterm Infants: A Single Centre, Longitudinal Study. <i>Neonatology</i> , 2021, 118, 600-608.	2.0	3
21	Out-of-Facility Multimonth Dispensing of Antiretroviral Treatment: A Pooled Analysis Using Individual Patient Data From Cluster-Randomized Trials in Southern Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 88, 477-486.	2.1	3
22	Community-based differentiated service delivery models incorporating multi-month dispensing of antiretroviral treatment for newly stable people living with HIV receiving single annual clinical visits: a pooled analysis of two cluster-randomized trials in southern Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25819.	3.0	13
23	HIV Incidence Among Pregnant and Nonpregnant Women in the FACTS-001 Trial: Implications for HIV Prevention, Especially PrEP Use. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 88, 376-383.	2.1	1
24	Increase in HIV incidence in women exposed to rape. <i>Aids</i> , 2021, 35, 633-642.	2.2	15
25	Genome-wide differentially methylated genes associated with posttraumatic stress disorder and longitudinal change in methylation in rape survivors. <i>Translational Psychiatry</i> , 2021, 11, 594.	4.8	7
26	The prevalence of unintended pregnancy and its association with HIV status among pregnant women in South Africa, a national antenatal survey, 2019. <i>Scientific Reports</i> , 2021, 11, 23740.	3.3	22
27	Assessment of readiness to transition from antenatal HIV surveillance surveys to PMTCT programme data-based HIV surveillance in South Africa: The 2017 Antenatal Sentinel HIV Survey. <i>International Journal of Infectious Diseases</i> , 2020, 91, 50-56.	3.3	13
28	Risk-Stratification of Children Presenting to Ambulatory Paediatrics with First-Onset Seizures: Should We Order an Urgent CT Brain?. <i>Journal of Tropical Pediatrics</i> , 2020, 66, 299-314.	1.5	0
29	Viral suppression and factors associated with failure to achieve viral suppression among pregnant women in South Africa. <i>Aids</i> , 2020, 34, 589-597.	2.2	26
30	Impact of breastfeeding, maternal antiretroviral treatment and health service factors on 18-month vertical transmission of HIV and HIV-free survival: results from a nationally representative HIV-exposed infant cohort, South Africa. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213453.	3.7	7
31	Prevalence, concordance and associations of chronic kidney disease by five estimators in South Africa. <i>BMC Nephrology</i> , 2020, 21, 372.	1.8	6
32	A high burden of adverse life events and poor coping mechanisms experienced by urban-dwelling black South Africans. <i>PLoS ONE</i> , 2020, 15, e0238320.	2.5	5
33	Rape survivors in South Africa: analysis of the baseline socio-demographic and health characteristics of a rape cohort. <i>Global Health Action</i> , 2020, 13, 1834769.	1.9	10
34	Awareness of HIV-positive status and linkage to treatment prior to pregnancy in the 'test and treat' era: A national antenatal sentinel survey, 2017, South Africa. <i>PLoS ONE</i> , 2020, 15, e0229874.	2.5	7
35	Intrapartum human immunodeficiency virus transmission rate in a central hospital in the Western Cape province after universal antiretroviral therapy roll-out. <i>Southern African Journal of Infectious Diseases</i> , 2020, 35, 192.	0.5	0
36	Interscallop separations of the posterior mitral valve leaflet: a solution to the 'borderline RHD' conundrum?. <i>Open Heart</i> , 2020, 7, e001452.	2.3	5

#	ARTICLE	IF	CITATIONS
37	Cardiac Structure and Function in Morbidly Obese Parturients: An Echocardiographic Study. <i>Anesthesia and Analgesia</i> , 2019, 129, 444-449.	2.2	4
38	Homicide pattern among adolescents: A national epidemiological study of child homicide in South Africa. <i>PLoS ONE</i> , 2019, 14, e0221415.	2.5	7
39	RCT evaluation of Skhokho: A holistic school intervention to prevent gender-based violence among South African Grade 8s. <i>PLoS ONE</i> , 2019, 14, e0223562.	2.5	13
40	<scp>HIV</scp>â€1 <scp>DNA</scp> decay is faster in children who initiate <scp>ART</scp> shortly after birth than later. <i>Journal of the International AIDS Society</i> , 2019, 22, e25368.	3.0	20
41	Factors associated with non-attendance at scheduled infant follow-up visits in an observational cohort of HIV-exposed infants in South Africa, 2012â€2014. <i>BMC Infectious Diseases</i> , 2019, 19, 788.	2.9	1
42	Waist-to-height ratio is a useful indicator of cardio-metabolic risk in South Africa. <i>Family Practice</i> , 2019, 37, 36-42.	1.9	7
43	Prevalence of HIV-1 drug resistance amongst newly diagnosed HIV-infected infants age 4â€8â€weeks, enrolled in three nationally representative PMTCT effectiveness surveys, South Africa: 2010, 2011â€12 and 2012â€13. <i>BMC Infectious Diseases</i> , 2019, 19, 787.	2.9	9
44	The Role of the Integrated Digital Radiology System in Assessing the Impact of Patient Load on Emergency Computed Tomography (CT) Efficiency. <i>Journal of Digital Imaging</i> , 2019, 32, 396-400.	2.9	2
45	The incidence of melanoma in South Africa: An exploratory analysis of National Cancer Registry data from 2005 to 2013 with a specific focus on melanoma in black Africans. <i>South African Medical Journal</i> , 2019, 109, 246.	0.6	21
46	Point-of-Care Ultrasound Abnormalities in Late-Onset Severe Preeclampsia: Prevalence and Association With Serum Albumin and Brain Natriuretic Peptide. <i>Anesthesia and Analgesia</i> , 2019, 128, 1208-1216.	2.2	31
47	Specimen Pooling as a Diagnostic Strategy for Microbiologic Confirmation in Children with Intrathoracic Tuberculosis. <i>Pediatric Infectious Disease Journal</i> , 2019, 38, e128-e131.	2.0	16
48	Community health worker-delivered counselling for common mental disorders among chronic disease patients in South Africa: a feasibility study. <i>BMJ Open</i> , 2019, 9, e024277.	1.9	42
49	The prevalence of religiosity and association between religiosity and alcohol use, other drug use, and risky sexual behaviours among grade 8-10 learners in Western Cape, South Africa. <i>PLoS ONE</i> , 2019, 14, e0211322.	2.5	39
50	Effects of PACK guide training on the management of asthma and chronic obstructive pulmonary disease by primary care clinicians: a pragmatic cluster randomised controlled trial in FlorianÃ³polis, Brazil. <i>BMJ Global Health</i> , 2019, 4, e001921.	4.7	10
51	Changes in rates of early exclusive breast feeding in South Africa from 2010 to 2013: data from three national surveys before and during implementation of a change in national breastfeeding policy. <i>BMJ Open</i> , 2019, 9, e028095.	1.9	8
52	Longitudinal adherence to maternal antiretroviral therapy and infant Nevirapine prophylaxis from 6â€weeks to 18â€months postpartum amongst a cohort of mothers and infants in South Africa. <i>BMC Infectious Diseases</i> , 2019, 19, 789.	2.9	25
53	Infrastructural and human-resource factors associated with return of infant HIV test results to caregivers: secondary analysis of a nationally representative situational assessment, South Africa, 2010. <i>BMC Infectious Diseases</i> , 2019, 19, 785.	2.9	2
54	Effect of small-quantity lipid-based nutrient supplements on growth, psychomotor development, iron status, and morbidity among 6- to 12-mo-old infants in South Africa: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 55-68.	4.7	46

#	ARTICLE	IF	CITATIONS
55	Identifying Alcohol Problems and Selected Individual and Contextual Risk Factors Among Adults in South Africa: Findings from the International Alcohol Control Study. <i>International Journal of Mental Health and Addiction</i> , 2019, 17, 56-72.	7.4	2
56	Protocol for development and validation of a context-appropriate tool for assessing organisational readiness for change in primary health clinics in South Africa. <i>BMJ Open</i> , 2018, 8, e020539.	1.9	4
57	Adolescent Access to Care and Risk of Early Mother-to-Child HIV Transmission. <i>Journal of Adolescent Health</i> , 2018, 62, 434-443.	2.5	27
58	Comparing dedicated and designated models of integrating mental health into chronic disease care: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2018, 19, 185.	1.6	47
59	Maternal cardiac output response to colloid preload and vasopressor therapy during spinal anaesthesia for caesarean section in patients with severe pre-eclampsia: a randomised, controlled trial. <i>Anaesthesia</i> , 2018, 73, 23-31.	3.8	23
60	Support for alcohol policies from drinkers in the City of Tshwane, South Africa: Data from the International Alcohol Control study. <i>Drug and Alcohol Review</i> , 2018, 37, S210-S217.	2.1	12
61	A randomised comparison of bolus phenylephrine and ephedrine for the management of spinal hypotension in patients with severe preeclampsia and fetal compromise. <i>International Journal of Obstetric Anesthesia</i> , 2018, 33, 23-31.	0.4	33
62	Core Temperature Monitoring in Obstetric Spinal Anesthesia Using an Ingestible Telemetric Sensor. <i>Anesthesia and Analgesia</i> , 2018, 126, 190-195.	2.2	20
63	Integrating primary care of chronic respiratory disease, cardiovascular disease and diabetes in Brazil: Practical Approach to Care Kit (PACK Brazil): study protocol for randomised controlled trials. <i>Journal of Thoracic Disease</i> , 2018, 10, 4667-4677.	1.4	11
64	Parenting for Lifelong Health: a pragmatic cluster randomised controlled trial of a non-commercialised parenting programme for adolescents and their families in South Africa. <i>BMJ Global Health</i> , 2018, 3, e000539.	4.7	139
65	Impact of maternal ART on mother-to-child transmission (MTCT) of HIV at six weeks postpartum in Rwanda. <i>BMC Public Health</i> , 2018, 18, 1248.	2.9	20
66	Heavy drinking and contextual risk factors among adults in South Africa: findings from the International Alcohol Control study. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2018, 13, 43.	2.2	25
67	Alcohol marketing and adolescent alcohol consumption: Results from the International Alcohol Control study (South Africa). <i>South African Medical Journal</i> , 2018, 108, 782.	0.6	21
68	Tenofovir 1% vaginal gel for prevention of HIV-1 infection in women in South Africa (FACTS-001): a phase 3, randomised, double-blind, placebo-controlled trial. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 1241-1250.	9.1	68
69	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. <i>Trials</i> , 2018, 19, 193.	1.6	36
70	Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. <i>Trials</i> , 2018, 19, 192.	1.6	25
71	Weighing the Evidence of Efficacy of Oral PrEP for HIV Prevention in Women in Southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 645-656.	1.1	23
72	In Utero ART Exposure and Birth and Early Growth Outcomes Among HIV-Exposed Uninfected Infants Attending Immunization Services: Results From National PMTCT Surveillance, South Africa. <i>Open Forum Infectious Diseases</i> , 2017, 4, ofx187.	0.9	46

#	ARTICLE	IF	CITATIONS
73	Observation of the pulse oximeter trace to estimate systolic blood pressure during spinal anaesthesia for Caesarean section: the effect of body mass index. Southern African Journal of Anaesthesia and Analgesia, 2017, 23, 84-89.	0.3	0
74	Scanty smears associated with initial loss to follow-up in South African tuberculosis patients. International Journal of Tuberculosis and Lung Disease, 2017, 21, 196-201.	1.2	6
75	Study protocol for a longitudinal study evaluating the impact of rape on women's health and their use of health services in South Africa. BMJ Open, 2017, 7, e017296.	1.9	20
76	Evaluation of a Mass-Media Campaign to Increase the Awareness of the Need to Reduce Discretionary Salt Use in the South African Population. Nutrients, 2017, 9, 1238.	4.1	39
77	Sexual homicides in South Africa: A national cross-sectional epidemiological study of adult women and children. PLoS ONE, 2017, 12, e0186432.	2.5	18
78	Uptake and predictors of early postnatal follow-up care amongst mother-baby pairs in South Africa: Results from three population-based surveys, 2010-2013. Journal of Global Health, 2017, 7, 021001.	2.7	8
79	Has universal screening with Xpert [®] MTB/RIF increased the proportion of multidrug-resistant tuberculosis cases diagnosed in a routine operational setting?. PLoS ONE, 2017, 12, e0172143.	2.5	2
80	Dietary Intake of the Urban Black Population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) Study. Nutrients, 2016, 8, 285.	4.1	17
81	Primary School Children's Nutrition Knowledge, Self-Efficacy, and Behavior, after a Three-Year Healthy Lifestyle Intervention (HealthKick). Ethnicity and Disease, 2016, 26, 171.	2.3	37
82	Gender Differences in Homicide of Neonates, Infants, and Children under 5 y in South Africa: Results from the Cross-Sectional 2009 National Child Homicide Study. PLoS Medicine, 2016, 13, e1002003.	8.4	28
83	Educational Outreach with an Integrated Clinical Tool for Nurse-Led Non-communicable Chronic Disease Management in Primary Care in South Africa: A Pragmatic Cluster Randomised Controlled Trial. PLoS Medicine, 2016, 13, e1002178.	8.4	74
84	Breastfeeding patterns and its determinants among mothers living with Human Immuno-deficiency Virus -1 in four African countries participating in the ANRS 12174 trial. International Breastfeeding Journal, 2016, 12, 22.	2.6	11
85	Sex differences in insulin sensitivity and insulin response with increasing age in black South African men and women. Diabetes Research and Clinical Practice, 2016, 122, 207-214.	2.8	21
86	Trial size, HIV pre-exposure prophylaxis, and breastfeeding - Authors' reply. Lancet, The, 2016, 387, 2091.	13.7	0
87	Effects of an exclusive breastfeeding intervention for six months on growth patterns of 4-5 year old children in Uganda: the cluster-randomised PROMISE EBF trial. BMC Public Health, 2016, 16, 555.	2.9	19
88	School-based interventions for preventing HIV, sexually transmitted infections, and pregnancy in adolescents. The Cochrane Library, 2016, 2016, CD006417.	2.8	108
89	A parenting programme to prevent abuse of adolescents in South Africa: study protocol for a randomised controlled trial. Trials, 2016, 17, 328.	1.6	33
90	Extended Pre-exposure Prophylaxis With Lopinavir-Ritonavir Versus Lamivudine to Prevent HIV-1 Transmission Through Breastfeeding Up to 50 Weeks in Infants in Africa (ANRS 12174). Obstetrical and Gynecological Survey, 2016, 71, 326-328.	0.4	2

#	ARTICLE	IF	CITATIONS
91	Increased risk of dysglycaemia in South Africans with HIV; especially those on protease inhibitors. <i>Diabetes Research and Clinical Practice</i> , 2016, 119, 41-47.	2.8	34
92	Effect on mortality of point-of-care, urine-based lipoarabinomannan testing to guide tuberculosis treatment initiation in HIV-positive hospital inpatients: a pragmatic, parallel-group, multicountry, open-label, randomised controlled trial. <i>Lancet, The</i> , 2016, 387, 1187-1197.	13.7	211
93	Extended pre-exposure prophylaxis with lopinavirâ€“ritonavir versus lamivudine to prevent HIV-1 transmission through breastfeeding up to 50 weeks in infants in Africa (ANRS 12174): a randomised controlled trial. <i>Lancet, The</i> , 2016, 387, 566-573.	13.7	69
94	Comparing Tuberculosis Diagnostic Yield in Smear/Culture and XpertÂ® MTB/RIF-Based Algorithms Using a Non-Randomised Stepped-Wedge Design. <i>PLoS ONE</i> , 2016, 11, e0150487.	2.5	19
95	Did HealthKick, a randomised controlled trial primary school nutrition intervention improve dietary quality of children in low-income settings in South Africa?. <i>BMC Public Health</i> , 2015, 15, 948.	2.9	41
96	Multimorbidity, control and treatment of non- communicable diseases among primary healthcare attenders in the Western Cape, South Africa. <i>South African Medical Journal</i> , 2015, 105, 642.	0.6	45
97	Missed Opportunities along the Prevention of Mother-to-Child Transmission Services Cascade in South Africa: Uptake, Determinants, and Attributable Risk (the SAPMTCTE). <i>PLoS ONE</i> , 2015, 10, e0132425.	2.5	64
98	Predictors of poor adherence among people on antiretroviral treatment in Cape Town, South Africa: a case-control study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015, 27, 342-349.	1.2	19
99	Chest radiographic abnormalities in HIV-infected African children: a longitudinal study. <i>Thorax</i> , 2015, 70, 840-846.	5.6	15
100	Low intake of calcium and vitamin D, but not zinc, iron or vitamin A, is associated with stunting in 2- to 5-year-old children. <i>Nutrition</i> , 2015, 31, 841-846.	2.4	63
101	Injury-related mortality in South Africa: a retrospective descriptive study of postmortem investigations. <i>Bulletin of the World Health Organization</i> , 2015, 93, 303-313.	3.3	92
102	First population-level effectiveness evaluation of a national programme to prevent HIV transmission from mother to child, South Africa. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 240-248.	3.7	82
103	Effects of early feeding on growth velocity and overweight/obesity in a cohort of HIV unexposed South African infants and children. <i>International Breastfeeding Journal</i> , 2015, 10, 14.	2.6	13
104	The complex relationship between human immunodeficiency virus infection and death in adults being treated for tuberculosis in Cape Town, South Africa. <i>BMC Public Health</i> , 2015, 15, 556.	2.9	10
105	Implementation of the HealthKick intervention in primary schools in low-income settings in the Western Cape Province, South Africa: a process evaluation. <i>BMC Public Health</i> , 2015, 15, 818.	2.9	23
106	The use of phenylephrine to obtund oxytocin-induced hypotension and tachycardia during caesarean section. <i>International Journal of Obstetric Anesthesia</i> , 2015, 24, 297-302.	0.4	12
107	High prevalence of metabolic syndrome in the Black population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1036-1042.	1.8	39
108	Impact of Maternal HIV Seroconversion during Pregnancy on Early Mother to Child Transmission of HIV (MTCT) Measured at 4-8 Weeks Postpartum in South Africa 2011-2012: A National Population-Based Evaluation. <i>PLoS ONE</i> , 2015, 10, e0125525.	2.5	99

#	ARTICLE	IF	CITATIONS
109	A Comparison of Multidrug-Resistant Tuberculosis Treatment Commencement Times in MDRTBPlus Line Probe Assay and Xpert® MTB/RIF-Based Algorithms in a Routine Operational Setting in Cape Town. PLoS ONE, 2014, 9, e103328.	2.5	51
110	Differing Patterns of Overweight and Obesity among Black Men and Women in Cape Town: The CRIBSA Study. PLoS ONE, 2014, 9, e107471.	2.5	14
111	Comparability of total cardiovascular disease risk estimates using laboratory and non-laboratory based assessments in urban-dwelling South Africans: The CRIBSA study. South African Medical Journal, 2014, 104, 691.	0.6	12
112	Integration of TB and ART services fails to improve TB treatment outcomes: Comparison of ART/TB primary healthcare services in Cape Town, South Africa. South African Medical Journal, 2014, 104, 204.	0.6	17
113	Differential Patterns of Tobacco Use Among Black Men and Women in Cape Town: The Cardiovascular Risk in Black South Africans Study. Nicotine and Tobacco Research, 2014, 16, 1104-1111.	2.6	4
114	The prevalence of risk for mental health problems among high school students in the Western Cape Province, South Africa. South African Journal of Psychology, 2014, 44, 30-35.	2.0	11
115	Teaching chest X-ray reading for child tuberculosis suspects. International Journal of Tuberculosis and Lung Disease, 2014, 18, 763-769.	1.2	21
116	Severe events in the first 6 months of life in a cohort of HIV unexposed infants from South Africa: effects of low birthweight and breastfeeding status. Tropical Medicine and International Health, 2014, 19, 1162-1169.	2.3	7
117	Effectiveness of a group diabetes education programme in underserved communities in South Africa: a pragmatic cluster randomized controlled trial. Diabetic Medicine, 2014, 31, 987-993.	2.3	90
118	In vitro characterization of representative clinical South African Staphylococcus aureus isolates from various clonal lineages. New Microbes and New Infections, 2014, 2, 115-122.	1.6	5
119	Population structure analyses of Staphylococcus aureus at Tygerberg Hospital, South Africa, reveals a diverse population, a high prevalence of Pantone® "Valentine leukocidin genes, and unique local methicillin-resistant S. aureus clones. Clinical Microbiology and Infection, 2014, 20, 652-659.	6.0	25
120	Clinical and immunological correlates of chest X-ray abnormalities in HIV-infected South African children with limited access to anti-retroviral therapy. Pediatric Pulmonology, 2014, 49, 581-588.	2.0	12
121	Characteristics of clients who access mobile compared to clinic HIV counselling and testing services: a matched study from Cape Town, South Africa. BMC Health Services Research, 2014, 14, 658.	2.2	20
122	Rising alcohol consumption and a high prevalence of problem drinking in black men and women in Cape Town: the CRIBSA study. Journal of Epidemiology and Community Health, 2014, 68, 446-452.	3.7	11
123	Liver intake in 24-59-month-old children from an impoverished South African community provides enough vitamin A to meet requirements. Public Health Nutrition, 2014, 17, 2798-2805.	2.2	12
124	HIV Infection, Viral Load, Low Birth Weight, and Nevirapine Are Independent Influences on Growth Velocity in HIV-Exposed South African Infants. Journal of Nutrition, 2014, 144, 42-48.	2.9	26
125	Alcohol and Other Drug Use during Pregnancy among Women Attending Midwife Obstetric Units in the Cape Metropole, South Africa. Advances in Preventive Medicine, 2014, 2014, 1-10.	2.7	60
126	Alarming rise in prevalence of atherogenic dyslipidaemia in the black population of Cape Town: the Cardiovascular Risk in Black South Africans (CRIBSA) study. European Journal of Preventive Cardiology, 2014, 21, 1549-1556.	1.8	17

#	ARTICLE	IF	CITATIONS
127	Goodstart: a cluster randomised effectiveness trial of an integrated, community-based package for maternal and newborn care, with prevention of mother-to-child transmission of HIV in a South African township. <i>Tropical Medicine and International Health</i> , 2014, 19, 256-266.	2.3	74
128	Growth effects of exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa: the cluster-randomised PROMISE EBF trial. <i>BMC Public Health</i> , 2014, 14, 633.	2.9	33
129	A comparison of linkage to HIV care after provider-initiated HIV testing and counselling (PITC) versus voluntary HIV counselling and testing (VCT) for patients with sexually transmitted infections in Cape Town, South Africa. <i>BMC Health Services Research</i> , 2014, 14, 350.	2.2	18
130	Comparison of an interactive with a didactic educational intervention for improving the evidence-based practice knowledge of occupational therapists in the public health sector in South Africa: a randomised controlled trial. <i>Trials</i> , 2014, 15, 216.	1.6	8
131	Isoniazid preventive therapy in HIV-infected children on antiretroviral therapy: a pilot study. <i>International Journal of Tuberculosis and Lung Disease</i> , 2014, 18, 322-327.	1.2	18
132	Reducing Deaths from Severe Pneumonia in Children in Malawi by Improving Delivery of Pneumonia Case Management. <i>PLoS ONE</i> , 2014, 9, e102955.	2.5	32
133	Economic support to improve tuberculosis treatment outcomes in South Africa: a pragmatic cluster-randomized controlled trial. <i>Trials</i> , 2013, 14, 154.	1.6	43
134	The effect of the biochemical marker soluble human leukocyte antigen G on pregnancy outcome in assisted reproductive technology—a multicenter study. <i>Fertility and Sterility</i> , 2013, 100, 1303-1309.	1.0	48
135	The relationship between substance use and delinquency among high-school students in Cape Town, South Africa. <i>Journal of Adolescence</i> , 2013, 36, 447-455.	2.4	29
136	Tuberculosis patients in primary care do not start treatment. What role do health system delays play?. <i>International Journal of Tuberculosis and Lung Disease</i> , 2013, 17, 603-607.	1.2	41
137	Integration of HIV Care into Primary Care in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, e94-e100.	2.1	16
138	Safety of long-term isoniazid preventive therapy in children with HIV: a comparison of two dosing schedules. <i>International Journal of Tuberculosis and Lung Disease</i> , 2013, 17, 26-31.	1.2	13
139	The epidemiology of child homicides in South Africa. <i>Bulletin of the World Health Organization</i> , 2013, 91, 562-568.	3.3	75
140	Intimate Partner Femicide in South Africa in 1999 and 2009. <i>PLoS Medicine</i> , 2013, 10, e1001412.	8.4	107
141	Effect of home based HIV counselling and testing intervention in rural South Africa: cluster randomised trial. <i>BMJ, The</i> , 2013, 346, f3481-f3481.	6.0	76
142	Cost-effectiveness of nurse-led versus doctor-led antiretroviral treatment in South Africa: pragmatic cluster randomised trial. <i>Tropical Medicine and International Health</i> , 2013, 18, 769-777.	2.3	25
143	Implementation of national guidelines, incorporated within structured diabetes and hypertension records at primary level care in Cape Town, South Africa: a randomised controlled trial. <i>Global Health Action</i> , 2013, 6, 20796.	1.9	34
144	Tuberculosis in Healthcare Workers and Infection Control Measures at Primary Healthcare Facilities in South Africa. <i>PLoS ONE</i> , 2013, 8, e76272.	2.5	67

#	ARTICLE	IF	CITATIONS
145	A High Burden of Hypertension in the Urban Black Population of Cape Town: The Cardiovascular Risk in Black South Africans (CRIBSA) Study. <i>PLoS ONE</i> , 2013, 8, e78567.	2.5	70
146	Methamphetamine Use and Sexual Risk Behavior among High School Students in Cape Town, South Africa. <i>Journal of Child and Adolescent Substance Abuse</i> , 2012, 21, 181-191.	0.5	9
147	Hypothalamic-Pituitary-Adrenal Axis Suppression in Asthmatic School Children. <i>Pediatrics</i> , 2012, 130, e1512-e1519.	2.1	77
148	A Linear Karyotypic Association between PB-I, PB-II and Blastomere Using Sequentially Performed Comparative Genome Hybridization with No Association Established between Karyotype, Morphologic, Biochemical (sHLA-G Expression) Characteristics, Blastocyst Formation and Subsequent Pregnancy Outcome. <i>Gynecologic and Obstetric Investigation</i> , 2012, 74, 304-312.	1.6	4
149	Serum retinol in 1â€“6-year-old children from a low socio-economic South African community with a high intake of liver: implications for blanket vitamin A supplementation. <i>Public Health Nutrition</i> , 2012, 15, 716-724.	2.2	15
150	Well-quantified tuberculosis exposure is a reliable surrogate measure of tuberculosis infection. <i>International Journal of Tuberculosis and Lung Disease</i> , 2012, 16, 1033-1039.	1.2	78
151	Task shifting of antiretroviral treatment from doctors to primary-care nurses in South Africa (STRETCH): a pragmatic, parallel, cluster-randomised trial. <i>Lancet, The</i> , 2012, 380, 889-898.	13.7	243
152	G-protein-coupled receptor kinase 4 polymorphisms predict blood pressure response to dietary modification in Black patients with mild-to-moderate hypertension. <i>Journal of Human Hypertension</i> , 2012, 26, 334-339.	2.2	25
153	Knowledge of HIV status prior to a community HIV counseling and testing intervention in a rural district of south Africa: results of a community based survey. <i>BMC Infectious Diseases</i> , 2012, 12, 73.	2.9	42
154	Early cessation of breastfeeding amongst women in South Africa: an area needing urgent attention to improve child health. <i>BMC Pediatrics</i> , 2012, 12, 105.	1.7	78
155	Why do families still not receive the child support grant in South Africa? A longitudinal analysis of a cohort of families across South Africa. <i>BMC International Health and Human Rights</i> , 2012, 12, 24.	2.5	10
156	Rising Diabetes Prevalence among Urban-Dwelling Black South Africans. <i>PLoS ONE</i> , 2012, 7, e43336.	2.5	150
157	Divergent spatial patterns in the prevalence of the human immunodeficiency virus (HIV) and syphilis in South African pregnant women. <i>Geospatial Health</i> , 2012, 6, 221.	0.8	25
158	Increasing Emotional Intelligence in Cricketers: An Intervention Study. <i>International Journal of Sports Science and Coaching</i> , 2011, 6, 69-86.	1.4	38
159	Exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa (PROMISE-EBF): a cluster-randomised trial. <i>Lancet, The</i> , 2011, 378, 420-427.	13.7	219
160	The A142V Polymorphism of the G Protein Coupled Receptor Kinase 4 Gene Predicts Natriuretic Response to Saline Challenge in Young Normotensive Lean Black and White South African Men. <i>Nephrology Research & Reviews</i> , 2011, 3, 49-53.	0.2	5
161	Bacteremia in Human Immunodeficiency Virus-infected Children in Cape Town, South Africa. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 904-906.	2.0	6
162	Consulting private health care providers aggravates treatment delay in urban South African tuberculosis patients. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011, 15, 1069-1076.	1.2	23

#	ARTICLE	IF	CITATIONS
163	Capture-recapture to estimate completeness of tuberculosis surveillance in two communities in South Africa. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011, 15, 1038-1043.	1.2	20
164	HIV Prevalence and Risk Practices Among Men Who Have Sex With Men in Two South African Cities. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, 69-76.	2.1	88
165	Hypothalamicâ€“pituitaryâ€“adrenal axis suppression in asthmatic children on inhaled and nasal corticosteroids: is the earlyâ€“morning serum adrenocorticotropic hormone (ACTH) a useful screening test?. <i>Pediatric Allergy and Immunology</i> , 2011, 22, 614-620.	2.6	12
166	An effectiveness study of an integrated, community-based package for maternal, newborn, child and HIV care in South Africa: study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 236.	1.6	38
167	Task shifting and integration of HIV care into primary care in South Africa: The development and content of the streamlining tasks and roles to expand treatment and care for HIV (STRETCH) intervention. <i>Implementation Science</i> , 2011, 6, 86.	6.9	29
168	Isoniazid Prophylaxis against Tuberculosis in Children. <i>New England Journal of Medicine</i> , 2011, 365, 1543-1544.	27.0	5
169	Outreach education for integration of HIV/AIDS care, antiretroviral treatment, and tuberculosis care in primary care clinics in South Africa: PALS PLUS pragmatic cluster randomised trial. <i>BMJ: British Medical Journal</i> , 2011, 342, d2022-d2022.	2.3	63
170	Comparison between pulse waveform analysis and thermodilution cardiac output determination in patients with severe pre-eclampsia. <i>British Journal of Anaesthesia</i> , 2011, 106, 77-81.	3.4	30
171	They think they know but do they? Misalignment of perceptions of lifestyle modification knowledge among health professionals. <i>Public Health Nutrition</i> , 2011, 14, 1429-1438.	2.2	58
172	The impact of isoniazid preventive therapy and antiretroviral therapy on tuberculosis in children infected with HIV in a high tuberculosis incidence setting. <i>Thorax</i> , 2011, 66, 496-501.	5.6	45
173	The effect of vitamin A and zinc supplementation on treatment outcomes in pulmonary tuberculosis: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 93-100.	4.7	56
174	Hypothalamic-pituitary-adrenal axis suppression in asthmatic children on inhaled and nasal corticosteroids â€“ more common than expected?. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011, 24, 529-34.	0.9	24
175	A randomized controlled trial of intermittent compared with daily cotrimoxazole preventive therapy in HIV-infected children. <i>Aids</i> , 2010, 24, 2225-2232.	2.2	7
176	The impact of provider-initiated (opt-out) HIV testing and counseling of patients with sexually transmitted infection in Cape Town, South Africa: a controlled trial. <i>Implementation Science</i> , 2010, 5, 8.	6.9	55
177	Cost-effectiveness of educational outreach to primary care nurses to increase tuberculosis case detection and improve respiratory care: economic evaluation alongside a randomised trial. <i>Tropical Medicine and International Health</i> , 2010, 15, 277-286.	2.3	38
178	Impact of telephonic psycho-social support on adherence to post-exposure prophylaxis (PEP) after rape. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 1173-1181.	1.2	33
179	Low Rates of Hepatotoxicity in HIV-infected Children on Anti-retroviral Therapy with and without Isoniazid Prophylaxis. <i>Journal of Tropical Pediatrics</i> , 2010, 56, 159-165.	1.5	13
180	The effectiveness of adapted, best practice guidelines for smoking cessation counseling with disadvantaged, pregnant smokers attending public sector antenatal clinics in Cape Town, South Africa. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 478-489.	2.8	36

#	ARTICLE	IF	CITATIONS
181	Methamphetamine use, aggressive behavior and other mental health issues among high-school students in Cape Town, South Africa. <i>Drug and Alcohol Dependence</i> , 2010, 109, 14-19.	3.2	92
182	Development of a performance-rating scale for a nutrition knowledge test developed for adolescents. <i>Public Health Nutrition</i> , 2009, 12, 1839-1845.	2.2	6
183	Psychological distress among men suffering from couple infertility in South Africa: a quantitative assessment. <i>Human Reproduction</i> , 2009, 24, 2821-2826.	0.9	79
184	Emotional Intelligence Scores Predict Team Sports Performance in a National Cricket Competition. <i>International Journal of Sports Science and Coaching</i> , 2009, 4, 209-224.	1.4	61
185	Associations between maternal closeness, suicidal ideation, and risk behaviors in Cape Town. <i>European Child and Adolescent Psychiatry</i> , 2009, 18, 174-179.	4.7	2
186	Evaluating the equivalence of clomiphene citrate with and without metformin in ovulation induction in PCOS patients. <i>Journal of Assisted Reproduction and Genetics</i> , 2009, 26, 165-171.	2.5	17
187	Bias in a binary risk behaviour model subject to inconsistent reports and dropout in a South African high school cohort study. <i>Statistics in Medicine</i> , 2009, 28, 494-509.	1.6	2
188	No decrease in annual risk of tuberculosis infection in endemic area in Cape Town, South Africa. <i>Tropical Medicine and International Health</i> , 2009, 14, 136-142.	2.3	81
189	A pragmatic resolution. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 495-498.	5.0	17
190	Why we will remain pragmatists: four problems with the impractical mechanistic framework and a better solution. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 485-488.	5.0	34
191	A food-based dietary strategy lowers blood pressure in a low socio-economic setting: a randomized study in South Africa – Corrigendum. <i>Public Health Nutrition</i> , 2009, 12, 284-284.	2.2	0
192	Alcohol Use and Its Role in Female Homicides in the Western Cape, South Africa. <i>Journal of Studies on Alcohol and Drugs</i> , 2009, 70, 321-327.	1.0	28
193	Mortality of Women From Intimate Partner Violence in South Africa: A National Epidemiological Study. <i>Violence and Victims</i> , 2009, 24, 546-556.	0.7	133
194	Injury Patterns of Female Homicide Victims in South Africa. <i>Journal of Trauma</i> , 2009, 67, 168-172.	2.3	15
195	The epidemiology and the pathology of suspected rape homicide in South Africa. <i>Forensic Science International</i> , 2008, 178, 132-138.	2.2	38
196	Adolescent methamphetamine use and sexual risk behaviour in secondary school students in Cape Town, South Africa. <i>Drug and Alcohol Review</i> , 2008, 27, 687-692.	2.1	51
197	Leisure boredom and high school dropout in Cape Town, South Africa. <i>Journal of Adolescence</i> , 2008, 31, 421-431.	2.4	67
198	Intimate femicide-suicide in South Africa: a cross-sectional study. <i>Bulletin of the World Health Organization</i> , 2008, 86, 552-558.	3.3	54

#	ARTICLE	IF	CITATIONS
199	Hypertension and diabetes: Poor care for patients at community health centres. <i>Journal of Endocrinology Metabolism and Diabetes of South Africa</i> , 2008, 13, 64-70.	0.2	28
200	Bullying at Rural High Schools in the Eastern Cape Province, South Africa: Prevalence, and Risk and Protective Factors at School and in the Family. <i>Journal of Psychology in Africa</i> , 2008, 18, 261-267.	0.6	18
201	Comparison of symptoms and treatment outcomes between actively and passively detected tuberculosis cases: the additional value of active case finding. <i>Epidemiology and Infection</i> , 2008, 136, 1342-1349.	2.1	72
202	The Relationship between Bullying Behaviours and High School Dropout in Cape Town, South Africa. <i>South African Journal of Psychology</i> , 2008, 38, 21-32.	2.0	64
203	A food-based dietary strategy lowers blood pressure in a low socio-economic setting: a randomised study in South Africa. <i>Public Health Nutrition</i> , 2008, 11, 1397-1406.	2.2	49
204	Playing Demands of Sevens Rugby during the 2005 Rugby World Cup Sevens Tournament. <i>International Journal of Performance Analysis in Sport</i> , 2008, 8, 114-123.	1.1	17
205	Hypertension and diabetes: poor care for patients at community health centres. <i>South African Medical Journal</i> , 2008, 98, 618-22.	0.6	36
206	Association Between Passive Smoking and Infection With Mycobacterium tuberculosis in Children. <i>Pediatrics</i> , 2007, 119, 734-739.	2.1	57
207	High Prevalence of Tuberculosis in Previously Treated Patients, Cape Town, South Africa. <i>Emerging Infectious Diseases</i> , 2007, 13, 1189-1194.	4.3	69
208	Educational outreach to general practitioners reduces children's asthma symptoms: a cluster randomised controlled trial. <i>Implementation Science</i> , 2007, 2, 30.	6.9	18
209	Prevalence and correlates of partner violence among South African adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2007, 48, 619-627.	5.2	41
210	Bullying, violence, and risk behavior in South African school students. <i>Child Abuse and Neglect</i> , 2007, 31, 161-171.	2.6	213
211	A Refined Symptom-Based Approach to Diagnose Pulmonary Tuberculosis in Children. <i>Pediatrics</i> , 2006, 118, e1350-e1359.	2.1	235
212	Leisure Boredom and Substance Use Among High School Students in South Africa. <i>Journal of Leisure Research</i> , 2006, 38, 249-266.	1.4	46
213	Diagnostic accuracy of an integrated respiratory guideline in identifying patients with respiratory symptoms requiring screening for pulmonary tuberculosis: a cross-sectional study. <i>BMC Pulmonary Medicine</i> , 2006, 6, 22.	2.0	34
214	Respiratory atopic disease, <i>Ascaris</i> immunoglobulin E and tuberculin testing in urban South African children. <i>Clinical and Experimental Allergy</i> , 2006, 36, 640-648.	2.9	77
215	Sexual Partners in a Rural South African Setting ¹ . <i>AIDS and Behavior</i> , 2006, 10, 399-404.	2.7	23
216	Traditional Home-Brewed Beer Consumption and Iron Status in Patients With Esophageal Cancer and Healthy Control Subjects From Transkei, South Africa. <i>Nutrition and Cancer</i> , 2006, 56, 67-73.	2.0	22

#	ARTICLE	IF	CITATIONS
217	Critical incident exposure in South African emergency services personnel: prevalence and associated mental health issues. <i>Emergency Medicine Journal</i> , 2006, 23, 226-231.	1.0	65
218	Effect of educational outreach to nurses on tuberculosis case detection and primary care of respiratory illness: pragmatic cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2005, 331, 750-754.	2.3	133
219	Foetal alcohol syndrome: a dental and skeletal age analysis of patients and controls. <i>European Journal of Orthodontics</i> , 2005, 28, 247-253.	2.4	16
220	Foetal alcohol syndrome: a cephalometric analysis of patients and controls. <i>European Journal of Orthodontics</i> , 2005, 28, 254-261.	2.4	24
221	Associations among adolescent risk behaviours and self-esteem in six domains. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2004, 45, 1454-1467.	5.2	162
222	Brief report: Test-retest reliability of self-reported adolescent risk behaviour. <i>Journal of Adolescence</i> , 2004, 27, 207-212.	2.4	84
223	Suicidal ideation and attempts in adolescents: associations with depression and six domains of self-esteem. <i>Journal of Adolescence</i> , 2004, 27, 611-624.	2.4	134
224	Substance Abuse, Suicidality, and Self-Esteem in South African Adolescents. <i>Journal of Drug Education</i> , 2004, 34, 1-17.	0.8	20
225	Associations among adolescent risk behaviours and self-esteem in six domains. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2004, 45, 1454-1467.	5.2	93
226	Smoking in Cape Town: Community Influences on Adolescent Tobacco Use. <i>Preventive Medicine</i> , 2003, 36, 114-123.	3.4	29
227	Substance use by adolescents in cape town: prevalence and correlates*1. <i>Journal of Adolescent Health</i> , 2003, 32, 58-65.	2.5	107
228	Reliability of the Beck Depression Inventory and the Self-Rating Anxiety Scale in a sample of South African adolescents. <i>Journal of Child and Adolescent Mental Health</i> , 2003, 15, 73-75.	1.7	17
229	Stages of substance use among adolescents in Cape Town, South Africa. <i>Journal of Substance Use</i> , 2002, 7, 162-167.	0.7	6
230	Reliability of the Leisure Boredom Scale for Use with High School Learners in Cape Town, South Africa. <i>Journal of Leisure Research</i> , 2002, 34, 340-350.	1.4	8
231	Stages of substance use among adolescents in Cape Town, South Africa. <i>Journal of Substance Use</i> , 2002, 7, 162-167.	0.7	1
232	Impact on perinatal mortality of missed opportunities to treat maternal syphilis in rural South Africa: baseline results from a clinic randomized controlled trial. <i>Tropical Medicine and International Health</i> , 2000, 5, 800-804.	2.3	41
233	Molecular epidemiology and transmission dynamics of <i>Mycobacterium tuberculosis</i> in rural Africa. <i>Tropical Medicine and International Health</i> , 1997, 2, 747-753.	2.3	70
234	The effect of morphine and naloxone administration on plasma oxytocin concentrations in the first stage of labour. <i>Clinical Endocrinology</i> , 1992, 37, 349-353.	2.4	33