
## Marina A Bornovalova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3420316/publications.pdf





#	Article	IF	CITATIONS
1	HiTOP Assessment of Externalizing Antagonism and Disinhibition. Assessment, 2022, 29, 34-45.	3.1	8
2	Validity and utility of Hierarchical Taxonomy of Psychopathology ( <scp>HiTOP</scp> ): <scp>III</scp> . Emotional dysfunction superspectrum. World Psychiatry, 2022, 21, 26-54.	10.4	97
3	Two Filtering Methods of Forecasting Linear and Nonlinear Dynamics of Intensive Longitudinal Data. Psychometrika, 2022, , 1.	2.1	1
4	Comorbidity in borderline personality: understanding dynamics in development. Current Opinion in Psychology, 2021, 37, 104-108.	4.9	15
5	Alternative model of personality disorders traits predict residential addictions treatment completion. Drug and Alcohol Dependence, 2021, 228, 109011.	3.2	5
6	Familial factors and the risk of borderline personality pathology: genetic and environmental transmission. Psychological Medicine, 2020, 50, 1327-1337.	4.5	15
7	Genetic and Environmental Mechanisms in BPD over the Lifespan: Commentary on Assessment of Mechanisms in Personality Disorders. , 2020, , 392-395.		0
8	Appropriate Use of Bifactor Analysis in Psychopathology Research: Appreciating Benefits and Limitations. Biological Psychiatry, 2020, 88, 18-27.	1.3	110
9	Constructs versus measures in personality and other domains: What distinguishes normal and clinical?. Industrial and Organizational Psychology, 2019, 12, 157-162.	0.6	2
10	A Hierarchical Taxonomy of Psychopathology Can Transform Mental Health Research. Perspectives on Psychological Science, 2019, 14, 419-436.	9.0	243
11	Commentary on "The Challenge of Transforming the Diagnostic System of Personality Disordersâ€. Journal of Personality Disorders, 2019, , 1-4.	1.4	7
12	A test of dopamine hyper- and hyposensitivity in alcohol use. Addictive Behaviors, 2019, 90, 395-401.	3.0	11
13	Categorical and Dimensional Conceptions of Personality Pathology in <i>DSM-5</i> : Toward a Model-Based Synthesis. Journal of Personality Disorders, 2019, 33, 185-213.	1.4	16
14	Genetic and environmental influences on the codevelopment among borderline personality disorder traits, major depression symptoms, and substance use disorder symptoms from adolescence to young adulthood. Development and Psychopathology, 2018, 30, 49-65.	2.3	23
15	More of a Good Thing Is Not Always Better: Validation of a Distress Overtolerance Measure. Assessment, 2018, 25, 446-457.	3.1	9
16	Preliminary evidence that digit length ratio (2D:4D) predicts neural response to delivery of motivational stimuli. Biological Psychology, 2018, 132, 91-95.	2.2	3
17	The time has come for dimensional personality disorder diagnosis. Personality and Mental Health, 2018, 12, 82-86.	1.2	203
18	Progress in achieving quantitative classification of psychopathology. World Psychiatry, 2018, 17, 282-293	10.4	329

#	Article	IF	CITATIONS
19	Neural outcome processing of peer-influenced risk-taking behavior in late adolescence: Preliminary evidence for gene × environment interactions Experimental and Clinical Psychopharmacology, 2017, 25, 31-40.	1.8	10
20	A psychometric investigation of gender differences and common processes across borderline and antisocial personality disorders Journal of Abnormal Psychology, 2017, 126, 76-88.	1.9	7
21	Validity of the alcohol purchase task: a metaâ€analysis. Addiction, 2016, 111, 806-816.	3.3	51
22	The Nomological Network of Self-Reported Distress Tolerance. Assessment, 2015, 22, 715-729.	3.1	36
23	Elaborating on the construct validity of the Minnesota Borderline Personality Disorder Scale (MBPD): A multi-sample, longitudinal examination Psychological Assessment, 2015, 27, 332-339.	1.5	4
24	Psychopathy factor interactions and co-occurring psychopathology: Does measurement approach matter?. Psychological Assessment, 2015, 27, 583-595.	1.5	8
25	Unidirectionality Between Borderline Personality Disorder Traits and Psychopathology in a Residential Addictions Sample: A Short-Term Longitudinal Study. Journal of Personality Disorders, 2015, 29, 755-770.	1.4	1
26	Genetic and environmental overlap between borderline personality disorder traits and psychopathy: evidence for promotive effects of factor 2 and protective effects of factor 1. Psychological Medicine, 2015, 45, 1471-1481.	4.5	24
27	The developmental progression of age 14 behavioral disinhibition, early age of sexual initiation, and subsequent sexual riskâ€ŧaking behavior. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 784-792.	5.2	12
28	Understanding the relative contributions of direct environmental effects and passive genotype–environment correlations in the association between familial risk factors and child disruptive behavior disorders. Psychological Medicine, 2014, 44, 831-844.	4.5	45
29	A further validation of the Minnesota Borderline Personality Disorder Scale Personality Disorders: Theory, Research, and Treatment, 2014, 5, 146-153.	1.3	8
30	Stability and change in distress tolerance and its prospective relationship with borderline personality features: A short-term longitudinal study Personality Disorders: Theory, Research, and Treatment, 2014, 5, 247-256.	1.3	32
31	Behavior Genetic Approaches to BPD. , 2014, , 129-142.		О
32	Time Doesn't Change Everything: The Longitudinal Course of Distress Tolerance and its Relationship with Externalizing and Internalizing Symptoms During Early Adolescence. Journal of Abnormal Child Psychology, 2013, 41, 735-748.	3.5	88
33	Tests of a direct effect of childhood abuse on adult borderline personality disorder traits: A longitudinal discordant twin design Journal of Abnormal Psychology, 2013, 122, 180-194.	1.9	112
34	Longitudinal twin study of borderline personality disorder traits and substance use in adolescence: Developmental change, reciprocal effects, and genetic and environmental influences Personality Disorders: Theory, Research, and Treatment, 2013, 4, 23-32.	1.3	58
35	Ingestion of foreign objects as a means of nonlethal self-injury Personality Disorders: Theory, Research, and Treatment, 2013, 4, 182-189.	1.3	3
36	Disentangling the relative contribution of parental antisociality and family discord to child disruptive disorders Personality Disorders: Theory, Research, and Treatment, 2013, 4, 239-246.	1.3	21

#	Article	IF	CITATIONS
37	Group Exposure Therapy Treatment for Post-Traumatic Stress Disorder in Female Veterans. Military Medicine, 2012, 177, 1486-1491.	0.8	12
38	The Influence of Depression on the Progression of HIV. Behavior Modification, 2012, 36, 123-145.	1.6	89
39	Identifying the necessary and sufficient number of risk factors for predicting academic failure Developmental Psychology, 2012, 48, 422-428.	1.6	55
40	Facets of impulsivity in the relationship between antisocial personality and abstinence. Addictive Behaviors, 2012, 37, 293-298.	3.0	28
41	Initial RCT of a distress tolerance treatment for individuals with substance use disorders. Drug and Alcohol Dependence, 2012, 122, 70-76.	3.2	170
42	Distress tolerance moderates the relationship between negative affect intensity with borderline personality disorder levels. Comprehensive Psychiatry, 2011, 52, 744-753.	3.1	30
43	Biological mechanisms underlying the relationship between stress and smoking: State of the science and directions for future work. Biological Psychology, 2011, 88, 1-12.	2.2	98
44	Extending models of deliberate self-harm and suicide attempts to substance users: Exploring the roles of childhood abuse, posttraumatic stress, and difficulties controlling impulsive behavior when distressed Psychological Trauma: Theory, Research, Practice, and Policy, 2011, 3, 349-359.	2.1	41
45	Testing the relations between impulsivity-related traits, suicidality, and nonsuicidal self-injury: A test of the incremental validity of the UPPS model Personality Disorders: Theory, Research, and Treatment, 2011, 2, 151-160.	1.3	133
46	Testing the Role of Adolescent Sexual Initiation in Later-Life Sexual Risk Behavior. Psychological Science, 2011, 22, 924-933.	3.3	26
47	Development and Validation of the Minnesota Borderline Personality Disorder Scale. Assessment, 2011, 18, 234-252.	3.1	32
48	Understanding the heterogeneity of BPD symptoms through latent class analysis: Initial results and clinical correlates among inner-city substance users Psychological Assessment, 2010, 22, 233-245.	1.5	47
49	Application of the social action theory to understand factors associated with risky sexual behavior among individuals in residential substance abuse treatment Psychology of Addictive Behaviors, 2010, 24, 311-321.	2.1	20
50	Motivations for Sexual Risk Behavior Across Commercial and Casual Partners Among Male Urban Drug Users: Contextual Features and Clinical Correlates. Behavior Modification, 2010, 34, 219-246.	1.6	8
51	Familial Transmission and Heritability of Childhood Disruptive Disorders. American Journal of Psychiatry, 2010, 167, 1066-1074.	7.2	96
52	Stability, change, and heritability of borderline personality disorder traits from adolescence to adulthood: A longitudinal twin study. Development and Psychopathology, 2009, 21, 1335-1353.	2.3	181
53	Risk taking differences on a behavioral task as a function of potential reward/loss magnitude and individual differences in impulsivity and sensation seeking. Pharmacology Biochemistry and Behavior, 2009, 93, 258-262.	2.9	112
54	Testing gender effects on the mechanisms explaining the association between post-traumatic stress symptoms and substance use frequency. Addictive Behaviors, 2009, 34, 685-692.	3.0	39

#	Article	IF	CITATIONS
55	Sensation seeking and risk-taking propensity as mediators in the relationship between childhood abuse and HIV-related risk behavior. Child Abuse and Neglect, 2008, 32, 99-109.	2.6	86
56	A multimodal assessment of the relationship between emotion dysregulation and borderline personality disorder among inner-city substance users in residential treatment. Journal of Psychiatric Research, 2008, 42, 717-726.	3.1	121
57	Borderline personality disorder in the context of self-regulation: Understanding symptoms and hallmark features as deficits in locomotion and assessment. Personality and Individual Differences, 2008, 44, 22-31.	2.9	28
58	The interactive effects of antisocial personality disorder and court-mandated status on substance abuse treatment dropout. Journal of Substance Abuse Treatment, 2008, 34, 157-164.	2.8	34
59	Anxiety sensitivity: A unique predictor of dropout among inner-city heroin and crack/cocaine users in residential substance use treatment. Behaviour Research and Therapy, 2008, 46, 811-818.	3.1	97
60	Factors associated with co-occurring borderline personality disorder among inner-city substance users: the roles of childhood maltreatment, negative affect intensity/reactivity, and emotion dysregulation. Comprehensive Psychiatry, 2008, 49, 603-615.	3.1	116
61	The Relationship Between Distress Tolerance and Antisocial Personality Disorder Among Male Inner-City Treatment Seeking Substance Users. Journal of Personality Disorders, 2008, 22, 509-524.	1.4	68
62	Risk factors in the relationship between gender and crack/cocaine Experimental and Clinical Psychopharmacology, 2007, 15, 165-175.	1.8	116
63	How does Dialectical Behavior Therapy facilitate treatment retention among individuals with comorbid borderline personality disorder and substance use disorders?. Clinical Psychology Review, 2007, 27, 923-943.	11.4	51
64	Generalized expectancies for negative mood regulation predict change in anxiety and depression among college students. Behaviour Research and Therapy, 2007, 45, 939-950.	3.1	88
65	A Laboratory-Based Study of the Relationship Between Childhood Abuse and Experiential Avoidance Among Inner-City Substance Users: The Role of Emotional Nonacceptance. Behavior Therapy, 2007, 38, 256-268.	2.4	192
66	The association between heroin use and anxiety sensitivity among inner-city individuals in residential drug use treatment. Behaviour Research and Therapy, 2006, 44, 667-677.	3.1	103
67	Temperamental and Environmental Risk Factors for Borderline Personality Disorder Among Inner-City Substance Users in Residential Treatment. Journal of Personality Disorders, 2006, 20, 218-231.	1.4	63
68	Differences in impulsivity and risk-taking propensity between primary users of crack cocaine and primary users of heroin in a residential substance-use program Experimental and Clinical Psychopharmacology, 2005, 13, 311-318.	1.8	169
69	Distress Tolerance as a Predictor of Early Treatment Dropout in a Residential Substance Abuse Treatment Facility Journal of Abnormal Psychology, 2005, 114, 729-734.	1.9	275
70	Conditioned taste aversion and amygdala lesions in the rat: A critical review. Neuroscience and Biobehavioral Reviews, 2005, 29, 1067-1088.	6.1	158
71	Differences in riskâ€ŧaking propensity across innerâ€ɛity adolescent ever―and neverâ€smokers. Nicotine and Tobacco Research, 2005, 7, 71-79.	2.6	110
72	Impulsivity as a common process across borderline personality and substance use disorders. Clinical Psychology Review, 2005, 25, 790-812.	11.4	213

#	Article	IF	CITATIONS
73	Differences in impulsivity and sexual risk behavior among inner-city crack/cocaine users and heroin users. Drug and Alcohol Dependence, 2005, 77, 169-175.	3.2	101
74	Excitotoxic Lesions of the Gustatory Thalamus Spare Simultaneous Contrast Effects but Eliminate Anticipatory Negative Contrast: Evidence Against a Memory Deficit Behavioral Neuroscience, 2004, 118, 365-376.	1.2	26
75	Effects of excitotoxic lesions of the gustatory thalamus on latent inhibition and blocking of conditioned taste aversion in rats. Brain Research Bulletin, 2003, 62, 117-128.	3.0	17