

Kevin V Thomas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3427320/publications.pdf>

Version: 2024-02-01

277
papers

21,423
citations

8181

76
h-index

12597

132
g-index

283
all docs

283
docs citations

283
times ranked

16758
citing authors

#	ARTICLE	IF	CITATIONS
1	A wastewater-based assessment of the impact of a minimum unit price (MUP) on population alcohol consumption in the Northern Territory, Australia. <i>Addiction</i> , 2022, 117, 243-249.	3.3	14
2	A novel method for the quantification of tire and polymer-modified bitumen particles in environmental samples by pyrolysis gas chromatography mass spectroscopy. <i>Journal of Hazardous Materials</i> , 2022, 423, 127092.	12.4	42
3	Minimizing errors in RT-PCR detection and quantification of SARS-CoV-2 RNA for wastewater surveillance. <i>Science of the Total Environment</i> , 2022, 805, 149877.	8.0	153
4	Phthalate esters in face masks and associated inhalation exposure risk. <i>Journal of Hazardous Materials</i> , 2022, 423, 127001.	12.4	37
5	Wastewater surveillance demonstrates high predictive value for COVID-19 infection on board repatriation flights to Australia. <i>Environment International</i> , 2022, 158, 106938.	10.0	43
6	Does size matter? Quantification of plastics associated with size fractionated biosolids. <i>Science of the Total Environment</i> , 2022, 811, 152382.	8.0	11
7	In-Sewer Stability Assessment of Anabolic Steroids and Selective Androgen Receptor Modulators. <i>Environmental Science & Technology</i> , 2022, 56, 1627-1638.	10.0	10
8	Concentrations of Tire Additive Chemicals and Tire Road Wear Particles in an Australian Urban Tributary. <i>Environmental Science & Technology</i> , 2022, 56, 2421-2431.	10.0	90
9	Detection of the Omicron (B.1.1.529) variant of SARS-CoV-2 in aircraft wastewater. <i>Science of the Total Environment</i> , 2022, 820, 153171.	8.0	55
10	<i>In Situ</i> Calibration of Passive Samplers for Viruses in Wastewater. <i>ACS ES&T Water</i> , 2022, 2, 1881-1890.	4.6	14
11	Naive Bayes classification model for isotopologue detection in LC-HRMS data. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2022, 223, 104515.	3.5	9
12	One planet: one health. A call to support the initiative on a global science policy body on chemicals and waste. <i>Environmental Sciences Europe</i> , 2022, 34, 21.	5.5	39
13	Direct injection analysis of oxypurinol and metformin in wastewater by hydrophilic interaction liquid chromatography coupled to tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2022, 14, 1519-1524.	2.6	4
14	The message on the bottle: Rethinking plastic labelling to better encourage sustainable use. <i>Environmental Science and Policy</i> , 2022, 132, 109-118.	4.9	16
15	Occurrence of tire and road wear particles in urban and peri-urban snowbanks, and their potential environmental implications. <i>Science of the Total Environment</i> , 2022, 824, 153785.	8.0	41
16	Understanding the plastics cycle to minimize exposure. <i>Nature Sustainability</i> , 2022, 5, 282-284.	23.7	18
17	Monitoring of SARS-CoV-2 in sewersheds with low COVID-19 cases using a passive sampling technique. <i>Water Research</i> , 2022, 218, 118481.	11.3	26
18	A nationwide wastewater-based assessment of metformin consumption across Australia. <i>Environment International</i> , 2022, 165, 107282.	10.0	10

#	ARTICLE	IF	CITATIONS
19	Communicating Confidence of Per- and Polyfluoroalkyl Substance Identification via High-Resolution Mass Spectrometry. <i>Environmental Science and Technology Letters</i> , 2022, 9, 473-481.	8.7	61
20	Young population consume twice as much artificial sweetener than the general population – A wastewater-based assessment in China. <i>Science of the Total Environment</i> , 2022, 839, 156200.	8.0	5
21	In vitro biotransformation and evaluation of potential transformation products of chlorinated paraffins by high resolution accurate mass spectrometry. <i>Journal of Hazardous Materials</i> , 2021, 405, 124245.	12.4	16
22	Trends in artificial sweetener consumption: A 7-year wastewater-based epidemiology study in Queensland, Australia. <i>Science of the Total Environment</i> , 2021, 754, 142438.	8.0	29
23	Intraday variability of indicator and pathogenic viruses in 1-h and 24-h composite wastewater samples: Implications for wastewater-based epidemiology. <i>Environmental Research</i> , 2021, 193, 110531.	7.5	72
24	Wastewater-based prevalence trends of gout in an Australian community over a period of 8 years. <i>Science of the Total Environment</i> , 2021, 759, 143460.	8.0	13
25	SARS-CoV-2 RNA monitoring in wastewater as a potential early warning system for COVID-19 transmission in the community: A temporal case study. <i>Science of the Total Environment</i> , 2021, 761, 144216.	8.0	218
26	Challenges with Quantifying Tire Road Wear Particles: Recognizing the Need for Further Refinement of the ISO Technical Specification. <i>Environmental Science and Technology Letters</i> , 2021, 8, 231-236.	8.7	52
27	Plastic particles in soil: state of the knowledge on sources, occurrence and distribution, analytical methods and ecological impacts. <i>Environmental Sciences: Processes and Impacts</i> , 2021, 23, 240-274.	3.5	44
28	Estimating Alcohol Consumption by Wastewater-Based Epidemiology: An Assessment of the Correction Factor for Ethyl Sulfate Using Large-Scale National Monitoring Data. <i>Environmental Science and Technology Letters</i> , 2021, 8, 333-338.	8.7	18
29	Off-Gassing of Semi-Volatile Organic Compounds from Fire-Fighters'™ Uniforms in Private Vehicles – A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3030.	2.6	8
30	Systematic Evaluation of the In-Sample Stability of Selected Pharmaceuticals, Illicit Drugs, and Their Metabolites in Wastewater. <i>Environmental Science & Technology</i> , 2021, 55, 7418-7429.	10.0	29
31	Artificial sweeteners in end-use biosolids in Australia. <i>Water Research</i> , 2021, 200, 117237.	11.3	8
32	Plastics in biosolids from 1950 to 2016: A function of global plastic production and consumption. <i>Water Research</i> , 2021, 201, 117367.	11.3	77
33	Quantification of selected microplastics in Australian urban road dust. <i>Journal of Hazardous Materials</i> , 2021, 416, 125811.	12.4	40
34	Plastics contamination of store-bought rice. <i>Journal of Hazardous Materials</i> , 2021, 416, 125778.	12.4	70
35	Impact of COVID-19 Controls on the Use of Illicit Drugs and Alcohol in Australia. <i>Environmental Science and Technology Letters</i> , 2021, 8, 799-804.	8.7	22
36	Phthalate diversity in eggs and associations with oxidative stress in the European herring gull (<i>Larus</i>)	8.0	5

#	ARTICLE	IF	CITATIONS
37	Multisite Calibration of a Microporous Polyethylene Tube Passive Sampler for Quantifying Drugs in Wastewater. <i>Environmental Science & Technology</i> , 2021, 55, 12922-12929.	10.0	1
38	Assessing patterns of illicit drug use in a Chinese city by analyzing daily wastewater samples over a one-year period. <i>Journal of Hazardous Materials</i> , 2021, 417, 125999.	12.4	17
39	Performance- and image-enhancing drug use in the community: use prevalence, user demographics and the potential role of wastewater-based epidemiology. <i>Journal of Hazardous Materials</i> , 2021, 419, 126340.	12.4	13
40	Current and future perspectives for wastewater-based epidemiology as a monitoring tool for pharmaceutical use. <i>Science of the Total Environment</i> , 2021, 789, 148047.	8.0	44
41	In-sewer stability of selected analgesics and their metabolites. <i>Water Research</i> , 2021, 204, 117647.	11.3	9
42	Influence of surface oxidation on the quantification of polypropylene microplastics by pyrolysis gas chromatography mass spectrometry. <i>Science of the Total Environment</i> , 2021, 796, 148835.	8.0	25
43	Quantification of selected analgesics and their metabolites in influent wastewater by liquid chromatography tandem mass spectrometry. <i>Talanta</i> , 2021, 234, 122627.	5.5	10
44	Out of sight but not out of mind: Size fractionation of plastics bioaccumulated by field deployed oysters. <i>Journal of Hazardous Materials Letters</i> , 2021, 2, 100021.	3.6	14
45	Wastewater monitoring for SARS-CoV-2. <i>Microbiology Australia</i> , 2021, 42, 18.	0.4	5
46	Assessment of Environmental Pollution and Human Exposure to Pesticides by Wastewater Analysis in a Seven-Year Study in Athens, Greece. <i>Toxics</i> , 2021, 9, 260.	3.7	14
47	From Centroided to Profile Mode: Machine Learning for Prediction of Peak Width in HRMS Data. <i>Analytical Chemistry</i> , 2021, 93, 16562-16570.	6.5	9
48	Spatio-temporal assessment of illicit drug use at large scale: evidence from 7 years of international wastewater monitoring. <i>Addiction</i> , 2020, 115, 109-120.	3.3	154
49	New approach for the measurement of long-term alcohol consumption trends: Application of wastewater-based epidemiology in an Australian regional city. <i>Drug and Alcohol Dependence</i> , 2020, 207, 107795.	3.2	34
50	Considerations for assessing stability of wastewater-based epidemiology biomarkers using biofilm-free and sewer reactor tests. <i>Science of the Total Environment</i> , 2020, 709, 136228.	8.0	42
51	Surveillance of SARS-CoV-2 RNA in wastewater: Methods optimization and quality control are crucial for generating reliable public health information. <i>Current Opinion in Environmental Science and Health</i> , 2020, 17, 82-93.	4.1	126
52	An assessment of quality assurance/quality control efforts in high resolution mass spectrometry non-target workflows for analysis of environmental samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 133, 116063.	11.4	73
53	Detection of SARS-CoV-2 RNA in commercial passenger aircraft and cruise ship wastewater: a surveillance tool for assessing the presence of COVID-19 infected travellers. <i>Journal of Travel Medicine</i> , 2020, 27, .	3.0	146
54	Release of Plastics to Australian Land from Biosolids End-Use. <i>Environmental Science & Technology</i> , 2020, 54, 15132-15141.	10.0	62

#	ARTICLE	IF	CITATIONS
55	Expanding exploration of dynamic microplastic surface characteristics and interactions. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 130, 115993.	11.4	38
56	National wastewater reconnaissance of artificial sweetener consumption and emission in Australia. <i>Environment International</i> , 2020, 143, 105963.	10.0	25
57	Urinary Concentrations of Bisphenols in the Australian Population and Their Association with the Per Capita Mass Loads in Wastewater. <i>Environmental Science & Technology</i> , 2020, 54, 10141-10148.	10.0	43
58	Airborne emissions of microplastic fibres from domestic laundry dryers. <i>Science of the Total Environment</i> , 2020, 747, 141175.	8.0	99
59	Time-Integrative Passive Sampling of Very Hydrophilic Chemicals in Wastewater Influent. <i>Environmental Science and Technology Letters</i> , 2020, 7, 848-853.	8.7	8
60	Long-term trends in tobacco use assessed by wastewater-based epidemiology and its relationship with consumption of nicotine containing products. <i>Environment International</i> , 2020, 145, 106088.	10.0	18
61	Road de-icing salt: Assessment of a potential new source and pathway of microplastics particles from roads. <i>Science of the Total Environment</i> , 2020, 738, 139352.	8.0	27
62	Do food and stress biomarkers work for wastewater-based epidemiology? A critical evaluation. <i>Science of the Total Environment</i> , 2020, 736, 139654.	8.0	24
63	Determining changes in new psychoactive substance use in Australia by wastewater analysis. <i>Science of the Total Environment</i> , 2020, 731, 139209.	8.0	33
64	Wastewater-Based Epidemiology: Global Collaborative to Maximize Contributions in the Fight Against COVID-19. <i>Environmental Science & Technology</i> , 2020, 54, 7754-7757.	10.0	337
65	Comparison of virus concentration methods for the RT-qPCR-based recovery of murine hepatitis virus, a surrogate for SARS-CoV-2 from untreated wastewater. <i>Science of the Total Environment</i> , 2020, 739, 139960.	8.0	405
66	Can wastewater analysis be used as a tool to assess the burden of pain treatment within a population?. <i>Environmental Research</i> , 2020, 188, 109769.	7.5	13
67	Enantiomeric profiling of quinolones and quinolones resistance gene qnrS in European wastewaters. <i>Water Research</i> , 2020, 175, 115653.	11.3	36
68	A revised excretion factor for estimating ketamine consumption by wastewater-based epidemiology â€œ Utilising wastewater and seizure data. <i>Environment International</i> , 2020, 138, 105645.	10.0	28
69	Population Socioeconomics Predicted Using Wastewater. <i>Environmental Science and Technology Letters</i> , 2020, 7, 567-572.	8.7	23
70	Determination of anabasine, anatabine, and nicotine biomarkers in wastewater by enhanced direct injection LC-MS/MS and evaluation of their in-sewer stability. <i>Science of the Total Environment</i> , 2020, 743, 140551.	8.0	17
71	Quantitative Analysis of Selected Plastics in High-Commercial-Value Australian Seafood by Pyrolysis Gas Chromatography Mass Spectrometry. <i>Environmental Science & Technology</i> , 2020, 54, 9408-9417.	10.0	143
72	The first environmental assessment of hexa(methoxymethyl)melamine and co-occurring cyclic amines in Australian waterways. <i>Science of the Total Environment</i> , 2020, 743, 140834.	8.0	21

#	ARTICLE	IF	CITATIONS
73	Concentration and Distribution of Naphthenic Acids in the Produced Water from Offshore Norwegian North Sea Oilfields. <i>Environmental Science & Technology</i> , 2020, 54, 2707-2714.	10.0	23
74	Wastewater-based estimation of the prevalence of gout in Australia. <i>Science of the Total Environment</i> , 2020, 715, 136925.	8.0	26
75	Identification and quantification of selected plastics in biosolids by pressurized liquid extraction combined with double-shot pyrolysis gas chromatography–mass spectrometry. <i>Science of the Total Environment</i> , 2020, 715, 136924.	8.0	145
76	Towards an efficient method for the extraction and analysis of cannabinoids in wastewater. <i>Talanta</i> , 2020, 217, 121034.	5.5	37
77	First confirmed detection of SARS-CoV-2 in untreated wastewater in Australia: A proof of concept for the wastewater surveillance of COVID-19 in the community. <i>Science of the Total Environment</i> , 2020, 728, 138764.	8.0	1,393
78	Assessment of human exposure to selected pesticides in Norway by wastewater analysis. <i>Science of the Total Environment</i> , 2020, 723, 138132.	8.0	32
79	Mining Population Exposure and Community Health via Wastewater-Based Epidemiology. , 2020, , 99-114.		3
80	Response to Comment on “Quantitative Analysis of Selected Plastics in High-Commercial-Value Australian Seafood by Pyrolysis Gas Chromatography Mass Spectrometry”. <i>Environmental Science & Technology</i> , 2020, 54, 15556-15557.	10.0	2
81	Biocides from Marine Coatings. , 2020, , 112-164.		2
82	Harnessing the Power of the Census: Characterizing Wastewater Treatment Plant Catchment Populations for Wastewater-Based Epidemiology. <i>Environmental Science & Technology</i> , 2019, 53, 10303-10311.	10.0	69
83	Self Adjusting Algorithm for the Nontargeted Feature Detection of High Resolution Mass Spectrometry Coupled with Liquid Chromatography Profile Data. <i>Analytical Chemistry</i> , 2019, 91, 10800-10807.	6.5	24
84	Social, demographic, and economic correlates of food and chemical consumption measured by wastewater-based epidemiology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 21864-21873.	7.1	104
85	New psychoactive substances: challenges for drug surveillance, control, and public health responses. <i>Lancet, The</i> , 2019, 394, 1668-1684.	13.7	195
86	FTIR and Raman imaging for microplastics analysis: State of the art, challenges and prospects. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 119, 115629.	11.4	301
87	Wastewater treatment plants as a source of plastics in the environment: a review of occurrence, methods for identification, quantification and fate. <i>Environmental Science: Water Research and Technology</i> , 2019, 5, 1908-1931.	2.4	112
88	Evaluating the stability of three oxidative stress biomarkers under sewer conditions and potential impact for use in wastewater-based epidemiology. <i>Water Research</i> , 2019, 166, 115068.	11.3	35
89	Per capita loads of organic UV filters in Australian wastewater influent. <i>Science of the Total Environment</i> , 2019, 662, 134-140.	8.0	36
90	Environmental risks associated with contaminants of legacy and emerging concern at European aquaculture areas. <i>Environmental Pollution</i> , 2019, 252, 1301-1310.	7.5	27

#	ARTICLE	IF	CITATIONS
91	A pilot wastewater-based epidemiology assessment of anabolic steroid use in Queensland, Australia. <i>Drug Testing and Analysis</i> , 2019, 11, 937-949.	2.6	17
92	Oxidative stress potential of the herbicides bifenox and metribuzin in the microalgae <i>Chlamydomonas reinhardtii</i> . <i>Aquatic Toxicology</i> , 2019, 210, 117-128.	4.0	32
93	Trends in nicotine consumption between 2010 and 2017 in an Australian city using the wastewater-based epidemiology approach. <i>Environment International</i> , 2019, 125, 184-190.	10.0	39
94	A partially randomized field experiment on the effect of an acoustic gunshot detection system on police incident reports. <i>Journal of Experimental Criminology</i> , 2019, 15, 67-76.	2.9	16
95	Accumulation and fate of nano- and micro-plastics and associated contaminants in organisms. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 111, 139-147.	11.4	187
96	A National Wastewater Monitoring Program for a better understanding of public health: A case study using the Australian Census. <i>Environment International</i> , 2019, 122, 400-411.	10.0	59
97	Calibration and validation of a novel passive sampling device for the time integrative monitoring of per- and polyfluoroalkyl substances (PFASs) and precursors in contaminated groundwater. <i>Journal of Hazardous Materials</i> , 2019, 366, 423-431.	12.4	41
98	Machine learning combined with non-targeted LC-HRMS analysis for a risk warning system of chemical hazards in drinking water: A proof of concept. <i>Talanta</i> , 2019, 195, 426-432.	5.5	28
99	Assessing Alternative Population Size Proxies in a Wastewater Catchment Area Using Mobile Device Data. <i>Environmental Science & Technology</i> , 2019, 53, 1994-2001.	10.0	25
100	The effect of extraction methodology on the recovery and distribution of naphthenic acids of oilfield produced water. <i>Science of the Total Environment</i> , 2019, 652, 1416-1423.	8.0	26
101	LC-HRMS suspect screening to show spatial patterns of New Psychoactive Substances use in Australia. <i>Science of the Total Environment</i> , 2019, 650, 2181-2187.	8.0	58
102	Comparison of phosphodiesterase type V inhibitors use in eight European cities through analysis of urban wastewater. <i>Environment International</i> , 2018, 115, 279-284.	10.0	26
103	Exploring the Potential of a Global Emerging Contaminant Early Warning Network through the Use of Retrospective Suspect Screening with High-Resolution Mass Spectrometry. <i>Environmental Science & Technology</i> , 2018, 52, 5135-5144.	10.0	101
104	Analysis of stimulant drugs in the wastewater of five Nordic capitals. <i>Science of the Total Environment</i> , 2018, 627, 1039-1047.	8.0	41
105	Review: ecotoxicity of organic and organo-metallic antifouling co-biocides and implications for environmental hazard and risk assessments in aquatic ecosystems. <i>Biofouling</i> , 2018, 34, 34-52.	2.2	82
106	Emerging pollutants in the EU: 10 years of NORMAN in support of environmental policies and regulations. <i>Environmental Sciences Europe</i> , 2018, 30, 5.	5.5	171
107	Combining a Deconvolution and a Universal Library Search Algorithm for the Nontarget Analysis of Data-Independent Acquisition Mode Liquid Chromatography-High-Resolution Mass Spectrometry Results. <i>Environmental Science & Technology</i> , 2018, 52, 4694-4701.	10.0	52
108	Multi-year inter-laboratory exercises for the analysis of illicit drugs and metabolites in wastewater: Development of a quality control system. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 103, 34-43.	11.4	85

#	ARTICLE	IF	CITATIONS
109	Weathering impacts the uptake of polyethylene microparticles from toothpaste in Mediterranean mussels (<i>M. galloprovincialis</i>). <i>Science of the Total Environment</i> , 2018, 626, 1310-1318.	8.0	121
110	Mass spectrometric strategies for the investigation of biomarkers of illicit drug use in wastewater. <i>Mass Spectrometry Reviews</i> , 2018, 37, 258-280.	5.4	95
111	Determination of cannabinoid and synthetic cannabinoid metabolites in wastewater by liquid-liquid extraction and ultra-high performance supercritical fluid chromatography-tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2018, 10, 222-228.	2.6	39
112	Enantiomeric profiling of chiral illicit drugs in a pan-European study. <i>Water Research</i> , 2018, 130, 151-160.	11.3	83
113	A high-throughput solid-phase microextraction and post-loop mixing large volume injection method for water samples. <i>Journal of Chromatography A</i> , 2018, 1531, 32-38.	3.7	13
114	“Ice Rushes”™, Data Shadows and Methamphetamine Use in Rural Towns: Wastewater Analysis. <i>Current Issues in Criminal Justice</i> , 2018, 29, 195-208.	1.4	2
115	<i>Mytilus</i> spp. as sentinels for monitoring microplastic pollution in Norwegian coastal waters: A qualitative and quantitative study. <i>Environmental Pollution</i> , 2018, 243, 383-393.	7.5	193
116	Identification of algal growth inhibitors in treated waste water using effect-directed analysis based on non-target screening techniques. <i>Journal of Hazardous Materials</i> , 2018, 358, 494-502.	12.4	24
117	Enantiomeric profiling of amphetamine and methamphetamine in wastewater: A 7-year study in regional and urban Queensland, Australia. <i>Science of the Total Environment</i> , 2018, 643, 827-834.	8.0	36
118	Wastewater-based epidemiology biomarkers: Past, present and future. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 105, 453-469.	11.4	327
119	Ecotoxicological Effects of Transformed Silver and Titanium Dioxide Nanoparticles in the Effluent from a Lab-Scale Wastewater Treatment System. <i>Environmental Science & Technology</i> , 2018, 52, 9431-9441.	10.0	39
120	Assessing sample extraction efficiencies for the analysis of complex unresolved mixtures of organic pollutants: A comprehensive non-target approach. <i>Analytica Chimica Acta</i> , 2018, 1025, 92-98.	5.4	24
121	Population histamine burden assessed using wastewater-based epidemiology: The association of 1,4-methylimidazole acetic acid and fexofenadine. <i>Environment International</i> , 2018, 120, 172-180.	10.0	38
122	Wastewater Analysis for Community-Wide Drugs Use Assessment. <i>Handbook of Experimental Pharmacology</i> , 2018, 252, 543-566.	1.8	15
123	Identification of non-regulated polycyclic aromatic compounds and other markers of urban pollution in road tunnel particulate matter. <i>Journal of Hazardous Materials</i> , 2017, 323, 36-44.	12.4	26
124	Miniaturization of a transthyretin binding assay using a fluorescent probe for high throughput screening of thyroid hormone disruption in environmental samples. <i>Chemosphere</i> , 2017, 171, 722-728.	8.2	22
125	Two stage algorithm vs commonly used approaches for the suspect screening of complex environmental samples analyzed via liquid chromatography high resolution time of flight mass spectrometry: A test study. <i>Journal of Chromatography A</i> , 2017, 1501, 68-78.	3.7	22
126	Statistical Variable Selection: An Alternative Prioritization Strategy during the Nontarget Analysis of LC-HR-MS Data. <i>Analytical Chemistry</i> , 2017, 89, 5585-5591.	6.5	22

#	ARTICLE	IF	CITATIONS
127	European demonstration program on the effect-based and chemical identification and monitoring of organic pollutants in European surface waters. <i>Science of the Total Environment</i> , 2017, 601-602, 1849-1868.	8.0	151
128	Wastewater-based epidemiology to assess pan-European pesticide exposure. <i>Water Research</i> , 2017, 121, 270-279.	11.3	110
129	Passive sampling of wastewater as a tool for the long-term monitoring of community exposure: Illicit and prescription drug trends as a proof of concept. <i>Water Research</i> , 2017, 121, 221-230.	11.3	48
130	Oxidative stress in the algae <i>Chlamydomonas reinhardtii</i> exposed to biocides. <i>Aquatic Toxicology</i> , 2017, 189, 50-59.	4.0	75
131	Mixture toxicity of five biocides with dissimilar modes of action on the growth and photosystem II efficiency of <i>Chlamydomonas reinhardtii</i> . <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2017, 80, 971-986.	2.3	13
132	Use of Mobile Device Data To Better Estimate Dynamic Population Size for Wastewater-Based Epidemiology. <i>Environmental Science & Technology</i> , 2017, 51, 11363-11370.	10.0	74
133	Roads and motorized transport as major sources of priority substances? A data register study. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2017, 80, 1031-1047.	2.3	3
134	Toxicity of emerging antifouling biocides to non-target freshwater organisms from three trophic levels. <i>Aquatic Toxicology</i> , 2017, 191, 164-174.	4.0	30
135	Estimation of caffeine intake from analysis of caffeine metabolites in wastewater. <i>Science of the Total Environment</i> , 2017, 609, 1582-1588.	8.0	87
136	Liquid chromatography-tandem mass spectrometry determination of synthetic cathinones and phenethylamines in influent wastewater of eight European cities. <i>Chemosphere</i> , 2017, 168, 1032-1041.	8.2	82
137	Comparison of pharmaceutical, illicit drug, alcohol, nicotine and caffeine levels in wastewater with sale, seizure and consumption data for 8 European cities. <i>BMC Public Health</i> , 2016, 16, 1035.	2.9	139
138	Increased levels of the oxidative stress biomarker 8-iso-prostaglandin F ₂ ± in wastewater associated with tobacco use. <i>Scientific Reports</i> , 2016, 6, 39055.	3.3	59
139	A two stage algorithm for target and suspect analysis of produced water via gas chromatography coupled with high resolution time of flight mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1463, 153-161.	3.7	16
140	Wastewater-Based Epidemiology To Monitor Synthetic Cathinones Use in Different European Countries. <i>Environmental Science & Technology</i> , 2016, 50, 10089-10096.	10.0	83
141	Identification of markers of cancer in urban sewage through the use of a suspect screening approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 129, 571-580.	2.8	16
142	Plastic ingestion by Atlantic cod (<i>Gadus morhua</i>) from the Norwegian coast. <i>Marine Pollution Bulletin</i> , 2016, 112, 105-110.	5.0	151
143	The First Attempt at Non-Linear in Silico Prediction of Sampling Rates for Polar Organic Chemical Integrative Samplers (POCIS). <i>Environmental Science & Technology</i> , 2016, 50, 7973-7981.	10.0	38
144	Comparative measurement and quantitative risk assessment of alcohol consumption through wastewater-based epidemiology: An international study in 20 cities. <i>Science of the Total Environment</i> , 2016, 565, 977-983.	8.0	85

#	ARTICLE	IF	CITATIONS
145	Identification of petrogenic produced water components as acetylcholine esterase inhibitors. <i>Environmental Pollution</i> , 2016, 215, 18-26.	7.5	9
146	Automated high-throughput in vitro screening of the acetylcholine esterase inhibiting potential of environmental samples, mixtures and single compounds. <i>Ecotoxicology and Environmental Safety</i> , 2016, 130, 74-80.	6.0	8
147	Tralopyril bioconcentration and effects on the gill proteome of the Mediterranean mussel <i>Mytilus galloprovincialis</i> . <i>Aquatic Toxicology</i> , 2016, 177, 198-210.	4.0	25
148	Enantioselective simultaneous analysis of selected pharmaceuticals in environmental samples by ultrahigh performance supercritical fluid based chromatography tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2016, 934, 239-251.	5.4	40
149	Target and suspect screening of psychoactive substances in sewage-based samples by UHPLC-QTOF. <i>Analytica Chimica Acta</i> , 2016, 914, 81-90.	5.4	85
150	Bioaccumulation and biological effects of cigarette litter in marine worms. <i>Scientific Reports</i> , 2015, 5, 14119.	3.3	83
151	Characterization of AhR agonists reveals antagonistic activity in European herring gull (<i>Larus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	8.6	3
152	A macroalgal germling bioassay to assess biocide concentrations in marine waters. <i>Marine Pollution Bulletin</i> , 2015, 91, 82-86.	5.0	14
153	Comparing the microbial risks associated with household drinking water supplies used in peri-urban communities of Phnom Penh, Cambodia. <i>Journal of Water and Health</i> , 2015, 13, 243-258.	2.6	7
154	Liquid chromatography-high resolution mass spectrometry with immunoaffinity clean-up for the determination of the oxidative stress biomarker 8-iso-prostaglandin F2alpha in wastewater. <i>Journal of Chromatography A</i> , 2015, 1409, 146-151.	3.7	43
155	Community Sewage Sensors for Monitoring Public Health. <i>Environmental Science & Technology</i> , 2015, 49, 5845-5846.	10.0	56
156	Impact of TiO2 nanoparticles on freshwater bacteria from three Swedish lakes. <i>Science of the Total Environment</i> , 2015, 535, 85-93.	8.0	37
157	A Novel DNA Biosensor Using a Ferrocenyl Intercalator Applied to the Potential Detection of Human Population Biomarkers in Wastewater. <i>Environmental Science & Technology</i> , 2015, 49, 5609-5617.	10.0	44
158	Environmental occurrence and risk of organic UV filters and stabilizers in multiple matrices in Norway. <i>Environment International</i> , 2015, 80, 1-7.	10.0	236
159	Recommendations for the inclusion of targeted testing to improve the regulatory environmental risk assessment of veterinary medicines used in aquaculture. <i>Environment International</i> , 2015, 85, 1-4.	10.0	19
160	Transition from shear to stress-assisted diffusion of copper-chromium nanolayered thin films at elevated temperatures. <i>Acta Materialia</i> , 2015, 100, 73-80.	7.9	23
161	Factors influencing sorption of ciprofloxacin onto activated sludge: Experimental assessment and modelling implications. <i>Chemosphere</i> , 2015, 119, 105-111.	8.2	68
162	Mechanical behavior of Cu/TiN multilayers at ambient and elevated temperatures: Stress-assisted diffusion of Cu. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 620, 375-382.	5.6	34

#	ARTICLE	IF	CITATIONS
163	Pharmaceuticals in the Marine Environment. <i>Issues in Environmental Science and Technology</i> , 2015, , 70-91.	0.4	2
164	Wastewater-Based Epidemiology of Stimulant Drugs: Functional Data Analysis Compared to Traditional Statistical Methods. <i>PLoS ONE</i> , 2015, 10, e0138669.	2.5	16
165	Screening for Selected Human Pharmaceuticals and Cocaine in the Urban Streams of Manaus, Amazonas, Brazil. <i>Journal of the American Water Resources Association</i> , 2014, 50, 302-308.	2.4	53
166	Using biomarkers in wastewater to monitor community drug use: A conceptual approach for dealing with new psychoactive substances. <i>Science of the Total Environment</i> , 2014, 487, 651-658.	8.0	46
167	Spatial differences and temporal changes in illicit drug use in Europe quantified by wastewater analysis. <i>Addiction</i> , 2014, 109, 1338-1352.	3.3	319
168	Sources, impacts and trends of pharmaceuticals in the marine and coastal environment. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014, 369, 20130572.	4.0	336
169	Aryl Hydrocarbon Receptor Agonists in European Herring Gull (<i>Larus argentatus</i>) Eggs From Norway. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014, 77, 550-556.	2.3	5
170	Chemometrics-Assisted Effect-Directed Analysis of Crude and Refined Oil Using Comprehensive Two-Dimensional Gas Chromatography–Time-of-Flight Mass Spectrometry. <i>Environmental Science & Technology</i> , 2014, 48, 3074-3083.	10.0	36
171	Acute toxicity of tralopyril, capsaicin and triphenylborane pyridine to marine invertebrates. <i>Ecotoxicology</i> , 2014, 23, 1336-1344.	2.4	32
172	Testing wastewater to detect illicit drugs: State of the art, potential and research needs. <i>Science of the Total Environment</i> , 2014, 487, 613-620.	8.0	149
173	Special Issue. Testing the waters: A selection of papers from the first international multidisciplinary conference on detecting illicit drugs in wastewater. <i>Science of the Total Environment</i> , 2014, 487, 611-612.	8.0	0
174	Do Antiparasitic Medicines Used in Aquaculture Pose a Risk to the Norwegian Aquatic Environment?. <i>Environmental Science & Technology</i> , 2014, 48, 7774-7780.	10.0	83
175	Analysis of new classes of recreational drugs in sewage: Synthetic cannabinoids and amphetamine-like substances. <i>Drug Testing and Analysis</i> , 2014, 6, 72-79.	2.6	61
176	EDA-EMERGE: an FP7 initial training network to equip the next generation of young scientists with the skills to address the complexity of environmental contamination with emerging pollutants. <i>Environmental Sciences Europe</i> , 2013, 25, .	5.5	13
177	Prioritisation of organic contaminants in a river basin using chemical analyses and bioassays. <i>Environmental Science and Pollution Research</i> , 2013, 20, 1384-1395.	5.3	30
178	Should silicone prostheses be considered for specimen banking? A pilot study into their use for human biomonitoring. <i>Environment International</i> , 2013, 59, 462-468.	10.0	13
179	The occurrence of second generation anticoagulant rodenticides in non-target raptor species in Norway. <i>Science of the Total Environment</i> , 2013, 450-451, 205-208.	8.0	67
180	Biotransformation kinetics and sorption of cocaine and its metabolites and the factors influencing their estimation in wastewater. <i>Water Research</i> , 2013, 47, 2129-2140.	11.3	55

#	ARTICLE	IF	CITATIONS
181	Evaluation of Uncertainties Associated with the Determination of Community Drug Use through the Measurement of Sewage Drug Biomarkers. <i>Environmental Science & Technology</i> , 2013, 47, 1452-1460.	10.0	320
182	Effects of simulated weathering on the toxicity of selected crude oils and their components to sea urchin embryos. <i>Journal of Hazardous Materials</i> , 2013, 260, 67-73.	12.4	27
183	Passive sampling for target and nontarget analyses of moderately polar and nonpolar substances in water. <i>Environmental Toxicology and Chemistry</i> , 2013, 32, 1718-1726.	4.3	61
184	Drinking water quality for peri-urban residents in Phnom Penh, Cambodia. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2013, 3, 512-521.	1.8	2
185	Estimation of cocaine consumption in the community: a critical comparison of the results from three complimentary techniques. <i>BMJ Open</i> , 2012, 2, e001637.	1.9	33
186	Comparing illicit drug use in 19 European cities through sewage analysis. <i>Science of the Total Environment</i> , 2012, 432, 432-439.	8.0	416
187	Post-incident monitoring to evaluate environmental damage from shipping incidents: Chemical and biological assessments. <i>Journal of Environmental Management</i> , 2012, 109, 136-153.	7.8	38
188	Effects of salinity on the toxicity of ionic silver and Ag-PVP nanoparticles to <i>Tisbe battagliai</i> and <i>Ceramium tenuicorne</i> . <i>Ecotoxicology and Environmental Safety</i> , 2012, 86, 101-110.	6.0	30
189	An activated sludge modeling framework for xenobiotic trace chemicals (ASM α X): Assessment of diclofenac and carbamazepine. <i>Biotechnology and Bioengineering</i> , 2012, 109, 2757-2769.	3.3	72
190	Characterization of AhR agonist compounds in roadside snow. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2047-2056.	3.7	7
191	The binding of phenanthrene to engineered silver and gold nanoparticles. <i>Science of the Total Environment</i> , 2012, 425, 283-288.	8.0	10
192	Effects-Directed Analysis of Sediments From Polluted Marine Sites in Norway. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2011, 74, 439-454.	2.3	29
193	Input of selected human pharmaceutical metabolites into the Norwegian aquatic environment. <i>Journal of Environmental Monitoring</i> , 2011, 13, 416-421.	2.1	80
194	Multi-residue screening of prioritised human pharmaceuticals, illicit drugs and bactericides in sediments and sludge. <i>Journal of Environmental Monitoring</i> , 2011, 13, 2284.	2.1	57
195	The need for standardized methods and environmental monitoring programs for anthropogenic nanoparticles. <i>Analytical Methods</i> , 2011, 3, 1461.	2.7	22
196	Effects of Dispersed Aggregates of Carbon and Titanium Dioxide Engineered Nanoparticles on Rainbow Trout Hepatocytes. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2011, 74, 466-477.	2.3	20
197	Concerning the Viewpoint; An Anti-Doping Sampling Strategy Utilizing the Sewerage Systems of Sport Villages. <i>Environmental Science & Technology</i> , 2011, 45, 4191-4191.	10.0	9
198	In Situ Calibration of a Passive Sampling Device for Selected Illicit Drugs and Their Metabolites in Wastewater, And Subsequent Year-Long Assessment of Community Drug Usage. <i>Environmental Science & Technology</i> , 2011, 45, 5676-5682.	10.0	127

#	ARTICLE	IF	CITATIONS
199	What Else Can the Analysis of Sewage for Urinary Biomarkers Reveal About Communities?. Environmental Science & Technology, 2011, 45, 7611-7612.	10.0	64
200	Uptake and effects of manufactured silver nanoparticles in rainbow trout (<i>Oncorhynchus mykiss</i>) gill cells. Aquatic Toxicology, 2011, 101, 117-125.	4.0	151
201	Quantitative assessment of time dependent drug-use trends by the analysis of drugs and related metabolites in raw sewage. Drug and Alcohol Dependence, 2011, 119, 179-186.	3.2	51
202	Assessment of toxicological profiles of the municipal wastewater effluents using chemical analyses and bioassays. Ecotoxicology and Environmental Safety, 2011, 74, 844-851.	6.0	88
203	Characterization of the effluent from a nanosilver producing washing machine. Environment International, 2011, 37, 1057-1062.	10.0	230
204	Analysis and Interpretation of Specific Ethanol Metabolites, Ethyl Sulfate, and Ethyl Glucuronide in Sewage Effluent for the Quantitative Measurement of Regional Alcohol Consumption. Alcoholism: Clinical and Experimental Research, 2011, 35, no-no.	2.4	40
205	REACH exposure assessment of anticorrosive paint products – Determination of exposure from application and service life to the aquatic environment. Regulatory Toxicology and Pharmacology, 2011, 61, 332-339.	2.7	1
206	Effect-Directed Analysis of Endocrine Disruptors in Aquatic Ecosystems. Handbook of Environmental Chemistry, 2011, , 237-265.	0.4	1
207	The current status of community drug testing via the analysis of drugs and drug metabolites in sewage. Norsk Epidemiologi, 2011, 21, .	0.3	8
208	Diurnal variations in the occurrence and the fate of hormones and antibiotics in activated sludge wastewater treatment in Oslo, Norway. Science of the Total Environment, 2010, 408, 1915-1924.	8.0	94
209	Impacts of Competitive Inhibition, Parent Compound Formation and Partitioning Behavior on the Removal of Antibiotics in Municipal Wastewater Treatment. Environmental Science & Technology, 2010, 44, 734-742.	10.0	113
210	The environmental fate and effects of antifouling paint biocides. Biofouling, 2010, 26, 73-88.	2.2	441
211	Cytotoxicity of atorvastatin and simvastatin on primary rainbow trout (<i>Oncorhynchus mykiss</i>) hepatocytes. Toxicology in Vitro, 2010, 24, 1610-1618.	2.4	34
212	Effects of silver and gold nanoparticles on rainbow trout (<i>Oncorhynchus mykiss</i>) hepatocytes. Aquatic Toxicology, 2010, 96, 44-52.	4.0	179
213	Relationship Between Polycyclic Aromatic Hydrocarbon (PAH) Accumulation in Semipermeable Membrane Devices and PAH Bile Metabolite Levels in Atlantic Cod (<i>Gadus morhua</i>). Journal of Toxicology and Environmental Health - Part A: Current Issues, 2009, 72, 234-243.	2.3	27
214	Europe and USA. , 2009, , 331-344.		2
215	The Analysis of Antifouling Paint Biocides in Water, Sediment and Biota. , 2009, , 311-327.		2
216	The use of broad-spectrum organic biocides in marine antifouling paints. , 2009, , 522-553.		9

#	ARTICLE	IF	CITATIONS
217	Monitoring the freely dissolved concentrations of polycyclic aromatic hydrocarbons (PAH) and alkylphenols (AP) around a Norwegian oil platform by holistic passive sampling. <i>Marine Pollution Bulletin</i> , 2009, 58, 1671-1679.	5.0	69
218	Masking effect of anti-androgens on androgenic activity in European river sediment unveiled by effect-directed analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 1385-1397.	3.7	109
219	Identification of nonregulated pollutants in north sea-produced water discharges. <i>Environmental Toxicology and Chemistry</i> , 2009, 28, 1159-1167.	4.3	17
220	Small but Different Effect of Fouling on the Uptake Rates of Semipermeable Membrane Devices and Polar Organic Chemical Integrative Samplers. <i>Environmental Toxicology and Chemistry</i> , 2009, 28, 2324-2332.	4.3	74
221	Effect-Directed Identification of Naphthenic Acids As Important in Vitro Xeno-Estrogens and Anti-Androgens in North Sea Offshore Produced Water Discharges. <i>Environmental Science & Technology</i> , 2009, 43, 8066-8071.	10.0	144
222	Determination of pharmaceutical compounds in hospital effluents and their contribution to wastewater treatment works. <i>Environment International</i> , 2009, 35, 766-770.	10.0	183
223	Ecotoxicity of the degradation products of triphenylborane pyridine (TPBP) antifouling agent. <i>Chemosphere</i> , 2009, 74, 1275-1278.	8.2	21
224	Chronic toxicity of the Sava River (SE Europe) sediments and river water to the algae <i>Pseudokirchneriella subcapitata</i> . <i>Water Research</i> , 2008, 42, 2146-2156.	11.3	24
225	Dissolved organic carbon reduces the toxicity of copper to germlings of the macroalgae, <i>Fucus vesiculosus</i> . <i>Ecotoxicology and Environmental Safety</i> , 2008, 70, 88-98.	6.0	26
226	Environmental assessment of Norwegian priority pharmaceuticals based on the EMEA guideline. <i>Ecotoxicology and Environmental Safety</i> , 2008, 71, 328-340.	6.0	187
227	Uptake rates of alkylphenols, PAHs and carbazoles in semipermeable membrane devices (SPMDs) and polar organic chemical integrative samplers (POCIS). <i>Chemosphere</i> , 2008, 72, 1510-1516.	8.2	92
228	Uptake of some selected aquatic pollutants in semipermeable membrane devices (SPMDs) and the polar organic chemical integrative sampler (POCIS). <i>Journal of Environmental Monitoring</i> , 2008, 10, 239-247.	2.1	52
229	Inputs of chemicals from recreational activities into the Norwegian coastal zone. <i>Journal of Environmental Monitoring</i> , 2008, 10, 894.	2.1	96
230	Chapter 3.1 Occurrence of pharmaceuticals in the aqueous environment. <i>Comprehensive Analytical Chemistry</i> , 2007, , 337-359.	1.3	5
231	Effects-directed analysis of organic toxicants in wastewater effluent from Zagreb, Croatia. <i>Chemosphere</i> , 2007, 67, 108-120.	8.2	72
232	The effect of resuspending sediment contaminated with antifouling paint particles containing Irgarol 1051 on the marine macrophyte <i>Ulva intestinalis</i> . <i>Chemosphere</i> , 2007, 68, 1519-1524.	8.2	37
233	Source to sink tracking of selected human pharmaceuticals from two Oslo city hospitals and a wastewater treatment works. <i>Journal of Environmental Monitoring</i> , 2007, 9, 1410.	2.1	181
234	Bioanalytical characterisation of estrogen and arylhydrocarbon receptor agonists in transplanted blue mussels (<i>Mytilus edulis</i>): proof of concept. <i>Journal of Environmental Monitoring</i> , 2007, 9, 419-423.	2.1	7

#	ARTICLE	IF	CITATIONS
235	Using environmental analytical data to estimate levels of community consumption of illicit drugs and abused pharmaceuticals. <i>Journal of Environmental Monitoring</i> , 2007, 9, 701.	2.1	173
236	Effect Directed Analysis and Toxicity Identification Evaluation. <i>Sustainable Management of Sediment Resources</i> , 2007, , 163-214.	0.5	2
237	Estrogen receptor (ER) agonists and androgen receptor (AR) antagonists in effluents from Norwegian North Sea oil production platforms. <i>Marine Pollution Bulletin</i> , 2007, 54, 277-283.	5.0	50
238	Effects of dissolved organic carbon on the toxicity of copper to the developing embryos of the pacific oyster (<i>Crassostrea gigas</i>). <i>Environmental Toxicology and Chemistry</i> , 2007, 26, 1756-1763.	4.3	29
239	Dual gradient LC method for the determination of pharmaceutical residues in environmental samples using a monolithic silica reversed phase column. <i>International Journal of Environmental Analytical Chemistry</i> , 2006, 86, 487-504.	3.3	15
240	Assessment of the risk posed by the antifouling booster biocides Irgarol 1051 and diuron to freshwater macrophytes. <i>Chemosphere</i> , 2006, 63, 734-743.	8.2	66
241	On-line preconcentration of pharmaceutical residues from large volume water samples using short reversed-phase monolithic cartridges coupled to LC-UV-ESI-MS. <i>Talanta</i> , 2006, 70, 1117-1128.	5.5	91
242	Improved method for the determination of zinc pyrithione in environmental water samples incorporating on-line extraction and preconcentration coupled with liquid chromatography atmospheric pressure chemical ionisation mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1132, 157-164.	3.7	32
243	Bioaccumulation of the Antifouling Paint Booster Biocide Irgarol 1051 by the Green Alga <i>Tetraselmis suecica</i> . <i>Bulletin of Environmental Contamination and Toxicology</i> , 2006, 77, 524-532.	2.7	16
244	The occurrence of selected pharmaceuticals in wastewater effluent and surface waters of the lower Tyne catchment. <i>Science of the Total Environment</i> , 2006, 356, 143-153.	8.0	755
245	MODELKEY. Models for assessing and forecasting the impact of environmental key pollutants on freshwater and marine ecosystems and biodiversity (5 pp). <i>Environmental Science and Pollution Research</i> , 2005, 12, 252-256.	5.3	76
246	The stable aryl hydrocarbon receptor agonist potency of United Kingdom Continental Shelf (UKCS) offshore produced water effluents. <i>Marine Pollution Bulletin</i> , 2005, 50, 1694-1698.	5.0	19
247	Investigating the environmental transport of human pharmaceuticals to streams in the United Kingdom. <i>Science of the Total Environment</i> , 2004, 333, 167-184.	8.0	576
248	The occurrence of selected human pharmaceutical compounds in UK estuaries. <i>Marine Pollution Bulletin</i> , 2004, 49, 436-444.	5.0	262
249	Determination of dioxin and dioxin-like compounds in sediments from UK estuaries using a bio-analytical approach: chemical-activated luciferase expression (CALUX) assay. <i>Marine Pollution Bulletin</i> , 2004, 49, 648-658.	5.0	43
250	Toxicity Reduction Evaluation, Toxicity Identification Evaluation and Toxicity Tracking in Direct Toxicity Assessment. <i>Ecotoxicology</i> , 2004, 13, 475-484.	2.4	15
251	POTENCY AND CHARACTERIZATION OF ESTROGEN-RECEPTOR AGONISTS IN UNITED KINGDOM ESTUARINE SEDIMENTS. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 471.	4.3	45
252	Surveys of plasma vitellogenin and intersex in male flounder (<i>Platichthys flesus</i>) as measures of endocrine disruption by estrogenic contamination in United Kingdom estuaries: Temporal trends, 1996 to 2001. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 748-758.	4.3	110

#	ARTICLE	IF	CITATIONS
253	IDENTIFICATION OF IN VITRO ESTROGEN AND ANDROGEN RECEPTOR AGONISTS IN NORTH SEA OFFSHORE PRODUCED WATER DISCHARGES. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 1156.	4.3	80
254	Bio-analytical and chemical characterisation of offshore produced water effluents for estrogen receptor (ER) agonists. <i>Journal of Environmental Monitoring</i> , 2004, 6, 593-598.	2.1	18
255	A review of factors affecting the release and bioavailability of contaminants during sediment disturbance events. <i>Environment International</i> , 2004, 30, 973-980.	10.0	874
256	The development of a solid phase extraction (SPE) system for environmental monitoring. , 2004, , .		0
257	Determination of selected human pharmaceutical compounds in effluent and surface water samples by high-performance liquid chromatography-electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2003, 1015, 129-141.	3.7	322
258	Toxicity characterisation of sediment porewaters collected from UK estuaries using a <i>Tisbe battagliai</i> bioassay. <i>Chemosphere</i> , 2003, 53, 1105-1111.	8.2	16
259	Increased persistence of antifouling paint biocides when associated with paint particles. <i>Environmental Pollution</i> , 2003, 123, 153-161.	7.5	113
260	Characterisation of potentially genotoxic compounds in sediments collected from United Kingdom estuaries. <i>Chemosphere</i> , 2002, 49, 247-258.	8.2	48
261	The impact of oestrogenic and androgenic contamination on marine organisms in the United Kingdom—summary of the EDMAR programme. <i>Marine Environmental Research</i> , 2002, 54, 645-649.	2.5	83
262	Antifouling paint booster biocides in UK coastal waters: inputs, occurrence and environmental fate. <i>Science of the Total Environment</i> , 2002, 293, 117-127.	8.0	231
263	An assessment of in vitro androgenic activity and the identification of environmental androgens in United Kingdom estuaries. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 1456-1461.	4.3	156
264	AN ASSESSMENT OF IN VITRO ANDROGENIC ACTIVITY AND THE IDENTIFICATION OF ENVIRONMENTAL ANDROGENS IN UNITED KINGDOM ESTUARIES. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 1456.	4.3	8
265	An assessment of in vitro androgenic activity and the identification of environmental androgens in United Kingdom estuaries. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 1456-61.	4.3	23
266	The environmental fate and behaviour of antifouling paint booster biocides: A review. <i>Biofouling</i> , 2001, 17, 73-86.	2.2	151
267	Toxicity characterisation of organic contaminants in stormwaters from an agricultural headwater stream in South East England. <i>Water Research</i> , 2001, 35, 2411-2416.	11.3	44
268	Characterization of estrogenic compounds in water samples collected from United Kingdom estuaries. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 2165-2170.	4.3	132
269	Antifouling Paint Booster Biocides in the UK Coastal Environment and Potential Risks of Biological Effects. <i>Marine Pollution Bulletin</i> , 2001, 42, 677-688.	5.0	219
270	CHARACTERIZATION OF ESTROGENIC COMPOUNDS IN WATER SAMPLES COLLECTED FROM UNITED KINGDOM ESTUARIES. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 2165.	4.3	23

#	ARTICLE	IF	CITATIONS
271	Antifouling Paint Booster Biocide Contamination in UK Marine Sediments. <i>Marine Pollution Bulletin</i> , 2000, 40, 739-745.	5.0	152
272	Determination of the antifouling agent zinc pyrithione in water samples by copper chelate formation and high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry. <i>Journal of Chromatography A</i> , 1999, 833, 105-109.	3.7	89
273	Toxicity Characterization of Organic Contaminants in Industrialized UK Estuaries and Coastal Waters. <i>Marine Pollution Bulletin</i> , 1999, 38, 925-932.	5.0	22
274	Identification of toxic substances in United Kingdom estuaries. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 401-411.	4.3	38
275	The effects of short-term changes in environmental parameters on the release of biocides from antifouling coatings: cuprous oxide and tributyltin. <i>Applied Organometallic Chemistry</i> , 1999, 13, 453-460.	3.5	38
276	Determination of selected antifouling booster biocides by high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry. <i>Journal of Chromatography A</i> , 1998, 825, 29-35.	3.7	55
277	Toxicity enhancement of an aliphatic petrogenic unresolved complex mixture (UCM) by chemical oxidation. <i>Water Research</i> , 1995, 29, 379-382.	11.3	24