

# Masatsune Shibutani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3431922/publications.pdf>

Version: 2024-02-01

48  
papers

1,358  
citations

361413

20  
h-index

345221

36  
g-index

49  
all docs

49  
docs citations

49  
times ranked

2316  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of the Preoperative Controlling Nutritional Status (CONUT) Score on the Survival after Curative Surgery for Colorectal Cancer. <i>PLoS ONE</i> , 2015, 10, e0132488.	2.5	161
2	Significance of tumor-infiltrating lymphocytes before and after neoadjuvant therapy for rectal cancer. <i>Cancer Science</i> , 2018, 109, 966-979.	3.9	90
3	Prognostic significance of the lymphocyte-to-monocyte ratio in patients with metastatic colorectal cancer. <i>World Journal of Gastroenterology</i> , 2015, 21, 9966.	3.3	90
4	A high preoperative neutrophil-to-lymphocyte ratio is associated with poor survival in patients with colorectal cancer. <i>Anticancer Research</i> , 2013, 33, 3291-4.	1.1	78
5	The peripheral monocyte count is associated with the density of tumor-associated macrophages in the tumor microenvironment of colorectal cancer: a retrospective study. <i>BMC Cancer</i> , 2017, 17, 404.	2.6	65
6	Maintenance of the nutritional prognostic index predicts survival in patients with unresectable metastatic colorectal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015, 141, 307-313.	2.5	60
7	Prognostic Significance of the Preoperative Ratio of C-Reactive Protein to Albumin in Patients with Colorectal Cancer. <i>Anticancer Research</i> , 2016, 36, 995-1001.	1.1	59
8	The prognostic significance of a postoperative systemic inflammatory response in patients with colorectal cancer. <i>World Journal of Surgical Oncology</i> , 2015, 13, 194.	1.9	55
9	Low Nutritional Prognostic Index Correlates with Poor Survival in Patients with Stage IV Colorectal Cancer Following Palliative Resection of the Primary Tumor. <i>World Journal of Surgery</i> , 2014, 38, 1217-1222.	1.6	50
10	The pretreatment albumin to globulin ratio predicts chemotherapeutic outcomes in patients with unresectable metastatic colorectal cancer. <i>BMC Cancer</i> , 2015, 15, 347.	2.6	50
11	Significance of CEA and CA19-9 combination as a prognostic indicator and for recurrence monitoring in patients with stage II colorectal cancer. <i>Anticancer Research</i> , 2014, 34, 3753-8.	1.1	50
12	Tumor-infiltrating Lymphocytes Predict the Chemotherapeutic Outcomes in Patients with Stage IV Colorectal Cancer. <i>In Vivo</i> , 2018, 32, 151-158.	1.3	48
13	The prognostic significance of the postoperative prognostic nutritional index in patients with colorectal cancer. <i>BMC Cancer</i> , 2015, 15, 521.	2.6	45
14	The impact of the preoperative peripheral lymphocyte count and lymphocyte percentage in patients with colorectal cancer. <i>Surgery Today</i> , 2017, 47, 743-754.	1.5	45
15	A new method for evaluating tumor-infiltrating lymphocytes (TILs) in colorectal cancer using hematoxylin and eosin (H-E)-stained tumor sections. <i>PLoS ONE</i> , 2018, 13, e0192744.	2.5	36
16	The prognostic significance of the advanced lung cancer inflammation index in patients with unresectable metastatic colorectal cancer: a retrospective study. <i>BMC Cancer</i> , 2019, 19, 241.	2.6	34
17	Prognostic significance of the preoperative lymphocyte-to-monocyte ratio in patients with colorectal cancer. <i>Oncology Letters</i> , 2017, 13, 1000-1006.	1.8	32
18	A comparison of the local immune status between the primary and metastatic tumor in colorectal cancer: a retrospective study. <i>BMC Cancer</i> , 2018, 18, 371.	2.6	24

#	ARTICLE	IF	CITATIONS
19	Prognostic value of preoperative inflammation-based prognostic scores in patients with stage IV colorectal cancer who undergo palliative resection of asymptomatic primary tumors. <i>Anticancer Research</i> , 2013, 33, 5567-73.	1.1	24
20	Significance of Markers of Systemic Inflammation for Predicting Survival and Chemotherapeutic Outcomes and Monitoring Tumor Progression in Patients with Unresectable Metastatic Colorectal Cancer. <i>Anticancer Research</i> , 2015, 35, 5037-46.	1.1	23
21	The significance of the C-reactive protein to albumin ratio as a marker for predicting survival and monitoring chemotherapeutic effectiveness in patients with unresectable metastatic colorectal cancer. <i>SpringerPlus</i> , 2016, 5, 1798.	1.2	19
22	Prognostic significance of the preoperative serum C-reactive protein level in patients with stage IV colorectal cancer. <i>Surgery Today</i> , 2015, 45, 315-321.	1.5	18
23	Prognostic Significance of the C-Reactive Protein-to-Albumin Ratio in Patients With Metastatic Colorectal Cancer Treated With Trifluridine/Thymidine Phosphorylase Inhibitor as Later-line Chemotherapy. <i>Anticancer Research</i> , 2019, 39, 1051-1057.	1.1	18
24	MicroRNA-96 Promotes Tumor Invasion in Colorectal Cancer via RECK. <i>Anticancer Research</i> , 2018, 38, 2031-2035.	1.1	15
25	The combined expression of Semaphorin4D and PlexinB1 predicts disease recurrence in colorectal cancer. <i>BMC Cancer</i> , 2016, 16, 525.	2.6	14
26	Verification of the methodology for evaluating tumor-infiltrating lymphocytes in colorectal cancer. <i>Oncotarget</i> , 2018, 9, 15180-15197.	1.8	14
27	Abundant intratumoral fibrosis prevents lymphocyte infiltration into peritoneal metastases of colorectal cancer. <i>PLoS ONE</i> , 2021, 16, e0255049.	2.5	14
28	Tumor-infiltrating Immune Cells in H&E-stained Sections of Colorectal Cancer Tissue as a Reasonable Immunological Biomarker. <i>Anticancer Research</i> , 2018, 38, 6721-6727.	1.1	12
29	The Prognostic Significance of the Tumor-infiltrating Programmed Cell Death-1+ to CD8+ Lymphocyte Ratio in Patients with Colorectal Cancer. <i>Anticancer Research</i> , 2017, 37, 4165-4172.	1.1	12
30	Elevated preoperative serum C-reactive protein levels are associated with poor survival in patients with colorectal cancer. <i>Hepato-Gastroenterology</i> , 2014, 61, 2236-40.	0.5	12
31	Inflammation Caused by Surgical Stress Has a Negative Impact on the Long-term Survival Outcomes in Patients With Colorectal Cancer. <i>Anticancer Research</i> , 2020, 40, 3535-3542.	1.1	10
32	Development and evaluation of a colorectal cancer screening method using machine learning-based gut microbiota analysis. <i>Cancer Medicine</i> , 2022, , .	2.8	10
33	The prognostic value of the systemic inflammatory score in patients with unresectable metastatic colorectal cancer. <i>Oncology Letters</i> , 2018, 16, 666-672.	1.8	9
34	Prognostic Significance of MicroRNA-21 Expression in Patients with Unresectable Metastatic Colon Cancer. <i>Anticancer Research</i> , 2016, 36, 5145-5152.	1.1	7
35	Prognostic value of the density of tumor-infiltrating lymphocytes in colorectal cancer liver metastases. <i>Oncology Letters</i> , 2021, 22, 837.	1.8	7
36	Efficacy of Adjuvant Chemotherapy According to the Classification of Recurrence Risk Based on Systemic Inflammatory Markers in Patients With Liver Metastases of Colorectal Cancer. <i>Anticancer Research</i> , 2019, 39, 5039-5045.	1.1	6

#	ARTICLE	IF	CITATIONS
37	Combining Bevacizumab With Trifluridine/Thymidine Phosphorylase Inhibitor Improves the Survival Outcomes Regardless of the Usage History of Bevacizumab in Front-line Treatment of Patients With Metastatic Colorectal Cancer. <i>Anticancer Research</i> , 2020, 40, 4157-4163.	1.1	6
38	The Impact of Intraoperative Blood Loss on the Survival After Laparoscopic Surgery for Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 4529-4534.	1.1	6
39	Prognostic Significance of the Immunological Indices in Patients Who Underwent Complete Resection of Pulmonary Metastases of Colorectal Cancer. <i>In Vivo</i> , 2021, 35, 1091-1100.	1.3	6
40	Effect of Adjuvant Chemotherapy on Survival of Elderly Patients With Stage III Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 3615-3624.	1.1	4
41	The Impact of Tumor-associated Macrophages on Chemoresistance <i>via</i> Angiogenesis in Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 4447-4453.	1.1	4
42	Prediction of survival after eribulin chemotherapy for breast cancer by absolute lymphocyte counts and progression types. <i>World Journal of Surgical Oncology</i> , 2021, 19, 324.	1.9	4
43	A High Postoperative Serum C-reactive Protein Level Has a Negative Impact on Long-term Survival, Regardless of Postoperative Infectious Complications, in Patients Who Undergo Laparoscopic Surgery for Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 1593-1598.	1.1	3
44	Elevated Postoperative Levels of Serum C-reactive Protein Are Associated With Shorter Long-term Survival After Resection of Colorectal Liver Metastases, Regardless of the Occurrence of Infectious Complications. <i>Anticancer Research</i> , 2021, 41, 2605-2610.	1.1	3
45	Efficacy of adjuvant chemotherapy after complete resection of pulmonary metastasis from colorectal cancer. <i>Molecular and Clinical Oncology</i> , 2021, 15, 205.	1.0	2
46	The Efficacy and Safety of Trifluridine/Tipiracil Treatment for Elderly Patients With Metastatic Colorectal Cancer in a Real-world Setting. <i>Anticancer Research</i> , 2021, 41, 6211-6216.	1.1	2
47	Lactate Dehydrogenase Is a Useful Marker for Predicting the Efficacy of Bevacizumab-containing Chemotherapy in Patients With Metastatic Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 3535-3542.	1.1	1
48	Severe pancytopenia caused by trifluridine/tipiracil in patients with metastatic colorectal cancer and an impaired renal function: A case report. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05544.	0.5	1