

# Masatsune Shibutani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3431922/publications.pdf>

Version: 2024-02-01

48  
papers

1,358  
citations

361413

20  
h-index

345221

36  
g-index

49  
all docs

49  
docs citations

49  
times ranked

2316  
citing authors

#	ARTICLE	IF	CITATIONS
1	Severe pancytopenia caused by trifluridine/tipiracil in patients with metastatic colorectal cancer and an impaired renal function: A case report. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05544.	0.5	1
2	Development and evaluation of a colorectal cancer screening method using machine learning-based gut microbiota analysis. <i>Cancer Medicine</i> , 2022, , .	2.8	10
3	A High Postoperative Serum C-reactive Protein Level Has a Negative Impact on Long-term Survival, Regardless of Postoperative Infectious Complications, in Patients Who Undergo Laparoscopic Surgery for Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 1593-1598.	1.1	3
4	Elevated Postoperative Levels of Serum C-reactive Protein Are Associated With Shorter Long-term Survival After Resection of Colorectal Liver Metastases, Regardless of the Occurrence of Infectious Complications. <i>Anticancer Research</i> , 2021, 41, 2605-2610.	1.1	3
5	Lactate Dehydrogenase Is a Useful Marker for Predicting the Efficacy of Bevacizumab-containing Chemotherapy in Patients With Metastatic Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 3535-3542.	1.1	1
6	Abundant intratumoral fibrosis prevents lymphocyte infiltration into peritoneal metastases of colorectal cancer. <i>PLoS ONE</i> , 2021, 16, e0255049.	2.5	14
7	Effect of Adjuvant Chemotherapy on Survival of Elderly Patients With Stage III Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 3615-3624.	1.1	4
8	Efficacy of adjuvant chemotherapy after complete resection of pulmonary metastasis from colorectal cancer. <i>Molecular and Clinical Oncology</i> , 2021, 15, 205.	1.0	2
9	The Impact of Tumor-associated Macrophages on Chemoresistance <i>via</i> Angiogenesis in Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 4447-4453.	1.1	4
10	The Impact of Intraoperative Blood Loss on the Survival After Laparoscopic Surgery for Colorectal Cancer. <i>Anticancer Research</i> , 2021, 41, 4529-4534.	1.1	6
11	Prognostic Significance of the Immunological Indices in Patients Who Underwent Complete Resection of Pulmonary Metastases of Colorectal Cancer. <i>In Vivo</i> , 2021, 35, 1091-1100.	1.3	6
12	Prognostic value of the density of tumor-infiltrating lymphocytes in colorectal cancer liver metastases. <i>Oncology Letters</i> , 2021, 22, 837.	1.8	7
13	Prediction of survival after eribulin chemotherapy for breast cancer by absolute lymphocyte counts and progression types. <i>World Journal of Surgical Oncology</i> , 2021, 19, 324.	1.9	4
14	The Efficacy and Safety of Trifluridine/Tipiracil Treatment for Elderly Patients With Metastatic Colorectal Cancer in a Real-world Setting. <i>Anticancer Research</i> , 2021, 41, 6211-6216.	1.1	2
15	Inflammation Caused by Surgical Stress Has a Negative Impact on the Long-term Survival Outcomes in Patients With Colorectal Cancer. <i>Anticancer Research</i> , 2020, 40, 3535-3542.	1.1	10
16	Combining Bevacizumab With Trifluridine/Thymidine Phosphorylase Inhibitor Improves the Survival Outcomes Regardless of the Usage History of Bevacizumab in Front-line Treatment of Patients With Metastatic Colorectal Cancer. <i>Anticancer Research</i> , 2020, 40, 4157-4163.	1.1	6
17	Efficacy of Adjuvant Chemotherapy According to the Classification of Recurrence Risk Based on Systemic Inflammatory Markers in Patients With Liver Metastases of Colorectal Cancer. <i>Anticancer Research</i> , 2019, 39, 5039-5045.	1.1	6
18	The prognostic significance of the advanced lung cancer inflammation index in patients with unresectable metastatic colorectal cancer: a retrospective study. <i>BMC Cancer</i> , 2019, 19, 241.	2.6	34

#	ARTICLE	IF	CITATIONS
19	Prognostic Significance of the C-Reactive Protein-to-Albumin Ratio in Patients With Metastatic Colorectal Cancer Treated With Trifluridine/Thymidine Phosphorylase Inhibitor as Later-line Chemotherapy. <i>Anticancer Research</i> , 2019, 39, 1051-1057.	1.1	18
20	Significance of tumor-infiltrating lymphocytes before and after neoadjuvant therapy for rectal cancer. <i>Cancer Science</i> , 2018, 109, 966-979.	3.9	90
21	A comparison of the local immune status between the primary and metastatic tumor in colorectal cancer: a retrospective study. <i>BMC Cancer</i> , 2018, 18, 371.	2.6	24
22	Tumor-infiltrating Lymphocytes Predict the Chemotherapeutic Outcomes in Patients with Stage IV Colorectal Cancer. <i>In Vivo</i> , 2018, 32, 151-158.	1.3	48
23	Verification of the methodology for evaluating tumor-infiltrating lymphocytes in colorectal cancer. <i>Oncotarget</i> , 2018, 9, 15180-15197.	1.8	14
24	Tumor-infiltrating Immune Cells in H&E-stained Sections of Colorectal Cancer Tissue as a Reasonable Immunological Biomarker. <i>Anticancer Research</i> , 2018, 38, 6721-6727.	1.1	12
25	A new method for evaluating tumor-infiltrating lymphocytes (TILs) in colorectal cancer using hematoxylin and eosin (H-E)-stained tumor sections. <i>PLoS ONE</i> , 2018, 13, e0192744.	2.5	36
26	The prognostic value of the systemic inflammatory score in patients with unresectable metastatic colorectal cancer. <i>Oncology Letters</i> , 2018, 16, 666-672.	1.8	9
27	MicroRNA-96 Promotes Tumor Invasion in Colorectal Cancer via RECK. <i>Anticancer Research</i> , 2018, 38, 2031-2035.	1.1	15
28	Prognostic significance of the preoperative lymphocyte-to-monocyte ratio in patients with colorectal cancer. <i>Oncology Letters</i> , 2017, 13, 1000-1006.	1.8	32
29	The peripheral monocyte count is associated with the density of tumor-associated macrophages in the tumor microenvironment of colorectal cancer: a retrospective study. <i>BMC Cancer</i> , 2017, 17, 404.	2.6	65
30	The impact of the preoperative peripheral lymphocyte count and lymphocyte percentage in patients with colorectal cancer. <i>Surgery Today</i> , 2017, 47, 743-754.	1.5	45
31	The Prognostic Significance of the Tumor-infiltrating Programmed Cell Death-1+ to CD8+ Lymphocyte Ratio in Patients with Colorectal Cancer. <i>Anticancer Research</i> , 2017, 37, 4165-4172.	1.1	12
32	The combined expression of Semaphorin4D and PlexinB1 predicts disease recurrence in colorectal cancer. <i>BMC Cancer</i> , 2016, 16, 525.	2.6	14
33	The significance of the C-reactive protein to albumin ratio as a marker for predicting survival and monitoring chemotherapeutic effectiveness in patients with unresectable metastatic colorectal cancer. <i>SpringerPlus</i> , 2016, 5, 1798.	1.2	19
34	Prognostic Significance of MicroRNA-21 Expression in Patients with Unresectable Metastatic Colon Cancer. <i>Anticancer Research</i> , 2016, 36, 5145-5152.	1.1	7
35	Prognostic Significance of the Preoperative Ratio of C-Reactive Protein to Albumin in Patients with Colorectal Cancer. <i>Anticancer Research</i> , 2016, 36, 995-1001.	1.1	59
36	The prognostic significance of a postoperative systemic inflammatory response in patients with colorectal cancer. <i>World Journal of Surgical Oncology</i> , 2015, 13, 194.	1.9	55

#	ARTICLE	IF	CITATIONS
37	Impact of the Preoperative Controlling Nutritional Status (CONUT) Score on the Survival after Curative Surgery for Colorectal Cancer. PLoS ONE, 2015, 10, e0132488.	2.5	161
38	The pretreatment albumin to globulin ratio predicts chemotherapeutic outcomes in patients with unresectable metastatic colorectal cancer. BMC Cancer, 2015, 15, 347.	2.6	50
39	Maintenance of the nutritional prognostic index predicts survival in patients with unresectable metastatic colorectal cancer. Journal of Cancer Research and Clinical Oncology, 2015, 141, 307-313.	2.5	60
40	The prognostic significance of the postoperative prognostic nutritional index in patients with colorectal cancer. BMC Cancer, 2015, 15, 521.	2.6	45
41	Prognostic significance of the preoperative serum C-reactive protein level in patients with stage IV colorectal cancer. Surgery Today, 2015, 45, 315-321.	1.5	18
42	Prognostic significance of the lymphocyte-to-monocyte ratio in patients with metastatic colorectal cancer. World Journal of Gastroenterology, 2015, 21, 9966.	3.3	90
43	Significance of Markers of Systemic Inflammation for Predicting Survival and Chemotherapeutic Outcomes and Monitoring Tumor Progression in Patients with Unresectable Metastatic Colorectal Cancer. Anticancer Research, 2015, 35, 5037-46.	1.1	23
44	Low Nutritional Prognostic Index Correlates with Poor Survival in Patients with Stage IV Colorectal Cancer Following Palliative Resection of the Primary Tumor. World Journal of Surgery, 2014, 38, 1217-1222.	1.6	50
45	Significance of CEA and CA19-9 combination as a prognostic indicator and for recurrence monitoring in patients with stage II colorectal cancer. Anticancer Research, 2014, 34, 3753-8.	1.1	50
46	Elevated preoperative serum C-reactive protein levels are associated with poor survival in patients with colorectal cancer. Hepato-Gastroenterology, 2014, 61, 2236-40.	0.5	12
47	A high preoperative neutrophil-to-lymphocyte ratio is associated with poor survival in patients with colorectal cancer. Anticancer Research, 2013, 33, 3291-4.	1.1	78
48	Prognostic value of preoperative inflammation-based prognostic scores in patients with stage IV colorectal cancer who undergo palliative resection of asymptomatic primary tumors. Anticancer Research, 2013, 33, 5567-73.	1.1	24