

Chiang Hung Lung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3442359/publications.pdf>

Version: 2024-02-01

73
papers

2,494
citations

186265

28
h-index

214800

47
g-index

74
all docs

74
docs citations

74
times ranked

3253
citing authors

#	ARTICLE	IF	CITATIONS
1	Air Pollutant Emission Abatement of the Fossil-Fuel Power Plants by Multiple Control Strategies in Taiwan. <i>Energies</i> , 2021, 14, 5716.	3.1	5
2	Waste to Energy: Air Pollutant Emissions from the Steam Boilers Using Recycled Waste Wood. <i>Aerosol and Air Quality Research</i> , 2021, 21, 210301.	2.1	1
3	Microwave pyrolysis of sludge for potential use as land application and biofuel. <i>Journal of Chemical Technology and Biotechnology</i> , 2020, 95, 975-984.	3.2	4
4	Microwave-pyrolysis treatment of biosludge from a chemical industrial wastewater treatment plant for exploring product characteristics and potential energy recovery. <i>Energy</i> , 2020, 199, 117446.	8.8	14
5	Carbon material formation and residue characteristics of SBA-15 and nickel impregnated SBA-15 as exemplified by acetone decomposition. <i>Microporous and Mesoporous Materials</i> , 2019, 279, 286-292.	4.4	12
6	Characteristics of acetylene cracking on MCM-41 to form carbon materials and their exhaust emission. <i>Microporous and Mesoporous Materials</i> , 2018, 268, 100-108.	4.4	4
7	Toluene decomposition on mesoporous templates to form carbon materials and residue characteristics. <i>Journal of Alloys and Compounds</i> , 2018, 748, 861-870.	5.5	3
8	Residue characteristics of sludge from a chemical industrial plant by microwave heating pyrolysis. <i>Environmental Science and Pollution Research</i> , 2018, 25, 6487-6496.	5.3	8
9	Fuel Economy and Volatile Organic Compound Exhaust Emission for Motorcycles with Various Running Mileages. <i>Aerosol and Air Quality Research</i> , 2018, 18, 3056-3067.	2.1	15
10	Air pollutants and toxic emissions of various mileage motorcycles for ECE driving cycles. <i>Atmospheric Environment</i> , 2017, 153, 126-134.	4.1	22
11	Temperature influence on product distribution and characteristics of derived residue and oil in wet sludge pyrolysis using microwave heating. <i>Science of the Total Environment</i> , 2017, 584-585, 1248-1255.	8.0	32
12	Criteria Pollutants and Volatile Organic Compounds Emitted from Motorcycle Exhaust under Various Regulation Phases. <i>Aerosol and Air Quality Research</i> , 2017, 17, 1214-1223.	2.1	13
13	Characteristics of Carbon Material Formation on SBA-15 and Ni-SBA-15 Templates by Acetylene Decomposition and Their Bioactivity Effects. <i>Materials</i> , 2016, 9, 350.	2.9	6
14	Water-soluble ionic species of coarse and fine particulate matter and gas precursor characteristics at urban and rural sites of central Taiwan. <i>Environmental Science and Pollution Research</i> , 2016, 23, 16722-16737.	5.3	10
15	Carbon material formation on SBA-15 and Ni-SBA-15 and residue constituents during acetylene decomposition. <i>Journal of Hazardous Materials</i> , 2014, 276, 43-51.	12.4	14
16	Characteristics of volatile organic compounds from motorcycle exhaust emission during real-world driving. <i>Atmospheric Environment</i> , 2014, 99, 215-226.	4.1	33
17	Airborne pollutant characteristics in an urban, industrial and agricultural complex metroplex with high emission loading and ammonia concentration. <i>Science of the Total Environment</i> , 2014, 494-495, 74-83.	8.0	14
18	Comparison of the regulated air pollutant emission characteristics of real-world driving cycle and ECE cycle for motorcycles. <i>Atmospheric Environment</i> , 2014, 87, 1-9.	4.1	32

#	ARTICLE	IF	CITATIONS
19	Exhaust constituent emission factors of printed circuit board pyrolysis processes and its exhaust control. <i>Journal of Hazardous Materials</i> , 2014, 264, 545-551.	12.4	29
20	Liquid oil and residual characteristics of printed circuit board recycle by pyrolysis. <i>Journal of Hazardous Materials</i> , 2014, 271, 258-265.	12.4	66
21	Element and PAH constituents in the residues and liquid oil from biosludge pyrolysis in an electrical thermal furnace. <i>Science of the Total Environment</i> , 2014, 481, 533-541.	8.0	24
22	Emission factor of exhaust gas constituents during the pyrolysis of zinc chloride immersed biosolid. <i>Environmental Science and Pollution Research</i> , 2013, 20, 5781-5789.	5.3	3
23	Size mass distribution of water-soluble ionic species and gas conversion to sulfate and nitrate in particulate matter in southern Taiwan. <i>Environmental Science and Pollution Research</i> , 2013, 20, 4587-4602.	5.3	9
24	Characteristics of particulate constituents and gas precursors during the episode and non-episode periods. <i>Journal of the Air and Waste Management Association</i> , 2013, 63, 27-40.	1.9	2
25	Volatile organic compounds from the exhaust of light-duty diesel vehicles. <i>Atmospheric Environment</i> , 2012, 61, 499-506.	4.1	63
26	Exhaust characteristics during the pyrolysis of ZnCl ₂ immersed biosludge. <i>Journal of Hazardous Materials</i> , 2012, 229-230, 233-244.	12.4	15
27	Pollutant constituents of exhaust emitted from light-duty diesel vehicles. <i>Atmospheric Environment</i> , 2012, 47, 399-406.	4.1	71
28	Spatiotemporal variability of submicrometer particle number size distributions in an air quality management district. <i>Science of the Total Environment</i> , 2012, 425, 135-145.	8.0	21
29	Size Distribution and Water Soluble Ions of Ambient Particulate Matter on Episode and Non-episode Days in Southern Taiwan. <i>Aerosol and Air Quality Research</i> , 2012, 12, 263-274.	2.1	42
30	Particulate matter and gaseous pollutants during a tropical storm and air pollution episode in Southern Taiwan. <i>Atmospheric Research</i> , 2011, 99, 67-79.	4.1	20
31	The effect of prenatal perfluorinated chemicals exposures on pediatric atopy. <i>Environmental Research</i> , 2011, 111, 785-791.	7.5	107
32	Emissions of Organic Air Toxics from a Four-Stroke Motorcycle Using Ethanol-Blended Gasoline. <i>Environmental Engineering Science</i> , 2011, 28, 147-158.	1.6	6
33	Particulate Composition Characteristics under Different Ambient Air Quality Conditions. <i>Journal of the Air and Waste Management Association</i> , 2011, 61, 796-805.	1.9	4
34	Characteristics of exhaust gas, liquid products, and residues of printed circuit boards using the pyrolysis process. <i>Environmental Science and Pollution Research</i> , 2010, 17, 624-633.	5.3	25
35	Carbonyl species characteristics during the evaporation of essential oils. <i>Atmospheric Environment</i> , 2010, 44, 2240-2247.	4.1	14
36	Health risk assessment of exposure to selected volatile organic compounds emitted from an integrated iron and steel plant. <i>Inhalation Toxicology</i> , 2010, 22, 117-125.	1.6	41

#	ARTICLE	IF	CITATIONS
37	Effects of ethanol-blended gasoline on air pollutant emissions from motorcycle. <i>Science of the Total Environment</i> , 2009, 407, 5257-5262.	8.0	42
38	Constituents of volatile organic compounds of evaporating essential oil. <i>Atmospheric Environment</i> , 2009, 43, 5743-5749.	4.1	30
39	Adsorption characteristics of Orange II and Chrysophenine on sludge adsorbent and activated carbon fibers. <i>Journal of Hazardous Materials</i> , 2009, 161, 1384-1390.	12.4	90
40	Characteristics of elements in waste ashes from a solid waste incinerator in Taiwan. <i>Journal of Hazardous Materials</i> , 2009, 165, 766-773.	12.4	56
41	Pyrolytic product characteristics of biosludge from the wastewater treatment plant of a petrochemical industry. <i>Journal of Hazardous Materials</i> , 2009, 171, 208-214.	12.4	20
42	Comparison of Exhaust Emissions Resulting from Cold- and Hot-Start Motorcycle Driving Modes. <i>Journal of the Air and Waste Management Association</i> , 2009, 59, 1339-1346.	1.9	18
43	Application of methods (sequential extraction procedures and high-pressure digestion method) to fly ash particles to determine the element constituents: A case study for BCR 176. <i>Journal of Hazardous Materials</i> , 2009, 163, 578-587.	12.4	38
44	Adsorption characteristics of acetone, chloroform and acetonitrile on sludge-derived adsorbent, commercial granular activated carbon and activated carbon fibers. <i>Journal of Hazardous Materials</i> , 2008, 154, 1183-1191.	12.4	152
45	Volatile organic compound constituents from an integrated iron and steel facility. <i>Journal of Hazardous Materials</i> , 2008, 157, 569-578.	12.4	65
46	Deterioration of gasoline vehicle emissions and effectiveness of tune-up for high-polluted vehicles. <i>Transportation Research, Part D: Transport and Environment</i> , 2008, 13, 47-53.	6.8	26
47	Characteristics of Water-Soluble Ionic Species in Fine (PM _{2.5}) and Coarse Particulate Matter (PM ₁₀ ≤ 2.5) in Kaohsiung, Southern Taiwan. <i>Journal of the Air and Waste Management Association</i> , 2008, 58, 1579-1589.	1.9	26
48	Determination of Volatile Organic Profiles and Photochemical Potentials from Chemical Manufacture Process Vents. <i>Journal of the Air and Waste Management Association</i> , 2007, 57, 698-704.	1.9	25
49	Carbon fiber formation on Pd and Ni catalysts by acetylene decomposition. <i>Journal of Alloys and Compounds</i> , 2007, 434-435, 846-849.	5.5	8
50	Chemical constituents in particulate emissions from an integrated iron and steel facility. <i>Journal of Hazardous Materials</i> , 2007, 147, 111-119.	12.4	133
51	Pyrolysis characteristics of integrated circuit boards at various particle sizes and temperatures. <i>Journal of Hazardous Materials</i> , 2007, 149, 151-159.	12.4	81
52	VOC concentration profiles in an ozone non-attainment area: A case study in an urban and industrial complex metroplex in southern Taiwan. <i>Atmospheric Environment</i> , 2007, 41, 1848-1860.	4.1	48
53	Improvement of receptor model use in analytical aspect. <i>Atmospheric Environment</i> , 2007, 41, 9146-9158.	4.1	3
54	Emission factors and characteristics of criteria pollutants and volatile organic compounds (VOCs) in a freeway tunnel study. <i>Science of the Total Environment</i> , 2007, 381, 200-211.	8.0	65

#	ARTICLE	IF	CITATIONS
55	Adsorption Characteristics of Benzene on Biosolid Adsorbent and Commercial Activated Carbons. Journal of the Air and Waste Management Association, 2006, 56, 591-600.	1.9	9
56	A Sequential Extraction Method Measures the Toxic Metal Content in Fly Ash from a Municipal Solid Waste Incinerator. Journal of the Chinese Chemical Society, 2005, 52, 921-926.	1.4	13
57	Development of a local real world driving cycle for motorcycles for emission factor measurements. Atmospheric Environment, 2005, 39, 6631-6641.	4.1	70
58	Characteristics of Road Dust from Different Sampling Sites in Northern Taiwan. Journal of the Air and Waste Management Association, 2005, 55, 1236-1244.	1.9	58
59	Mass-Size Distributions of Particulate Sulfate, Nitrate, and Ammonium in a Particulate Matter Nonattainment Region in Southern Taiwan. Journal of the Air and Waste Management Association, 2005, 55, 502-509.	1.9	14
60	Seasonal Source-Receptor Relationships in a Petrochemical Industrial District over Northern Taiwan. Journal of the Air and Waste Management Association, 2005, 55, 326-341.	1.9	6
61	Characteristics of bricks made from waste steel slag. Waste Management, 2004, 24, 1043-1047.	7.4	104
62	The speciation of volatile organic compounds (VOCs) from motorcycle engine exhaust at different driving modes. Atmospheric Environment, 2003, 37, 2485-2496.	4.1	74
63	The Reuse of Biosludge as an Adsorbent from a Petrochemical Wastewater Treatment Plant. Journal of the Air and Waste Management Association, 2003, 53, 1042-1051.	1.9	8
64	Volatile Organic Profiles and Photochemical Potentials from Motorcycle Engine Exhaust. Journal of the Air and Waste Management Association, 2003, 53, 516-522.	1.9	10
65	The surface characteristics of activated carbon as affected by ozone and alkaline treatment. Chemosphere, 2002, 47, 257-265.	8.2	166
66	Ozonation of activated carbon and its effects on the adsorption of VOCs exemplified by methylethylketone and benzene. Chemosphere, 2002, 47, 267-275.	8.2	77
67	Pyrolytic kinetics of sludge from a petrochemical factory wastewater treatment plant—a transition state theory approach. Chemosphere, 2002, 49, 431-437.	8.2	19
68	Comparison of a single grain activated carbon and column adsorption system. Carbon, 2002, 40, 2921-2930.	10.3	4
69	Adsorption Kinetic Characteristics of H ₂ S on Activated Carbon. Adsorption, 2002, 8, 325-340.	3.0	11
70	RESIDUE CHARACTERISTICS AND PORE DEVELOPMENT OF PETROCHEMICAL INDUSTRY SLUDGE PYROLYSIS. Water Research, 2001, 35, 4331-4338.	11.3	19
71	Removal of H ₂ S from Exhaust Gas by Use of Alkaline Activated Carbon. Adsorption, 2001, 7, 357-366.	3.0	62
72	Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge. Journal of the Air and Waste Management Association, 2000, 50, 272-277.	1.9	7

#	ARTICLE	IF	CITATIONS
73	Effect of metal additives on the physico-chemical characteristics of activated carbon exemplified by benzene and acetic acid adsorption. Carbon, 1999, 37, 1919-1928.	10.3	31