

Raghu Kalluri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3444267/publications.pdf>

Version: 2024-02-01

278
papers

91,673
citations

767

119
h-index

402

278
g-index

298
all docs

298
docs citations

298
times ranked

87292
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | The basics of epithelial-mesenchymal transition. Journal of Clinical Investigation, 2009, 119, 1420-1428. | 8.2 | 8,252 |
| 2 | Minimal information for studies of extracellular vesicles 2018 (MISEV2018): a position statement of the International Society for Extracellular Vesicles and update of the MISEV2014 guidelines. Journal of Extracellular Vesicles, 2018, 7, 1535750. | 12.2 | 6,961 |
| 3 | The biology , function , and biomedical applications of exosomes. Science, 2020, 367, . | 12.6 | 4,742 |
| 4 | Fibroblasts in cancer. Nature Reviews Cancer, 2006, 6, 392-401. | 28.4 | 3,978 |
| 5 | The biology and function of fibroblasts in cancer. Nature Reviews Cancer, 2016, 16, 582-598. | 28.4 | 2,886 |
| 6 | Glypican-1 identifies cancer exosomes and detects early pancreatic cancer. Nature, 2015, 523, 177-182. | 27.8 | 2,240 |
| 7 | Epithelial-mesenchymal transition and its implications for fibrosis. Journal of Clinical Investigation, 2003, 112, 1776-1784. | 8.2 | 1,937 |
| 8 | Depletion of Carcinoma-Associated Fibroblasts and Fibrosis Induces Immunosuppression and Accelerates Pancreas Cancer with Reduced Survival. Cancer Cell, 2014, 25, 719-734. | 16.8 | 1,892 |
| 9 | Endothelial-to-mesenchymal transition contributes to cardiac fibrosis. Nature Medicine, 2007, 13, 952-961. | 30.7 | 1,862 |
| 10 | The epithelialâ€mesenchymal transition: new insights in signaling, development, and disease. Journal of Cell Biology, 2006, 172, 973-981. | 5.2 | 1,819 |
| 11 | Exosomes facilitate therapeutic targeting of oncogenic KRAS in pancreatic cancer. Nature, 2017, 546, 498-503. | 27.8 | 1,731 |
| 12 | Epithelial-to-mesenchymal transition is dispensable for metastasis but induces chemoresistance in pancreatic cancer. Nature, 2015, 527, 525-530. | 27.8 | 1,725 |
| 13 | Basement membranes: structure, assembly and role in tumour angiogenesis. Nature Reviews Cancer, 2003, 3, 422-433. | 28.4 | 1,496 |
| 14 | B cells and tertiary lymphoid structures promote immunotherapy response. Nature, 2020, 577, 549-555. | 27.8 | 1,421 |
| 15 | Epithelial-mesenchymal transition and its implications for fibrosis. Journal of Clinical Investigation, 2003, 112, 1776-1784. | 8.2 | 1,367 |
| 16 | The biology and function of exosomes in cancer. Journal of Clinical Investigation, 2016, 126, 1208-1215. | 8.2 | 1,366 |
| 17 | Cancer Exosomes Perform Cell-Independent MicroRNA Biogenesis and Promote Tumorigenesis. Cancer Cell, 2014, 26, 707-721. | 16.8 | 1,293 |
| 18 | BMP-7 counteracts TGF-Î²1â€induced epithelial-to-mesenchymal transition and reverses chronic renal injury. Nature Medicine, 2003, 9, 964-968. | 30.7 | 1,260 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Guidelines and definitions for research on epithelial-mesenchymal transition. Nature Reviews Molecular Cell Biology, 2020, 21, 341-352. | 37.0 | 1,195 |
| 20 | PGC-1 β mediates mitochondrial biogenesis and oxidative phosphorylation in cancer cells to promote metastasis. Nature Cell Biology, 2014, 16, 992-1003. | 10.3 | 1,073 |
| 21 | Origin and function of myofibroblasts in kidney fibrosis. Nature Medicine, 2013, 19, 1047-1053. | 30.7 | 1,055 |
| 22 | Identification of Double-stranded Genomic DNA Spanning All Chromosomes with Mutated KRAS and p53 DNA in the Serum Exosomes of Patients with Pancreatic Cancer. Journal of Biological Chemistry, 2014, 289, 3869-3875. | 3.4 | 826 |
| 23 | Discovery of Endothelial to Mesenchymal Transition as a Source for Carcinoma-Associated Fibroblasts. Cancer Research, 2007, 67, 10123-10128. | 0.9 | 806 |
| 24 | EMT: When epithelial cells decide to become mesenchymal-like cells. Journal of Clinical Investigation, 2009, 119, 1417-1419. | 8.2 | 792 |
| 25 | Fibroblasts in Kidney Fibrosis Emerge via Endothelial-to-Mesenchymal Transition. Journal of the American Society of Nephrology: JASN, 2008, 19, 2282-2287. | 6.1 | 763 |
| 26 | TRPC6 is a glomerular slit diaphragm-associated channel required for normal renal function. Nature Genetics, 2005, 37, 739-744. | 21.4 | 747 |
| 27 | Epithelial-to-mesenchymal transition induces cell cycle arrest and parenchymal damage in renal fibrosis. Nature Medicine, 2015, 21, 998-1009. | 30.7 | 736 |
| 28 | Fibroblasts Derive from Hepatocytes in Liver Fibrosis via Epithelial to Mesenchymal Transition. Journal of Biological Chemistry, 2007, 282, 23337-23347. | 3.4 | 705 |
| 29 | Exosomes in tumor microenvironment influence cancer progression and metastasis. Journal of Molecular Medicine, 2013, 91, 431-437. | 3.9 | 701 |
| 30 | Conversion of vascular endothelial cells into multipotent stem-like cells. Nature Medicine, 2010, 16, 1400-1406. | 30.7 | 635 |
| 31 | Identification of fibroblast heterogeneity in the tumor microenvironment. Cancer Biology and Therapy, 2006, 5, 1640-1646. | 3.4 | 603 |
| 32 | Methylation determines fibroblast activation and fibrogenesis in the kidney. Nature Medicine, 2010, 16, 544-550. | 30.7 | 537 |
| 33 | Physiological levels of tumstatin, a fragment of collagen IV α 3 chain, are generated by MMP-9 proteolysis and suppress angiogenesis via α 2 β 1 integrin. Cancer Cell, 2003, 3, 589-601. | 16.8 | 522 |
| 34 | Generation and testing of clinical-grade exosomes for pancreatic cancer. JCI Insight, 2018, 3, . | 5.0 | 520 |
| 35 | The origin of fibroblasts and mechanism of cardiac fibrosis. Journal of Cellular Physiology, 2010, 225, 631-637. | 4.1 | 509 |
| 36 | Modification of kidney barrier function by the urokinase receptor. Nature Medicine, 2008, 14, 55-63. | 30.7 | 501 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Endogenous Inhibitors of Angiogenesis. <i>Cancer Research</i> , 2005, 65, 3967-3979. | 0.9 | 499 |
| 38 | Induction of B7-1 in podocytes is associated with nephrotic syndrome. <i>Journal of Clinical Investigation</i> , 2004, 113, 1390-1397. | 8.2 | 495 |
| 39 | eRNAs Are Required for p53-Dependent Enhancer Activity and Gene Transcription. <i>Molecular Cell</i> , 2013, 49, 524-535. | 9.7 | 484 |
| 40 | Structure and Function of Basement Membranes. <i>Experimental Biology and Medicine</i> , 2007, 232, 1121-1129. | 2.4 | 479 |
| 41 | Neutralization of Circulating Vascular Endothelial Growth Factor (VEGF) by Anti-VEGF Antibodies and Soluble VEGF Receptor 1 (sFlt-1) Induces Proteinuria. <i>Journal of Biological Chemistry</i> , 2003, 278, 12605-12608. | 3.4 | 472 |
| 42 | Human tumstatin and human endostatin exhibit distinct antiangiogenic activities mediated by α_3 and α_5 integrins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 4766-4771. | 7.1 | 470 |
| 43 | Genotype tunes pancreatic ductal adenocarcinoma tissue tension to induce matricellular fibrosis and tumor progression. <i>Nature Medicine</i> , 2016, 22, 497-505. | 30.7 | 456 |
| 44 | Cancer without disease. <i>Nature</i> , 2004, 427, 787-787. | 27.8 | 450 |
| 45 | Pericyte Depletion Results in Hypoxia-Associated Epithelial-to-Mesenchymal Transition and Metastasis Mediated by Met Signaling Pathway. <i>Cancer Cell</i> , 2012, 21, 66-81. | 16.8 | 447 |
| 46 | The role of epithelial-to-mesenchymal transition in renal fibrosis. <i>Journal of Molecular Medicine</i> , 2004, 82, 175-181. | 3.9 | 436 |
| 47 | Spatial computation of intratumoral T cells correlates with survival of patients with pancreatic cancer. <i>Nature Communications</i> , 2017, 8, 15095. | 12.8 | 432 |
| 48 | Consensus guidelines for the use and interpretation of angiogenesis assays. <i>Angiogenesis</i> , 2018, 21, 425-532. | 7.2 | 429 |
| 49 | Clinical and therapeutic relevance of cancer-associated fibroblasts. <i>Nature Reviews Clinical Oncology</i> , 2021, 18, 792-804. | 27.6 | 428 |
| 50 | Tumstatin, an Endothelial Cell-Specific Inhibitor of Protein Synthesis. <i>Science</i> , 2002, 295, 140-143. | 12.6 | 416 |
| 51 | Canstatin, a Novel Matrix-derived Inhibitor of Angiogenesis and Tumor Growth. <i>Journal of Biological Chemistry</i> , 2000, 275, 1209-1215. | 3.4 | 401 |
| 52 | A peek into cancer-associated fibroblasts: origins, functions and translational impact. <i>DMM Disease Models and Mechanisms</i> , 2018, 11, . | 2.4 | 400 |
| 53 | Role of basic fibroblast growth factor-2 in epithelial-mesenchymal transformation. <i>Kidney International</i> , 2002, 61, 1714-1728. | 5.2 | 398 |
| 54 | Cellular Mechanisms of Tissue Fibrosis. 1. Common and organ-specific mechanisms associated with tissue fibrosis. <i>American Journal of Physiology - Cell Physiology</i> , 2013, 304, C216-C225. | 4.6 | 384 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Deficiency in catechol-O-methyltransferase and 2-methoxyoestradiol is associated with pre-eclampsia. <i>Nature</i> , 2008, 453, 1117-1121. | 27.8 | 348 |
| 56 | TGF- β 2-Containing Exosomes from Injured Epithelial Cells Activate Fibroblasts to Initiate Tissue Regenerative Responses and Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 385-392. | 6.1 | 340 |
| 57 | Mechanisms of metastasis: Epithelial-to-mesenchymal transition and contribution of tumor microenvironment. <i>Journal of Cellular Biochemistry</i> , 2007, 101, 816-829. | 2.6 | 306 |
| 58 | Distinct Antitumor Properties of a Type IV Collagen Domain Derived from Basement Membrane. <i>Journal of Biological Chemistry</i> , 2000, 275, 21340-21348. | 3.4 | 302 |
| 59 | VEGF-A and Tenascin-C produced by S100A4 ⁺ stromal cells are important for metastatic colonization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 16002-16007. | 7.1 | 295 |
| 60 | Cell Surface Glypicans Are Low-Affinity Endostatin Receptors. <i>Molecular Cell</i> , 2001, 7, 811-822. | 9.7 | 284 |
| 61 | Bone morphogenic protein-7 inhibits progression of chronic renal fibrosis associated with two genetic mouse models. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 285, F1060-F1067. | 2.7 | 280 |
| 62 | Type I collagen deletion in α SMA ⁺ myofibroblasts augments immune suppression and accelerates progression of pancreatic cancer. <i>Cancer Cell</i> , 2021, 39, 548-565.e6. | 16.8 | 274 |
| 63 | Bone Morphogenic Protein-7 Induces Mesenchymal to Epithelial Transition in Adult Renal Fibroblasts and Facilitates Regeneration of Injured Kidney. <i>Journal of Biological Chemistry</i> , 2005, 280, 8094-8100. | 3.4 | 269 |
| 64 | Renal Fibrosis. <i>American Journal of Pathology</i> , 2001, 159, 1313-1321. | 3.8 | 268 |
| 65 | Transforming growth factor- β 2 promotes Snail-mediated endothelial-mesenchymal transition through convergence of Smad-dependent and Smad-independent signalling. <i>Biochemical Journal</i> , 2011, 437, 515-520. | 3.7 | 260 |
| 66 | Mechanisms associated with biogenesis of exosomes in cancer. <i>Molecular Cancer</i> , 2019, 18, 52. | 19.2 | 251 |
| 67 | Glioblastoma stem cell-derived exosomes induce M2 macrophages and PD-L1 expression on human monocytes. <i>Oncolmmunology</i> , 2018, 7, e1412909. | 4.6 | 247 |
| 68 | Liver fibrosis: Insights into migration of hepatic stellate cells in response to extracellular matrix and growth factors. <i>Gastroenterology</i> , 2003, 124, 147-159. | 1.3 | 243 |
| 69 | Contribution of bone microenvironment to leukemogenesis and leukemia progression. <i>Leukemia</i> , 2009, 23, 2233-2241. | 7.2 | 238 |
| 70 | Mechanistic connection between inflammation and fibrosis. <i>Kidney International</i> , 2010, 78, S22-S26. | 5.2 | 238 |
| 71 | The Role of the Microenvironment in Mammary Gland Development and Cancer. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010, 2, a003244-a003244. | 5.5 | 234 |
| 72 | Identification of Epithelial to Mesenchymal Transition as a Novel Source of Fibroblasts in Intestinal Fibrosis. <i>Journal of Biological Chemistry</i> , 2010, 285, 20202-20212. | 3.4 | 234 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Systems Biology of Cancer Metastasis. <i>Cell Systems</i> , 2019, 9, 109-127. | 6.2 | 233 |
| 74 | Exploiting Cancer Cell Vulnerabilities to Develop a Combination Therapy for Ras-Driven Tumors. <i>Cancer Cell</i> , 2011, 20, 400-413. | 16.8 | 231 |
| 75 | Cathepsin S Controls Angiogenesis and Tumor Growth via Matrix-derived Angiogenic Factors. <i>Journal of Biological Chemistry</i> , 2006, 281, 6020-6029. | 3.4 | 229 |
| 76 | Bone-marrow-derived stem cells repair basement membrane collagen defects and reverse genetic kidney disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 7321-7326. | 7.1 | 229 |
| 77 | Small molecule enoxacin is a cancer-specific growth inhibitor that acts by enhancing TAR RNA-binding protein 2-mediated microRNA processing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 4394-4399. | 7.1 | 222 |
| 78 | Two RGD-independent $\alpha_5\beta_3$ Integrin Binding Sites on Tumstatin Regulate Distinct Anti-tumor Properties. <i>Journal of Biological Chemistry</i> , 2000, 275, 23745-23750. | 3.4 | 216 |
| 79 | Quantitative proteomics identifies the core proteome of exosomes with syntenin-1 as the highest abundant protein and a putative universal biomarker. <i>Nature Cell Biology</i> , 2021, 23, 631-641. | 10.3 | 213 |
| 80 | Biomolecular Characterization and Protein Sequences of the Campanian Hadrosaur <i>B. canadensis</i> . <i>Science</i> , 2009, 324, 626-631. | 12.6 | 212 |
| 81 | Mice deficient in α_4 -actinin-4 have severe glomerular disease. <i>Journal of Clinical Investigation</i> , 2003, 111, 1683-1690. | 8.2 | 210 |
| 82 | Activin-like kinase 3 is important for kidney regeneration and reversal of fibrosis. <i>Nature Medicine</i> , 2012, 18, 396-404. | 30.7 | 208 |
| 83 | Identification of the Anti-angiogenic Site within Vascular Basement Membrane-derived Tumstatin. <i>Journal of Biological Chemistry</i> , 2001, 276, 15240-15248. | 3.4 | 202 |
| 84 | Origins of Cardiac Fibroblasts. <i>Circulation Research</i> , 2010, 107, 1304-1312. | 4.5 | 202 |
| 85 | Extracellular Matrix-derived Peptide Binds to $\alpha_5\beta_3$ Integrin and Inhibits Angiogenesis. <i>Journal of Biological Chemistry</i> , 2001, 276, 31959-31968. | 3.4 | 199 |
| 86 | Renal Fibrosis and Glomerulosclerosis in a New Mouse Model of Diabetic Nephropathy and Its Regression by Bone Morphogenic Protein-7 and Advanced Glycation End Product Inhibitors. <i>Diabetes</i> , 2007, 56, 1825-1833. | 0.6 | 197 |
| 87 | Endothelial-mesenchymal transition and its contribution to the emergence of stem cell phenotype. <i>Seminars in Cancer Biology</i> , 2012, 22, 379-384. | 9.6 | 190 |
| 88 | Detection of mutant KRAS and TP53 DNA in circulating exosomes from healthy individuals and patients with pancreatic cancer. <i>Cancer Biology and Therapy</i> , 2017, 18, 158-165. | 3.4 | 190 |
| 89 | Partial Epithelial-to-Mesenchymal Transition and Other New Mechanisms of Kidney Fibrosis. <i>Trends in Endocrinology and Metabolism</i> , 2016, 27, 681-695. | 7.1 | 187 |
| 90 | Effects of high glucose and TGF- β_1 on the expression of collagen IV and vascular endothelial growth factor in mouse podocytes. <i>Kidney International</i> , 2002, 62, 901-913. | 5.2 | 182 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Identification of human epididymis protein-4 as a fibroblast-derived mediator of fibrosis. <i>Nature Medicine</i> , 2013, 19, 227-231. | 30.7 | 176 |
| 92 | Thrombospondin-1 Associated with Tumor Microenvironment Contributes to Low-Dose Cyclophosphamide-Mediated Endothelial Cell Apoptosis and Tumor Growth Suppression. <i>Cancer Research</i> , 2004, 64, 1570-1574. | 0.9 | 175 |
| 93 | $\alpha 2 \beta 6$ Integrin Regulates Renal Fibrosis and Inflammation in Alport Mouse. <i>American Journal of Pathology</i> , 2007, 170, 110-125. | 3.8 | 175 |
| 94 | Exosomes as a Multicomponent Biomarker Platform in Cancer. <i>Trends in Cancer</i> , 2020, 6, 767-774. | 7.4 | 175 |
| 95 | Function of endogenous inhibitors of angiogenesis as endothelium-specific tumor suppressors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 2934-2939. | 7.1 | 170 |
| 96 | Exosomes from Glioma-Associated Mesenchymal Stem Cells Increase the Tumorigenicity of Glioma Stem-like Cells via Transfer of miR-1587. <i>Cancer Research</i> , 2017, 77, 5808-5819. | 0.9 | 169 |
| 97 | Integrin $\alpha 1 \beta 2$ and Transforming Growth Factor- $\beta 1$ Play Distinct Roles in Alport Glomerular Pathogenesis and Serve as Dual Targets for Metabolic Therapy. <i>American Journal of Pathology</i> , 2000, 157, 1649-1659. | 3.8 | 168 |
| 98 | Type IV collagen-derived angiogenesis inhibitors. <i>Microvascular Research</i> , 2007, 74, 85-89. | 2.5 | 167 |
| 99 | The VEGF Pathway in Cancer and Disease: Responses, Resistance, and the Path Forward. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012, 2, a006593-a006593. | 6.2 | 165 |
| 100 | Tumor microenvironment and angiogenesis. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 6537. | 3.0 | 163 |
| 101 | NPHS2 mutations in late-onset focal segmental glomerulosclerosis: R229Q is a common disease-associated allele. <i>Journal of Clinical Investigation</i> , 2002, 110, 1659-1666. | 8.2 | 163 |
| 102 | Promotion of cholangiocarcinoma growth by diverse cancer-associated fibroblast subpopulations. <i>Cancer Cell</i> , 2021, 39, 866-882.e11. | 16.8 | 159 |
| 103 | Genome-wide profiling of p53-regulated enhancer RNAs uncovers a subset of enhancers controlled by a lncRNA. <i>Nature Communications</i> , 2015, 6, 6520. | 12.8 | 149 |
| 104 | Epigenetic Reprogramming of Cancer-Associated Fibroblasts Deregulates Glucose Metabolism and Facilitates Progression of Breast Cancer. <i>Cell Reports</i> , 2020, 31, 107701. | 6.4 | 149 |
| 105 | Human $\alpha 1$ type IV collagen NC1 domain exhibits distinct antiangiogenic activity mediated by $\alpha 1 \beta 1$ integrin. <i>Journal of Clinical Investigation</i> , 2005, 115, 2801-2810. | 8.2 | 145 |
| 106 | Discovery of Double-Stranded Genomic DNA in Circulating Exosomes. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2016, 81, 275-280. | 1.1 | 144 |
| 107 | Tumor restriction by type I collagen opposes tumor-promoting effects of cancer-associated fibroblasts. <i>Journal of Clinical Investigation</i> , 2021, 131, . | 8.2 | 144 |
| 108 | Renal Fibrosis. <i>American Journal of Pathology</i> , 2002, 160, 2001-2008. | 3.8 | 142 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Matrix metalloproteinase-9 deficiency phenocopies features of preeclampsia and intrauterine growth restriction. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 11109-11114. | 7.1 | 142 |
| 110 | The biology of preeclampsia. Kidney International, 2009, 76, 831-837. | 5.2 | 135 |
| 111 | Stage-Specific Action of Matrix Metalloproteinases Influences Progressive Hereditary Kidney Disease. PLoS Medicine, 2006, 3, e100. | 8.4 | 134 |
| 112 | Targeting Vascular Pericytes in Hypoxic Tumors Increases Lung Metastasis via Angiopoietin-2. Cell Reports, 2015, 10, 1066-1081. | 6.4 | 132 |
| 113 | Biology and therapeutic potential of mesenchymal stem cell-derived exosomes. Cancer Science, 2020, 111, 3100-3110. | 3.9 | 130 |
| 114 | Heterogeneous antibodies against SARS-CoV-2 spike receptor binding domain and nucleocapsid with implications for COVID-19 immunity. JCI Insight, 2020, 5, . | 5.0 | 130 |
| 115 | Glomerular expression of nephrin and synaptopodin, but not podocin, is decreased in kidney sections from women with preeclampsia. Nephrology Dialysis Transplantation, 2007, 22, 1136-1143. | 0.7 | 128 |
| 116 | Tumor stroma derived biomarkers in cancer. Cancer and Metastasis Reviews, 2009, 28, 177-183. | 5.9 | 125 |
| 117 | NPHS2 mutations in late-onset focal segmental glomerulosclerosis: R229Q is a common disease-associated allele. Journal of Clinical Investigation, 2002, 110, 1659-1666. | 8.2 | 123 |
| 118 | Blocking Angiotensin II Synthesis/Activity Preserves Glomerular Nephrin in Rats with Severe Nephrosis. Journal of the American Society of Nephrology: JASN, 2001, 12, 941-948. | 6.1 | 122 |
| 119 | Integrin α 21-mediated matrix assembly and signaling are critical for the normal development and function of the kidney glomerulus. Developmental Biology, 2008, 313, 584-593. | 2.0 | 115 |
| 120 | α -Actinin-4 Is Required for Normal Podocyte Adhesion. Journal of Biological Chemistry, 2007, 282, 467-477. | 3.4 | 114 |
| 121 | Selective impairment of gene expression and assembly of nephrin in human diabetic nephropathy. Kidney International, 2004, 65, 2193-2200. | 5.2 | 112 |
| 122 | VEGF-A Induces Angiogenesis by Perturbing the Cathepsin-Cysteine Protease Inhibitor Balance in Venules, Causing Basement Membrane Degradation and Mother Vessel Formation. Cancer Research, 2009, 69, 4537-4544. | 0.9 | 110 |
| 123 | Exosomes as mediators of immune regulation and immunotherapy in cancer. FEBS Journal, 2021, 288, 10-35. | 4.7 | 110 |
| 124 | BMP-7 functions as a novel hormone to facilitate liver regeneration. FASEB Journal, 2007, 21, 256-264. | 0.5 | 109 |
| 125 | Enacting national social distancing policies corresponds with dramatic reduction in COVID19 infection rates. PLoS ONE, 2020, 15, e0236619. | 2.5 | 109 |
| 126 | Determinants of Vascular Permeability in the Kidney Glomerulus. Journal of Biological Chemistry, 2002, 277, 31154-31162. | 3.4 | 108 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Integrin alpha1beta1 and alpha2beta1 are the key regulators of hepatocarcinoma cell invasion across the fibrotic matrix microenvironment. <i>Cancer Research</i> , 2003, 63, 8312-7. | 0.9 | 105 |
| 128 | Tumstatin, the NC1 domain of $\alpha 1(\text{III})$ chain of type IV collagen, is an endogenous inhibitor of pathological angiogenesis and suppresses tumor growth. <i>Biochemical and Biophysical Research Communications</i> , 2005, 333, 292-298. | 2.1 | 104 |
| 129 | Tet3-Mediated Hydroxymethylation of Epigenetically Silenced Genes Contributes to Bone Morphogenic Protein 7-Induced Reversal of Kidney Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 905-912. | 6.1 | 104 |
| 130 | Mitochondrial protein enriched extracellular vesicles discovered in human melanoma tissues can be detected in patient plasma. <i>Journal of Extracellular Vesicles</i> , 2019, 8, 1635420. | 12.2 | 104 |
| 131 | The Role of Type IV Collagen and Basement Membranes in Cancer Progression and Metastasis. <i>American Journal of Pathology</i> , 2006, 168, 715-717. | 3.8 | 103 |
| 132 | Regulation by CD25+ lymphocytes of autoantigen-specific T-cell responses in Goodpasture's (anti-GBM) disease. <i>Kidney International</i> , 2003, 64, 1685-1694. | 5.2 | 102 |
| 133 | Epigenetic balance of aberrant Ras1 promoter methylation and hydroxymethylation regulates cardiac fibrosis. <i>Cardiovascular Research</i> , 2015, 105, 279-291. | 3.8 | 101 |
| 134 | The Role of Stromal Myofibroblast and Extracellular Matrix in Tumor Angiogenesis. <i>Genes and Cancer</i> , 2011, 2, 1139-1145. | 1.9 | 100 |
| 135 | Identification of Functional Heterogeneity of Carcinoma-Associated Fibroblasts with Distinct IL6-Mediated Therapy Resistance in Pancreatic Cancer. <i>Cancer Discovery</i> , 2022, 12, 1580-1597. | 9.4 | 100 |
| 136 | Endocardial Fibroelastosis Is Caused by Aberrant Endothelial to Mesenchymal Transition. <i>Circulation Research</i> , 2015, 116, 857-866. | 4.5 | 98 |
| 137 | Interstitial fluid: the overlooked component of the tumor microenvironment?. <i>Fibrogenesis and Tissue Repair</i> , 2010, 3, 12. | 3.4 | 96 |
| 138 | Fibroblasts emerge via epithelial-mesenchymal transition in chronic kidney fibrosis. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 6991. | 3.0 | 93 |
| 139 | Circulating ACE2-expressing extracellular vesicles block broad strains of SARS-CoV-2. <i>Nature Communications</i> , 2022, 13, 405. | 12.8 | 92 |
| 140 | Emerging role of bacterial extracellular vesicles in cancer. <i>Oncogene</i> , 2020, 39, 6951-6960. | 5.9 | 91 |
| 141 | A role for nephrin, a renal protein, in vertebrate skeletal muscle cell fusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 9274-9279. | 7.1 | 90 |
| 142 | High-fidelity CRISPR/Cas9- based gene-specific hydroxymethylation rescues gene expression and attenuates renal fibrosis. <i>Nature Communications</i> , 2018, 9, 3509. | 12.8 | 88 |
| 143 | Increased concentration of circulating angiogenesis and nitric oxide inhibitors induces endothelial to mesenchymal transition and myocardial fibrosis in patients with chronic kidney disease. <i>International Journal of Cardiology</i> , 2014, 176, 99-109. | 1.7 | 87 |
| 144 | Tumor Microenvironment Remodeling Enables Bypass of Oncogenic KRAS Dependency in Pancreatic Cancer. <i>Cancer Discovery</i> , 2020, 10, 1058-1077. | 9.4 | 87 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Chronic Bile Duct Injury Associated with Fibrotic Matrix Microenvironment Provokes Cholangiocarcinoma in p53-Deficient Mice. <i>Cancer Research</i> , 2006, 66, 6622-6627. | 0.9 | 86 |
| 146 | Endothelialâ€“Mesenchymal Transition as a Novel Mechanism for Generating Myofibroblasts during Diabetic Nephropathy. <i>American Journal of Pathology</i> , 2009, 175, 1371-1373. | 3.8 | 85 |
| 147 | Physiology of the Renal Interstitium. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1831-1840. | 4.5 | 85 |
| 148 | miR-21 Promotes Fibrogenic Epithelial-to-Mesenchymal Transition of Epicardial Mesothelial Cells Involving Programmed Cell Death 4 and Sprouty-1. <i>PLoS ONE</i> , 2013, 8, e56280. | 2.5 | 83 |
| 149 | miR-21 Inhibition Reduces Liver Fibrosis and Prevents Tumor Development by Inducing Apoptosis of CD24+ Progenitor Cells. <i>Cancer Research</i> , 2015, 75, 1859-1867. | 0.9 | 83 |
| 150 | Low-dose hydralazine prevents fibrosis in a murine model of acute kidney injuryâ€“toâ€“chronic kidney disease progression. <i>Kidney International</i> , 2017, 91, 157-176. | 5.2 | 83 |
| 151 | Reversal of experimental renal fibrosis by BMP7 provides insights into novel therapeutic strategies for chronic kidney disease. <i>Pediatric Nephrology</i> , 2008, 23, 1395-1398. | 1.7 | 81 |
| 152 | The emerging roles of exosomes in the modulation of immune responses in cancer. <i>Genome Medicine</i> , 2018, 10, 23. | 8.2 | 81 |
| 153 | Characterization of the anti-angiogenic properties of arresten, an $\alpha 1 \beta 1$ integrin-dependent collagen-derived tumor suppressor. <i>Experimental Cell Research</i> , 2008, 314, 3292-3305. | 2.6 | 80 |
| 154 | Fibrosis and angiogenesis. <i>Current Opinion in Nephrology and Hypertension</i> , 2000, 9, 413-418. | 2.0 | 79 |
| 155 | Preeclampsia. <i>American Journal of Pathology</i> , 2010, 176, 710-720. | 3.8 | 79 |
| 156 | The Goodpasture Autoantigen. <i>Journal of Biological Chemistry</i> , 1996, 271, 9062-9068. | 3.4 | 76 |
| 157 | Reactive Oxygen Species Expose Cryptic Epitopes Associated with Autoimmune Goodpasture Syndrome. <i>Journal of Biological Chemistry</i> , 2000, 275, 20027-20032. | 3.4 | 76 |
| 158 | $\beta 1$ integrin expression on endothelial cells is required for angiogenesis but not for vasculogenesis. <i>Developmental Dynamics</i> , 2008, 237, 75-82. | 1.8 | 75 |
| 159 | Exosome-mediated delivery of CRISPR/Cas9 for targeting of oncogenic Kras ^{G12D} in pancreatic cancer. <i>Life Science Alliance</i> , 2021, 4, e202000875. | 2.8 | 75 |
| 160 | Pre-eclampsia: connecting angiogenic and metabolic pathways. <i>Trends in Endocrinology and Metabolism</i> , 2010, 21, 529-536. | 7.1 | 73 |
| 161 | The importance of cellâ€“mediated immunity in the course and severity of autoimmune antiâ€“glomerular basement membrane disease in mice. <i>FASEB Journal</i> , 2003, 17, 860-868. | 0.5 | 69 |
| 162 | Cellular and Molecular Pathways that Lead to Progression and Regression of Renal Fibrogenesis. <i>Current Molecular Medicine</i> , 2005, 5, 467-474. | 1.3 | 69 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Identification of amino acids essential for the antiangiogenic activity of tumstatin and its use in combination antitumor activity. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 15040-15045. | 7.1 | 69 |
| 164 | The basics of epithelial-mesenchymal transition. Journal of Clinical Investigation, 2010, 120, 1786-1786. | 8.2 | 68 |
| 165 | Interaction between the extracellular matrix and lymphatics: Consequences for lymphangiogenesis and lymphatic function. Matrix Biology, 2010, 29, 645-656. | 3.6 | 68 |
| 166 | The contribution of vascular basement membranes and extracellular matrix to the mechanics of tumor angiogenesis. Apmis, 2004, 112, 450-462. | 2.0 | 66 |
| 167 | De-differentiation of primary human hepatocytes depends on the composition of specialized liver basement membrane. Molecular and Cellular Biochemistry, 2006, 283, 181-189. | 3.1 | 64 |
| 168 | Molecular Pathways: MicroRNAs as Cancer Therapeutics. Clinical Cancer Research, 2012, 18, 4234-4239. | 7.0 | 62 |
| 169 | Dual reporter genetic mouse models of pancreatic cancer identify an epithelial-to-mesenchymal transition-independent metastasis program. EMBO Molecular Medicine, 2018, 10, . | 6.9 | 61 |
| 170 | Summary of the ISEV workshop on extracellular vesicles as disease biomarkers, held in Birmingham, UK, during December 2017. Journal of Extracellular Vesicles, 2018, 7, 1473707. | 12.2 | 60 |
| 171 | Assembly of Type IV Collagen. Journal of Biological Chemistry, 2000, 275, 12719-12724. | 3.4 | 59 |
| 172 | A Mutant Form of the Wilms's Tumor Suppressor Gene WT1 Observed in Denys-Drash Syndrome Interferes with Glomerular Capillary Development. Journal of the American Society of Nephrology: JASN, 2002, 13, 2058-2067. | 6.1 | 59 |
| 173 | Mass Spectrometry and Antibody-Based Characterization of Blood Vessels from <i>Brachyophosaurus canadensis</i> . Journal of Proteome Research, 2015, 14, 5252-5262. | 3.7 | 59 |
| 174 | Endothelial-to-mesenchymal transition compromises vascular integrity to induce Myc-mediated metabolic reprogramming in kidney fibrosis. Science Signaling, 2020, 13, . | 3.6 | 59 |
| 175 | Relaxin increases ubiquitin-dependent degradation of fibronectin in vitro and ameliorates renal fibrosis in vivo. American Journal of Physiology - Renal Physiology, 2003, 285, F59-F67. | 2.7 | 58 |
| 176 | Stem Cell Therapies Benefit Alport Syndrome. Journal of the American Society of Nephrology: JASN, 2009, 20, 2359-2370. | 6.1 | 58 |
| 177 | Protection against SARS-CoV-2 by BCG vaccination is not supported by epidemiological analyses. Scientific Reports, 2020, 10, 18377. | 3.3 | 58 |
| 178 | Distribution of Type IV Collagen in the Cochlea in Alport Syndrome. JAMA Otolaryngology, 2005, 131, 1007. | 1.2 | 56 |
| 179 | Basement Membrane Derived Fibulin-1 and Fibulin-5 Function as Angiogenesis Inhibitors and Suppress Tumor Growth. Experimental Biology and Medicine, 2008, 233, 155-162. | 2.4 | 56 |
| 180 | Induction of Tet3-dependent Epigenetic Remodeling by Low-dose Hydralazine Attenuates Progression of Chronic Kidney Disease. EBioMedicine, 2015, 2, 19-36. | 6.1 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 181 | Loss of p53 and Acquisition of Angiogenic MicroRNA Profile Are Insufficient to Facilitate Progression of Bladder Urothelial Carcinoma in Situ to Invasive Carcinoma. <i>Journal of Biological Chemistry</i> , 2011, 286, 20778-20787. | 3.4 | 55 |
| 182 | Drug resistance associated with antiangiogenesis therapy. <i>Seminars in Cancer Biology</i> , 2009, 19, 310-317. | 9.6 | 53 |
| 183 | Inhibitory Effects of Robo2 on Nephrin: A Crosstalk between Positive and Negative Signals Regulating Podocyte Structure. <i>Cell Reports</i> , 2012, 2, 52-61. | 6.4 | 53 |
| 184 | Extracellular Vesicles from Pancreatic Cancer Stem Cells Lead an Intratumor Communication Network (EVNet) to fuel tumour progression. <i>Gut</i> , 2022, 71, 2043-2068. | 12.1 | 53 |
| 185 | Reduced DNA gap repair in aging rat neuronal extracts and its restoration by DNA polymerase beta and DNA-ligase. <i>Journal of Neurochemistry</i> , 2005, 92, 818-823. | 3.9 | 52 |
| 186 | Aminopeptidase A: A nephritogenic target antigen of nephrotoxic serum. <i>Kidney International</i> , 2001, 59, 601-613. | 5.2 | 49 |
| 187 | Stabilized epithelial phenotype of cancer cells in primary tumors leads to increased colonization of liver metastasis in pancreatic cancer. <i>Cell Reports</i> , 2021, 35, 108990. | 6.4 | 49 |
| 188 | Counterbalancing angiogenic regulatory factors control the rate of cancer progression and survival in a stage-specific manner. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 9939-9944. | 7.1 | 48 |
| 189 | Therapeutic targeting of STAT3 with small interference RNAs and antisense oligonucleotides embedded exosomes in liver fibrosis. <i>FASEB Journal</i> , 2021, 35, e21557. | 0.5 | 48 |
| 190 | A domain-specific usherin/collagen IV interaction may be required for stable integration into the basement membrane superstructure. <i>Journal of Cell Science</i> , 2004, 117, 233-242. | 2.0 | 46 |
| 191 | Type-I collagen produced by distinct fibroblast lineages reveals specific function during embryogenesis and Osteogenesis Imperfecta. <i>Nature Communications</i> , 2021, 12, 7199. | 12.8 | 46 |
| 192 | Penetration of Endothelial Cell Coated Multicellular Tumor Spheroids by Iron Oxide Nanoparticles. <i>Theranostics</i> , 2012, 2, 66-75. | 10.0 | 45 |
| 193 | miR-29b moulds the tumour microenvironment to repress metastasis. <i>Nature Cell Biology</i> , 2013, 15, 139-140. | 10.3 | 45 |
| 194 | Loss of placental growth factor ameliorates maternal hypertension and preeclampsia in mice. <i>Journal of Clinical Investigation</i> , 2018, 128, 5008-5017. | 8.2 | 42 |
| 195 | Effective delivery of STING agonist using exosomes suppresses tumor growth and enhances antitumor immunity. <i>Journal of Biological Chemistry</i> , 2021, 296, 100523. | 3.4 | 42 |
| 196 | Transcriptional regulation of epithelial-mesenchymal transition. <i>Journal of Clinical Investigation</i> , 2007, 117, 304-306. | 8.2 | 42 |
| 197 | Targeted Downregulation of Extracellular Nephrin in Human IgA Nephropathy. <i>American Journal of Nephrology</i> , 2003, 23, 277-286. | 3.1 | 41 |
| 198 | Lymphocytes are dispensable for glomerulonephritis but required for renal interstitial fibrosis in matrix defect-induced Alport renal disease. <i>Laboratory Investigation</i> , 2008, 88, 284-292. | 3.7 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Development of Aggressive Pancreatic Ductal Adenocarcinomas Depends on Granulocyte Colony Stimulating Factor Secretion in Carcinoma Cells. <i>Cancer Immunology Research</i> , 2017, 5, 718-729. | 3.4 | 41 |
| 200 | Nasal Administration of Recombinant Rat $\alpha 3(\text{IV})\text{NC1}$ Prevents the Development of Experimental Autoimmune Glomerulonephritis in the WKY Rat. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 1350-1359. | 6.1 | 40 |
| 201 | Extracellular Vesicles and Their Emerging Roles as Cellular Messengers in Endocrinology: An Endocrine Society Scientific Statement. <i>Endocrine Reviews</i> , 2022, 43, 441-468. | 20.1 | 40 |
| 202 | Dinosaur Peptides Suggest Mechanisms of Protein Survival. <i>PLoS ONE</i> , 2011, 6, e20381. | 2.5 | 39 |
| 203 | A COL4A3 gene mutation and post-transplant anti- $\alpha 3(\text{IV})$ collagen alloantibodies in Alport syndrome. <i>Kidney International</i> , 1995, 47, 1199-1204. | 5.2 | 38 |
| 204 | Type IV collagen $\alpha 6$ chain-derived noncollagenous domain 1 ($\alpha 6(\text{IV})\text{NC1}$) inhibits angiogenesis and tumor growth. <i>International Journal of Cancer</i> , 2008, 122, 1738-1744. | 5.1 | 38 |
| 205 | Loss of $\alpha 21$ -integrin from urothelium results in overactive bladder and incontinence in mice: a mechanosensory rather than structural phenotype. <i>FASEB Journal</i> , 2013, 27, 1950-1961. | 0.5 | 37 |
| 206 | Lack of Collagen XVIII/Endostatin Exacerbates Immune-Mediated Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1445-1455. | 6.1 | 36 |
| 207 | Are there endogenous molecules that protect kidneys from injury? The case for bone morphogenic protein-7 (BMP-7). <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 759-761. | 0.7 | 34 |
| 208 | Endogenous Stimulators and Inhibitors of Angiogenesis in Gastrointestinal Cancers: Basic Science to Clinical Application. <i>Gastroenterology</i> , 2005, 129, 2076-2091. | 1.3 | 34 |
| 209 | Blockade of PDGF receptor signaling reduces myofibroblast number and attenuates renal fibrosis. <i>Kidney International</i> , 2011, 80, 1119-1121. | 5.2 | 32 |
| 210 | Differential expression of type IV collagen isoforms in rat glomerular endothelial and mesangial cells. <i>Biochemical and Biophysical Research Communications</i> , 2002, 295, 401-407. | 2.1 | 30 |
| 211 | Bifunctional promoter of type IV collagen COL4A5 and COL4A6 genes regulates the expression of $\alpha 5$ and $\alpha 6$ chains in a distinct cell-specific fashion. <i>Biochemical Journal</i> , 2005, 387, 755-761. | 3.7 | 30 |
| 212 | Zebrafish to humans: evolution of the $\alpha 3$ -chain of type IV collagen and emergence of the autoimmune epitopes associated with Goodpasture syndrome. <i>Blood</i> , 2006, 107, 1908-1915. | 1.4 | 30 |
| 213 | Idiopathic Pulmonary Fibrosis Is Associated With Endothelial To Mesenchymal Transition. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2010, 43, 129-130. | 2.9 | 30 |
| 214 | Human antiglomerular basement membrane autoantibody disease in XenoMouse II11See Editorial by Borza and Hudson, p. 1905.. <i>Kidney International</i> , 2002, 61, 1666-1673. | 5.2 | 29 |
| 215 | Targeting TGF- $\beta 2$ and the Extracellular Matrix in Marfan's Syndrome. <i>Developmental Cell</i> , 2008, 15, 1-2. | 7.0 | 29 |
| 216 | Deconstructing tumor heterogeneity: the stromal perspective. <i>Oncotarget</i> , 2020, 11, 3621-3632. | 1.8 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Possible mechanisms of kidney repair. <i>Fibrogenesis and Tissue Repair</i> , 2009, 2, 3. | 3.4 | 28 |
| 218 | Microenvironment-dependent cues trigger miRNA-regulated feedback loop to facilitate the EMT/MET switch. <i>Journal of Clinical Investigation</i> , 2014, 124, 1458-1460. | 8.2 | 27 |
| 219 | Î±SMA+ fibroblasts suppress Lgr5+ cancer stem cells and restrain colorectal cancer progression. <i>Oncogene</i> , 2021, 40, 4440-4452. | 5.9 | 27 |
| 220 | Dermal Î±SMA ⁺ myofibroblasts orchestrate skin wound repair via Î²1 integrin and independent of type I collagen production. <i>EMBO Journal</i> , 2022, 41, e109470. | 7.8 | 26 |
| 221 | Anti-Î±1(IV) Collagen Autoantibodies Associated with Lung Adenocarcinoma Presenting as the Goodpasture Syndrome. <i>Annals of Internal Medicine</i> , 1996, 124, 651. | 3.9 | 25 |
| 222 | Type XVIII collagen is essential for survival during acute liver injury in mice. <i>DMM Disease Models and Mechanisms</i> , 2013, 6, 942-51. | 2.4 | 25 |
| 223 | SIRT1 Regulates Lysosome Function and Exosome Secretion. <i>Developmental Cell</i> , 2019, 49, 302-303. | 7.0 | 24 |
| 224 | Circulating TGF-Î²1 as a reliable biomarker for chronic kidney disease progression in the African-American population. <i>Kidney International</i> , 2009, 76, 10-12. | 5.2 | 23 |
| 225 | Goodpasture syndrome. <i>Kidney International</i> , 1999, 55, 1120-1122. | 5.2 | 22 |
| 226 | Fatty Acid Oxidation Regulates the Activation of Endothelial-to-Mesenchymal Transition. <i>Trends in Molecular Medicine</i> , 2018, 24, 432-434. | 6.7 | 22 |
| 227 | Exosomes Exercise Inhibition of Anti-Tumor Immunity during Chemotherapy. <i>Immunity</i> , 2019, 50, 547-549. | 14.3 | 22 |
| 228 | Thrombospondin-1 Deficiency Causes a Shift from Fibroproliferative to Inflammatory Kidney Disease and Delays Onset of Renal Failure. <i>American Journal of Pathology</i> , 2014, 184, 2687-2698. | 3.8 | 21 |
| 229 | Homozygous MTAP deletion in primary human glioblastoma is not associated with elevation of methylthioadenosine. <i>Nature Communications</i> , 2021, 12, 4228. | 12.8 | 21 |
| 230 | Pharmacological induction of hypoxia-inducible transcription factor ARNT attenuates chronic kidney failure. <i>Journal of Clinical Investigation</i> , 2018, 128, 3053-3070. | 8.2 | 21 |
| 231 | Identification of the NC1 Domain of Î±3 Chain as Critical for Î±3Î±4Î±5 Type IV Collagen Network Assembly. <i>Journal of Biological Chemistry</i> , 2010, 285, 41874-41885. | 3.4 | 20 |
| 232 | Angiogenesis is controlled by miR-27b associated with endothelial tip cells. <i>Blood</i> , 2012, 119, 2439-2440. | 1.4 | 18 |
| 233 | Depletion of S100A4+ stromal cells does not prevent HCC development but reduces the stem cell-like phenotype of the tumors. <i>Experimental and Molecular Medicine</i> , 2018, 50, e422-e422. | 7.7 | 18 |
| 234 | Animal Models of Renal Fibrosis. , 2005, 117, 261-272. | | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | Podoplanin+ tumor lymphatics are rate limiting for breast cancer metastasis. PLoS Biology, 2018, 16, e2005907. | 5.6 | 17 |
| 236 | Placental Growth Factor and the Risk of Adverse Neonatal and Maternal Outcomes. Obstetrics and Gynecology, 2020, 135, 665-673. | 2.4 | 17 |
| 237 | Multifunctional Applications of Engineered Extracellular Vesicles in the Treatment of Cancer. Endocrinology, 2021, 162, . | 2.8 | 16 |
| 238 | Experimental Strategies to Reverse Chronic Renal Disease. Blood Purification, 2004, 22, 440-445. | 1.8 | 14 |
| 239 | Controlling angiogenesis in heart valves. Nature Medicine, 2006, 12, 1118-1119. | 30.7 | 14 |
| 240 | Generic block on angiogenesis. Nature, 2008, 452, 543-545. | 27.8 | 14 |
| 241 | RhoB Loss Prevents Streptozotocin-Induced Diabetes and Ameliorates Diabetic Complications in Mice. American Journal of Pathology, 2011, 178, 245-252. | 3.8 | 14 |
| 242 | An evolving function of DNA-containing exosomes in chemotherapy-induced immune response. Cell Research, 2017, 27, 722-723. | 12.0 | 12 |
| 243 | Acute Kidney Injury Instigates Malignant Renal Cell Carcinoma via CXCR2 in Mice with Inactivated <i>Trp53</i> and <i>Pten</i> in Proximal Tubular Kidney Epithelial Cells. Cancer Research, 2021, 81, 2690-2702. | 0.9 | 12 |
| 244 | Recapitulation of kidney development paradigms by BMP-7 reverses chronic renal injury. Clinical and Experimental Nephrology, 2005, 9, 100-101. | 1.6 | 11 |
| 245 | Chapter 1 Molecular Mechanism of Type IV Collagenâ€Derived Endogenous Inhibitors of Angiogenesis. Methods in Enzymology, 2008, 444, 1-19. | 1.0 | 11 |
| 246 | Parstatin, a Novel Protease-Activated Receptor 1-Derived Inhibitor of Angiogenesis. Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics, 2009, 9, 168-170. | 3.4 | 11 |
| 247 | Morphologically constrained spectral unmixing by dictionary learning for multiplex fluorescence microscopy. Bioinformatics, 2017, 33, 2182-2190. | 4.1 | 11 |
| 248 | Phase I study of mesenchymal stem cell (MSC)-derived exosomes with KRAS ^{G12D} siRNA in patients with metastatic pancreatic cancer harboring a KRAS ^{G12D} mutation.. Journal of Clinical Oncology, 2022, 40, TPS633-TPS633. | 1.6 | 11 |
| 249 | Renal studies provide an insight into cardiac extracellular matrix remodeling during health and disease. Journal of Molecular and Cellular Cardiology, 2010, 48, 497-503. | 1.9 | 10 |
| 250 | Unique somatic variants in DNA from urine exosomes of individuals with bladder cancer. Molecular Therapy - Methods and Clinical Development, 2021, 22, 360-376. | 4.1 | 10 |
| 251 | An unusual case of pulmonary-renal syndrome associated with defects in type IV collagen composition and anti-glomerular basement membrane autoantibodies. American Journal of Kidney Diseases, 2005, 45, 743-748. | 1.9 | 9 |
| 252 | Deletion of Smad4 in fibroblasts leads to defective chondrocyte maturation and cartilage production in a TGFÎ² type II receptor independent manner. Biochemical and Biophysical Research Communications, 2011, 407, 633-639. | 2.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Origins of Cardiac Fibroblasts. Circulation Research, 2010, 107, 1304-1312. | 4.5 | 9 |
| 254 | Cell plasticity helps hearts to repair. Nature, 2014, 514, 575-576. | 27.8 | 8 |
| 255 | Waking up dormant tumors. Breast Cancer Research, 2011, 13, 310. | 5.0 | 7 |
| 256 | BMP7 Signaling in <i>TGFBR2</i> -Deficient Stromal Cells Provokes Epithelial Carcinogenesis. Molecular Cancer Research, 2018, 16, 1568-1578. | 3.4 | 7 |
| 257 | Endogenous Inhibitors of Angiogenesis. , 2008, , 215-231. | | 7 |
| 258 | Stem Cell-Based Therapy for Glomerular Diseases. Journal of the American Society of Nephrology: JASN, 2008, 19, 1621-1623. | 6.1 | 6 |
| 259 | Circulating Endoglin Concentration Is Not Elevated in Chronic Kidney Disease. PLoS ONE, 2011, 6, e23718. | 2.5 | 6 |
| 260 | Nischarin Regulates Secretion of Exosomes and Cancer Progression. Cancer Research, 2019, 79, 2099-2101. | 0.9 | 6 |
| 261 | Antiglomerular basement membrane autoantibodies are nonpathogenic in Wegener's granulomatosis. American Journal of Medicine, 2003, 115, 414-415. | 1.5 | 5 |
| 262 | Quantification of Phosphonate Drugs by ¹ H- ³¹ P HSQC Shows That Rats Are Better Models of Primate Drug Exposure than Mice. Analytical Chemistry, 2022, 94, 10045-10053. | 6.5 | 5 |
| 263 | Cardiac Fibrosis. , 2012, , 389-404. | | 4 |
| 264 | Specific Activation of K-RasG12D Allele in the Bladder Urothelium Results in Lung Alveolar and Vascular Defects. PLoS ONE, 2014, 9, e95888. | 2.5 | 4 |
| 265 | Stromal Cells Exhibit Prevalent Genetic Aberrations in Colorectal Cancer. Cancer Cell, 2020, 38, 774-775. | 16.8 | 4 |
| 266 | STOX1 deficiency is associated with renin-mediated gestational hypertension and placental defects. JCI Insight, 2021, 6, . | 5.0 | 4 |
| 267 | NF- κ B-induced chromatin remodeling regulates angiogenesis. Blood, 2010, 116, 312-313. | 1.4 | 3 |
| 268 | Reply to Regarding the mechanism of action of a proposed peptide agonist of the bone morphogenetic protein receptor activin-like kinase 3. Nature Medicine, 2013, 19, 810-811. | 30.7 | 3 |
| 269 | The Kielin/Chordin-Like Protein Checkpoint Constitutes a System of Checks and Balances in CKD. Journal of the American Society of Nephrology: JASN, 2013, 24, 863.2-865. | 6.1 | 2 |
| 270 | A map of human breast cancer: new players in stromal-immune crosstalk. EMBO Journal, 2020, 39, e106368. | 7.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | The Multifaceted Role of Cancer Associated Fibroblasts in Tumor Progression. , 2011, , 361-380. | | 1 |
| 272 | Human $\alpha 1$ type IV collagen NC1 domain exhibits distinct antiangiogenic activity mediated by $\alpha 1\beta 1$ integrin. Journal of Clinical Investigation, 2020, 130, 552-552. | 8.2 | 1 |
| 273 | Molecular and Genetic Basis of Alport Syndrome. , 2006, , 151-171. | | 0 |
| 274 | Isaiah Joshua (â€˜Joshâ€™) Fidler 1936â€“2020. Nature Cancer, 2020, 1, 573-574. | 13.2 | 0 |
| 275 | Basement Membrane Derived Inhibitors of Angiogenesis. , 2008, , 121-127. | | 0 |
| 276 | Anti-glomerular Basement Disease: Goodpastureâ€™s Syndrome. , 2010, , 275-292. | | 0 |
| 277 | Conditional deletion of $\beta 1$ integrin from urothelium results in bladder dysfunction and abnormal voiding. FASEB Journal, 2012, 26, . | 0.5 | 0 |
| 278 | Experimental Models to Study the Origin and Role of Myofibroblasts in Renal Fibrosis. , 2006, , 47-52. | | 0 |