

Mitsuyoshi Nakao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3447297/publications.pdf>

Version: 2024-02-01

95
papers

5,796
citations

101543

36
h-index

79698

73
g-index

97
all docs

97
docs citations

97
times ranked

8771
citing authors

#	ARTICLE	IF	CITATIONS
1	Loss of the transcription repressor ZHX3 induces senescence-associated gene expression and mitochondrial-nucleolar activation. <i>PLoS ONE</i> , 2022, 17, e0262488.	2.5	3
2	Bivalent-histone-marked immediate-early gene regulation is vital for VEGF-responsive angiogenesis. <i>Cell Reports</i> , 2022, 38, 110332.	6.4	11
3	Ribosomal protein L5 facilitates rDNA-bundled condensate and nucleolar assembly. <i>Life Science Alliance</i> , 2022, 5, e202101045.	2.8	11
4	Biosynthesis of S-adenosyl-methionine enhances aging-related defects in <i>Drosophila</i> oogenesis. <i>Scientific Reports</i> , 2022, 12, 5593.	3.3	4
5	Histone deacetylation regulates nucleotide excision repair through an interaction with the XPC protein. <i>IScience</i> , 2022, 25, 104040.	4.1	4
6	Expression of leukotriene B4 receptor 1 defines functionally distinct DCs that control allergic skin inflammation. <i>Cellular and Molecular Immunology</i> , 2021, 18, 1437-1449.	10.5	11
7	High glucose-ROS conditions enhance the progression in cholangiocarcinoma via upregulation of MAN2A2 and CHD8. <i>Cancer Science</i> , 2021, 112, 254-264.	3.9	7
8	Murine neonatal ketogenesis preserves mitochondrial energetics by preventing protein hyperacetylation. <i>Nature Metabolism</i> , 2021, 3, 196-210.	11.9	29
9	LSD1 defines erythroleukemia metabolism by controlling the lineage-specific transcription factors GATA1 and C/EBP β . <i>Blood Advances</i> , 2021, 5, 2305-2318.	5.2	15
10	Lysine Demethylase 5A Is Required for MYC-Driven Transcription in Multiple Myeloma. <i>Blood Cancer Discovery</i> , 2021, 2, 370-387.	5.0	19
11	Sexual fate of murine external genitalia development: Conserved transcriptional competency for male-biased genes in both sexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	6
12	Cellular Senescence Variation by Metabolic and Epigenomic Remodeling. <i>Trends in Cell Biology</i> , 2020, 30, 919-922.	7.9	19
13	The NSD2/WHSC1/MMSET methyltransferase prevents cellular senescence-associated epigenomic remodeling. <i>Aging Cell</i> , 2020, 19, e13173.	6.7	24
14	BRD4 promotes metastatic potential in oral squamous cell carcinoma through the epigenetic regulation of the MMP2 gene. <i>British Journal of Cancer</i> , 2020, 123, 580-590.	6.4	16
15	Computational analysis of morphological and molecular features in gastric cancer tissues. <i>Cancer Medicine</i> , 2020, 9, 2223-2234.	2.8	9
16	Successful generation of epigenetic disease model mice by targeted demethylation of the epigenome. <i>Genome Biology</i> , 2020, 21, 77.	8.8	37
17	Splicing- and demethylase-independent functions of LSD1 in zebrafish primitive hematopoiesis. <i>Scientific Reports</i> , 2020, 10, 8521.	3.3	6
18	Nucleosome destabilization by nuclear non-coding RNAs. <i>Communications Biology</i> , 2020, 3, 60.	4.4	6

#	ARTICLE	IF	CITATIONS
19	The Eleanor ncRNAs activate the topological domain of the ESR1 locus to balance against apoptosis. <i>Nature Communications</i> , 2019, 10, 3778.	12.8	28
20	Postweaning Iron Deficiency in Male Rats Leads to Long-Term Hyperactivity and Decreased Reelin Gene Expression in the Nucleus Accumbens. <i>Journal of Nutrition</i> , 2019, 150, 212-221.	2.9	3
21	Phosphoethanolamine Accumulation Protects Cancer Cells under Glutamine Starvation through Downregulation of PCYT2. <i>Cell Reports</i> , 2019, 29, 89-103.e7.	6.4	29
22	Lysine-specific demethylase 2 is distinctively involved in brown and beige adipogenic differentiation. <i>FASEB Journal</i> , 2019, 33, 5300-5311.	0.5	6
23	Distinct Roles of the NAD ⁺ -Sirt1 and FAD-LSD1 Pathways in Metabolic Response and Tissue Development. <i>Trends in Endocrinology and Metabolism</i> , 2019, 30, 409-412.	7.1	15
24	Mesenchymal actomyosin contractility is required for androgen-driven urethral masculinization in mice. <i>Communications Biology</i> , 2019, 2, 95.	4.4	15
25	Ki-67 and condensins support the integrity of mitotic chromosomes through distinct mechanisms. <i>Journal of Cell Science</i> , 2018, 131, .	2.0	36
26	LSD1 mediates metabolic reprogramming by glucocorticoids during myogenic differentiation. <i>Nucleic Acids Research</i> , 2018, 46, 5441-5454.	14.5	35
27	Maternal undernutrition during early pregnancy inhibits postnatal growth of the tibia in the female offspring of rats by alteration of chondrogenesis. <i>General and Comparative Endocrinology</i> , 2018, 260, 58-66.	1.8	11
28	Nrf2 promotes oesophageal cancer cell proliferation via metabolic reprogramming and detoxification of reactive oxygen species. <i>Journal of Pathology</i> , 2018, 244, 346-357.	4.5	30
29	Endocrine therapy-resistant breast cancer model cells are inhibited by soybean glyceollin I through Eleanor non-coding RNA. <i>Scientific Reports</i> , 2018, 8, 15202.	3.3	21
30	Cancer Navigation Strategy for Endocrine Therapy-Resistant Breast Tumors. <i>Trends in Cancer</i> , 2018, 4, 404-407.	7.4	3
31	The SETD8/PR-Set7 Methyltransferase Functions as a Barrier to Prevent Senescence-Associated Metabolic Remodeling. <i>Cell Reports</i> , 2017, 18, 2148-2161.	6.4	58
32	A novel inhibitor of farnesyltransferase with a zinc site recognition moiety and a farnesyl group. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 3862-3866.	2.2	28
33	Analysis of estrogen receptor β gene methylation in autistic males in a Chinese Han population. <i>Metabolic Brain Disease</i> , 2017, 32, 1033-1042.	2.9	3
34	Condensin II plays an essential role in reversible assembly of mitotic chromosomes in situ. <i>Molecular Biology of the Cell</i> , 2017, 28, 2875-2886.	2.1	29
35	Roles of long noncoding <i>lncRNAs</i> in chromosome domains. <i>Wiley Interdisciplinary Reviews RNA</i> , 2017, 8, e1384.	6.4	12
36	The Glucocorticoid Receptor Regulates the ANGPTL4 Gene in a CTCF-Mediated Chromatin Context in Human Hepatic Cells. <i>PLoS ONE</i> , 2017, 12, e0169225.	2.5	14

#	ARTICLE	IF	CITATIONS
37	Potential Neuroprotective Effects of an LSD1 Inhibitor in Retinal Ganglion Cells via p38 MAPK Activity. , 2016, 57, 6461.		22
38	Lysine-specific demethylase 1 contributes to malignant behavior by regulation of invasive activity and metabolic shift in esophageal cancer. International Journal of Cancer, 2016, 138, 428-439.	5.1	23
39	Application of targeted enrichment to next-generation sequencing of retroviruses integrated into the host human genome. Scientific Reports, 2016, 6, 28324.	3.3	27
40	Histone demethylase LSD1 controls the phenotypic plasticity of cancer cells. Cancer Science, 2016, 107, 1187-1192.	3.9	67
41	DNA methylation-independent removable insulator controls chromatin remodeling at the <i>HOXA</i> locus via retinoic acid signaling. Human Molecular Genetics, 2016, 25, ddw354.	2.9	7
42	The retrovirus HTLV-1 inserts an ectopic CTCF-binding site into the human genome. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3054-3059.	7.1	117
43	Loss of the integral nuclear envelope protein SUN1 induces alteration of nucleoli. Nucleus, 2016, 7, 68-83.	2.2	26
44	HMGA2 promotes adipogenesis by activating C/EBP β -mediated expression of PPAR β . Biochemical and Biophysical Research Communications, 2016, 472, 617-623.	2.1	44
45	UHRF1 regulates global DNA hypomethylation and is associated with poor prognosis in esophageal squamous cell carcinoma. Oncotarget, 2016, 7, 57821-57831.	1.8	24
46	TET family proteins and 5-hydroxymethylcytosine in esophageal squamous cell carcinoma. Oncotarget, 2015, 6, 23372-23382.	1.8	49
47	A cluster of noncoding RNAs activates the ESR1 locus during breast cancer adaptation. Nature Communications, 2015, 6, 6966.	12.8	60
48	Retinoblastoma protein promotes oxidative phosphorylation through upregulation of glycolytic genes in oncogene-induced senescent cells. Aging Cell, 2015, 14, 689-697.	6.7	53
49	Lysine Demethylase LSD1 Coordinates Glycolytic and Mitochondrial Metabolism in Hepatocellular Carcinoma Cells. Cancer Research, 2015, 75, 1445-1456.	0.9	81
50	Lysine-Specific Demethylase 2 Suppresses Lipid Influx and Metabolism in Hepatic Cells. Molecular and Cellular Biology, 2015, 35, 1068-1080.	2.3	28
51	The actin family protein ARP6 contributes to the structure and the function of the nucleolus. Biochemical and Biophysical Research Communications, 2015, 464, 554-560.	2.1	14
52	Endoplasmic Reticulum (ER) Stress Induces Sirtuin 1 (SIRT1) Expression via the PI3K-Akt-GSK3 β Signaling Pathway and Promotes Hepatocellular Injury. Journal of Biological Chemistry, 2015, 290, 30366-30374.	3.4	68
53	STAT5 Orchestrates Local Epigenetic Changes for Chromatin Accessibility and Rearrangements by Direct Binding to the TCR β Locus. Journal of Immunology, 2015, 195, 1804-1814.	0.8	16
54	H3K4/H3K9me3 Bivalent Chromatin Domains Targeted by Lineage-Specific DNA Methylation Pauses Adipocyte Differentiation. Molecular Cell, 2015, 60, 584-596.	9.7	180

#	ARTICLE	IF	CITATIONS
55	Sall1 Maintains Nephron Progenitors and Nascent Nephrons by Acting as Both an Activator and a Repressor. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2584-2595.	6.1	62
56	Glycolytic genes are targets of the nuclear receptor Ad4BP/SF-1. <i>Nature Communications</i> , 2014, 5, 3634.	12.8	57
57	Lys-63-linked Ubiquitination by E3 Ubiquitin Ligase Nedd4-1 Facilitates Endosomal Sequestration of Internalized β -Synuclein. <i>Journal of Biological Chemistry</i> , 2014, 289, 18137-18151.	3.4	56
58	Computational image analysis of colony and nuclear morphology to evaluate human induced pluripotent stem cells. <i>Scientific Reports</i> , 2014, 4, 6996.	3.3	62
59	Metabolismâ€™epigenome crosstalk in physiology and diseases. <i>Journal of Human Genetics</i> , 2013, 58, 410-415.	2.3	34
60	The Transcriptional Cofactor MCAF1/ATF7IP Is Involved in Histone Gene Expression and Cellular Senescence. <i>PLoS ONE</i> , 2013, 8, e68478.	2.5	14
61	FAD-dependent lysine-specific demethylase-1 regulates cellular energy expenditure. <i>Nature Communications</i> , 2012, 3, 758.	12.8	181
62	The distribution of phosphorylated SR proteins and alternative splicing are regulated by RANBP2. <i>Molecular Biology of the Cell</i> , 2012, 23, 1115-1128.	2.1	37
63	Quantitative assessment of higherâ€™order chromatin structure of the <i>INK4/ARF</i> locus in human senescent cells. <i>Aging Cell</i> , 2012, 11, 553-556.	6.7	34
64	Hmga1 is differentially expressed and mediates silencing of the <i>CD4/CD8</i> loci in T cell lineages and leukemic cells. <i>Cancer Science</i> , 2012, 103, 439-447.	3.9	8
65	CRMP5-associated GTPase (CRAG) Protein Protects Neuronal Cells against Cytotoxicity of Expanded Polyglutamine Protein Partially via c-Fos-dependent Activator Protein-1 Activation. <i>Journal of Biological Chemistry</i> , 2011, 286, 33879-33889.	3.4	16
66	Promyelocytic leukemia protein induces apoptosis due to caspase-8 activation via the repression of NF κ B activation in glioblastoma. <i>Neuro-Oncology</i> , 2009, 11, 132-141.	1.2	13
67	MCAF1/AM Is Involved in Sp1-mediated Maintenance of Cancer-associated Telomerase Activity. <i>Journal of Biological Chemistry</i> , 2009, 284, 5165-5174.	3.4	49
68	Simian virus 40 large T antigen targets the microtubule-stabilizing protein TACC2. <i>Journal of Cell Science</i> , 2009, 122, 3190-3198.	2.0	13
69	Architectural roles of multiple chromatin insulators at the human apolipoprotein gene cluster. <i>EMBO Journal</i> , 2009, 28, 1234-1245.	7.8	185
70	HMGA2 Maintains Oncogenic RAS-Induced Epithelial-Mesenchymal Transition in Human Pancreatic Cancer Cells. <i>American Journal of Pathology</i> , 2009, 174, 854-868.	3.8	180
71	HMGA1 Is Induced by Wnt/ β -Catenin Pathway and Maintains Cell Proliferation in Gastric Cancer. <i>American Journal of Pathology</i> , 2009, 175, 1675-1685.	3.8	69
72	Cohesin mediates transcriptional insulation by CCCTC-binding factor. <i>Nature</i> , 2008, 451, 796-801.	27.8	1,050

#	ARTICLE	IF	CITATIONS
73	Polycomb Group Protein-associated Chromatin Is Reproduced in Post-mitotic G1 Phase and Is Required for S Phase Progression. <i>Journal of Biological Chemistry</i> , 2008, 283, 18905-18915.	3.4	61
74	High mobility group protein HMGA1 inhibits retinoblastoma protein-mediated cellular G0 arrest. <i>Cancer Science</i> , 2007, 98, 1893-1901.	3.9	25
75	In situ SUMOylation analysis reveals a modulatory role of RanBP2 in the nuclear rim and PML bodies. <i>Experimental Cell Research</i> , 2006, 312, 1418-1430.	2.6	63
76	SUMO down-regulates the activity of Elf4/Myeloid Elf-1-like factor. <i>Biochemical and Biophysical Research Communications</i> , 2006, 348, 880-888.	2.1	8
77	Nuclear and chromatin reorganization in the MHC-Oct3/4 locus at developmental phases of embryonic stem cell differentiation. <i>Developmental Biology</i> , 2006, 298, 354-367.	2.0	84
78	CTCF-Dependent Chromatin Insulator Is Linked to Epigenetic Remodeling. <i>Molecular Cell</i> , 2006, 23, 733-742.	9.7	249
79	Involvement of SUMO Modification in MBD1- and MCAF1-mediated Heterochromatin Formation. <i>Journal of Biological Chemistry</i> , 2006, 281, 23180-23190.	3.4	82
80	Transcriptional Repression and Heterochromatin Formation by MBD1 and MCAF/AM Family Proteins. <i>Journal of Biological Chemistry</i> , 2005, 280, 13928-13935.	3.4	106
81	Myeloid Elf-1-like Factor, an ETS Transcription Factor, Up-regulates Lysozyme Transcription in Epithelial Cells through Interaction with Promyelocytic Leukemia Protein. <i>Journal of Biological Chemistry</i> , 2004, 279, 19091-19098.	3.4	24
82	Epigenetic System: A Pathway to Malignancies and a Therapeutic Target. <i>International Journal of Hematology</i> , 2004, 80, 103-107.	1.6	3
83	Overproduction of eukaryotic SUMO-1- and SUMO-2-conjugated proteins in <i>Escherichia coli</i> . <i>Analytical Biochemistry</i> , 2004, 331, 204-206.	2.4	102
84	PML-nuclear bodies are involved in cellular serum response. <i>Genes To Cells</i> , 2003, 8, 275-286.	1.2	15
85	Serum response factor is modulated by the SUMO-1 conjugation system. <i>Biochemical and Biophysical Research Communications</i> , 2003, 306, 32-38.	2.1	48
86	Methyl-CpG Binding Domain 1 (MBD1) Interacts with the Suv39h1-HP1 Heterochromatic Complex for DNA Methylation-based Transcriptional Repression. <i>Journal of Biological Chemistry</i> , 2003, 278, 24132-24138.	3.4	237
87	MCAF Mediates MBD1-Dependent Transcriptional Repression. <i>Molecular and Cellular Biology</i> , 2003, 23, 2834-2843.	2.3	83
88	Methylated DNA-binding domain 1 and methylpurine-DNA glycosylase link transcriptional repression and DNA repair in chromatin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 12859-12864.	7.1	71
89	The Aryl Hydrocarbon Receptor Nuclear Transporter Is Modulated by the SUMO-1 Conjugation System. <i>Journal of Biological Chemistry</i> , 2002, 277, 46576-46585.	3.4	64
90	Epigenetics: interaction of DNA methylation and chromatin. <i>Gene</i> , 2001, 278, 25-31.	2.2	200

#	ARTICLE	IF	CITATIONS
91	Regulation of transcription and chromatin by methyl-CpG binding protein MBD1. <i>Brain and Development</i> , 2001, 23, S174-S176.	1.1	23
92	Solution Structure of the Methyl-CpG Binding Domain of Human MBD1 in Complex with Methylated DNA. <i>Cell</i> , 2001, 105, 487-497.	28.9	273
93	Mechanism of Transcriptional Regulation by Methyl-CpG Binding Protein MBD1. <i>Molecular and Cellular Biology</i> , 2000, 20, 5107-5118.	2.3	143
94	Emerging therapeutic targets in schwannomas and meningiomas: the neurofibromatosis Type 2 protein. <i>Expert Opinion on Therapeutic Targets</i> , 1999, 3, 335-364.	1.0	1
95	Methylation-Mediated Transcriptional Silencing in Euchromatin by Methyl-CpG Binding Protein MBD1 Isoforms. <i>Molecular and Cellular Biology</i> , 1999, 19, 6415-6426.	2.3	189