

Yuka Mizue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3452665/publications.pdf>

Version: 2024-02-01

36
papers

2,305
citations

257450

24
h-index

361022

35
g-index

37
all docs

37
docs citations

37
times ranked

3229
citing authors

#	ARTICLE	IF	CITATIONS
1	Activated forms of astrocytes with higher GLT-1 expression are associated with cognitive normal subjects with Alzheimer pathology in human brain. <i>Scientific Reports</i> , 2018, 8, 1712.	3.3	79
2	Umbilical cord extracts improve osteoporotic abnormalities of bone marrow-derived mesenchymal stem cells and promote their therapeutic effects on ovariectomised rats. <i>Scientific Reports</i> , 2018, 8, 1161.	3.3	24
3	An enriched environment prevents diabetes-induced cognitive impairment in rats by enhancing exosomal miR-146a secretion from endogenous bone marrow-derived mesenchymal stem cells. <i>PLoS ONE</i> , 2018, 13, e0204252.	2.5	56
4	Umbilical cord extracts improve diabetic abnormalities in bone marrow-derived mesenchymal stem cells and increase their therapeutic effects on diabetic nephropathy. <i>Scientific Reports</i> , 2017, 7, 8484.	3.3	48
5	Bone marrow-derived mesenchymal stem cells improve diabetes-induced cognitive impairment by exosome transfer into damaged neurons and astrocytes. <i>Scientific Reports</i> , 2016, 6, 24805.	3.3	178
6	Mesenchymal stem cell therapy ameliorates diabetic nephropathy via the paracrine effect of renal trophic factors including exosomes. <i>Scientific Reports</i> , 2016, 6, 34842.	3.3	189
7	The role of macrophage migration inhibitory factor in autoimmune liver disease. <i>Hepatology</i> , 2014, 59, 580-591.	7.3	86
8	Role of Macrophage Migration Inhibitory Factor in the Th2 Immune Response to Epicutaneous Sensitization. <i>Journal of Clinical Immunology</i> , 2011, 31, 666-680.	3.8	25
9	Dual effect of the macrophage migration inhibitory factor gene on the development and severity of human systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2011, 63, 3942-3951.	6.7	106
10	Prospective Study of Congenital Toxoplasmosis Screening with Use of IgG Avidity and Multiplex Nested PCR Methods. <i>Journal of Clinical Microbiology</i> , 2011, 49, 2552-2556.	3.9	53
11	Investigation of annexin A5 as a biomarker for Alzheimer's disease using neuronal cell culture and mouse model. <i>Journal of Neuroscience Research</i> , 2010, 88, 2682-2692.	2.9	19
12	Increased TLR4 Expression and Downstream Cytokine Production in Immunosuppressed Adults Compared to Non-Immunosuppressed Adults. <i>PLoS ONE</i> , 2010, 5, e11343.	2.5	8
13	The Golgi-Associated Protein p115 Mediates the Secretion of Macrophage Migration Inhibitory Factor. <i>Journal of Immunology</i> , 2009, 182, 6896-6906.	0.8	106
14	A case of congenital toxoplasmosis whose mother demonstrated serum low IgG avidity and positive tests for multiplex-nested PCR in the amniotic fluid. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 372-378.	1.3	10
15	Macrophage Migration Inhibitory Factor and Autism Spectrum Disorders. <i>Pediatrics</i> , 2008, 122, e438-e445.	2.1	103
16	CCL8 is a potential molecular candidate for the diagnosis of graft-versus-host disease. <i>Blood</i> , 2008, 111, 4403-4412.	1.4	69
17	Correspondence. Placenta growth factor and vascular endothelial growth factor in the vitreous of patients with proliferative vitreoretinopathy. <i>Clinical and Experimental Ophthalmology</i> , 2005, 33, 226-227.	2.6	4
18	Increased Levels of Macrophage Migration Inhibitory Factor in Sera of Patients with Escherichia coli O157:H7-Induced Enterocolitis. <i>Vaccine Journal</i> , 2005, 12, 1257-1258.	3.1	0

#	ARTICLE	IF	CITATIONS
19	Evidence for a Role of Macrophage Migration Inhibitory Factor in Vascular Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 709-714.	2.4	77
20	Vitreous Levels of Placenta Growth Factor and Vascular Endothelial Growth Factor in Patients With Proliferative Diabetic Retinopathy. <i>Diabetes Care</i> , 2002, 25, 2352-2352.	8.6	72
21	Amelioration of dextran sulfate sodium-induced colitis by anti-macrophage migration inhibitory factor antibody in mice. <i>Gastroenterology</i> , 2002, 123, 256-270.	1.3	140
22	Elevated Levels of Serum Macrophage Migration Inhibitory Factor in Patients with Pulmonary Tuberculosis. <i>Clinical Immunology</i> , 2002, 104, 123-127.	3.2	32
23	Monocyte Chemotactic Protein-1 Levels in the Vitreous of Patients with Proliferative Vitreoretinopathy. <i>Japanese Journal of Ophthalmology</i> , 2002, 46, 218-221.	1.9	33
24	Increased Macrophage Migration Inhibitory Factor (MIF) in the Sera of Patients with Extensive Alopecia Areata. <i>Journal of Investigative Dermatology</i> , 2002, 118, 555-557.	0.7	10
25	Histochemical analysis of macrophage migration inhibitory factor in psoriasis vulgaris. <i>Histochemistry and Cell Biology</i> , 2002, 118, 251-257.	1.7	15
26	Monocyte Chemotactic Protein-1 in the Vitreous of Patients with Proliferative Diabetic Retinopathy. <i>Ophthalmologica</i> , 2001, 215, 415-418.	1.9	90
27	High Macrophage Migration Inhibitory Factor (MIF) Serum Levels Associated with Extended Psoriasis. <i>Journal of Investigative Dermatology</i> , 2001, 116, 989-990.	0.7	55
28	High-Dose Corticosteroid Administration Induces Increase of Serum Macrophage Migration Inhibitory Factor in Patients with Vogt-Koyanagi-Harada's Disease. <i>Microbiology and Immunology</i> , 2000, 44, 1075-1077.	1.4	12
29	Macrophage Migration Inhibitory Factor Up-regulates Expression of Matrix Metalloproteinases in Synovial Fibroblasts of Rheumatoid Arthritis. <i>Journal of Biological Chemistry</i> , 2000, 275, 444-450.	3.4	224
30	Hepatocyte growth factor levels in the vitreous of patients with proliferative vitreoretinopathy. <i>American Journal of Ophthalmology</i> , 2000, 129, 678-680.	3.3	54
31	Induction of T-Kininogen and Tumor Necrosis Factor- α by Macrophage Migration Inhibitory Factor in vivo. <i>Seminars in Thrombosis and Hemostasis</i> , 1999, 25, 557-562.	2.7	5
32	α -Thrombin Stimulates Expression of Macrophage Migration Inhibitory Factor in Skin Fibroblasts. <i>Seminars in Thrombosis and Hemostasis</i> , 1999, 25, 569-573.	2.7	8
33	Macrophage migration inhibitory factor levels in the vitreous of patients with proliferative vitreoretinopathy. <i>American Journal of Ophthalmology</i> , 1999, 128, 763-765.	3.3	12
34	HIGH EXPRESSION OF MACROPHAGE MIGRATION INHIBITORY FACTOR IN THE SYNOVIAL TISSUES OF RHEUMATOID JOINTS. <i>Cytokine</i> , 1999, 11, 163-167.	3.2	92
35	IDENTIFICATION OF MACROPHAGE MIGRATION INHIBITORY FACTOR (MIF) IN HUMAN VASCULAR ENOTHELIAL CELLS AND ITS INDUCTION BY LIPOPOLYSACCHARIDE. <i>Cytokine</i> , 1998, 10, 199-205.	3.2	128
36	Macrophage Migration Inhibitory Factor Is an Essential Immunoregulatory Cytokine in Atopic Dermatitis. <i>Biochemical and Biophysical Research Communications</i> , 1997, 240, 173-178.	2.1	83