
Bernhard B Singer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3455293/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Antibody ligation of CEACAM1, CEACAM3, and CEACAM6, differentially enhance the cytokine release of human neutrophils in responses to Candida albicans. Cellular Immunology, 2022, 371, 104459.	3.0	1
2	Color-coded double labeling of colon-cancer liver metastasis and the adjacent liver segment with a tumor-specific fluorescent antibody and indocyanine green. , 2022, , .		0
3	Phosphoantigen-Stimulated γÎ′T Cells Suppress Natural Killer–Cell Responses to Missing-Self. Cancer Immunology Research, 2022, 10, 558-570.	3.4	4
4	MXene-Assisted Ablation of Cells with a Pulsed Near-Infrared Laser. ACS Applied Materials & Interfaces, 2022, 14, 28683-28696.	8.0	23
5	Evaluation of carcinoembryonic antigenâ€related cell adhesion molecule 1 blood serum levels in women at high risk for preeclampsia. American Journal of Reproductive Immunology, 2021, 85, e13375.	1.2	1
6	A Patient-Derived Orthotopic Xenograft Model of Gastroesophageal-Junction Adenocarcinoma Translated to the Clinic by Tumor-Targeting Fluorescent Antibodies to Carcinoembryonic-Antigen-Related Cell-Adhesion Molecules. In Vivo, 2021, 35, 1959-1963.	1.3	3
7	Bacterial protein domains with a novel Igâ€like fold target human CEACAM receptors. EMBO Journal, 2021, 40, e106103.	7.8	16
8	Fusobacterium nucleatum CbpF Mediates Inhibition of T Cell Function Through CEACAM1 Activation. Frontiers in Cellular and Infection Microbiology, 2021, 11, 692544.	3.9	23
9	A Novel Color-Coded Liver Metastasis Mouse Model to Distinguish Tumor and Adjacent Liver Segment. Journal of Surgical Research, 2021, 264, 327-333.	1.6	8
10	Engagement of CEACAM1 by Helicobacter pylori HopQ Is Important for the Activation of Non-Canonical NF-IºB in Gastric Epithelial Cells. Microorganisms, 2021, 9, 1748.	3.6	5
11	Fluorophore-conjugated Helicobacter pylori recombinant membrane protein (HopQ) labels primary colon cancer and metastases in orthotopic mouse models by binding CEA-related cell adhesion molecules. Translational Oncology, 2020, 13, 100857.	3.7	6
12	CEACAMs serve as toxin-stimulated receptors for enterotoxigenic <i>Escherichia coli</i> . Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 29055-29062.	7.1	21
13	Type IV secretion of Helicobacter pylori CagA into oral epithelial cells is prevented by the absence of CEACAM receptor expression. Gut Pathogens, 2020, 12, 25.	3.4	11
14	CEACAM1 regulates CD8+ T cell immunity and protects from severe pathology during Citrobacter rodentium induced colitis. Gut Microbes, 2020, 11, 1790-1805.	9.8	8
15	Cysteine Residues in Helicobacter pylori Adhesin HopQ are Required for CEACAM–HopQ Interaction and Subsequent CagA Translocation. Microorganisms, 2020, 8, 465.	3.6	12
16	Acinetobacter baumannii Targets Human Carcinoembryonic Antigen-Related Cell Adhesion Molecules (CEACAMs) for Invasion of Pneumocytes. MSystems, 2020, 5, .	3.8	20
17	Anti-carcinoembryonic antigen-related cell adhesion molecule antibody for fluorescence visualization of primary colon cancer and metastases in patient-derived orthotopic xenograft mouse models. Oncotarget, 2020, 11, 429-439.	1.8	25
18	Extracellular Chromatin Triggers Release of Soluble CEACAM8 Upon Activation of Neutrophils. Frontiers in Immunology, 2019, 10, 1346.	4.8	23

BERNHARD B SINGER

#	Article	IF	CITATIONS
19	<i>Fusobacterium nucleatum</i> supresses anti-tumor immunity by activating CEACAM1. Oncolmmunology, 2019, 8, e1581531.	4.6	87
20	Size Matters: The Functional Role of the CEACAM1 Isoform Signature and Its Impact for NK Cell-Mediated Killing in Melanoma. Cancers, 2019, 11, 356.	3.7	37
21	<i>Fusobacterium</i> spp. target human CEACAM1 via the trimeric autotransporter adhesin CbpF. Journal of Oral Microbiology, 2019, 11, 1565043.	2.7	38
22	The <i>Helicobacter pylori</i> HopQ outermembrane protein inhibits immune cell activities. Oncolmmunology, 2019, 8, e1553487.	4.6	37
23	Unaltered Fungal Burden and Lethality in Human CEACAM1-Transgenic Mice During Candida albicans Dissemination and Systemic Infection. Frontiers in Microbiology, 2019, 10, 2703.	3.5	5
24	Expression of CEACAM1 or CEACAM5 in AZ-521 cells restores the type IV secretion deficiency for translocation of CagA by <i>Helicobacter pylori</i> . Cellular Microbiology, 2019, 21, e12965.	2.1	31
25	Carcinoembryonic antigenâ€related cell adhesion molecule 1 controls ILâ€2â€dependent regulatory Tâ€cell induction in immuneâ€mediated hepatitis in mice. Hepatology, 2018, 68, 200-214.	7.3	18
26	Precipitation with polyethylene glycol followed by washing and pelleting by ultracentrifugation enriches extracellular vesicles from tissue culture supernatants in small and large scales. Journal of Extracellular Vesicles, 2018, 7, 1528109.	12.2	164
27	<i>Helicobacter pylori</i> adhesin HopQ disrupts <i>trans</i> dimerization in human <scp>CEACAM</scp> s. EMBO Journal, 2018, 37, .	7.8	73
28	CEACAM1 promotes CD8+ T cell responses and improves control of a chronic viral infection. Nature Communications, 2018, 9, 2561.	12.8	41
29	The deregulation of miR-17/CCND1 axis during neuroendocrine transdifferentiation of LNCaP prostate cancer cells. PLoS ONE, 2018, 13, e0200472.	2.5	24
30	Poly (glycerol sebacate)-poly (ε-caprolactone) blend nanofibrous scaffold as intrinsic bio- and immunocompatible system for corneal repair. Acta Biomaterialia, 2017, 50, 370-380.	8.3	68
31	Soluble <scp>CEACAM</scp> 1 and <scp>CEACAM</scp> 6 are differently expressed in blood serum of pregnant women during normal pregnancy. American Journal of Reproductive Immunology, 2017, 78, e12700.	1.2	7
32	Binding of <i>Candida albicans</i> to Human CEACAM1 and CEACAM6 Modulates the Inflammatory Response of Intestinal Epithelial Cells. MBio, 2017, 8, .	4.1	29
33	Helicobacter pylori adhesin HopQ engages in a virulence-enhancing interaction with human CEACAMs. Nature Microbiology, 2017, 2, 16189.	13.3	188
34	Efficient and safe gene delivery to human corneal endothelium using magnetic nanoparticles. Nanomedicine, 2016, 11, 1787-1800.	3.3	23
35	Björn J. Öbrink (1943–2015). Experimental Cell Research, 2016, 341, 75-76.	2.6	0
36	Pregnancy-specific glycoprotein expression in normal gastrointestinal tract and in tumors detected with novel monoclonal antibodies. MAbs, 2016, 8, 491-500.	5.2	13

BERNHARD B SINGER

#	Article	IF	CITATIONS
37	<scp>MITF</scp> is a critical regulator of the carcinoembryonic antigenâ€related cell adhesion molecule 1 (<scp>CEACAM</scp> 1) in malignant melanoma. Pigment Cell and Melanoma Research, 2015, 28, 736-740.	3.3	12
38	CEACAM1-4L Promotes Anchorage-Independent Growth in Melanoma. Frontiers in Oncology, 2015, 5, 234.	2.8	8
39	Functional capacities of human IgM memory B cells in early inflammatory responses and secondary germinal center reactions. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E546-55.	7.1	179
40	Single nucleotide polymorphisms of the EpCAM-coding gene TACSTD1 in patients with ovarian cancer and their potential translational aspects. Archives of Gynecology and Obstetrics, 2015, 292, 1367-1372.	1.7	1
41	CEACAM1-3S Drives Melanoma Cells into NK Cell-Mediated Cytolysis and Enhances Patient Survival. Cancer Research, 2015, 75, 1897-1907.	0.9	22
42	CEACAM1 induces B-cell survival and is essential for protective antiviral antibody production. Nature Communications, 2015, 6, 6217.	12.8	42
43	<i>Moraxella catarrhalis</i> induces an immune response in the murine lung that is independent of human CEACAM5 expression and long-term smoke exposure. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2015, 309, L250-L261.	2.9	12
44	Dectin-1 Is Expressed in Human Lung and Mediates the Proinflammatory Immune Response to Nontypeable Haemophilus influenzae. MBio, 2014, 5, e01492-14.	4.1	84
45	Soluble CEACAM8 Interacts with CEACAM1 Inhibiting TLR2-Triggered Immune Responses. PLoS ONE, 2014, 9, e94106.	2.5	39
46	Single nucleotide polymorphisms of the EpCAM-coding gene <i>TACSTD1</i> in patients with ovarian cancer and their potential implications in clinical practice Journal of Clinical Oncology, 2014, 32, e16515-e16515.	1.6	0
47	Carcinoembryonic antigen (CEA)-related cell adhesion molecules are co-expressed in the human lung and their expression can be modulated in bronchial epithelial cells by non-typable Haemophilus influenzae, Moraxella catarrhalis, TLR3, and type I and II interferons. Respiratory Research, 2013, 14, 85.	3.6	59
48	Influence of Ceacams Expression in Graft-Versus-Host Disease After Allogeneic Transplantation. Blood, 2012, 120, 4490-4490.	1.4	0
49	CEACAM1: A Novel Urinary Marker for Bladder Cancer Detection. European Urology, 2010, 57, 648-654.	1.9	43
50	Deregulation of the CEACAM Expression Pattern Causes Undifferentiated Cell Growth in Human Lung Adenocarcinoma Cells. PLoS ONE, 2010, 5, e8747.	2.5	76
51	The CEACAM1 N-terminal Ig domain mediates cis- and trans-binding and is essential for allosteric rearrangements of CEACAM1 microclusters. Journal of Cell Biology, 2009, 187, 553-567.	5.2	57
52	Homophilic adhesion and CEACAM1-S regulate dimerization of CEACAM1-L and recruitment of SHP-2 and c-Src. Journal of Cell Biology, 2009, 187, 569-581.	5.2	65
53	CEACAM1 inhibits Toll-like receptor 2–triggered antibacterial responses of human pulmonary epithelial cells. Nature Immunology, 2008, 9, 1270-1278.	14.5	115
54	The UspA1 Protein ofMoraxella catarrhalisInduces CEACAMâ€1–Dependent Apoptosis in Alveolar Epithelial Cells. Journal of Infectious Diseases, 2007, 195, 1651-1660.	4.0	28

BERNHARD B SINGER

#	Article	IF	CITATIONS
55	Moraxella catarrhalis is internalized in respiratory epithelial cells by a trigger-like mechanism and initiates a TLR2- and partly NOD1-dependent inflammatory immune response. Cellular Microbiology, 2007, 9, 694-707.	2.1	106
56	Transmembrane CEACAM1 affects integrin-dependent signaling and regulates extracellular matrix protein–specific morphology and migration of endothelial cells. Blood, 2005, 105, 3925-3934.	1.4	70
57	CEACAM1 (CD66a) mediates delay of spontaneous and Fas ligand-induced apoptosis in granulocytes. European Journal of Immunology, 2005, 35, 1949-1959.	2.9	73
58	CEACAM1 functionally interacts with filamin A and exerts a dual role in the regulation of cell migration. Journal of Cell Science, 2005, 118, 5513-5524.	2.0	41
59	CEACAM1 is a potent regulator of B cell receptor complex-induced activation. Journal of Leukocyte Biology, 2003, 74, 126-134.	3.3	55
60	Carcinoembryonic Antigen-Related Cell Adhesion Molecule 1 Expression and Signaling in Human, Mouse, and Rat Leukocytes: Evidence for Replacement of the Short Cytoplasmic Domain Isoform by Glycosylphosphatidylinositol-Linked Proteins in Human Leukocytes. Journal of Immunology, 2002, 168, 5139-5146.	0.8	110
61	CD30-mediated cell cycle arrest associated with induced expression of p21CIP1/WAF1 in the anaplastic large cell lymphoma cell line Karpas 299. Oncogene, 2001, 20, 590-598.	5.9	61
62	Biliary glycoprotein (CD66a), a cell adhesion molecule of the immunoglobulin superfamily, on human lymphocytes: structure, expression and involvement in T cell activation. European Journal of Immunology, 1998, 28, 3664-3674.	2.9	128
63	Activation of CEACAM1 with an agonistic monoclonal antibody results in inhibition of melanoma cells. Cancer Gene Therapy, 0, , .	4.6	1