## Ching-Hua Kuo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/345533/publications.pdf

Version: 2024-02-01

201674 2,706 124 27 citations h-index papers

g-index 125 125 125 4091 docs citations times ranked citing authors all docs

254184

43

#	Article	IF	CITATIONS
1	Metabolome analysis for investigating host-gut microbiota interactions. Journal of the Formosan Medical Association, 2019, 118, S10-S22.	1.7	121
2	Antroquinonol displays anticancer potential against human hepatocellular carcinoma cells: A crucial role of AMPK and mTOR pathways. Biochemical Pharmacology, 2010, 79, 162-171.	4.4	119
3	Identification of TMAO-producer phenotype and host–diet–gut dysbiosis by carnitine challenge test in human and germ-free mice. Gut, 2019, 68, 1439-1449.	12.1	108
4	Gas chromatography-mass spectrometry-based analytical strategies for fatty acid analysis in biological samples. Journal of Food and Drug Analysis, 2020, 28, 60-73.	1.9	96
5	Batch Normalizer: A Fast Total Abundance Regression Calibration Method to Simultaneously Adjust Batch and Injection Order Effects in Liquid Chromatography/Time-of-Flight Mass Spectrometry-Based Metabolomics Data and Comparison with Current Calibration Methods. Analytical Chemistry, 2013, 85, 1037-1046.	6.5	92
6	Association of Fecal and Plasma Levels of Short-Chain Fatty Acids With Gut Microbiota and Clinical Severity in Patients With Parkinson Disease. Neurology, 2022, 98, .	1.1	90
7	Simultaneous quantification of antimicrobial agents for multidrug-resistant bacterial infections in human plasma by ultra-high-pressure liquid chromatography–tandem mass spectrometry. Talanta, 2013, 116, 593-603.	5.5	72
8	Rapid analysis of melamine in infant formula by sweeping-micellar electrokinetic chromatography. Journal of Chromatography A, 2009, 1216, 8296-8303.	3.7	67
9	Evaluation and Optimization of Sample Handling Methods for Quantification of Short-Chain Fatty Acids in Human Fecal Samples by GC–MS. Journal of Proteome Research, 2019, 18, 1948-1957.	3.7	61
10	Mass-Spectrometry-Based Serum Metabolomics of a C57BL/6J Mouse Model of High-Fat-Diet-Induced Non-alcoholic Fatty Liver Disease Development. Journal of Agricultural and Food Chemistry, 2015, 63, 7873-7884.	5.2	60
11	A pilot study of bevacizumab combined with etoposide and cisplatin in breast cancer patients with leptomeningeal carcinomatosis. BMC Cancer, 2015, 15, 299.	2.6	56
12	Dietary allicin reduces transformation of L-carnitine to TMAO through impact on gut microbiota. Journal of Functional Foods, 2015, 15, 408-417.	3.4	55
13	Increased Plasma Acetylcarnitine in Sepsis Is Associated With Multiple Organ Dysfunction and Mortality: A Multicenter Cohort Study. Critical Care Medicine, 2019, 47, 210-218.	0.9	55
14	Analysis of nine rhubarb anthraquinones and bianthrones by micellar electrokinetic chromatography using experimental design. Analytica Chimica Acta, 2003, 482, 47-58.	5.4	51
15	Development of a general method for quantifying IgG-based therapeutic monoclonal antibodies in human plasma using protein G purification coupled with a two internal standard calibration strategy using LC-MS/MS. Analytica Chimica Acta, 2018, 1019, 93-102.	5.4	50
16	A case-control study of perfluoroalkyl substances and the risk of breast cancer in Taiwanese women. Environment International, 2020, 142, 105850.	10.0	48
17	Rapid determination of aristolochic acids I and II in herbal products and biological samples by ultra-high-pressure liquid chromatography–tandem mass spectrometry. Talanta, 2010, 80, 1672-1680.	5.5	47
18	Metabolomic Characterization of Laborers Exposed to Welding Fumes. Chemical Research in Toxicology, 2012, 25, 676-686.	3.3	45

#	Article	IF	CITATIONS
19	Metabolomics of Ginger Essential Oil against Alcoholic Fatty Liver in Mice. Journal of Agricultural and Food Chemistry, 2013, 61, 11231-11240.	5.2	40
20	Screening and Confirmation of 62 Drugs of Abuse and Metabolites in Urine by Ultra-High-Performance Liquid Chromatography-Quadrupole Time-of-Flight Mass Spectrometry. Journal of Analytical Toxicology, 2013, 37, 642-651.	2.8	38
21	Human Breathomics Database. Database: the Journal of Biological Databases and Curation, 2020, 2020, .	3.0	37
22	Metabolomics of Children and Adolescents Exposed to Industrial Carcinogenic Pollutants. Environmental Science & Environmental	10.0	36
23	Characterization of TMAO productivity from carnitine challenge facilitates personalized nutrition and microbiome signatures discovery. Microbiome, 2020, 8, 162.	11.1	35
24	Lipophagy prevents activityâ€dependent neurodegeneration due to dihydroceramide accumulation <i>in vivo</i> . EMBO Reports, 2017, 18, 1150-1165.	4.5	34
25	Development and validation of a high-performance liquid chromatography-fluorescence detection method for the accurate quantification of colistin in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 980, 48-54.	2.3	31
26	<p>Augmented renal clearance is associated with inadequate antibiotic pharmacokinetic/pharmacodynamic target in Asian ICU population: a prospective observational study</p> . Infection and Drug Resistance, 2019, Volume 12, 2531-2541.	2.7	30
27	The Gut Metabolite Trimethylamine Nâ€oxide Is Associated With Parkinson's Disease Severity and Progression. Movement Disorders, 2020, 35, 2115-2116.	3.9	30
28	Sensitive screening of abused drugs in dried blood samples using ultra-high-performance liquid chromatography-ion booster-quadrupole time-of-flight mass spectrometry. Journal of Chromatography A, 2017, 1491, 57-66.	3.7	29
29	Rapid and sensitive determination of posaconazole in patient plasma by capillary electrophoresis with field-amplified sample stacking. Journal of Chromatography A, 2012, 1226, 48-54.	3.7	28
30	True ion pick (TIPick): a denoising and peak picking algorithm to extract ion signals from liquid chromatography/mass spectrometry data. Journal of Mass Spectrometry, 2013, 48, 234-242.	1.6	26
31	Therapeutic Drug Monitoring and Pharmacogenetic Study of HIV-Infected Ethnic Chinese Receiving Efavirenz-Containing Antiretroviral Therapy with or without Rifampicin-Based Anti-Tuberculous Therapy. PLoS ONE, 2014, 9, e88497.	2.5	24
32	Ion Trace Detection Algorithm to Extract Pure Ion Chromatograms to Improve Untargeted Peak Detection Quality for Liquid Chromatography/Time-of-Flight Mass Spectrometry-Based Metabolomics Data. Analytical Chemistry, 2015, 87, 3048-3055.	6.5	24
33	Using precursor ion scan of 184 with liquid chromatography-electrospray ionization-tandem mass spectrometry for concentration normalization in cellular lipidomic studies. Analytica Chimica Acta, 2017, 971, 68-77.	5.4	24
34	Combined proteomic and metabolomic analyses of cerebrospinal fluid from mice with ischemic stroke reveals the effects of a Buyang Huanwu decoction in neurodegenerative disease. PLoS ONE, 2019, 14, e0209184.	2.5	24
35	Differences in the gut microbiome and reduced fecal butyrate in elders with low skeletal muscle mass. Clinical Nutrition, 2022, 41, 1491-1500.	5.0	23
36	Using a postcolumn-infused internal standard for correcting the matrix effects of urine specimens in liquid chromatography–electrospray ionization mass spectrometry. Journal of Chromatography A, 2014, 1327, 97-104.	3.7	21

#	Article	IF	CITATIONS
37	Realâ€World Rivaroxaban and Apixaban Levels in Asian Patients With Atrial Fibrillation. Clinical Pharmacology and Therapeutics, 2020, 107, 278-286.	4.7	21
38	Chromaligner: a web server for chromatogram alignment. Bioinformatics, 2010, 26, 2338-2339.	4.1	20
39	Sphingolipidomics Investigation of the Temporal Dynamics after Ischemic Brain Injury. Journal of Proteome Research, 2019, 18, 3470-3478.	3.7	20
40	Analysis of magnolol and honokiol in biological fluids by capillary zone electrophoresis. Journal of Chromatography A, 2007, 1142, 240-244.	3.7	19
41	Distribution-Based Classification Method for Baseline Correction of Metabolomic 1D Proton Nuclear Magnetic Resonance Spectra. Analytical Chemistry, 2013, 85, 1231-1239.	6.5	19
42	Estimation and Correction of the Blood Volume Variations of Dried Blood Spots Using a Postcolumn Infused-Internal Standard Strategy with LC-Electrospray Ionization-MS. Analytical Chemistry, 2016, 88, 6457-6464.	6.5	19
43	Development of an LC-MS/MS method with protein G purification strategy for quantifying bevacizumab in human plasma. Analytical and Bioanalytical Chemistry, 2017, 409, 6583-6593.	3.7	19
44	Impact of high plasma concentrations of linezolid in Taiwanese adult patientsâ€" therapeutic drug monitoring in improving adverse drug reactions. Journal of the Formosan Medical Association, 2021, 120, 466-475.	1.7	19
45	Development of an Efficient and Sensitive Chemical Derivatization-Based LC–MS/MS Method for Quantifying Gut Microbiota-Derived Metabolites in Human Plasma and Its Application in Studying Cardiovascular Disease. Journal of Proteome Research, 2021, 20, 3508-3518.	3.7	19
46	ASIC3-dependent metabolomics profiling of serum and urine in a mouse model of fibromyalgia. Scientific Reports, 2019, 9, 12123.	3.3	18
47	Alteration of Gut Microbial Metabolites in the Systemic Circulation of Patients with Parkinson's Disease. Journal of Parkinson's Disease, 2022, 12, 1219-1230.	2.8	18
48	Analysis of lignans using micellar electrokinetic chromatography. Electrophoresis, 2003, 24, 1047-1053.	2.4	17
49	Using sweeping-micellar electrokinetic chromatography to determine voriconazole in patient plasma. Talanta, 2010, 82, 653-659.	5.5	17
50	Simultaneous determination of triazole antifungal drugs in human plasma by sweeping-micellar electrokinetic chromatography. Analytical and Bioanalytical Chemistry, 2012, 404, 217-228.	3.7	17
51	Fast Versus Slow Strategy of Switching Patients With Schizophrenia to Aripiprazole From Other Antipsychotics. Journal of Clinical Psychopharmacology, 2015, 35, 635-644.	1.4	17
52	Quantitative determination of isoniazid in biological samples by cation-selective exhaustive injection–sweeping–micellar electrokinetic chromatography. Analytical and Bioanalytical Chemistry, 2011, 401, 2205-2214.	3.7	16
53	Using sweeping-micellar electrokinetic chromatography to determine melamine in food. Food Chemistry, 2011, 128, 783-789.	8.2	16
54	Using water plug-assisted analyte focusing by micelle collapse in combination with microemulsion electrokinetic chromatography for analyzing phthalate esters. Journal of Chromatography A, 2016, 1445, 149-157.	3.7	16

#	Article	IF	CITATIONS
55	Web Server for Peak Detection, Baseline Correction, and Alignment in Two-Dimensional Gas Chromatography Mass Spectrometry-Based Metabolomics Data. Analytical Chemistry, 2016, 88, 10395-10403.	6.5	16
56	Factors affecting serum concentration ofÂdabigatran in Asian patients with non-valvular atrial fibrillation. Journal of the Formosan Medical Association, 2019, 118, 1154-1160.	1.7	16
57	Identification of potential sphingomyelin markers for the estimation of hematocrit in dried blood spots via a lipidomic strategy. Analytica Chimica Acta, 2018, 1003, 34-41.	5.4	15
58	Isoniazid Concentration and NAT2 Genotype Predict Risk of Systemic Drug Reactions during 3HP for LTBI. Journal of Clinical Medicine, 2019, 8, 812.	2.4	15
59	Metabolomic Dynamic Analysis of Hypoxia in MDA-MB-231 and the Comparison with Inferred Metabolites from Transcriptomics Data. Cancers, 2013, 5, 491-510.	3.7	14
60	A matrix-induced ion suppression method to normalize concentration in urinary metabolomics studies using flow injection analysis electrospray ionization mass spectrometry. Analytica Chimica Acta, 2015, 864, 21-29.	5.4	14
61	Improved Dried Blood Spot-Based Metabolomics Analysis by a Postcolumn Infused-Internal Standard Assisted Liquid Chromatography-Electrospray Ionization Mass Spectrometry Method. Analytical Chemistry, 2019, 91, 10702-10712.	6.5	14
62	Aspirin Modifies Inflammatory Mediators and Metabolomic Profiles and Contributes to the Suppression of Obesity-Associated Breast Cancer Cell Growth. International Journal of Molecular Sciences, 2020, 21, 4652.	4.1	14
63	Dihydroceramide desaturase regulates the compartmentalization of Rac1 for neuronal oxidative stress. Cell Reports, 2021, 35, 108972.	6.4	14
64	Plasma ceramides are associated with outcomes in acute ischemic stroke patients. Journal of the Formosan Medical Association, 2022, 121, 43-50.	1.7	14
65	Determination of bisbenzylisoquinoline alkaloids by high-performance liquid chromatography (II). Journal of Chromatography A, 2000, 891, 189-194.	3.7	13
66	Metabolomic Analysis of Complex Chinese Remedies: Examples of Induced Nephrotoxicity in the Mouse from a Series of Remedies Containing Aristolochic Acid. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-10.	1.2	13
67	An efficient and robust fatty acid profiling method for plasma metabolomic studies by gas chromatography–mass spectrometry. Clinica Chimica Acta, 2015, 451, 183-190.	1.1	13
68	Metabolomics Investigation of Voriconazole-Induced Hepatotoxicity in Mice. Chemical Research in Toxicology, 2019, 32, 1840-1849.	3.3	13
69	Plasma metabolomic profiles predict near-term death among individuals with lower extremity peripheral arterial disease. Journal of Vascular Surgery, 2013, 58, 989-996.e1.	1.1	12
70	Quantification of target analytes in various biofluids using a postcolumn infused-internal standard method combined with matrix normalization factors in liquid chromatography–electrospray ionization mass spectrometry. Journal of Chromatography A, 2014, 1358, 85-92.	3.7	12
71	Quantification of endogenous metabolites by the postcolumn infused-internal standard method combined with matrix normalization factor in liquid chromatography–electrospray ionization tandem mass spectrometry. Journal of Chromatography A, 2015, 1375, 62-68.	3.7	12
72	Development of a Postcolumn Infused-Internal Standard Liquid Chromatography Mass Spectrometry Method for Quantitative Metabolomics Studies. Journal of Proteome Research, 2017, 16, 1097-1104.	3.7	12

#	Article	IF	CITATIONS
73	Using matrix-induced ion suppression combined with LC-MS/MS for quantification of trimethylamine-N-oxide, choline, carnitine and acetylcarnitine in dried blood spot samples. Analytica Chimica Acta, 2021, 1149, 338214.	5.4	12
74	Determination of oregonin in Alnus plants and biological samples by capillary electrophoresis. Journal of Pharmaceutical and Biomedical Analysis, 2008, 47, 195-200.	2.8	11
75	Cholelithiasis and Nephrolithiasis in HIV-Positive Patients in the Era of Combination Antiretroviral Therapy. PLoS ONE, 2015, 10, e0137660.	2.5	11
76	Use of highâ€conductivity sample solution with sweepingâ€micellar electrokinetic capillary chromatography for traceâ€level quantification of paliperidone in human plasma. Electrophoresis, 2015, 36, 534-542.	2.4	11
77	Development and application of a comparative fatty acid analysis method to investigate voriconazole-induced hepatotoxicity. Clinica Chimica Acta, 2015, 438, 126-134.	1.1	11
78	Using the PCI-IS Method to Simultaneously Estimate Blood Volume and Quantify Nonvitamin K Antagonist Oral Anticoagulant Concentrations in Dried Blood Spots. Analytical Chemistry, 2020, 92, 2511-2518.	6.5	11
79	Determination of ursodeoxycholic acid in pharmaceutical preparations by capillary electrophoresis with indirect UV detection. Journal of Pharmaceutical and Biomedical Analysis, 2003, 32, 949-956.	2.8	10
80	Metabolomic characterization of rhubarb species by capillary electrophoresis and ultraâ€highâ€pressure liquid chromatography. Electrophoresis, 2013, 34, 2918-2927.	2.4	10
81	Shortâ€course daily isoniazid and rifapentine for latent tuberculosis infection in people living with HIV who received coformulated bictegravir/emtricitabine/tenofovir alafenamide. Journal of the International AIDS Society, 2021, 24, e25844.	3.0	10
82	Method development for the determination of teicoplanin in patient serum by solid phase extraction and micellar electrokinetic chromatography. Talanta, 2009, 77, 1208-1216.	5.5	9
83	Simultaneous detection of single nucleotide polymorphisms and copy number variations in the CYP2D6 gene by multiplex polymerase chain reaction combined with capillary electrophoresis. Analytica Chimica Acta, 2013, 763, 67-75.	5.4	9
84	Association of blood lead and mercury with estimated GFR in herbalists after the ban of herbs containing aristolochic acids in Taiwan. Occupational and Environmental Medicine, 2013, 70, 545-551.	2.8	9
85	Abnormally low prolactin levels in schizophrenia patients after switching to aripiprazole in a randomized trial: a biomarker for rebound in psychotic symptoms?. BMC Psychiatry, 2020, 20, 552.	2.6	9
86	Maternal Plasma Lipids During Pregnancy, Insulin-like Growth Factor-1, and Excess Fetal Growth. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3461-e3472.	3.6	9
87	Identification of traumatic acid as a potential plasma biomarker for sarcopenia using a metabolomicsâ€based approach. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 276-286.	7.3	9
88	Separation of bisbenzylisoquinoline alkaloids by micellar electrokinetic chromatography. Phytochemical Analysis, 2002, 13, 63-68.	2.4	8
89	Using the Matrix-Induced Ion Suppression Method for Concentration Normalization in Cellular Metabolomics Studies. Analytical Chemistry, 2015, 87, 9731-9739.	6.5	8
90	Therapeutic drug monitoring of the teicoplanin trough level after the loading doses in patients receiving venoarterial extracorporeal membrane oxygenation. Journal of the Formosan Medical Association, 2020, 119, 1086-1092.	1.7	8

#	Article	IF	CITATIONS
91	Metabolomics analysis of plasma reveals voriconazole-induced hepatotoxicity is associated with oxidative stress. Toxicology and Applied Pharmacology, 2020, 403, 115157.	2.8	8
92	A Pilot Study of Metabolomic Pathways Associated With Fatigue in Survivors of Colorectal Cancer. Biological Research for Nursing, 2021, 23, 42-49.	1.9	8
93	Lipidomics of children and adolescents exposed to multiple industrial pollutants. Environmental Research, 2021, 201, 111448.	7.5	8
94	Bioequivalence and in vitro antimicrobial activity between generic and brand-name levofloxacin. Diagnostic Microbiology and Infectious Disease, 2016, 85, 347-351.	1.8	7
95	A Novel Aerosol-Mediated Drug Delivery System for Inner Ear Therapy: Intratympanic Aerosol Methylprednisolone Can Attenuate Acoustic Trauma. IEEE Transactions on Biomedical Engineering, 2013, 60, 2450-2460.	4.2	6
96	Postprandial Metabolomics Response to Various Cooking Oils in Humans. Journal of Agricultural and Food Chemistry, 2018, 66, 4977-4984.	5.2	6
97	Specific diacylglycerols generated by hepatic lipogenesis stimulate the oncogenic androgen receptor activity in male hepatocytes. International Journal of Obesity, 2019, 43, 2469-2479.	3.4	6
98	Using postâ€column infused internal standard assisted quantitative metabolomics for establishing prediction models for breast cancer detection. Rapid Communications in Mass Spectrometry, 2020, 34, e8581.	1.5	6
99	Cell metabolomics analyses revealed a role of altered fatty acid oxidation in neurotoxicity pattern difference between nab-paclitaxel and solvent-based paclitaxel. PLoS ONE, 2021, 16, e0248942.	2.5	6
100	Development of an LC-MS/MS method to simultaneously quantify therapeutic mAbs and estimate hematocrit values in dried blood spot samples. Analytica Chimica Acta, 2021, 1189, 339231.	5.4	6
101	Differentiating ether phosphatidylcholines with a collision energy-optimized MRM method by RPLC-MS/MS and its application to studying ischemia-neuronal injury. Analytica Chimica Acta, 2021, 1184, 339014.	5.4	5
102	Development of an efficient mAb quantification assay by LC-MS/MS using rapid on-bead digestion. Analytica Chimica Acta, 2022, 1193, 339319.	5.4	5
103	Treatment response to unboosted atazanavir in combination with tenofovir disoproxil fumarate and lamivudine in human immunodeficiency virus-1-infected patients who have achieved virological suppression: A therapeutic drug monitoring and pharmacogenetic study. Journal of Microbiology, Immunology and Infection. 2017. 50. 789-797.	3.1	4
104	Rapid quantification of glutaminase 2 (GLS2)-related metabolites by HILIC-MS/MS. Analytical Biochemistry, 2017, 539, 39-44.	2.4	4
105	An on-spot internal standard addition approach for accurately determining colistin A and colistin B in dried blood spots using ultra high-performance liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2017, 145, 783-793.	2.8	4
106	Post-column infused internal standard assisted lipidomics profiling strategy and its application on phosphatidylcholine research. Journal of Pharmaceutical and Biomedical Analysis, 2020, 178, 112956.	2.8	4
107	Investigating the Association of the Biogenic Amine Profile in Urine with Therapeutic Response to Neoadjuvant Chemotherapy in Breast Cancer Patients. Journal of Proteome Research, 2020, 19, 4061-4070.	3.7	4
108	Author Reply to letter to the editor "Plasma ceramides are associated with outcomes in acute ischemic stroke patients― Journal of the Formosan Medical Association, 2021, 120, 1661-1662.	1.7	4

#	Article	IF	CITATIONS
109	Simultaneous Separation of Four Types of Steroid Hormones by Micellar Electrokinetic Chromatography with Cetyltrimethylammonium Bromide. Journal of the Chinese Chemical Society, 2008, 55, 594-605.	1.4	3
110	Fasting but not changes of plasma metabolome during oral glucose tolerance tests improves the diagnosis of severe coronary arterial stenosis. Clinical Endocrinology, 2015, 83, 483-489.	2.4	3
111	Differences in Fatty Acid Oxidation between Nab-Paclitaxel- and Solvent-Based Paclitaxel-Treated A549 Cells Based on Metabolomics. ACS Omega, 2021, 6, 5138-5145.	3.5	3
112	Factors Associated With Edoxaban Concentration Among Patients With Atrial Fibrillation. Frontiers in Pharmacology, 2021, 12, 736826.	3 <b>.</b> 5	3
113	Impact of different renal function equations on direct oral anticoagulant concentrations. Scientific Reports, 2021, 11, 23833.	3.3	3
114	Association Between Apixaban Concentration and Clinical Outcomes in Asians With Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2022, 15, 101161CIRCEP121010693.	4.8	3
115	Presence of Tablet Remnants of Nevirapine Extended-Release in Stools and Its Impact on Virological Outcome in HIV-1-Infected Patients: A Prospective Cohort Study. PLoS ONE, 2015, 10, e0140574.	2.5	2
116	Implementation and outcomes of a therapeutic drug monitoring program for antifungal and antiretroviral agents in a tertiary medical center in Taiwan. JACCP Journal of the American College of Clinical Pharmacy, 2020, 3, 905.	1.0	2
117	Acute HIV infection with presentations mimicking acalculous cholecystitis. Medicine (United States), 2021, 100, e26653.	1.0	2
118	A pilot study of metabolomic pathways associated with fatigue in patients with colorectal cancer receiving chemotherapy. European Journal of Oncology Nursing, 2022, 56, 102096.	2.1	2
119	Failure of pre-exposure prophylaxis with on-demand tenofovir disoproxil fumarate/emtricitabine resulting in emergence of antiretroviral resistance. Journal of Microbiology, Immunology and Infection, 2021, 54, 755-757.	3.1	1
120	Distinct metabolic changes in human lung cancer cells with differential radiation sensitivities. Translational Cancer Research, 2016, 5, 738-747.	1.0	1
121	Metabolomic Study of Candidemia. Open Forum Infectious Diseases, 2016, 3, .	0.9	0
122	Carboxylesterase 2 Is a Fatty Acid Ethyl Ester Synthase. ChemistrySelect, 2017, 2, 1516-1520.	1.5	0
123	Measurement of Dabigatran Concentration Using Finger Prick Dried Blood Spot Sample Collection. Frontiers in Pharmacology, 2021, 12, 679431.	3.5	0
124	Identifying dopamine supersensitivity through a randomized controlled study of switching to aripiprazole from other antipsychotic agents in patients with schizophrenia. Therapeutic Advances in Psychopharmacology, 2022, 12, 204512532110643.	2.7	0