
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/345539/publications.pdf Version: 2024-02-01



FRED D LURUN

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Bacterial neurotoxic metabolites in multiple sclerosis cerebrospinal fluid and plasma. Brain, 2022, 145, 569-583. | 3.7 | 40 |
| 2 | CONCERTO: A randomized, placebo-controlled trial of oral laquinimod in relapsing-remitting multiple sclerosis Journal, 2022, 28, 608-619. | 1.4 | 13 |
| 3 | Confirming a Historical Diagnosis of Multiple Sclerosis. Neurology: Clinical Practice, 2022, 12, 263-269. | 0.8 | 4 |
| 4 | How patients with multiple sclerosis acquire disability. Brain, 2022, 145, 3147-3161. | 3.7 | 126 |
| 5 | Differential antibody response to COVID-19 vaccines across immunomodulatory therapies for multiple sclerosis and Related Disorders, 2022, 62, 103737. | 0.9 | 13 |
| 6 | Early firstâ€line treatment response and subsequent disability worsening in relapsing–remitting multiple sclerosis. European Journal of Neurology, 2022, 29, 1106-1116. | 1.7 | 1 |
| 7 | Depression and cognitive function in early multiple sclerosis: Multitasking is more sensitive than traditional assessments. Multiple Sclerosis Journal, 2021, 27, 1276-1283. | 1.4 | 10 |
| 8 | Hippocampal volume is more related to patient-reported memory than objective memory performance in early multiple sclerosis. Multiple Sclerosis Journal, 2021, 27, 568-578. | 1.4 | 6 |
| 9 | Pandemic forward: Lessons learned and expert perspectives on multiple sclerosis care in the COVID-19 era. Multiple Sclerosis and Related Disorders, 2021, 49, 102715. | 0.9 | 3 |
| 10 | Ponesimod Compared With Teriflunomide in Patients With Relapsing Multiple Sclerosis in the Active-Comparator Phase 3 OPTIMUM Study. JAMA Neurology, 2021, 78, 558. | 4.5 | 132 |
| 11 | Sleep disturbance and memory dysfunction in early multiple sclerosis. Annals of Clinical and Translational Neurology, 2021, 8, 1172-1182. | 1.7 | 7 |
| 12 | Comparison of the EDSS, Timed 25-Foot Walk, and the 9-Hole Peg Test as Clinical Trial Outcomes in Relapsing-Remitting Multiple Sclerosis. Neurology, 2021, 97, e1560-e1570. | 1.5 | 19 |
| 13 | Association of Age With Contrast-Enhancing Lesions Across the Multiple Sclerosis Disease Spectrum. Neurology, 2021, 97, e1334-e1342. | 1.5 | 12 |
| 14 | Dietary factors and MRI metrics in early Multiple Sclerosis. Multiple Sclerosis and Related Disorders, 2021, 53, 103031. | 0.9 | 13 |
| 15 | Myelin oligodendrocyte glycoprotein (MOG) antibody-mediated disease: The difficulty of predicting relapses. Multiple Sclerosis and Related Disorders, 2021, 56, 103229. | 0.9 | 16 |
| 16 | Cerebellar pathology and disability worsening in relapsingâ€remitting multiple sclerosis: a retrospective analysis from the CombiRx trial. European Journal of Neurology, 2021, 29, 515. | 1.7 | 1 |
| 17 | Dissociable cognitive patterns related to depression and anxiety in multiple sclerosis. Multiple Sclerosis Journal, 2020, 26, 1247-1255. | 1.4 | 35 |
| 18 | Psychological resilience is linked to motor strength and gait endurance in early multiple sclerosis. Multiple Sclerosis Journal, 2020, 26, 1111-1120. | 1.4 | 23 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Real-world studies provide reliable comparisons of disease modifying therapies in MS – Commentary. Multiple Sclerosis Journal, 2020, 26, 163-164. | 1.4 | 0 |
| 20 | Deepâ€Learningâ€Based Neural Tissue Segmentation of MRI in Multiple Sclerosis: Effect of Training Set Size. Journal of Magnetic Resonance Imaging, 2020, 51, 1487-1496. | 1.9 | 31 |
| 21 | Deep Learning for Predicting Enhancing Lesions in Multiple Sclerosis from Noncontrast MRI. Radiology, 2020, 294, 398-404. | 3.6 | 67 |
| 22 | Word-finding difficulty is a prevalent disease-related deficit in early multiple sclerosis. Multiple Sclerosis Journal, 2020, 26, 1752-1764. | 1.4 | 34 |
| 23 | Treatment response score to glatiramer acetate or interferon beta-1a. Neurology, 2020, 96, 10.1212/WNL.00000000000010991. | 1.5 | 6 |
| 24 | Safety and efficacy of MD1003 (high-dose biotin) in patients with progressive multiple sclerosis (SPI2): a randomised, double-blind, placebo-controlled, phase 3 trial. Lancet Neurology, The, 2020, 19, 988-997. | 4.9 | 64 |
| 25 | Aging and efficacy of disease-modifying therapies in multiple sclerosis: a meta-analysis of clinical trials. Therapeutic Advances in Neurological Disorders, 2020, 13, 175628642096901. | 1.5 | 20 |
| 26 | The 2013 clinical course descriptors for multiple sclerosis. Neurology, 2020, 94, 1088-1092. | 1.5 | 73 |
| 27 | A clinically feasible 7-Tesla protocol for the identification of cortical lesions in Multiple Sclerosis. European Radiology, 2020, 30, 4586-4594. | 2.3 | 18 |
| 28 | Detection of subtle gait disturbance and future fall risk in early multiple sclerosis. Neurology, 2020, 94, e1395-e1406. | 1.5 | 25 |
| 29 | A randomized, placebo-controlled, phase 2 trial of laquinimod in primary progressive multiple sclerosis. Neurology, 2020, 95, e1027-e1040. | 1.5 | 28 |
| 30 | Early complement genes are associated with visual system degeneration in multiple sclerosis. Brain, 2019, 142, 2722-2736. | 3.7 | 30 |
| 31 | Inebilizumab for the treatment of neuromyelitis optica spectrum disorder (N-MOmentum): a double-blind, randomised placebo-controlled phase 2/3 trial. Lancet, The, 2019, 394, 1352-1363. | 6.3 | 433 |
| 32 | Lymphocyte counts and infection rates. Neurology: Neuroimmunology and NeuroInflammation, 2019, 6, | 3.1 | 7 |
| 33 | Open-label, add-on trial of cetirizine for neuromyelitis optica. Neurology: Neuroimmunology and NeuroInflammation, 2018, 5, e441. | 3.1 | 22 |
| 34 | Clinical Course of Multiple Sclerosis. Cold Spring Harbor Perspectives in Medicine, 2018, 8, a028928. | 2.9 | 186 |
| 35 | Diagnosis of multiple sclerosis: 2017 revisions of the McDonald criteria. Lancet Neurology, The, 2018, 17, 162-173. | 4.9 | 4,605 |
| 36 | No evidence of disease activity (NEDA) analysis by epochs in patients with relapsing multiple sclerosis treated with ocrelizumab vs interferon beta-1a. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2018, 4, 205521731876064. | 0.5 | 32 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Brain microstructural injury occurs in patients with RRMS despite â€~no evidence of disease activity'. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 977-982. | 0.9 | 16 |
| 38 | The MSOAC approach to developing performance outcomes to measure and monitor multiple sclerosis disability. Multiple Sclerosis Journal, 2018, 24, 1469-1484. | 1.4 | 41 |
| 39 | 061â€Ocrelizumab reduces disability progression independent of relapse activity in patients with relapsing multiple sclerosis (RMS) (ENCORE). Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, A25.2-A25. | 0.9 | 5 |
| 40 | Objective and subjective measures of dalfampridine efficacy in clinical practice. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2018, 4, 205521731878674. | 0.5 | 3 |
| 41 | "Location, location, location― Multiple Sclerosis Journal, 2018, 24, 1396-1398. | 1.4 | 8 |
| 42 | Retinal degeneration in primary-progressive multiple sclerosis: A role for cortical lesions?. Multiple Sclerosis Journal, 2017, 23, 43-50. | 1.4 | 40 |
| 43 | Synchronization and variability imbalance underlie cognitive impairment in primary-progressive multiple sclerosis. Scientific Reports, 2017, 7, 46411. | 1.6 | 27 |
| 44 | The â€~Field Hypothesis': rebound activity after stopping disease-modifying therapies. Multiple Sclerosis and Related Disorders, 2017, 15, A1-A2. | 0.9 | 13 |
| 45 | Baseline EDSS proportions in MS clinical trials affect the overall outcome and power: A cautionary note. Multiple Sclerosis Journal, 2017, 23, 982-987. | 1.4 | 7 |
| 46 | A composite measure to explore visual disability in primary progressive multiple sclerosis. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2017, 3, 205521731770962. | 0.5 | 3 |
| 47 | Long-term follow-up of a randomized study of combination interferon and glatiramer acetate in multiple sclerosis: Efficacy and safety results up to 7 years. Multiple Sclerosis and Related Disorders, 2017, 18, 95-102. | 0.9 | 15 |
| 48 | The relationship between cortical lesions and periventricular NAWM abnormalities suggests a shared mechanism of injury in primary-progressive MS. NeuroImage: Clinical, 2017, 16, 111-115. | 1.4 | 12 |
| 49 | PO128â€Infusion-related reactions with ocrelizumab in rms and ppms. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, A46.1-A46. | 0.9 | Ο |
| 50 | Cerebellar lobule atrophy and disability in progressive MS. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 1065-1072. | 0.9 | 47 |
| 51 | PO129â€Neda analysis by epoch in the opera studies of ocrelizumab. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, A46.2-A46. | 0.9 | 3 |
| 52 | Cerebellar volume as imaging outcome in progressive multiple sclerosis. PLoS ONE, 2017, 12, e0176519. | 1.1 | 19 |
| 53 | Relationship between timed 25-foot walk and diffusion tensor imaging in multiple sclerosis. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2016, 2, 205521731665536. | 0.5 | 7 |
| 54 | Diagnostic Criteria, Classification and Treatment Goals in Multiple Sclerosis: The Chronicles of Time and Space. Current Neurology and Neuroscience Reports, 2016, 16, 90. | 2.0 | 25 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Multiple Sclerosis and Other Inflammatory Diseases. , 2016, , 249-258. | | 0 |
| 56 | Onset of clinical and MRI efficacy occurs early after fingolimod treatment initiation in relapsing multiple sclerosis. Journal of Neurology, 2016, 263, 354-360. | 1.8 | 30 |
| 57 | William Austin Sibley, MD (1925–2015). Multiple Sclerosis Journal, 2016, 22, 11-12. | 1.4 | 1 |
| 58 | Oral fingolimod in primary progressive multiple sclerosis (INFORMS): a phase 3, randomised, double-blind, placebo-controlled trial. Lancet, The, 2016, 387, 1075-1084. | 6.3 | 379 |
| 59 | Novel Agents for Relapsing Forms of Multiple Sclerosis. Annual Review of Medicine, 2016, 67, 309-321. | 5.0 | 35 |
| 60 | Relapses in multiple sclerosis: Relationship to disability. Multiple Sclerosis and Related Disorders, 2016, 6, 10-20. | 0.9 | 36 |
| 61 | Optic neuropathy in late-onset neurodegenerative Chédiak–Higashi syndrome. British Journal of Ophthalmology, 2016, 100, 704-707. | 2.1 | 5 |
| 62 | Effect of inâ€painting on cortical thickness measurements in multiple sclerosis: A large cohort study. Human Brain Mapping, 2015, 36, 3749-3760. | 1.9 | 15 |
| 63 | Regional gray matter atrophy in relapsing remitting multiple sclerosis: Baseline analysis of multi-center data. Multiple Sclerosis and Related Disorders, 2015, 4, 124-136. | 0.9 | 31 |
| 64 | Differential diagnosis of Mendelian and mitochondrial disorders in patients with suspected multiple sclerosis. Brain, 2015, 138, 517-539. | 3.7 | 41 |
| 65 | Association of Deep Gray Matter Damage With Cortical and Spinal Cord Degeneration in Primary Progressive Multiple Sclerosis. JAMA Neurology, 2015, 72, 1466. | 4.5 | 32 |

66 Emergency Medical Care of Multiple Sclerosis Patients: Primary Data from the Mount Sinai Resource

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Randomized study combining interferon and glatiramer acetate in multiple sclerosis. Annals of Neurology, 2013, 73, 327-340. | 2.8 | 182 |
| 74 | Editorial. Multiple Sclerosis and Related Disorders, 2013, 2, 153. | 0.9 | 0 |
| 75 | MS as a gateway disease. Journal of the Neurological Sciences, 2013, 333, 73-75. | 0.3 | 1 |
| 76 | Disease activity free status in MS. Multiple Sclerosis and Related Disorders, 2012, 1, 6-7. | 0.9 | 43 |
| 77 | Multiple Sclerosis as a Model Neurologic Disease. Mount Sinai Journal of Medicine, 2011, 78, 159-160. | 1.9 | Ο |
| 78 | Relapses do not matter in relation to long-term disability: No (they do). Multiple Sclerosis Journal, 2011, 17, 1415-1416. | 1.4 | 15 |
| 79 | The incomplete nature of multiple sclerosis relapse resolution. Journal of the Neurological Sciences, 2007, 256, S14-S18. | 0.3 | 26 |
| 80 | History of modern multiple sclerosis therapy. Journal of Neurology, 2005, 252, iii3-iii9. | 1.8 | 46 |
| 81 | Multiple sclerosis trial designs for the 21st century: Building on recent lessons. Journal of Neurology, 2005, 252, v46-v53. | 1.8 | 18 |
| 82 | Clinical features and diagnosis of multiple sclerosis. Neurologic Clinics, 2005, 23, 1-15. | 0.8 | 82 |
| 83 | Magnetic Resonance Imaging of Meningoradiculomyelitis in Early Disseminated Lyme Disease. Journal of Neuroimaging, 2003, 13, 264-268. | 1.0 | 13 |
| 84 | Effect of relapses on development of residual deficit in multiple sclerosis. Neurology, 2003, 61, 1528-1532. | 1.5 | 394 |
| 85 | When marketing and science intersect. Neurology, 2002, 59, 1480-1481. | 1.5 | 15 |
| 86 | The diagnosis of multiple sclerosis. Current Opinion in Neurology, 2002, 15, 253-256. | 1.8 | 15 |
| 87 | Spectrum and classification of inflammatory demyelinating diseases of the central nervous system. Current Neurology and Neuroscience Reports, 2001, 1, 249-256. | 2.0 | 8 |
| 88 | Placebo-controlled clinical trials in multiple sclerosis: Ethical considerations. Annals of Neurology, 2001, 49, 677-681. | 2.8 | 52 |
| 89 | Recommended diagnostic criteria for multiple sclerosis: Guidelines from the international panel on the diagnosis of multiple sclerosis. Annals of Neurology, 2001, 50, 121-127. | 2.8 | 6,122 |
| 90 | Placeboâ€controlled clinical trials in multiple sclerosis: Ethical considerations. Annals of Neurology, 2001, 49, 677-681. | 2.8 | 3 |